


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dean Schwindman
(Applicant)

22-7020

AFFIDAVIT OF
PUBLICATION

State of Idaho

County of Fremont

ss.

L. B. Hunsaker

being first duly sworn, upon his
oath, deposes and says:

That he is the owner
of The Chronicle-News, a news-
paper as defined by Idaho
Codes Annotated, section 58-106,
as amended, and that said
newspaper is a weekly news-
paper printed and published at
St. Anthony, in Fremont County,
Idaho, having a general circula-
tion in said county, and that
said newspaper has been print-
ed and published as a weekly
newspaper in said county for
more than 78 consecutive weeks
prior to the first publication of
the attached notice, advertise-

ment or publication of

application for
water

And affiant further says that
said notice, advertisement or
publication, as per clipping
attached, was published in said
newspaper, in the regular and
entire issue thereof, and not in
any supplement issue thereof,

for 2 consecutive is-
sues thereof; first publication

having been made on the 10

day of April, 1969,

and the last publication on the

17 day of April

1969.

And affiant further says that at
the times herein mentioned said
newspaper was made up of at
least four pages of at least five
columns each, printed from
type matter, of at least seven-
teen and three-fourths inches
deep.

Subscribed in my presence and

sworn to before me this 28th

day of April,

1969.

Notary Public for the
State of Idaho, resi-
(SEAL) dence and post office
address: St. Anthony,
Idaho.

NOTICE OF
APPLICATION FOR WATER

Notice is hereby given that Dean
Schwendiman, Newdale, Idaho has
on March 17, 1969 applied for
permit under application No. 22-
7020 to divert 3.2 cubic feet per
second of water from a ground
water source. Water will be di-
verted by a well, and sprinklers
within the SE1/4NE1/4, sec. 7,
T. 7 N, R. 42 E, B.M., Fremont
County and is to be used from
March 1 to November 1 for irri-
gation in the SE1/4NE1/4, SW1/4
NW1/4, NW1/4SW1/4, NE1/4 SE-
1/4, sec. 7, T. 7 N, R. 42 E,
B.M.

Any protest against this appli-
cation must be filed with the De-
partment of Reclamation within
ten days from the last date of
publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

(C.N. APRIL 10, 17, 1969)

Department of Reclamation

Bill submitted
9-12-69

22-7020

T
2





Diagram of System



22-7020

N-2-E

A-106

53.4

A-23
1-4

51.0

A-106
5-7

638-A A

2-A

4000

A-216

2-3

East west buried
Main line

Чодас

394

Point
of Directors

78.2

A-216
1-3

784

39.1

A-673
2-2

34.5

39.4

12	7
3	18

101.0

258-A

Sec.

sec

7

Sec. 18

Sec. 17

5.5.

A-630
3-4

209.5

2451

83 a

ARK 7/13/27

NOT TO SCALE

T
7
N






Diagram of System





MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 22-7020 Priority March 17, 1969 Amount 2.56 cfs

THIS IS TO CERTIFY, that DEAN SCHWENDIMAN
of Newdale, Idaho, has complied with the terms and conditions of Permit
No. 22-7020 issued pursuant to Application for Permit dated March 17, 1969,
and has submitted proof to the Department of Water Resources on August 20, 1974,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.56 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>2.56</u> cfs and	<u>474</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 2.56 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
474 acre feet per year, said waters to be diverted within the SE $\frac{1}{2}$ NE $\frac{1}{2}$, Sec. 7, Twp. 7N,
Rge. 42E, B.M. in the County of Fremont

Description and location of place of use:

Twp.	Range	Sec.	NEW				NWA				SWW				SEW				Totals
			NEW	NWA	SWW	SEW	NEW	NWA	SWW	SEW	NEW	NWA	SWW	SEW	NEW	NWA	SWW	SEW	
<u>7N</u>	<u>42E</u>	<u>7</u>				<u>39</u>				<u>40</u>				<u>40</u>				<u>39</u>	<u>158</u>

Total number of acres irrigated 158

This right when combined with all other rights shall provide no more than .02 cfs
per acre nor more than 3.0 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 14th day of
April, 19 81.

Director

Would you kindly send us a copy of any correspondence on this permit? Thank you.

COPE DRILLING AND PUMP CO.
BOX 1196
IDAHO FALLS, IDAHO

Identification No. 22-7020

Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant DEAN SCHWENDIMAN
post office address NEWDALE, IDAHO 83436
2. Source of water supply irrigation well which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 7 Township 7No
Range 42 E B.M. Fremont County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
a. 3.2 cubic feet per second and/or
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
Irrigation purpose from March 1 to Nov. 1 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Main line sprinkler system

b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____

c. Proposed well diameter is 16 inches; proposed depth of well is 700 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 25,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

22-7020

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7N	42E	7				40			40			40			40				160

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes _____


9. a. Who owns the property at the point of diversion Dean Schwendiman

b. Who owns the land to be irrigated or place of use Dean Schwendiman

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dean Schenckman
(Applicant)

22-7020

Received by dv Date 3-17-69 Time 8:00am
Preliminary check by Dell Fee \$ 35.00 3-18-69
Received by ej Date 3-19-69
Publication prepared by lv Date 4-4-69
Published in Lewiston Co. Chronicle News
Publication dates 4-10+17-69
Publication approved dv Date 9-12-69
Priority reduced to _____ Reason _____

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Duff AK R.H.

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7020, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 74.
- c. Other: The applicant shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 25th day of September 19 69.

R. Keith Higgins
State Reclamation Engineer

**AFFIDAVIT OF
PUBLICATION**

State of Idaho
County of Fremont

ss.

L. B. Hunsaker

being first duly sworn, upon his
oath, deposes and says:

That he is the owner
of The Chronicle-News, a news-
paper as defined by Idaho
Codes Annotated, section 58-103,
as amended, and that said
newspaper is a weekly news-
paper printed and published at
St. Anthony, in Fremont County,
Idaho, having a general circula-
tion in said county, and that
said newspaper has been print-
ed and published as a weekly
newspaper in said county for
more than 78 consecutive weeks
prior to the first publication of
the attached notice, advertise-

ment or publication of

application for
water

And affiant further says that
said notice, advertisement or
publication, as per clipping
attached, was published in said
newspaper, in the regular and
entire issue thereof, and not in
any supplement issue thereof,

for 2 consecutive is-
sues thereof; first publication

having been made on the 10

day of April, 1969,

and the last publication on the

17 day of April

1969.

And affiant further says that at
the times herein mentioned said
newspaper was made up of at
least four pages of at least five
columns each, printed from
type matter, of at least seven-
teen and three-fourths inches
deep.

Testimony
Subscribed in my presence and

sworn to before me this 28th

day of April,

1969.

Phyllis Hunsaker
Notary Public for the
State of Idaho, resi-
(SEAL) dence and post office
address: St. Anthony,
Idaho.

RECEIVED

SEP 10 1969

Department of Reclamation

**NOTICE OF
APPLICATION FOR WATER**

Notice is hereby given that Dean
Schwendiman, Newdale, Idaho has
on March 17, 1969 applied for
permit under application No. 22-
7020 to divert 3.2 cubic feet per
second of water from a ground
water source. Water will be di-
verted by a well, and sprinklers
within the SE1/4NE1/4, sec. 7,
T. 7 N, R. 42 E, B.M., Fremont
County and is to be used from
March 1 to November 1 for irri-
gation in the SE1/4NE1/4, SW1/4
NW1/4, NW1/4SW1/4, NE1/4 SE-
1/4, sec. 7, T. 7 N, R. 42 E,
B.M.

Any protest against this appli-
cation must be filed with the De-
partment of Reclamation within
ten days from the last date of
publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

(C.N. APRIL 10, 17, 1969)

Bill submitted

9-12-69

22-7020



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

May 9, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

DEAN SCHWENDIMAN
PO BOX 57
NEWDALE ID 83436

RE: Water Right Nos. 22-07020, 22-07721, 22-02193 and 21-07418

Dear Mr. Schwendiman:

I am writing in response to your request for information about water rights 22-07020, 22-07721, 22-02193, and 21-07418. IDWR records show that 22-07020 and 22-02193 are licensed water rights. Right 22-07721 is a permit for which you submitted proof of beneficial use in 1995. A field examination has not yet been conducted for 22-07721. I have enclosed printouts showing the elements of water rights 22-07020, 22-07721, 22-02193.

Permit 22-07418 lapsed in 1993 after your second request for extension of time to submit proof of beneficial use was denied. It is of no force or effect. A copy of the lapse notice sent in 1993 is enclosed for you. The permit cannot be reinstated unless you submit a proof of beneficial use statement with the appropriate examination fee and sufficient evidence to clearly establish the extent of beneficial use made prior to July 1, 1993, which is the date proof was due.

In your letter you indicated that you are finishing a second point of diversion for permit no. 22-07721. I have inspected the water right file and do not see any indication that you have been authorized to develop a second point of diversion for 22-07721. Because you have already submitted proof of beneficial use for 22-07721, the best way to obtain authorization to add a new point of diversion is to get the right licensed and then file an application for transfer with IDWR.

- Before a license can be issued, IDWR will have to conduct a field examination of your development. I spoke with Keith Wilson in our Idaho Falls office, and he would like you to call him at 208-525-7161 at your earliest convenience to schedule the field examination.

To add a point of diversion to a water right that is already licensed, such as 22-07020, you should file an application for transfer with IDWR. I suggest that you discuss this option with Keith Wilson.

In order to establish a right to divert water in excess of the diversion rate and volume authorized under your existing licenses and permits, you must file an application for permit with IDWR. Since 1992 there has been a moratorium on the issuance of new permits for consumptive uses of

MICROFILMED

MAY 19 1997

Dean Schwendiman

May 9, 1997

Page 2

both ground water and surface water in the Eastern Snake River Plain area. Therefore, you may file an application at this time to establish your priority, but the application will not be processed until the moratorium is modified or lifted.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

A handwritten signature in cursive script, reading "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

Enclosures

c: Keith Wilson at Eastern Region

MICROFILMED

MAY 19 1997

points of diversion for permit #
22-7721 + get licensed for what
they, #22720 + 21-0714, actually
produce now. The permit #22-7721
is for much more water than
we expect to get from even the
two wells that will be a part of
it. We hope this can be done.

If more information is needed,
such as maps a water system
let me know. Our total farm
irrigation system is all totally
connected to help cover any single
system failure. The land is all
covered for water under permits
& licenses, so no new acreages
would be served. Thanks.

Very truly yours,
Dean Schwaeneman
Pres.

NOT RECORDED

MAY 19 1967

RECEIVED

MAY 08 1997

Department of Water Resources

Dean Schwendiman & Sons, Inc.
P.O. Box 57
Newdale, Id. 83436
phone. 458-4314
Fax 458-4321

State of Idaho
Dept. of Water Resources
1301 North Orchard Street
P.O. Box 83720
Boise, Id. 83720-0098

May 5, 1997

Dear Sirs:

We are getting close to finishing, we hope, our well for the 2nd diversion point for our permit to appropriate water, permit # 22-7721. We should have them both ready for proof this irrigation season.

We also have, for our farm operation, two other sources of water permit # 22-7020 and 21-07418 that are producing more water now, because of hole development, different pump bowls & pump depth setting. They are both producing more than the licenses on them. Is it possible to add 2 more

MICROFILMED

MAY 19 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 26, 1981

Dean Schwendiman
Box 57
Newdale, Idaho 83436

Dear Mr. Schwendiman,

A representative of this Department has made an examination of the works covered by your Permit No. 22-7020, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.56 cfs Source: groundwater

The maximum quantity diverted shall not exceed 474 acre feet per year.

Point(s) of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 7, Twp. 7N, Rge. 42E, B.M.

Beneficial use: Irrigation of 158 acres within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$,
NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, Twp. 7N, Rge. 42E.

Priority date established: March 17, 1969

Conditions (if any): ~~This right when combined with all other rights shall provide no more than 3.0 afa per acre for the lands above.~~

R16(3.0) added to original letter from

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 15, 1981

Dean Schwendiman
Box 57
Newdale, Idaho 83436

Dear Mr. Schwendiman,

RE: License No. 22-7020

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr
Enclosure

MAILED
APR 16 1981

2ND EXAM

Person to contact

RECEIVED
Phone _____

MAR 9 1978

Department of Water Resources
Eastern District Office

Tributary to

Other uses: _____

Max Rate of Diversion 3.2 cubic feet per second and annual volume _____ AF/Annum.

Other Points of Diversions: _____

Description of diverting works: 250hp-10" column, 20" x 800' well, 610' pump
column

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]

TOTAL ACREAGE 160

KLINGSTADT

B42E

221





Diagram of System



DATE OF EXAM 6/20/79

ACREAGE

Found 158 Ac ✓
Recommended 158 Ac ✓

Irrigation Requirement 3.0 Ac Ft/Ac

USE

Irrigation Q = 2.56 c.f.s. V = 474 AF/Ann. from April 1 to Nov. 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: N/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no X

Name source exchanged with: N/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: N/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: N/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 2.56 cfs Method of measurement Flow Meter

Total Q recommended 2.56 cfs Meter No. 73-10-193 Type Mcrometer Condition Std

Total V recommended 474 AF/Ann.

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None

MEASUREMENT CALCULATION:

measured .01 AF in 170.2 sec. .01 AF = 435.6 cft. $435.6 \div 170.2 \text{ sec} = 2.56 \text{ cfs}$ ^{capacity} 1149 gpm.
 $V = 158 \text{ ac} \times 3.0 \text{ ac/ft} = 474 \text{ AF/Ann.}$ $2.56 \text{ cfs} \times 1.9835 \text{ cfs AF/dy} \times 214 \text{ dys} = 1087 \text{ AF/Ann.}$

SYSTEM DESCRIPTION:

A 2.5 hp. 3.50 hp motor driven by a 1009013 and a 1009013 turbine pump draws water from an 800' deep well. 1 mile of buried main line and 6 1/4 mile hard lines.

REMARKS:

System shown and described by Deane Schenckman.

Meter dial in gpm was not the same as the 1009013 reading 1350-1400 gpm versus 1149 gpm.

SEWF + WESE covered by license # 22-3193 49 cfs on 72.7 overlapping acres.

Examiner's Signature John D. Carlson Date 2/28/80

Checked by Anthony R. Kozlowski Date 2-29-80

Approved by Rouge Date 3/25/81

Overlap Review
ON BACK →

Overlap Renewal for 22-7020

License 22-2193

P/D different well

$$\frac{1.55 \text{ cfs}}{229.6 \text{ AC}} = .0068 \text{ cfs/AC}$$

~~No Overlap due to source - should~~
~~limit w/ R15~~

RA 3/25/81

same source
groundwater


Permit 22-7020

$$\frac{2.56 \text{ cfs}}{158 \text{ AC}} = \frac{0.0162 \text{ cfs/AC}}{\frac{.0068}{.0230}} \quad \text{use condition R16}$$



Dean Schwendiman

22-7020



Sec. 7 | Sec. 8
Sec. 18 | Sec. 17

NOT TO SCALE



Dean Schwendiman & Sons, Inc.

220 SOUTH 4TH EAST

P.O. BOX 57, PHONE 458-4314

NEWDALE, IDAHO 83436

*State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720*



RECEIVED

RECEIVED

FEB 23 1978

Department of Water Resources

Feb. 16, 1978

Newdale, Idaho

JAP
State of Idaho
Dept. of Water Resources

Dear Mr. Eleenor:

I am writing concerning permit No. 22-7020 and your letter of Feb. 6, 1978. I have two questions I am not clear on. First; can additional acreage and legal description be added to the license. The reason, since the permit was applied for more acreage has been obtained and water used on it.

Second; your examination showed 2.39 cfs of water. I'm more familiar with g.p.m. and I used a factor of 1 cfs = 448.8 g.p.m. or a total of 1072.6 g.p.m.. By my calculations and reading of water meter at the well I thought it was producing about 1250 g.p.m.. Is it possible that error could be made or perhaps at time of examination pressure could have been very high at pump which would have cut back amount of water.

Could you give information on these questions.

Sincerely, Dean Schwendiman

February 6, 1978

Re: Permit No. 22-7020

Dean Schwendiman
Box 57
Newdale, ID 83436

Dear Mr. Schwendiman:

A representative of this Department made an examination of the works covered by your Permit No. 22-7020 on July 13, 1977, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.39 cfs Source: groundwater

The maximum quantity diverted shall not exceed 474 acre feet per
year.

Point of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 7, Twp. 7N, Rge. 42E, B. M.

Beneficial use: Irrigation of 158 acres within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$,
NW $\frac{1}{4}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, Twp. 7N, Rge. 42E, B. M.

Priority date established: March 17, 1969

If you do not concur with these findings please contact us within 10 days, otherwise a
water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

RECEIVED
FEB 15 1978
ID 83436

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 22-7020 Priority March 17, 1969 Amount 2.39 cfs

THIS IS TO CERTIFY, that DEAN SCHWENDIMAN
of Newdale, Idaho, has complied with the terms and conditions of Permit
No. 22-7020 issued pursuant to Application for Permit dated March 17, 1969,
and has submitted proof to the Department of Water Resources on August 20, 1974,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.39 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>Apr. 1</u> to <u>Nov. 1</u>	at <u>2.39</u> cfs and	<u>474 ac ft</u>
_____	from _____ to _____	at _____ cfs and	_____
_____	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 2.39 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
474 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 7, Twp. 7N,
Rge. 42E, B.M. in the County of Fremont

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
7N	42E	7				39			40			40			39				158

Total number of acres irrigated 158

A measuring device of a type approved by the Department shall be permanently
maintained as part of the diverting works.

DEPARTMENT OF WATER ADMINISTRATION

FIELD REPORT

RECEIVED
458-4261

1. Name of permit holder Dean Schwendiman
 Post office address P. O. Box 57, Newdale, ID Phone 458-4458
 Person to contact _____ Department of Water Resources
 Phone Eastern District Office

2. Source of water supply: Groundwater ☒ Surface water ☐
 (name spring, stream, etc.)
 Tributary to _____

3. Water will be used for the following purposes:

Amount 3.2 c.f.s. for irrigation
 _____ AF/Annum (nature of use)

Period of Use: from Mar. 1 to Nov. 1
 (mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
 (mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
 (mo.-day) inclusive (mo.-day)

Other uses: _____

4. Total amount to be appropriated:

Max Rate of Diversion 3.2 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 7N N/S, Range 42E E/W, B.M., Section 7, Subdivision SE 1/4 NE 1/4, Fremont
 County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____
 County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____
 County

Other Points of Diversions: _____

Description of diverting works: 10" column, 250 hp, 20" casing, 800' deep, 610' pump column.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use. (See attached map)

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7N	42E	7				40			40			40			40				160

TOTAL ACREAGE 160

Permit No. 22-7020
 Examination for b/u





Diagram of System



DATE OF EXAM 7/13/77

ACREAGE
Found 158.00
Recommended 158.00

Irrigation Requirement 3.0 Ac Ft/Ac

USE
Irrigation Q = 2.39 c.f.s. V = 474 AF/Ann. from April 1 to Nov 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: n/a
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4
County _____

Exchange? yes _____ no X

Name source exchanged with: n/a
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4
County _____

Point of injection: n/a
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4
County _____

Point of exchange: n/a
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4
County _____

Total Q measured 2.39 cfs Method of measurement In Line Meter

Total Q recommended 2.39 cfs Meter No. 73-10-193 Type MC Crommeter Condition good

Total V recommended 474 AF/Ann

Recommended Amendments:

P.D. _____

Place of Use _____

☒ Other Period of use should be April 1 to Nov 1

☐ None _____

MEASUREMENT CALCULATION:

Measured .01 AF in 182 sec, .01 AF = 435.6 cuft., 435.6 ÷ 182 = 2.39 cfs

V = 158 X 3 = 474 AF/Ann < 215 X 1.98 X 2.39 = 1017 AF/Ann

ARK 7/13/77

SYSTEM DESCRIPTION:

Groundwater is diverted from an 800' deep well having a 20" diam casing by a General Electric "Tri-clad" Induction pump motor mfr - 5K6317XC132A, S/n - KK 1009013, 350 H.P., 3 ph. and by a Johnston vertical pump - no ID #'s Average irrigated by 6-1/4 mi long handline sprinklers

REMARKS:


Owner not contacted. A county gravel road borders the acreage on the east side for a half mi.
L# 22-2193 covers 36 ac in SENE & 36.7 in NE SE, Sec 17 for a total of 0.47 cfs.

Examiner's Signature Anthony R. Kozlowski Date 7/13/77

Checked by Ernest Carlen Date 7/5/78

Approved by _____ Date _____

22-7020



ARK 7/13/27

August 26, 1974

Re: Permit No. 22-7020

Dean Schwendiman
P. O. Box 57
Newdale, ID 83436

Dear Mr. Schwendiman:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our District Office in Idaho Falls.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

MICROFILMED

Identification No. _____

Permit No. _____


STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

RECEIVED

AUG 20 1974

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Resources



1. a) Name of Permit Holder Dean Schwendiman
- b) Post Office Address P.O. Box 57 Newdale, Idaho 83436
2. Permit Number 22-7020
3. Date of Priority that you are prepared to establish Mar. 17, 1969
4. a) Source from which water was appropriated underground ; well
- b) Location of the point of diversion: SE 1/4 NE 1/4, Section 7
Township 7 Range 42 E Boise Meridian, Other points of diversion: within 50ft. of south-west corner of above described 40 acre tract
5. a) The amount of water and use to which the water has been applied:
amount 2.6 cfs for irrigation purposes from April 1 to Nov. 1 incl.
(cfs and/or acre foot per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre foot per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre foot per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 2.6 c.f.s. cfs and/or acre foot per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: off direct reading flow-meter
Sylvan Seeley; manager Gem State Irrigation, Inc.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: not applicable
b) Describe the agreement or understanding by which you take water from the works: not applicable
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) deep well: 10" column, 250 hp. 20" casing, 800 ft deep well, 610 ft. pump column
b) Describe the type and size of measuring device which you have installed at your point of diversion: McCrometer 8" flow-meter
c) Give well drillers name and address and date the well was completed Sterling Sigman,
Pocatello, Idaho ; Charles Cope, Idaho Falls, Idaho
original April, 1970 ; deepened May 13, 1971

Exam typed 9/22/74 by fg

MICROFILMED

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7 N	42 E	7			40			40				40				40			
7 N.	42 E	8						40	40	40	40				40	40			
7 N.	42 E.	9						40	40	40	40			40					
7 N.	42 E.	16					40												

Total number of acres irrigated ~~640~~ **640**

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 17, 1974
(Date)

Dean Schwendiman
(Signature)

State of Idaho)
County of Teton) ss.

On this 17th day of August, 19 74, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Buckley Allen
Notary Public residing at Meridian, Idaho

My commission expires 2/2/75

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐ Show address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

25482

1

2

Shirlene Schwendman

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

DATE DELIVERED

SHOW WHERE DELIVERED (Only if requested, and include ZIP Code)


3

7-5-74

22-7020

U.S. POSTAL SERVICE
OFFICIAL BUSINESS

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- If special services are desired, check block(s) on other side.
- Moiston gummed ends and attach to back of article.

83430
RETURN
TO
↓

PS Form 39
June 1973
DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707

MICROFILMED

July 1, 1974

CERTIFIED MAIL

#25482

Re: Permit No. 22-7020

Dean Schwendiman
Newdale,
Idaho 83436

Dear Mr. Schwendiman:

One of the conditions of approval of your water Permit No. 22-7020 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before September 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

MICROFILMED

September 29, 1969

Re: Permit No. 22-7020

Mr. Dean Schwendiman
Newdale,
Idaho 83436

Dear Mr. Schwendiman:

We enclose a copy of your approved application for permit 22-7020
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of permit
Receipt No. 2818 for \$35.00
2 informational letters

22-7020

August 12, 1969

Re: Claim to A Water Right No. 21-4602-Dennis V. Spencer
Application for Permit No. 22-7020-Dean Schwendiman

Fremont County Chronicle News
St. Anthony
Idaho

Gentlemen:

As of this date we have yet to receive the affidavits of publication or the certified bills for the above referenced. As it is mandatory that we be in receipt of these items before the permit and claim can be approved, would you PLEASE forward the affidavits and certified bills by return mail.

Your immediate attention to this matter is appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:sc

*Phone
call
9-8-69
ds*

22-7020

C
O
P
Y

May 23, 1969

C
Re: Application for Permit No. 22-7020-Dean Swendiman

O
Fremont County Chronicle News
St. Anthony, Idaho

Gentlemen:

P
As of this date we have not yet received the affidavit of publication
not the certified bill for publication for the above referenced. Please
forward these articles to the Department as soon as possible so that we
may process this application as soon

Y
Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:TG
Enc: none

22-7020

May 16, 1969

C
O
P
Y
Re: Application for Permit No. 22-7020-Dean Schwandiman

Fremont County Chronicle News

St. Anthony, Idaho

Gentlemen:

As of this date, we have not yet received the affidavit of publication of the certified bill of publication for the above referenced. As the Department needs these to finish processing the application, we will appreciate you forwarding them to our office as soon as possible.

Very truly yours,

Donald W. McElldowney
Appropriation Examiner

DWM:TC

22-7020

April 4, 1969

Re: Application No. 22-7020
Dean Schwendiman

Fremont County Chronicle News
St. Anthony,
Idaho 83445

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

enclosure: legal notice (1)

22-7020

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Dean Schwendiman, Newdale, Idaho

has on March 17, 1969

applied for permit under application No. 22-7020, to divert store

3.2 cubic feet per second acre/feet of water from a ground
water source well a well

water source . Water will be diverted by a well,
and sprinklers within the SE 1/4.

and sprinklers _____ within the SE 1/4 NE 1/4,
sec. 7, T. 7 N, R. 42 E, B.M., Fremont County

and is to be used from March 1 to November 1 for irrigation

in the SE $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 7, T. 7 N, R. 42 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Fremont County chronicle News, St. Anthony, Idaho.

on April 10 and April 17

6-24-3921

22-7020.