


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

20 Randall
(Applicant)

22-2004

The REXBURG STANDARD and
The REXBURG JOURNAL
REXBURG, IDAHO

Affidavit of Publication

STATE OF IDAHO }
County of Madison } ss.

I, Annette Porter,
being first duly sworn, depose and say,
that I am the printer of THE REXBURG

Journal, a newspaper printed and
published weekly at Rexburg, Madison
County, Idaho; and I do solemnly swear
that the

Notice of Application for Water
a copy of which notice appears attached
hereto, was published in the regular and
entire issue of said newspaper, and not in

any supplement issue thereof for two
consecutive issues, the first publication hav-

ing been made on August 31, 1967
and the last publication having been made

on September 7, 1967.

Further, that said newspaper is one of
general circulation in said county; that it
is a legal newspaper, conforming to legal
specifications under the Idaho Statutes; that
it has at least two hundred bona fide sub-
scribers living within the county of publica-
tion; and that it has been continuously and
uninterruptedly published in said county dur-
a period of seventy-eight consecutive weeks
prior to the first publication of the said not-
ice.

Annette Porter



Subscribed to and sworn to before me

this 7th day of September, 1967.

John C. Porter
Notary Public.
(SEAL)

My commission expires 6-5-68

**NOTICE OF APPLICATION
FOR WATER**

NOTICE is hereby given that
H. J. Randall has on August 16,
1976 applied for permit to div-
ert 9.6 cubic feet per second
of water from a subterranean
source under application No.
22-7004. Water will be diverted
by a well and pump within the
NE 1/4 NW 1/4, Sec. 32, T. 6N, R.
41E, B.M., Madison County and
is to be used from April 1 to
November 31 for irrigation in

W 1/2 NE 1/4, E 1/2 NW 1/4, S 1/2, Sec.
32, T. 6N, R. 41E, B.M.

Any protest against this ap-
plication must be filed with the
Department of Reclamation with
in ten days from the last date
of publication of this notice.

R. Keith Higginson
State Reclamation Eng.
Published in the Rexburg Jour-
nal, Rexburg, Idaho, on August
31 and Sept. 7, 1967.

mv

SEP 8 1967

Department of Reclamation

22-7004





Diagram of System



Form 23
2M-4-65

Metcoflex
X1000 = G.P.M. - LIQUID - SP GR 1.0


STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF EXAMINER

PERMIT NO. 22-7004

REPORT ON PROOF OF B/U RANDALL CORPORATION

MICROFILMED



Q measured 4.90 cts
Q recommended 4.90
Volume 1680 Af
Acreage -
Found 480
recommended _____
Subdv. 12
Ammendments
☒ None
☐ P.D.
☐ Place of use
☐ _____

30 29
31 32

163.4



P.A.

132.9

A-130
1-3

Randall Corp.

157.8

C
15.6

D
60


E
79.7

F
22.7

G
7.4

over for
system
diagram

18'x12'
CONC. SLAB



MAINLINE

**NOTICE OF APPLICATION
FOR WATER**

NOTICE is hereby given that H. J. Randall has on August 16, 1976 applied for permit to divert 9.6 cubic feet per second of water from a subterranean source under application No. 22-7004. Water will be diverted by a well and pump within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, T. 6N, R. 41E, B.M., Madison County and is to be used from April 1 to November 31 for irrigation in W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$, Sec. 32, T. 6N, R. 41E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. Keith Higginson
State Reclamation Eng.

Published in the Rexburg Journal, Rexburg, Idaho, on August 31 and Sept. 7, 1967.

22-7004

State of Idaho
Department of Water Resources

AMENDED

WATER RIGHT LICENSE

AMENDED

License of Water Right No. 22-7004 Priority August 16, 1967 Amount 5.28 cfs

THIS IS TO CERTIFY, that RANDALL CORPORATION
of Rexburg, Idaho, has complied with the terms and conditions of Permit
No. 22-7004 issued pursuant to Application for Permit dated August 16, 1967,
and has submitted proof to the Department of Water Resources on August 27, 1970,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 5.28 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u> at <u>5.28</u> cfs and <u>1505</u> acre feet		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 5.28 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1505 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32,
Twp. 6N, Rge. 41E in the County of Madison

Description and location of place of use:

Twp.	Range	Sec.	NEW				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6N	41E	32		31	31		40				40	40	40	39	39		28	39	430

Total number of acres irrigated 430

CONDITION: A measuring device of a type approved by the Department shall be
maintained as a part of the diversion works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 23 day of
March, 19 78

MICROFILM

Director

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 22-7004 Priority August 16, 1967 Amount 4.90 cfs

THIS IS TO CERTIFY, that RANDALL CORPORATION
of Rexburg, Idaho, has complied with the terms and conditions of Permit
No. 22-7004 issued pursuant to Application for Permit dated August 16, 1967,
and has submitted proof to the Department of Water Resources on August 27, 1970,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 4.90 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>Nov. 30</u>	at <u>4.90</u> cfs and	<u>1,680 acre feet or</u> <u>3.5 af per acre</u>
_____	from _____ to _____	at _____ cfs and	_____
_____	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 4.90 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1,680 acre feet per year, said waters to be diverted within the NE1/4 of Sec. 32,
Twp. 6 N, Rge. 41 E, B. M. in the County of Madison

Description and location of place of use:

Twp.	Range	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
6 N	41 E	32	40	40	40		40	40	40	40	40	40	40	40	40	40	40	40	480

Total number of acres irrigated 480

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of
August, 19 76.

MICROFILMED

Director

RECEIVED

ASSIGNMENT

AUG 27 1970

For value received, I hereby assign all of my right, title and interest
Department of Water Administration
in and to Permit to Appropriate the Public Waters of the State of Idaho, Permit
No. 22-7004 to RANDALL CORPORATION, an Idaho corporation
Address: with its principal office in Rexburg, Madison County,
* Idaho

H. J. Randall
Permit Holder

Gladys Randall
Wife of Permit Holder

STATE OF IDAHO)
 : ss
County of Madison)

On this 20th day of August, 19 70, before me, a Notary
Public for the State of Idaho, residing at Rexburg, Idaho
personally appeared H. J. RANDALL and GLADYS RANDALL
known to me to be the persons whose names are subscribed to the within
is
instrument and duly acknowledged to me that the y executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Notarial
Seal, the day and year in this certificate first above written.

Lay W. Rigby
Notary Public
Residing at Rexburg, Idaho

My commission expires: 1-26-71

Note:

* If fractional part of permit is to be assigned, the fractional part of the land
to which the assigned fraction is appurtenant should be described by legal sub-
divisions.

22-7004

Identification No. _____

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

RECEIVED

AUG 27 1970 ✓

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Administration

1. a) Name of Permit Holder RANDALL CORPORATION, an Idaho corporation
b) Post Office Address Rexburg, Idaho
2. Permit Number Idaho NO. 22-7004 ✓
3. Date of Priority that you are prepared to establish August 16, 1967 ✓
4. a) Source from which water was appropriated Subterranean
b) Location of the point of diversion: NE 1/4 NW 1/4, Section 32
Township 6 N, Range 41 East ✓ Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount 6.22 cfs for irrigation purposes from April 1 to Nov. 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 6.22 ✓ cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: measurement taken by Mel Brown of Idaho Falls who installed the pump, using his regular instruments. Mr. Brown has been in this business and tested wells for many years, and
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
is well known to the Department of Water Administration.
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Water is pumped from underground by means of a ten-stage, 14-inch bowls, 12-inch column pump using a 500 horsepower motor. The well has a 20-inch casing and is 803 feet deep. The water is pumped into a main-line which feeds laterals which are used for application of the water to the land.
b) Describe the type and size of measuring device which you have installed at your point of diversion: Water is measured by means of a meterflex.
c) Give well drillers name and address and date the well was completed Glen Hopkins, Rt. 1, Thornton, Idaho. November 20, 1969.

*Examined Typed
Sept. 1, 1970
am*

22-7004

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
6 N	41 E	32		40	40		40			40	40	40	40	40	40	40	40	40	480

Total number of acres irrigated 480

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.
RANDALL CORPORATION

August 24, 1970
(Date)

By: [Signature]
(Signature) President

State of Idaho)
County of Madison) ss.

On this 24th day of August, 19 70, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (~~she~~) (~~they~~) executed the same, in behalf of said corporation.

[Signature]
Notary Public residing at Rexburg, Idaho

My commission expires 1-26-71

LICENSE ISSUED FOR 4.90 SEC. FT.

Identification No.

Application No.

22-7004

41996

ASSIGNED TO:

Randall Corporation
Rexburg, Idaho

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant H. J. RANDALL
post office address 216 Mohawk Avenue, Rexburg, Idaho
2. Source of water supply subterranean which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 32 Township 6 N
N. Range 41 E. B.M. Madison County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
a. 9.6 cubic feet per second and/or
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
Irrigation purpose from April 1 to Nov. 31 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, mainline, laterals
and sprinklers.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____

c. Proposed well diameter is 20 inches; proposed depth of well is 700 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 20,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

22-7004

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6 N	41 E	32		40	40		40			40	40	40	40	40	40	40	40	40	480

Total number of acres to be irrigated 480

c. Describe any other water rights used for the same purposes
None


9. a. Who owns the property at the point of diversion H. J. Randall

b. Who owns the land to be irrigated or place of use H. J. Randall

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

20 Randall
(Applicant)

22-2004

Received by ef Date 8-16-67 Time 9:30 am
Preliminary check by None Fee \$ 65.00
Receipted by ef Date 8-16-67
Publication prepared by BS Date Aug 17
Published in Sept 29 Journal
Publication dates Aug 24-31
Publication approved BS Date NO TS
Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval ~~denial~~ by John R. [Signature]

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7004, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 72.
- c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 26th day of September 19 67.

[Signature]
State Reclamation Engineer

The REXBURG STANDARD and
The REXBURG JOURNAL
REXBURG, IDAHO



Affidavit of Publication

STATE OF IDAHO }
County of Madison } ss.

I, Annette Porter,
being first duly sworn, depose and say,
that I am the printer of THE REXBURG

Journal, a newspaper printed and
published weekly at Rexburg, Madison
County, Idaho; and I do solemnly swear
that the

Notice of Application for Water
a copy of which notice appears attached
hereto, was published in the regular and
entire issue of said newspaper, and not in

any supplement issue thereof for two
consecutive issues, the first publication hav-

ing been made on August 31, 1967
and the last publication having been made

on September 7, 1967.

Further, that said newspaper is one of
general circulation in said county; that it
is a legal newspaper, conforming to legal
specifications under the Idaho Statutes; that
it has at least two hundred bona fide sub-
scribers living within the county of publica-
tion; and that it has been continuously and
uninterruptedly published in said county dur-
a period of seventy-eight consecutive weeks
prior to the first publication of the said not-
ice.

Annette Porter




Subscribed to and sworn to before me

this 7th day of September, 1967.

John C. Porter
Notary Public.

(SEAL)

My commission expires 6-5-68



mt

SEP 8 1967

Information

22-7004

STATEMENT

STANDARD & JOURNAL NEWSPAPERS

JOHN C. PORTER, Publisher

23 SOUTH FIRST EAST — REXBURG, IDAHO

State of Idaho
 Dept. of Reclamation 107 State House
 Boise, Idaho 83701

DATE	DESCRIPTION Ad. Lines or Inches	Code No.	CHARGES	CREDITS	BALANCE
------	------------------------------------	-------------	---------	---------	---------

Balance Forward

8-31-67	26 2 issues	3	5.98		5.98
---------	----------------	---	------	--	------

"I hereby certify that the above account is correct and
 just, that the services were actually rendered as charged,
 and that we have not received payment therefor."

Rexburg Standard Journal

By: *Christine A. Porter*

22-7004

CODE: 1 — Inches Display Advertising
 2 — Lines Display Advertising

3 — Lines Legal Advertising
 4 — Classified, No. Insertions

5 — Subscription
 6 — Misc. Services

Last Amount in Above
 Column is Balance Due

March 31, 1978

Re: Permit No. 22-7004

Randall Corporation
Rexburg, ID 83440

Gentlemen:

Enclosed herewith is a copy of the water right license issued on the above referenced permit.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:lr

ACTION REQUIRED

FROM: Ernie Carlsen *emc*

RE: Re-exam for 22-7004

TO: Bob Fleenor

Attached please find the results of the re-examination for License No. 22-7004 with my recommendations for the increased "Q" and decreased acreages noted on the rough draft license.

Pull for Jan

Re-exam.

FIELD REPORT

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

- Other uses: _____

- Max Rate of Diversion 6.22 cubic feet per second and annual volume _____ AF/Annum.

- Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____
County _____

Other Points of Diversions: _____

Description of diverting works: 20" well 803 feet deep, 500 H.P. Motor w/ turbine pump, main line & hand lines.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]

TOTAL ACREAGE _____ 480.





Diagram of System



DATE OF EXAM 7-13-77

ACREAGE

Found 430

Recommended 430

Irrigation Requirement 3.5 Ac Ft/Ac

USE

Irrigation Q = 5.28 c.f.s. V = 1505 AF/Ann. from April 1 to Nov. 1

Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: N/A
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: N/A
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 5.28 cfs Method of measurement in line meter

Total Q recommended 5.28 Meter No. 72-12-188 Type McCometer Condition Good

Total V recommended 1505 AF/ANN

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

Timed measurement: .01 AF/82.5 sec = 435.6 ÷ 82.5 = 5.28 cfs = 2369 gpm.

V. 3.5 × 430 = 1505 < 5.28 × 715 dys × 1.9835 = 2251.67

SYSTEM DESCRIPTION:

500 H.P. U.S. Hollowshaft 3phase motor, s/n. J1426996 w/ Layne & Bowler Vertiline pump s/n 0248438.

30 H.P. G.E. 3phase booster motor s/n CJT314532 w/ B.J. pump s/n #738076.

REMARKS:

Examiner's Signature Ernest Carlson Date 8-10-77

Checked by Anthony R. Kozlowski Date 8/9/77

Approved by _____ Date _____

May 24, 1977

Re: License No. 22-7004 - Randall Corporation

Ray W. Rigby
RIGBY, THATCHER & ANDRUS
25 North Second East
Box 250
Rexburg, Idaho 83440

Dear Mr. Rigby:

We received your May 13, letter for reconsideration on the amount of water allowed on License No. 22-7004.

We regret that Mr. Randall was not able to be present at the time of the field examination and that he did not receive our August 12, 1976 letter which contained the information concerning the proposed license. Since he did not have an opportunity to respond to our findings, we have forwarded your letter to our Eastern Regional Office for a reexamination of the rate of diversion.

When this reexamination is completed, we will let you know his findings so that we can amend the license if that is necessary.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

cc: Randall Corporation
Eastern Regional Office

RECEIVED

LAW OFFICES

RIGBY, THATCHER & ANDRUS, P. A.

25 NORTH SECOND EAST - P. O. BOX 250 REXBURG, IDAHO 83440
RAY W. RIGBY - GORDON S. THATCHER - G. RICH ANDRUS
TELEPHONE (208) 356-3633

May 13, 1977

Mr. Allred, Director
Idaho Department of Water Resources
Statehouse
Boise, Idaho

Re: License 22-7004

Dear Mr. Allred:

After Randall Corporation had completed it's well and applied the water therefrom to a beneficial use, it submitted its "proof" to the department. It was notified that a field representative would meet with representatives of the Corporation to have the well tested.

After quite some time had elapsed, I, in behalf of the Corporation, wrote the department and requested that the field test be completed, and offered to have Mr. Randall, President of the Corporation, available at any time the engineer wanted to call him.

He is now advised that the department sent him a letter in the early part of August, 1976, advising him that they wanted to make that field test. He simply did not receive the letter, and was so anxious. Then on August 30, 1976, the department issued the above mentioned water license.


The problem is, that he disagrees with the "rate of diversion" set at 4.90 cfs. He contends that the pump was operating at the time not at full capacity, because some of the lines had been shut off. He talked with the district office, and Mr. Russell Carlson came up and field tested the pump again with Mr. Randall. They found that the system pumps 2350 gallons per minute regularly, and at times pumped as much as 2700 gallons per minute. Mr. Randall sincerely believes that the "rate of diversion" should be 5.25 cfs, and believes that Mr. Carlson agrees with him.

MICROFILMED

Mr. Steve Allred
Page two
May 13, 1977

Would you please investigate this matter. We would
request that the water license be amended accordingly.

Sincerely,

A handwritten signature in cursive script, appearing to read "Ray W. Rigby".

Ray W. Rigby

RWR:br

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF EXAMINER

Permit No. 22-7004

This proof is for Beneficial Use In Water District No.

1. Name of applicant RANDALL CORPORATION, Rexburg, Idaho

2. Source of water supply: ground water

3. Location of point of diversion: Is in the NE1/4NW1/4 of Section 32
T. 6 N. R. 41 E County of Madison

4. Describe works as they exist, giving dimensions and capacities of same:

water is pumped from under ground by means of a ten-stage, 14 inch bowls,
12 inch column pump using a 500 horsepower motor. The well has a 20-inch
casing and is 803 feet deep. The water is pumped into a mainline which
feeds laterals which are used for application of the water to the land.

5. Water is used for: irrigation

6. State whether or not water has been turned into works of diversion: yes

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number
of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other
than irrigation):

Section 32, T. 6 N, R. 41 E W1/2NE1/4, E1/2NW1/4, SW1/4, SE1/4 480 acres
480 TOTAL

US Motors Hollowshaft pump motor
500 hp - 60 cycle - 3 phase - 480 Volts - 1775 RPM
J1426996 Layne & Bowler Vertiline pump - 3100 GPM
1800 RPM - Model 16 KHLXL # D24843B - 12" discharge
West for 4' then through 12" gate valve then west
for 10' to N-S buried mainline

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks:

NOTE: MEASURING DEVICE IS REQUIRED

that no working

McCrometer 72-12-188 2,200 gpm/min

30 Hp G.E. Booster Motor Ser# CJJ314532

B-J pump Ser# 7380176

This examination was made on the 23 day of July, 1975

(Signed) Bill Rhoads

Examiner.

checked - Loren O Thaler 5-25-76

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
 2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
 3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
 4. If any unusual conditions are discovered, make plain statement of them under remarks.
 5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
 6. Give general characteristics of soils, topography, and crops raised.
-
-

ASCS: Rexburg

SCS: Rexburg

Permit No. 22-7004

Examination for B/U RANDALL CORPORATION

County Madison

Quantity: Sec. 32 T. 6N R. 41E

(permit)9.6cfs (proof)6.22cfs

Source:

ground water

P.D.:

NE $\frac{1}{4}$ NW $\frac{1}{4}$

Use:

irrigation

Extension:

Protest:

Completion of Works:

Other Rights:

Filed: August 16, 1967

Made: August 27, 1970

Due: September 1, 1972

Priority: August 16, 1967

NAME

Randall C. F.

PERMIT NO.

22-700



I WILL BE OPERATING MY IRRIGATION SYSTEM AT
FULL CAPACITY BEGINNING July 1st, 1973.



I WILL NOT BE OPERATING MY IRRIGATION SYSTEM
AT FULL CAPACITY AT ANY TIME DURING 1973.



I WILL BE OPERATING MY IRRIGATION SYSTEM AT
FULL CAPACITY FROM APPROXIMATELY _____
_____, 1973 TO _____, 1973.

Just finished planting
potatoes every thing
depends on the weather


RECEIVED

MAY 25 1973



Department of Water Administration
Eastern District Office

IDAHO DEPARTMENT OF WATER ADMINISTRATION
EASTERN DISTRICT OFFICE
700 O. HOLMES
LEWIS FALLS, IDAHO 83401




C measured 4.90 cts
 C recommended 4.90
 Volume 1680 AF
 Acreage -
 Found 480
 recommended _____
 Subdv. 12
 Ammendments
☒ None
☐ P.D.
☐ Place of use
☐ _____

Form 23
2M-4-65

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE
REPORT OF EXAMINER

PERMIT NO. 22-7004

REPORT ON PROOF OF B/U RANDALL CORPORATION



①

P. 7

132.9

A 130
1-3

Randall Corp

127.8

C
15.6

D
60


E
79.7

F
22.7

7.4

over for
system
diagram

18x12'
CONCRETE



← N

Gate Valve

N.P. 12' W.E

Department of Water Administration

216 Mohawk
Rexburg Idaho.
Sept 3-1970.

Mr. Donald W. McEldowney,
Appropriation Supervisor
Department of Water Administration,
Boise, Idaho-

Dear Sir:

Thank you for your letter of
Sept 2 regarding Permit No. 22-7004.
Since this well has been shut
down for this season it may be
impossible to make the field
examination you spoke of, until
early next spring when we start
the pump up again.

Hoping this will meet with
your approval, I am,

Very truly yours,
Randall Corporation
H. J. Randall, President.

22-7004

August 30, 1976

Re: Permit No. 22-7004

Randall Corporation
216 Mohawk
Rexburg, ID 83440

Gentlemen:

Enclosed herewith is a copy of the water right license issued on the above referenced permit.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR:mef

Enc.

August 12, 1976

Randall Corporation
216 Mohawk
Rexburg, ID 83440

Gentlemen:

In July, 1975, a representative of this Department made an examination of the works covered by your Permit No. 22-7004 and found the following:

Quantity of water diverted: 4.90 cfs Source: ground water
Amount of water that can be recognized as beneficially used under
Idaho law: 4.90 cfs

The maximum quantity diverted shall not exceed 1,680 acre feet,
or 3.5 af per acre, per year.

Point of diversion: NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, Twp. 6 N, Rge. 41 E, B. M.

Beneficial use: Irrigation of 480 acres within the W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$,
S $\frac{1}{2}$, Sec. 32, Twp. 6 N, Rge. 41 E, B. M.


Priority date established: August 16, 1967

If you do not concur with these findings please contact us within 15 days, otherwise a water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Randall Corporation
H. J. Randall
216 Mohawk
Reynolds Idaho



State of Idaho
Department of Water Administration
Mr. Donald W. McEldowney
Statehouse - Annex 2
Boise, Idaho 83707

September 2, 1970

Re: Permit No. 22-7004

C
Randall Corporation
Mexburg
Idaho 83440

O
Gentlemen:

O
We are in receipt of the assignment of the above referenced permit to your company. The assignment has been recorded and the original copy placed in our files, we are enclosing a copy of the same for your records.

P
We acknowledge receipt of the affidavit submitted as proof of beneficial use for permit 22-7004. Before a license can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Very truly yours,

Y
Donald W. McEldowney
Appropriation Supervisor

DWM:DR

cc: Ray W. Rigby

Enc: Copy of assignment

22-7004

August 11, 1970

Re: Permit No. 22-7004 - H. J. Randall

C
Mr. Ray W. Rigby
RIGBY & THATCHER
P.O. Box 362
Rexburg, Idaho 83440

O
Dear Mr. Rigby:

P
Pursuant to your request of August 3, 1970, please find enclosed an affidavit to be used in the submission of proof of application of water to beneficial use in connection with the above referenced permit.

If we may be of further assistance, please advise.

Very truly yours,

Y
Donald W. McEldowney
Appropriation Supervisor

DWM:DR
Enc: B/U affidavit

22-7004

RIGBY & THATCHER
ATTORNEYS AT LAW
25 NORTH SECOND EAST
P. O. BOX 362
REXBURG, IDAHO 83440

RAY W. RIGBY
GORDON S. THATCHER

August 3, 1970

TELEPHONE
856.8633
AREA CODE 208


State Department of Reclamation
107 State House
Boise, Idaho 83701

Re: Permit No. 22-7004
H. J. Randall

Gentlemen:

Mr. Randall wishes to submit proof of completion of works and application for beneficial use on the above mentioned permit. Would you please forward the necessary forms and instructions to this office.

Yours very truly,


of RIGBY & THATCHER

RWR:js

22-7004

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Jack H. Brown
Address 216 N. Main St., Boise, Idaho
Owner's Permit No. 107-72-10

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20 inches Total depth 802 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>2.50</u> inches	<u>20</u> inches	<u>0</u> feet	<u>467</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet


Well screen installed? ☐ Yes ☐ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 12 feet
Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County _____
_____ 1/4 _____ 1/4 Sec. _____, T. _____ N/S, R. _____ E/W

7. WATER LEVEL

Static water level 373 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature 59 ° F. Quality good
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
20	1	2	Surface soil		
20	2	3	Dark brown loam		
20	3	4	Dark brown loam		
20	4	5	Dark brown loam		
20	5	6	Dark brown loam		
20	6	7	Dark brown loam		
20	7	8	Dark brown loam		
20	8	9	Dark brown loam		
20	9	10	Dark brown loam		
20	10	11	Dark brown loam		
20	11	12	Dark brown loam		
20	12	13	Dark brown loam		
20	13	14	Dark brown loam		
20	14	15	Dark brown loam		
20	15	16	Dark brown loam		
20	16	17	Dark brown loam		
20	17	18	Dark brown loam		
20	18	19	Dark brown loam		
20	19	20	Dark brown loam		
20	20	21	Dark brown loam		
20	21	22	Dark brown loam		
20	22	23	Dark brown loam		
20	23	24	Dark brown loam		
20	24	25	Dark brown loam		
20	25	26	Dark brown loam		
20	26	27	Dark brown loam		
20	27	28	Dark brown loam		
20	28	29	Dark brown loam		
20	29	30	Dark brown loam		
20	30	31	Dark brown loam		
20	31	32	Dark brown loam		
20	32	33	Dark brown loam		
20	33	34	Dark brown loam		
20	34	35	Dark brown loam		
20	35	36	Dark brown loam		
20	36	37	Dark brown loam		
20	37	38	Dark brown loam		
20	38	39	Dark brown loam		
20	39	40	Dark brown loam		
20	40	41	Dark brown loam		
20	41	42	Dark brown loam		
20	42	43	Dark brown loam		
20	43	44	Dark brown loam		
20	44	45	Dark brown loam		
20	45	46	Dark brown loam		
20	46	47	Dark brown loam		
20	47	48	Dark brown loam		
20	48	49	Dark brown loam		
20	49	50	Dark brown loam		
20	50	51	Dark brown loam		
20	51	52	Dark brown loam		
20	52	53	Dark brown loam		
20	53	54	Dark brown loam		
20	54	55	Dark brown loam		
20	55	56	Dark brown loam		
20	56	57	Dark brown loam		
20	57	58	Dark brown loam		
20	58	59	Dark brown loam		
20	59	60	Dark brown loam		
20	60	61	Dark brown loam		
20	61	62	Dark brown loam		
20	62	63	Dark brown loam		
20	63	64	Dark brown loam		
20	64	65	Dark brown loam		
20	65	66	Dark brown loam		
20	66	67	Dark brown loam		
20	67	68	Dark brown loam		
20	68	69	Dark brown loam		
20	69	70	Dark brown loam		
20	70	71	Dark brown loam		
20	71	72	Dark brown loam		
20	72	73	Dark brown loam		
20	73	74	Dark brown loam		
20	74	75	Dark brown loam		
20	75	76	Dark brown loam		
20	76	77	Dark brown loam		
20	77	78	Dark brown loam		
20	78	79	Dark brown loam		
20	79	80	Dark brown loam		
20	80	81	Dark brown loam		
20	81	82	Dark brown loam		
20	82	83	Dark brown loam		
20	83	84	Dark brown loam		
20	84	85	Dark brown loam		
20	85	86	Dark brown loam		
20	86	87	Dark brown loam		
20	87	88	Dark brown loam		
20	88	89	Dark brown loam		
20	89	90	Dark brown loam		
20	90	91	Dark brown loam		
20	91	92	Dark brown loam		
20	92	93	Dark brown loam		
20	93	94	Dark brown loam		
20	94	95	Dark brown loam		
20	95	96	Dark brown loam		
20	96	97	Dark brown loam		
20	97	98	Dark brown loam		
20	98	99	Dark brown loam		
20	99	100	Dark brown loam		

10.

Work started 7:10 finished 1:00

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.

Driller's or Firm's Name _____ Number _____
Address _____
Signed By _____ Date _____

November 29, 1967

Re: Permit No. 22-7004
H. J. Randall

Ray W. Rigby
Rigby & Thatcher
Attorneys at Law
25 North 2 East
P. O. Box 362
Rexburg, Idaho 83440

Dear Mr. Rigby:

Thank you for your letter of November 21, 1967 on the above referenced permit. Please be advised that the permit in question has been approved and the applicant was forwarded an approved copy of the permit. A copy of the transmittal letter is enclosed along with an additional copy of the approved permit.

Please contact us if we can be of further assistance.

Very truly yours,

Donald W. McEldowney
Water Rights Clerk

DWM:ks

Enclosure: Copy of transmittal letter of September 26, 1967
Copy of approved application for permit

22-7004

RIGBY & THATCHER
ATTORNEYS AT LAW
25 NORTH SECOND EAST
P. O. BOX 362
REXBURG, IDAHO 83440

RAY W. RIGBY
GORDON S. THATCHER

November 21, 1967

TELEPHONE
856-3633
AREA CODE 208

RECEIVED

NOV 22 1967

State Department of Reclamation
State House
Boise, Idaho

Department of Reclamation

Re: H. J. Randall

Gentlemen:

On August 15, 1967, we sent an Application for Permit to Appropriate the Public Waters of the State of Idaho to your office for the above named applicant. To date neither Mr. Randall nor this office has received the approved permit. Will you please check on this matter and advise.

Yours very truly,

Ray W. Rigby

of RIGBY & THATCHER

SS

22-7004

September 26, 1967

Re: Permit 22-7004

**H. J. Randall
216 Mohawk Avenue
Rexburg, Idaho**

Dear Mr. Randall:

We enclose a copy of your approved application for permit 22-7004 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

**Donald W. McEldowney
Water Rights Clerk**

DWM:nw

**Enclosure: Copy of application
Receipt No. G-11756 for \$65.00**

22-7004
Form 4

**NOTICE OF APPLICATION
FOR WATER**

NOTICE is hereby given that H. J. Randall has on August 16, 1976 applied for permit to divert 9.8 cubic feet per second of water from a subterranean source under application No. 22-7004. Water will be diverted by a well and pump within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, T. 6N, R. 41E, B.M., Madison County and is to be used from April 1 to November 31 for irrigation in W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$, Sec. 32, T. 6N, R. 41E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. Keith Higginson
State Reclamation Eng.

Published in the Rexburg Journal, Rexburg, Idaho, on August 31 and Sept. 7, 1977.

32-7004

August 17, 1967

Re: Application No. 22-7004

The Rexburg Journal
Rexburg,
Idaho

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for proofing before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates, please contact us immediately.

The expense of this publication is to be paid by the Department of Reclamation to whom you must furnish an affidavit of publication with the bill as soon as the publication is completed.

Very truly yours,

Donald W. McEldowney
Water Rights Clerk

DWM:ks

Enclosures: legal notice

P.S. Please send a certified bill.

22-7004 Form 3

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that H. J. Randall
has on August 16, 1967 applied for permit to (divert) ////
9.6 (cubic feet per second) ////// of water from a sub-
terranean source under application No. 22-7004. Water will be
diverted by a well and pump within the NE1/4, Sec. 32, T. 6N, R. 41E,
B.M., Madison County and is to be used from April 1
to November 31 for irrigation
in W1/2, E1/2, S1/2, Sec. 32, T. 6N, R. 41E, B.M.

Any protest against this application must be filed with the Department
of Reclamation within ten days from the last date of publication of this
notice.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Rexburg Journal Rexburg
August 24, August 31
Idaho, on _____ and _____.

RIGBY & THATCHER
ATTORNEYS AT LAW
25 NORTH SECOND EAST
P. O. BOX 362
REXBURG, IDAHO 83440

RAY W. RIGBY
GORDON S. THATCHER

August 15, 1967

TELEPHONE
356-3633
AREA CODE 208


State Department of Reclamation
State House
Boise, Idaho

Re: H. J. Randall

Gentlemen:

I enclose herewith Application for Permit to Appropriate the Public Waters of the State of Idaho for H. J. Randall, together with our check in payment of the filing fee for \$65.00. If you desire anything further in this matter, please advise.

Yours very truly,


of RIGBY & THATCHER

SS
Enclosures

32-7004