


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T 6N R 41E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Howard & Robinson
By Wallace C. Robinson
(Applicant)
(General Partner)

IDAHO DEPARTMENT OF WATER ADMINISTRATION
EASTERN DISTRICT OFFICE
240 S. HOLMES
IDAHO FALLS, IDAHO 83401

22 7050

22 7050



The REXBURG STANDARD and
The REXBURG JOURNAL
REXBURG, IDAHO



Affidavit of Publication

STATE OF IDAHO }
County of Madison } ss.

I, Annette Porter,
being first duly sworn, depose and say,
that I am the printer of THE REXBURG

Journal, a newspaper printed and
published weekly at Rexburg, Madison
County, Idaho; and I do solemnly swear
that the

NOTICE OF APPLICATION

a copy of which notice appears attached
hereto, was published in the regular and
entire issue of said newspaper, and not in

any supplement issue thereof for two
consecutive issues, the first publication hav-

ing been made on December 9, 1971
and the last publication having been made
on December 16, 1971.

Further, that said newspaper is one of
general circulation in said county; that it
is a legal newspaper, conforming to legal
specifications under the Idaho Statutes; that
it has at least two hundred bona fide sub-
scribers living within the county of publica-
tion; and that it has been continuously and
uninterruptedly published in said county dur-
a period of seventy-eight consecutive weeks
prior to the first publication of the said not-
ice.

Annette Porter



Subscribed to and sworn to before me

this 17th Day of December, 1971

John C. Porter
Notary Public.

(SEAL)

My commission expires 5-24-72

RECEIVED

DEC 30 1971

Department of Water Administration
Eastern District Office

NOTICE OF APPLICATION
FOR WATER PERMIT


Notice is hereby given that Howard
and Robinson, a partnership,
Newdale, Idaho has on 11-26-71 sub-
mitted Application No. 22-7050 for a
permit appropriate 5.0 cubic feet
per second of water from a ground-
water source by means of well and
pump within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14,
T. 6 N, R. 41 E, B.M., Madison County;
to be used from April 1 to November 1
for the irrigation of 320 acres within
the NE $\frac{1}{4}$, Sec. 14; NW $\frac{1}{4}$, Sec. 13, T.
6N, R. 41 E. B.M.

If issued, this permit will be subject
to all prior water rights. Protests
against the granting of the permit
must be filed with the Idaho Dept. of
Water Administration, 240 So.
Holmes, Idaho Falls, Idaho 83401, on
or before December 27, 1971.

(s) R. KEITH HIGGINSON
Director

Publ. Dec. 9, 16, 1971.

22 7050



T.
6
N

Diagram of System

22-7050

24

+
110.8

A126
R46

C
221.0

U
87.9

W
77.3

X
80.0

D
30.1

Permit
22-7010

39

NW 1/4

40

40 1/2

40

40

38

39

40 PD

40

40

38

38

D

51.4

B
157.4

NOT TO SCALE

22-70

State of Idaho
Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 22-7050 Priority Dec. 9, 1971 Amount 3.59 cfs

THIS IS TO CERTIFY, that HOWARD & ROBINSON
of Newdale, Idaho, has complied with the terms and conditions of Permit
No. 22-7050 issued pursuant to Application for Permit dated November 26, 1971,
and has submitted proof to the Department of Water Administration on February 14, 1973,
(late proof)
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 5.57 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use &
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u> from <u>April 1</u> to <u>Nov. 1</u> at <u>3.59</u> cfs and <u>1,099 acre feet or</u> <u>3.5 af per acre</u>			
from _____ to _____ at _____ cfs and _____			
from _____ to _____ at _____ cfs and _____			

(both dates inclusive)

Subject, however, to the condition that no more than * 3.59 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
* 1,099 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 14,
Twp. 6 N, Rge. 41 E, B.M. in the County of Madison

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6 N	41 E	13					38	40	38	38									154
		14	40	40	40	40													160

Total number of acres irrigated 314

* Subject to the condition that the maximum rate of diversion shall not exceed 1 inch per acre and the maximum volume per year 3.5 acre feet per acre when combined with License No. G-32864/22-2271 and License No. 22-7016.

A measuring device of a type approved by this Department shall be permanently maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 3rd day of
January, 19 74.

Director

Identification No. 22-7050

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant HOWARD and ROBINSON, a Partnership
post office address Newdale, Idaho
2. Source of water supply Ground Water which is a tributary of ----
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 6N
Range 41 E B.M. Madison County; additional points of diversion if any: NONE

b. If water is not consumed, it will be discharged into NONE at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.96 ^{see letter 1/7/72 BDF} for irrigation purpose from April 1 to November 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.96 ^{see letter 1/7/72 BDF} cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, mainline, and sprinkler.

b. Height of storage dam N.A. feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 20 inches; proposed depth of well is 610 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years/
b. Estimated construction cost is \$ 100,000.
8. Description of proposed uses:
a. If water is **not** for irrigation: N.A.
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

22 7050

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6N	41E	14	40	40	40	40													160
6N	41E	13					40	40	40	40									160

Total number of acres to be irrigated 320


c. Describe any other water rights used for the same purposes as described above. License No. 22-2271 - (6.76 c.f.s.). Well also provides water for NW 1/4, Sec. 14, T. 6N, R. 41E, B.M. under Permit No. 22-7010. (284 A x .43 = 122.12 acres for these acres)

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing ----

10. Remarks Well has been drilled and is used for irrigating this land.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T 6N R 4E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Howard & Robinson
By Wallace C. Robinson
(Applicant)
(General Partner)

IDAHO DEPARTMENT OF WATER ADMINISTRATION
EASTERN DISTRICT OFFICE
240 S. HOLMES
IDAHO FALLS, IDAHO 83401

Received by bj Date 11-26-71 Time 4:00 p.m.
 Preliminary check by NGY Fee \$ 65.00 #7242
 Receipted by bj Date 11-26-71
 Publication prepared by bj Date 11-29-71
 Published in Rexburg Journal, Rexburg, Idaho
 Publication dates 12-9 & 12-16-71
 Publication approved OK Date 1-5-72
 Priority ~~reduced to~~ 11-26-71 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7050, and said application is hereby APPROVED.


1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1973.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 25 day of January, 1972.

P. Keith Higin
 Director



22-2271 @ 0.00867 cfs/acre
284 acres @ 0.00867 cfs/acre = 2.46 cfs licensed
under 22-2271

At 1" per acre for 320 land could have 6.40 cfs
∴ 22-7050 can be issued for 6.40
- 2.46
3.94

SCALE: 2 Inches Equal 1 Mile. Draw Plox In Ink.

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

In the Matter of Permit No. 22-7050 in)
the name of HOWARD & ROBINSON)
_____)

ORDER OF REINSTATEMENT

WHEREAS, on November 26, 1971, Howard & Robinson filed with the Department of Water Administration an application for permit to appropriate 3.96 cfs of water from a ground water source within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, Twp. 6 N, Rge. 41 E, B.M., Madison County, to be used for irrigation purposes; and,

WHEREAS, on January 25, 1972, the Department approved said application and issued Permit No. 22-7050 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before February 1, 1973, and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on December 1, 1972, the Department notified the permit holders by certified mail that proof of beneficial use was due and instructed the permit holders as to the steps to be taken to make such proof; and,

WHEREAS, on February 8, 1973, the Department notified the permit holders that Permit No. 22-7050 had lapsed for failure to submit proof of beneficial use of water; and,


WHEREAS, on February 14, 1973, the Department received the required proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 22-7050 be REINSTATED and the priority advanced to December 9, 1971.

Dated this _____ day of February, 1973.


R. KEITH HIGGINSON
Director

22 7050

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 22-7050 Name Howard & Robinson

Source Ground Water

Point of Diversion SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T. 6 N, R. 41 E, B.M., Madison County

Quantity 5.0 cfs Use Irrigation Period April 1 to November 1

Quantity Use Period

Quantity Use Period

Well Size 20" Diameter 610' Proposed Depth Feet

Use

Date Forwarded 12-30-71 Date Returned Received by

COMMENTS: Observation wells are not maintained in this area (W.B. #18). Aquifer
is rhyolite. Pump test data are not available. Nearby wells are licensed for
yields up to 7.0 c.f.s. Static levels are approximately 500 ft. below land surface.
There are a number of large irrigation wells in the immediate area.

RECOMMENDED:

Applied: Qty. 5.0 cfs Use Irrig. Period 4/1 to 11/1 AF/A 3.5 AF 1120

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Maximum: Qty. 6.4 cfs Use Irrig. Period 4/1 to 11/1 AF/A 3.5 AF 1120

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

ACTION: Approved X Denied

Conditions of approval or reason for denial: Applicant should be advised that the
combined diversion from all sources should not exceed 0.02 c.f.s. per acre.
(This has not been done.)

By Norman C. Young Title District Engineer
 NORMAN C. YOUNG Date 12/2/71

22-7050

The REXBURG STANDARD and
The REXBURG JOURNAL
REXBURG, IDAHO

RECEIVED

DEC 30 1971

Department of Water Administration
Eastern District Office

Affidavit of Publication

STATE OF IDAHO }
County of Madison } ss.

I, Annette Porter,
being first duly sworn, depose and say,
that I am the printer of THE REXBURG

Journal, a newspaper printed and
published weekly at Rexburg, Madison
County, Idaho; and I do solemnly swear
that the

NOTICE OF APPLICATION

a copy of which notice appears attached
hereto, was published in the regular and
entire issue of said newspaper, and not in

any supplement issue thereof for two
consecutive issues, the first publication hav-

ing been made on December 9, 1971
and the last publication having been made
on December 16, 1971.

Further, that said newspaper is one of
general circulation in said county; that it
is a legal newspaper, conforming to legal
specifications under the Idaho Statutes; that
it has at least two hundred bona fide sub-
scribers living within the county of publica-
tion; and that it has been continuously and
uninterruptedly published in said county dur-
ing a period of seventy-eight consecutive weeks
prior to the first publication of the said not-
ice.

Annette Porter




Subscribed to and sworn to before me

this 17th Day of December, 1971

John C. Porter
Notary Public.

(SEAL)

My commission expires 5-24-72



22 7050

IDAHO

DEPT. OF WATER ADMINISTRATION

Annex 2

no. 83707



NOT FOR P.O. BOX AT ANNEX

Howard & Robinson
c/o Wallace Robinson
~~P. O. Box 1196~~
Idaho Falls, ID 83401

RECEIVED

JAN 11

Department of Water

sent to Wallace, ID
Jan. 11, 1974 jfr

314 ^{.017} 15.57
6.28



22-7050

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

January 3, 1974

Re: Permit Nos. 22-7050, 22-7010

Howard & Robinson
Newdale,
Idaho 83436

Gentlemen:

Enclosed herewith are copies of the Water Licenses issued on the above referenced permits.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosure

22-7050

December 14, 1973

Re: Permit No. 22-7050

Howard & Robinson
Newdale,
Idaho 83436

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 22-7050 and has found the following:

Quantity of water diverted: 5.57 cfs

Amount of water that can be recognized as beneficially used under Idaho law: *3.59 cfs

The maximum quantity diverted shall not exceed *1.099 acre feet per year.

Beneficial use: For irrigation of 314 acres within the NW $\frac{1}{4}$,
Sec. 13, NE $\frac{1}{4}$, Sec. 14, Twp. 6 N, Rge. 41 E

Point of diversion: SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, Twp. 6 N, Rge. 41 E, B.M.

Priority date established: December 9, 1971

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

* Subject to the condition that the maximum rate of diversion shall not exceed 1 inch per acre and the maximum volume per year 3.5 acre feet per acre when combined with License No. G-32864/22-2271 and License No. 22-7016.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

22-7050

FIELD REPORT

320

T.
6
N

			40	40	40	38	
		~~P.D.~~	40	40	38	38	
		P.D.	14			13	

Diagram of System

22-7050

22

+
110.8

41.2
(2.5)

U
87.3

W
77.3

X
80.0

D
36.1

Perm 22-7010

A
6.8

39

NW 1/4

64
14.1

39

41.2
47.7

40

35

X
A
134.5

38

33

B
157.4

D

81.4

NOT TO SCALE

DATE OF EXAM Sept 13, 1973

ACREAGE
Found 312
Recommended 312

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 5.57 c.f.s. V = 1092 AF/Ann. from Apr to Nov
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes ☒ no _____

Name source: Permit # 22-7010
twp. 6 N/S, Rge 91 E/W, B.M., Sec. 19, Sub. SE 1/4 SW 1/4 MADISON County

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Total Q measured 5.57 cfs Method of measurement In Line Meter
Total Q recommended 3.35 cfs Meter No 73-12-171 Type McCrom Condition New
Total V recommended 1092

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

2,500 gal/min = 5.57 cfs
312 Ac x 3.5 = 1092

SYSTEM DESCRIPTION:

GE 450 Hp Motor 1770 RPM Ser # 14014955
Layne & Bowler Pump Ser # D20544

BOOSTER: U.S. Motors Hallschaft 100 Hp Ser # 1252875
Layne & Bowler Pump D20543

REMARKS:

System & Land shown by Mr. Wallace Robinson
Land in NW 1/4 sec 19 Also irrigated by Th.3 Well

Examiner's Signature William Rhoads Date 10/16/73

Checked by _____ Date _____

Approved by _____ Date _____

22-7050

February 26, 1973

Re: Permit No. 22-7050

Howard & Robinson
Newdale,
Idaho 83436

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. Enclosed you will find an Order of Reinstatement; please note that the priority has been advanced.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

You should be aware that if the measuring device is not installed at the time of the field exam, the permit will automatically lapse and be of no further force or effect.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enclosure

22 7050

Identification No. _____

Permit No. 22-7050

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
AK 14

1. a) Name of Permit Holder Howard & Robinson
- b) Post Office Address Newdale, IDAHO
2. Permit Number 22-7050
3. Date of Priority that you are prepared to establish 11-26-71
4. a) Source from which water was appropriated Well
- b) Location of the point of diversion: SE 1/4 NW 1/4, Section 14
Township 6N, Range 41E Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
amount 3.96 for Irrigation purposes from Apr. 1 to Nov. 1st incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
- b) Total amount appropriated 3.96 cfs and/or acre feet per annum
- c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Based on system of Mel Brown Co.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
 - a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: Well
 - b) Describe the agreement or understanding by which you take water from the works: Well

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Well - 450 hp 14 inch B&B 20 in casing - 12 inch column 820 ft Deep.

- b) Describe the type and size of measuring device which you have installed at your point of diversion: Mel Brown has in stock, as soon as weather warms they will install
- c) Give well drillers name and address and date the well was completed Cape Drilling, 3440 S. 1st, Boise, ID 83720
Date completed May 20, 1971

Exam typed 2-26-73 by AK

22 7050

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: 6

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6N	41E	14	~~40~~	40	40	40													160
6N	41E	13					40	40	40	40									160
																			320

Total number of acres irrigated 320

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

Feb 13, 1973
(Date)

Howard & Robinson
By Wallace C. Robinson
(Signature)

State of Idaho)
County of Madison)
ss.

On this 13th day of February, 1973, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Christina J. Anderson

Notary Public residing at Teton City, Idaho

My commission expires 5/16/75

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection


February 8, 1973

Howard & Robinson
Newdale, Idaho 83436

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit 22-7050 has lapsed.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within 60 days from the date of this notice of lapsing.


R. KEITH HIGGINSON
Director

22 7050

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐

Show to whom, date and address
where delivered

☐

Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

24132

①

*Edward & Robert
Lucero Howard*

②

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

DATE DELIVERED


SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

12-4-72

③

22 7050

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

PS Form 3811 Nov. 1970 c55-16-81277-1

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**

DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2 7050
BOISE, IDAHO 83707

December 1, 1972

CERTIFIED MAIL

#2 4132

Re: Permit No. 22-7050

Howard & Robinson
Newdale,
Idaho 83436

Gentlemen:

One of the conditions of approval of your water Permit No. 22-7050 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before February 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

22 7050

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse -- Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

January 25, 1972

Re: Permit No. 22-7050 - Howard and Robinson, a Partnership
" " 29-7074 - Andrew Jerry Smith
" " 34-7021 - Gladys M. Lloyd
" " 35-7194 - Snake River Equipment Company

Norman C. Young
District Engineer
Department of Water Administration
240 South Holmes
Idaho Falls, Idaho 83401

Dear Norm:

Please find enclosed copies of the above referenced permits which have been approved by this office.

If you have any questions, please contact us.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:CR

Enc: copies

22 7050

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

January 25, 1972

Re: Permit No. 22-7050 - Howard and Robinson

Howard and Robinson
Newdale,
Idaho 83436

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 22-7050. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures

22 7050

January 7, 1972

Re: Application No. 22-7050 - Howard & Robinson

Mr. Wallace Robinson
HOWARD & ROBINSON
Newdale, ID

Dear Mr. Robinson:

I have been advised by our Boise office that we will be unable to approve the full amount requested under Application No. 22-7050. The proportionate share of License No. 22-2271 which can be considered to apply to the 320 acres of ground listed in Application No. 22-7050 is 2.46 c.f.s. Normally, we are authorized under the Idaho Code to approve permits only up to 0.02 c.f.s. per acre. This would allow the total water right for the 320 acres to be 6.4 c.f.s. Thus, we can allow an additional 3.94 c.f.s., the difference between the allowable amount and the licensed amount.

Please let us know within ten days whether the reduced amount will be acceptable to you.

If you have any questions, please feel free to contact this office.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:bj

bc: Dept. of Water Admin
Boise Office

RECEIVED

JAN 18 1972

Department of Water Administration

This seems to be satisfactory.

Wallace C. Robinson

22 7050

January 7, 1972

Re: Application No. 22-7050 - Howard & Robinson

Mr. Wallace Robinson
HOWARD & ROBINSON
Newdale, ID

Dear Mr. Robinson:

I have been advised by our Boise office that we will be unable to approve the full amount requested under Application No. 22-7050. The proportionate share of License No. 22-2271 which can be considered to apply to the 320 acres of ground listed in Application No. 22-7050 is 2.46 c.f.s. Normally, we are authorized under the Idaho Code to approve permits only up to 0.02 c.f.s. per acre. This would allow the total water right for the 320 acres to be 6.4 c.f.s. Thus, we can allow an additional 3.94 c.f.s., the difference between the allowable amount and the licensed amount.

Please let us know within ten days whether the reduced amount will be acceptable to you.

If you have any questions, please feel free to contact this office.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:bj

bc: Dept. of Water Admin.v
Boise Office

22 7050

November 29, 1971

Re: Application No. 22-7050 - Howard and Robinson, a Partnership
22-7051 - " " " " " " " "
22-7052 - " " " " " " " "

Rexburg Journal
23 South 1st East
Rexburg, Idaho 83440

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

NCY:BJ
Encs: Legal notices (3)

Bill submitted 1-5-72 By CR

22 7050

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Howard and Robinson, a partnership, Newdale, Idaho

has on 11-26-71 submitted Application No. 22-7050
for a permit to appropriate 5.0 cubic feet per second ~~/1000/1000/1000/1000/~~
of water from a ground-water source
by means of well and pump
within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T. 6 N, R. 41 E, B.M., Madison County;

to be used from April 1 to November 1
for the irrigation of 320 acres

within the NE $\frac{1}{4}$, Sec. 14; NW $\frac{1}{4}$, Sec. 13, T. 6 N, R. 41 E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Dept. of Water Administration, 240 So. Holmes, Idaho Falls, Idaho, 83401, on or before December 27, 1971

R. KEITH HIGGINSON

Director

Published in the Rexburg Journal, Rexburg, Idaho
on December 9 and December 16, 1971.