



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. SKYLINE DR., SUITE A, IDAHO FALLS, ID 83402-1718

PHONE: (208) 525-7161 FAX: (208) 525-7177 WEB SITE: www.idwr.state.id.us

EASTERN REGION

May 16, 2006

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

STANLEY DOWTON
HC 62 BOX 1180
ELLIS, ID 83235



RE: Application for Transfer

Dear Applicant(s):

The Department of Water Resources has received your application for transfer. Preliminary review of the application indicates that it is incomplete and cannot be accepted for processing. We are returning your application to allow you to complete the necessary items. The required information is described below.

The Place of Use/Acres Irrigated being Transferred was listed as 140 acres, but your SRBA recommendation is only for 130.6 acres. ✓

The Proposed Points of Diversion. Source and Tributary are not consistent with the recommendation. Your point of diversion recommendation is listed as one (1) point of diversion. You indicate there are three. Please refer to your recommendation that is enclosed for your reference. ✓

The Source you have listed as Big Spring Creek but in reality your recommendation indicates Patterson Creek. *Big Spring Creek is the same as Patterson Creek.*

Please feel free to contact this office if you have any questions.

Sincerely,

Sharla Cox
Water Rights Administrative Assistant

Enclosures

CC: Idaho Department of Water Resources
Attn: Roxanne Brown
PO Box 83720
Boise ID 83720

RECEIVED

MAY 22 2006

Department of Water Resources
Eastern Region