






0.4 0 0.4 0.8 Miles

- GCDBT61N02E.shp
- POD- Application Application POD
- Application POU
- Townships

MICROFILMED
JAN 29 2003





T61N R2E

Homes =
Commercial Buildings =
PRAIRIES
PLACE OF USE =

make
hole

T61N
R2E

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 98-07806

Priority: 06/05/2001

Maximum Diversion Rate: 0.36 CFS

This is to certify, that CLIFTY VIEW NURSERY INC
RT 1 BOX 509
BONNERS FERRY ID 83805

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.30 CFS	
IRRIGATION STORAGE	03/15 to 11/15		50.0 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		50.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	
COMMERCIAL	01/01 to 12/31	0.30 CFS	
DOMESTIC	01/01 to 12/31	0.06 CFS	
DIVERSION TO STORAGE	01/01 to 12/31	0.30 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE¼SE¼SE¼ Sec. 7, Twp 61N, Rge 02E, B.M. BOUNDARY County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
61N 02E 7	20.0	10.0	30.0	40.0				5.0	30.0			5.0	25.0	35.0	40.0	35.0	310.0
61N 02E 8							14.0				5.0						19.0

Total Acres: 329

PLACE OF USE: IRRIGATION STORAGE

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
61N 02E 7													X		X	X	

PLACE OF USE: IRRIGATION FROM STORAGE, same as Irrigation

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
61N 02E 7													X	X	X	X	

MICROFILMED

JAN 29 2003

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 98-07806

PLACE OF USE: COMMERCIAL, same as StockwaterPLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE					
61N	02E	7														X	X	X	

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **September 1, 2006**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
6. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted for irrigation purposes under this right.
7. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used for irrigation purposes without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
8. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
9. Stockwater use is for 3 horses.
10. Domestic use is for 2 homes and does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 31st day of August, 2001.


for KARL J DREHER, Director

MICROFILMED

JAN 29 2002

18
25
8/6

69260

Ident. No.

98-7806

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

APPLICATION FOR PERMIT

AUG 13 2001

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant Cleft View Nursery Phone 208-267-7129
Mailing address Rte 111 Box 509, Bonners Ferry Ida 83805
2. Source of water supply Ground Water which is a tributary of None
3. Location of point of diversion is Township 61N Range R2E Sec. 7 in the SE 1/4, SE 1/4, SE 1/4, Govt. Lot , B.M., Boundary G County; additional points of diversion if any: None
4. Water will be used for the following purposes: 0.02 STOCKWATER
- | | |
|---|--|
| Amount <u>0.3</u> for <u>irrigation</u> | purposes from <u>3/15</u> to <u>11/15</u> (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount <u>0.3</u> for <u>commercial</u> | purposes from <u>1/1</u> to <u>12/31</u> (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount <u>0.06</u> for <u>domestic</u> | purposes from <u>1/1</u> to <u>12/31</u> (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount <u>.3</u> for <u>diversion to storage</u> | purposes from <u>3/15</u> to <u>11/15</u> (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount <u>50</u> for <u>Storage for irrigation</u> | purposes from <u>3/15</u> to <u>11/15</u> (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount <u>30</u> for <u>Irrigation from Storage</u> | purposes from <u>3/15</u> to <u>11/15</u> (both dates inclusive) |
| (cfs or acre-feet per annum) | |
5. Total quantity to be appropriated is (a) .346 cubic feet per second and/or (b) 50 acre feet per annum
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source Well 8" casing
300' deep 10HP single phase pump
- b. Height of storage dam NA feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet
- c. Proposed well diameter is 8" inches; proposed depth of well is 300' feet
- d. Is ground water with a temperature of greater than 85°F being sought? No
- e. If well is already drilled, when? June 5 2001; Drilling firm H2O Well Service
Well was drilled for (well owner) Cleft View Nursery; Drilling Permit No. D0017256
7. Time required for completion of works and application of water to proposed beneficial use is 45 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in KW. NA
- b. Stockwatering; list number and kind of livestock. yes 3 horses current
- c. Municipal; show name of municipality. No
- d. Domestic; show number of households. yes 2 home
- e. Other; describe fully. COMMERCIAL USE IS FOR NURSERY BUILDINGS

IDC-2000-001

AUG 14 2001

a. If water is for irrigation, indicate acreage in each subarea.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC																																																
61	2E	7																																																
<table><tr><td colspan="3">NE</td><td colspan="3">NW</td><td colspan="3">SW</td><td colspan="3">SE</td></tr><tr><td>80</td><td>10</td><td>30</td><td>40</td><td>30</td><td>40</td><td>30</td><td>40</td><td>30</td><td>35</td><td>40</td><td>35</td></tr><tr><td>⊗</td><td>⊗</td><td>⊗</td><td>⊗</td><td>⊗</td><td>⊗</td><td>⊗</td><td>⊗</td><td>⊗</td><td>⊗</td><td>⊗</td><td>⊗</td></tr><tr><td colspan="3">NE</td><td colspan="3">NW</td><td colspan="3">SW</td><td colspan="3">SE</td></tr></table>			NE			NW			SW			SE			80	10	30	40	30	40	30	40	30	35	40	35	⊗	⊗	⊗	⊗	⊗	⊗	⊗	⊗	⊗	⊗	⊗	⊗	NE			NW			SW			SE		
NE			NW			SW			SE																																									
80	10	30	40	30	40	30	40	30	35	40	35																																							
⊗	⊗	⊗	⊗	⊗	⊗	⊗	⊗	⊗	⊗	⊗	⊗																																							
NE			NW			SW			SE																																									
<table><tr><td colspan="3">NE</td><td colspan="3">NW</td><td colspan="3">SW</td><td colspan="3">SE</td></tr><tr><td>5</td><td></td><td></td><td>30</td><td></td><td></td><td>5</td><td></td><td></td><td>35</td><td></td><td></td></tr><tr><td>⊗</td><td></td><td></td><td>⊗</td><td></td><td></td><td>⊗</td><td></td><td></td><td>⊗</td><td></td><td></td></tr><tr><td colspan="3">NE</td><td colspan="3">NW</td><td colspan="3">SW</td><td colspan="3">SE</td></tr></table>			NE			NW			SW			SE			5			30			5			35			⊗			⊗			⊗			⊗			NE			NW			SW			SE		
NE			NW			SW			SE																																									
5			30			5			35																																									
⊗			⊗			⊗			⊗																																									
NE			NW			SW			SE																																									
<table><tr><td colspan="3">NE</td><td colspan="3">NW</td><td colspan="3">SW</td><td colspan="3">SE</td></tr><tr><td>8</td><td></td><td></td><td>5</td><td></td><td></td><td>5</td><td></td><td></td><td>35</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="3">NE</td><td colspan="3">NW</td><td colspan="3">SW</td><td colspan="3">SE</td></tr></table>			NE			NW			SW			SE			8			5			5			35															NE			NW			SW			SE		
NE			NW			SW			SE																																									
8			5			5			35																																									
NE			NW			SW			SE																																									
<table><tr><td colspan="3">NE</td><td colspan="3">NW</td><td colspan="3">SW</td><td colspan="3">SE</td></tr><tr><td>19</td><td></td><td></td><td>19</td><td></td><td></td><td>19</td><td></td><td></td><td>19</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="3">NE</td><td colspan="3">NW</td><td colspan="3">SW</td><td colspan="3">SE</td></tr></table>			NE			NW			SW			SE			19			19			19			19															NE			NW			SW			SE		
NE			NW			SW			SE																																									
19			19			19			19																																									
NE			NW			SW			SE																																									
<table><tr><td colspan="3">NE</td><td colspan="3">NW</td><td colspan="3">SW</td><td colspan="3">SE</td></tr><tr><td>310</td><td></td><td></td><td>310</td><td></td><td></td><td>310</td><td></td><td></td><td>310</td><td></td><td></td></tr><tr><td colspan="3">NE</td><td colspan="3">NW</td><td colspan="3">SW</td><td colspan="3">SE</td></tr></table>			NE			NW			SW			SE			310			310			310			310			NE			NW			SW			SE														
NE			NW			SW			SE																																									
310			310			310			310																																									
NE			NW			SW			SE																																									
TOTALS																																																		

* = long storage

Total number of acres to be irrigated

329

10. Describe any other water rights used for the same purposes as described above. 98-11164 18-1086 B
98-2086 F, 98-2086 B, 98-7113, 98-7166 98-7155, 98-724C
11. a. Who owns the property at the point of diversion? C&T View Nursery (Don Memorial)
b. Who owns the land to be irrigated or place of use? C&T View Nursery (Don Memorial)
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make

:ဥပုသ် ရက်

12. Remarks:


BE IT KNOWN that the undersigned here
of the State of Idaho as herein set forth.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

Signature of Applicant (and title, if applicable)


Board of Directors,
Don Memorial Assoc
State Kappa, Treas
Dorms in day hall Soc

Received by	6-5-01	Time	5:30	Preliminary check by	6-5-01	Date	6-5-01	Published in	6-5-01	Date	6-5-01	Publication prepared by	6-5-01	Date	6-5-01	Publication approved by	6-5-01	Date	6-5-01
-------------	--------	------	------	----------------------	--------	------	--------	--------------	--------	------	--------	-------------------------	--------	------	--------	-------------------------	--------	------	--------




0.4 0 0.4 0.8 Miles

-  GCDBT61N02E.shp
-  POD- Application Application POD
-  Application POU
-  Townships



MICRON 12420

JAS 2 9 2003



Barners Ferry
Substation

Pumpkin Creek
Sta

Creek

COW
Creek

Barners
Pits

Brush
Creek

Creek

Cobbin
Creek

Creek

X mark
wood

PLACE OF
USE

Homes = 
Commercial Buildings = 

T61N R2E

Johnson



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

August 31, 2001

CLIFTY VIEW NURSERY INC
RT 1 BOX 509
BONNERS FERRY ID 83805

RE: Permit No. 98-7806

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.


MICROFILMED

JAN 2 2 2003

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

 Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

JAN 20 2007

CERTIFICATE OF MAILING

I hereby certify that on August 31, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 98-7806

**CLIFTY VIEW NURSERY INC
RT 1 BOX 509
BONNERS FERRY ID 83805**


**Kari Lynn Townsend
Secretary**

MICHO...

1400 10 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
JAN 20 2009

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Reviewed by Sharla Curtis on 8/29/01

No. 98-7806 Name: Clefty View Nursery Corp. Officers ☒ Ad ok ☒ Govt Lots

AREA OF CONCERN: ☒ No/Yes ☐ Moratorium ☐ GWMA ☒ TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046
Basin 3A - 084 (if necessary)
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067

~~WMD~~

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
Trust - 051 (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18C-01H-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/FS)-111 (instream stock) ~~NA~~
MINING - 054-106
HEAT/COOL - R07 (injection well)
FIRE PROT - 077
COMMERCIAL/
INDUSTRIAL - ~~106-R07~~ ~~NA~~
DAIRY - 082-WD8
POWER - 17H or 17K (+uses)-17G (under FERC)
or 17M (not FERC regulated)
025-027-R22-08A

BENEFICIAL USE DUE: 9/01/2006

MISC CONDITIONS/REMARKS:

~~Protested~~ - 020-W19
Development Period
> 1 yr - 26A
Ownership - 004
Non-consumptive - 027
Water Quality - 106-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response
In/Above MSF - WB9

PLANNING REVIEW/RESPONSE

WD - R04 (WD#)
≤ 0.20 cfs/others - 01H, 01P or No MD
> 0.20 cfs - 01J

SPRINGS/SINK, INACTIVE WD or WD

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (04) - W23, N/A
 (02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - W23, 047 (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

MUNICIPAL

Restricted area - 022,075
Irr/GW supp to SW - 102
Future needs - 007,109
FISH PROP - 029 (70's only)-007-042-106

DOMESTIC

Surface water - WB5 (Big Wood/Boise above Star Bridge)
- 27A (Payette R)
> 1 in restricted area - 070-071-075 (no parks/common areas)
Irr separate or none allowed - WB5 (2)
GW w/irrigation from SW evident - 065-104
Moratorium approvable - W03 (2500 gpd - meets domestic def
i.e. D/convenience store)

Multiple p/d's per ¼¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON 4/1 - 10/31 (Per updated map)

IRR VOLUME/ACRE 3.0

OTHER CONDITIONS/REMARKS C/nursery, D/2 homes

COMMENTS

48-7637

492641 - Comm
619 irr gr st
1-39 "

640 irr st.
42 stock
43 dom.

RECEIVED

AUG 13 2001

IDAHO DEPARTMENT OF WATER RESOURCES
APPLICATION FOR DIVERSION ANALYSIS SHEET

69260
APPLICATION # 98-7806

Department of Water Resources

INITIAL REVIEW

E. ok to pub. / BCA / URA

APPLICANT: CLIFTVIEW NURSERY BY: AB DATE: 6/5/01

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
(X) Signature
(X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

PROCESSING

(Yes) (No) PRIORITY DATE: 6/5/01X (Include Moratorium Remark)X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).ADVERTISE IN: BOUNDARY County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

ADDITIONAL INFORMATION

(Yes) (No)

- X Field check: by _____
X Field report attached
X Analysis Supp. attached (>5cfs/500af)
X Water delivered by water master?
 Water District # _____

GROUNDWATER SECTION

WD Permit No.'s:	TAG #	Type:	Fees	Receipt No.	Upgrade Needed?
	<u>00017296</u>	Dom. Non-Dom. <u>X</u>	Paid \$ <u>200</u>		Y () N (<u>X</u>)
		Dom. Non-Dom.	Paid \$		Y () N ()
		Dom. Non-Dom.	Paid \$		Y () N ()

- Groundwater management area
 Critical ground water area
 Well Drilling Permit required
 Well Drilling Application and Fees received
 Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- X Notice of pending void order issued. Final order response date: ____/____/____
X Further information required from applicant
8/6 Affidavit of publication received
8/7 Application published correctly. If not, record action taken: _____

7/11 Publication dates and paper recorded on application | Sr. Agent initial _____

- X Protests received, Final protest date: 8/6/01
X Measuring device required
X Measuring port required
X Special conditions:

X Special conditions of approval supplement and/or cover letter attached:Approval Recommended by: PSADate: 8/8/2001

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary, Carol Arthur

_____ being first duly sworn on oath
deposes and says that he/she is ad manager
of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the
hereto attached notice of publication in the case of:

4582 Water Application

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 18 day of July, 2001
and ending on the 25 day of July, 2001
and that said notice was published in said newspaper.

On this 25 day of July in the year
of 2001, before me, a Notary Public, personally
appeared Carol A. Arthur,

known or identified to me to be the person whose name
subscribed to the within instrument, and being by me
first duly sworn, declared that the statements therein are
true, and acknowledged to me that he executed the same.

Jean E. Driel
Notary Public for Idaho

Residing at Bonners Ferry

My Commission expires: 7/22/2002

RECEIVED
AUG 06 2001
IDWR/North

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of
the State of Idaho:

98-7806

CLIFTY VIEW NURSERY INC
RT 1 BOX 509

BONNERS FERRY ID 83805

Point(s) of Diversion SESESE

BOUNDARY County

Source GROUND WATER

Use: IRRIGATION

Use: IRRIGATION STORAGE

Use: IRRIGATION FROM

STORAGE

Use: STOCKWATER

Use: COMMERCIAL

Use: DOMESTIC

Use: DIVERSION TO STORAGE

Total Diversion:

Date Filed: 06/05/2001

Place Of Use: IRRIGATION and IRRIGATION FROM STORAGE

T61N R02E S7 NENE NWNE SWNE SENE SENW NESW SWSW SESW NESE

NWSE SWSE SESE

T61N R02E S8 SWNW NWSW

Number of Acres 329

Place Of Use: IRRIGATION STORAGE

T61N R02E S7 SESW SWSE SESE

Place Of Use: COMMERCIAL and STOCKWATER

T61N R02E S7 SESW NESE SWSE SESE

Place Of Use: DOMESTIC

T61N R02E S7 NESE SWSE SESE

Remark: Domestic use is for 2 homes

Commercial use is for nursery buildings.

Stockwater use is for 3 horses

Permits will be subject to all prior water rights. Protests may be submitted
based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the,
Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite
210, Coeur D'Alene ID 83814 together with a protest fee of \$25.00 for each appli-
cation on or before 08/06/2001. The protestant must also send a copy of the
protest to the applicant.

KARL J DREHER, Director

Legal BFH4582

July 18, 25, 2001

MICRO, LAMCO

JAN 29 2003

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

98-7808

CLIFTY VIEW NURSERY INC
RT 1 BOX 509
BONNERS FERRY ID 83805

Point(s) of Diversion SESESE S7 T81N R02E BOUNDARY County

Source GROUND WATER

Use: IRRIGATION	03/15 To 11/15	0.3 CFS	
Use: IRRIGATION STORAGE	03/15 To 11/15		50 AFA
Use: IRRIGATION FROM STORAGE	03/15 To 11/15		50 AFA
Use: STOCKWATER	01/01 To 12/31	0.02 CFS	
Use: COMMERCIAL	01/01 To 12/31	0.3 CFS	
Use: DOMESTIC	01/01 To 12/31	0.06 CFS	
Use: DIVERSION TO STORAGE	01/01 To 12/31	0.3 CFS	
Total Diversion:		0.36 CFS	

Date Filed: 06/05/2001

Place Of Use: IRRIGATION and IRRIGATION FROM STORAGE

T81N R02E S7 NENE NWNE SWNE SENE SENW NESW SWSW SESW NESE NWSE SWSE SESE
T81N R02E S8 SWNW NWSW

Number of Acres 329

Place Of Use: IRRIGATION STORAGE

T81N R02E S7 SESW SWSE SESE

Place Of Use: COMMERCIAL and STOCKWATER

T81N R02E S7 SESW NESE SWSE SESE

Place Of Use: DOMESTIC

T81N R02E S7 NESE SWSE SESE

Remark: Domestic use is for 2 homes

Commercial use is for nursery buildings.

Stockwater use is for 3 horses

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D' Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 08/06/2001. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published in Bonners Ferry Herald on July 18 and 25, 2001

MICROFILMED

JAN 29 2003



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

(208) 769-1450

Fax (208) 769-1454

July 11, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Legal Notice Department
BONNERS FERRY HERALD
PO BOX 539
BONNERS FERRY ID 83805

RE: Application for Permit No. 98-7806

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 08/06/2001. Your cooperation is appreciated.

Thanks to ☺

Sincerely

Dianne Ball

Dianne Ball
Administrative Assistant

MICROFILMED

JAN 2 9 2003



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

July 11, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

CLIFTY VIEW NURSERY INC
RT 1 BOX 509
BONNERS FERRY ID 83805

RE: Application for Permit No 98-7806

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the Bonners Ferry Herald on July 18 and 25, 2001. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight to twelve weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

Al Beardslee
Senior Water Resource Agent

APPROVED

JUL 24 2001