


Government Lot Check
Application for Permit 98-07799
by Rgh 9/21/00



River



JAN 29 2003

1.75
101729630129-88


Kent Acres (Part)

5

(#0046)

X = diversion site
well

Highlighted area
to be irrigated



Mary Dickinson

of Yonkers Site T4-65 near

Q Standard parallel N 60° E

Style 10 Chains to an Inch.

The above. Map of Township. 1802. North of. 1801. 1800. 1803. 1804. 1805. 1806. 1807. 1808. 1809. 1810. 1811. 1812. 1813. 1814. 1815. 1816. 1817. 1818. 1819. 1820. 1821. 1822. 1823. 1824. 1825. 1826. 1827. 1828. 1829. 1830. 1831. 1832. 1833. 1834. 1835. 1836. 1837. 1838. 1839. 1840. 1841. 1842. 1843. 1844. 1845. 1846. 1847. 1848. 1849. 1850. 1851. 1852. 1853. 1854. 1855. 1856. 1857. 1858. 1859. 1860. 1861. 1862. 1863. 1864. 1865. 1866. 1867. 1868. 1869. 1870. 1871. 1872. 1873. 1874. 1875. 1876. 1877. 1878. 1879. 1880. 1881. 1882. 1883. 1884. 1885. 1886. 1887. 1888. 1889. 1890. 1891. 1892. 1893. 1894. 1895. 1896. 1897. 1898. 1899. 1900. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1909. 1910. 1911. 1912. 1913. 1914. 1915. 1916. 1917. 1918. 1919. 1920. 1921. 1922. 1923. 1924. 1925. 1926. 1927. 1928. 1929. 1930. 1931. 1932. 1933. 1934. 1935. 1936. 1937. 1938. 1939. 1940. 1941. 1942. 1943. 1944. 1945. 1946. 1947. 1948. 1949. 1950. 1951. 1952. 1953. 1954. 1955. 1956. 1957. 1958. 1959. 1960. 1961. 1962. 1963. 1964. 1965. 1966. 1967. 1968. 1969. 1970. 1971. 1972. 1973. 1974. 1975. 1976. 1977. 1978. 1979. 1980. 1981. 1982. 1983. 1984. 1985. 1986. 1987. 1988. 1989. 1990. 1991. 1992. 1993. 1994. 1995. 1996. 1997. 1998. 1999. 2000. 2001. 2002. 2003. 2004. 2005. 2006. 2007. 2008. 2009. 2010. 2011. 2012. 2013. 2014. 2015. 2016. 2017. 2018. 2019. 2020. 2021. 2022. 2023. 2024. 2025. 2026. 2027. 2028. 2029. 2030. 2031. 2032. 2033. 2034. 2035. 2036. 2037. 2038. 2039. 2040. 2041. 2042. 2043. 2044. 2045. 2046. 2047. 2048. 2049. 2050. 2051. 2052. 2053. 2054. 2055. 2056. 2057. 2058. 2059. 2060. 2061. 2062. 2063. 2064. 2065. 2066. 2067. 2068. 2069. 2070. 2071. 2072. 2073. 2074. 2075. 2076. 2077. 2078. 2079. 2080. 2081. 2082. 2083. 2084. 2085. 2086. 2087. 2088. 2089. 2090. 2091. 2092. 2093. 2094. 2095. 2096. 2097. 2098. 2099. 2100. 2101. 2102. 2103. 2104. 2105. 2106. 2107. 2108. 2109. 2110. 2111. 2112. 2113. 2114. 2115. 2116. 2117. 2118. 2119. 2120. 2121. 2122. 2123. 2124. 2125. 2126. 2127. 2128. 2129. 2130. 2131. 2132. 2133. 2134. 2135. 2136. 2137. 2138. 2139. 2140. 2141. 2142. 2143. 2144. 2145. 2146. 2147. 2148. 2149. 2150. 2151. 2152. 2153. 2154. 2155. 2156. 2157. 2158. 2159. 2160. 2161. 2162. 2163. 2164. 2165. 2166. 2167. 2168. 2169. 2170. 2171. 2172. 2173. 2174. 2175. 2176. 2177. 2178. 2179. 2180. 2181. 2182. 2183. 2184. 2185. 2186. 2187. 2188. 2189. 2190. 2191. 2192. 2193. 2194. 2195. 2196. 2197. 2198. 2199. 2200. 2201. 2202. 2203. 2204. 2205. 2206. 2207. 2208. 2209. 2210. 2211. 2212. 2213. 2214. 2215. 2216. 2217. 2218. 2219. 2220. 2221. 2222. 2223. 2224. 2225. 2226. 2227. 2228. 2229. 2230. 2231. 2232. 2233. 2234. 2235. 2236. 2237. 2238. 2239. 2240. 2241. 2242. 2243. 2244. 2245. 2246. 2247. 2248. 2249. 2250. 2251. 2252. 2253. 2254. 2255. 2256. 2257. 2258. 2259. 2260. 2261. 2262. 2263. 2264. 2265. 2266. 2267. 2268. 2269. 2270. 2271. 2272. 2273. 2274. 2275. 2276. 2277. 2278. 2279. 2280. 2281. 2282. 2283. 2284. 2285. 2286. 2287. 2288. 2289. 2290. 2291. 2292. 2293. 2294. 2295. 2296. 2297. 2298. 2299. 2300. 2301. 2302. 2303. 2304. 2305. 2306. 2307. 2308. 2309. 2310. 2311. 2312. 2313. 2314. 2315. 2316. 2317. 2318. 2319. 2320. 2321. 2322. 2323. 2324. 2325. 2326. 2327. 2328. 2329. 2330. 2331. 2332. 2333. 2334. 2335. 2336. 2337. 2338. 2339. 2340. 2341. 2342. 2343. 2344. 2345. 2346. 2347. 2348. 2349. 2350. 2351. 2352. 2353. 2354. 2355. 2356. 2357. 2358. 2359. 2360. 2361. 2362. 2363. 2364. 2365. 2366. 2367. 2368. 2369. 2370. 2371. 2372. 2373. 2374. 2375. 2376. 2377. 2378. 2379. 2380. 2381. 2382. 2383. 2384. 2385. 2386. 2387. 2388. 2389. 2390. 2391. 2392. 2393. 2394. 2395. 2396. 2397. 2398. 2399. 2400. 2401. 2402. 2403. 2404. 2405. 2406. 2407. 2408. 2409. 2410. 2411. 2412. 2413. 2414. 2415. 2416. 2417. 2418. 2419. 2420. 2421. 2422. 2423. 2424. 2425. 2426. 2427. 2428. 2429. 2430. 2431. 2432. 2433. 2434. 2435. 2436. 2437. 2438. 2439. 2440. 2441. 2442. 2443. 2444. 2445. 2446. 2447. 2448. 2449. 2450. 2451. 2452. 2453. 2454. 2455. 2456. 2457. 2458. 2459. 2460. 2461. 2462. 2463. 2464. 2465. 2466. 2467. 2468. 2469. 2470. 2471. 2472. 2473. 2474. 2475. 2476. 2477. 2478. 2479. 2480



CC1CT4 View
Pg. 07799

MICROFILMED
JAN 29 2003

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO.)
98-07799 IN THE NAME OF) **REINSTATEMENT ORDER**
CLIFTY VIEW NURSERY, INC.)
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted to the Department on or before November 1, 2002; and

WHEREAS, the Department notified the permit holder on August 30, 2002, by certified mail that proof of beneficial use was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use or an extension of time request; and

WHEREAS, the Department sent the permit holder a lapse notice on November 5, 2002, since the department had not received an acceptable proof of beneficial use statement or extension of time request; and

WHEREAS, Section 42-218a, Idaho Code, provides that the Department may reinstate a permit upon a showing of reasonable cause by the permit holder within sixty days of the date of the notice of lapsing; and

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting acceptable proof of beneficial use on December 31, 2002;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 98-07799 is **REINSTATED** with an advance in priority to **June 25, 2000**.

DATED this 9th day of January, 2003.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

JAN 29 2003

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JAN - 3 2003

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 98-07799 Telephone No. 208 267 7129

2. Name of Permit Holder(s): Clifty View Nursery, Inc

3. Mailing Address: Rte 1 Box 509

City Bonnets Ferry State Id Zip 83805

4. Source of Water: well If GROUNDWATER (well), Date Drilled: mo. 8(Aug) yr. 2000

Well Driller: H₂O Well Service, Inc Drilling Permit Number: 765785

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 72 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 1.44 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No ✓

Has the measuring device been installed? Yes _____ or No _____

8. Fee Enclosed: \$ 125.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Don Merrifield Telephone Number: 208 267 7129

Address: Rte 1 Box 509 Bonnets Ferry Id 83805

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Don Merrifield Pres Date: Dec 29, 2002
(include your title if on behalf of company or organization)

MICROFILMED

JAN 29 2003

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 98-07799

Priority: April 26, 2000

Maximum Diversion Rate:

1.44 CFS

This is to certify, that CLIFTY VIEW NURSERY INC
RT 1 BOX 509
BONNERS FERRY ID 83805

has applied for a permit to appropriate water from: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 10/31	1.44 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: Lot 13(SESE), Sec. 26, Township 62N, Range 01E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
62N	01E	25	Lot 11(SWSW) 40.0	Lot 10(SESW) 17.0		57.0
		26	Lot 13(SESE) 7.0			7.0
		36	Lot 2(NWNW) 8.0			8.0

Total number of acres irrigated: 72.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before November 1, 2002.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

MICROFILMED

JUN 26 2000


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 98-07799

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

31st day of October, 2000.



Karl J. Dreher, Director

for



MICRO. 2000

JAN 28 2003

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of Applicant Clefty View Nursery, Inc Phone 208 267 7129
Mailing address Ate 1 Box 509 Bonanza Ferry, Idaho 83805
2. Source of water supply Well - ground water which is a tributary of _____
3. Location of point of diversion is Township 62N Range 1E Sec. 26 in the SE 1/4, SE 1/4, SE 1/4, Govt. Lot 13, B.M., Boundary County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
- | | |
|--|--|
| Amount <u>1.44 CFS</u> for <u>irrigation</u> | purposes from <u>3/15</u> to <u>11/15</u> (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
5. Total quantity to be appropriated is (a) 1.44 CFS and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source well will be approximately 10-12" diameter and 50-100 deep with 3 phase submersible pump
- b. Height of storage dam 12.4 feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
- c. Proposed well diameter is 10-12 inches; proposed depth of well is 50-100 feet
- d. Is ground water with a temperature of greater than 85°F being sought? NO
- e. If well is already drilled, when? NO; Drilling firm _____; Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

MICROFILMED

JAN 29 2001

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
62N	1E	25											40	17					57
62N	1E	26									X							7	7
62N	1E	36					8												8

Total number of acres to be irrigated 72

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Clifty View Nursery Inc
 b. Who owns the land to be irrigated or place of use? Clifty View Nursery Inc
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: NA

12. Remarks: _____

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JAN 29 2003

Lon E. Mansfield Pres

Signature of Applicant (and title, if applicable)

Received by B Date 4/26/00 Time 3:15P Preliminary check by _____
 Fee \$ 120.00 Receipted by B # ND13618 Date 4/26/00
 Publication prepared by B Date 5/10/00 Published in Banner-Terrace Herald 5/17+24/00
 Publication approved B Date 6/12/00 BPH 7/19+26/00
8/3/00 ok for Notif Correction

Government Lot Check
Application for Permit 98-07799
by Rgh 9/21/00

Pumping
Sta

24 NR 1E

NWS

6
7
NORTHERN
NE


PD

11

Donners
Substation

McDon
Creek


2000
ROAD



MICHO
 11/28/2013

X = diversion site
 well
 Highlighted area
 to be irrigated

Kent's Acres
 (Part)
 1 2 3 4 5
 (#0046)





Area 23000000 of River Site 11, 60000
 The above Map of Township 100 N. 100 E. 100 W. 100 S. is hereby confirmed
 1811-1812

98-07799
 CULITY VIEW

MICROFILMED
 JAN 29 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

January 10, 2003

CLIFTY VIEW NURSERY INC
ROUTE 1 BOX 509
BONNERS FERRY ID 83805

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NOS. 98-07799 and 98-07798

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use forms and examination fees submitted for the above referenced permits. Enclosed are orders reinstating the permits advancing the priority since proof was submitted after the proof due date. I am also enclosing copies of the Proof of Beneficial Use forms you filed with the department and receipts for the fees paid. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. The regional office staff will contact you when that examination is to be conducted.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **Northern** Regional Office of the department in Coeur d'Alene at (208) 769-1450.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Enclosure

c: IDWR - Region (w/encl.)

MICROFILMED

JAN 24 2003

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 98-7799

Reviewed By: dgibson

Date: January 8, 2003

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?		X	Drilling permit required?	X	
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N013618,	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received	12/31/2002
Date proof due	- 11/01/2002
Lapse notice sent	-
No. of days late	= 60
Holiday allowance	+
Priority date	+ 04/26/2000
New priority date	= 06/25/2000

Deficiencies of Actions Items

Prepare Reinstatement Order and acknowledge proof. Advance priority to 6/25/2000.

November 5, 2002

CLIFTY VIEW NURSERY INC
RT 1 BOX 509
BONNERS FERRY, ID 83805

LAPSE NOTICE

RE: PERMIT NO. 98-7799

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in the proof due notice dated August 30, 2002. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

Enclosures

MICROFILMED

JAN 29 2003

CERTIFICATION OF MAILING
I hereby certify that on 11/6/02
a copy of this document was
mailed to the above address and,
if possible, was sent to the
individual(s) named above.

dg

August 30, 2002

CLIFTY VIEW NURSERY INC
RT 1 BOX 509
BONNERS FERRY, ID 83805

PROOF DUE NOTICE

RE: PERMIT NO. 98-7799

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 01, 2002. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


Sincerely,

Deborah J. Gibson, Admin. Asst.
Water Allocation Bureau

Enclosures

MICROFILMED

JAN 29 2003



**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**
Reviewed by Cindy Zimmerman on _____

No. 98-7799 Name: Clifty View Nursery Inc Corp. Officers ☒ Ad ok ☒ Govt Lots by R/H

AREA OF CONCERN: ☒ No Yes ☐ Moratorium ☐ GWMA ☐ TRUST/NON-TRUST

✓ **GROUNDWATER:** (√Flow Chart)

✓ **DRILLING PERMIT**

All wells - 046(P23)

Irr. w/in WD - **P05**
• WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067

✓ **WMD**

~~Supp irr (irr = only use)~~ - ~~065-104~~
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
✓ > 0.24 cfs/5 acres - 01M

— **LOCATION:**

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
42-248 Area - **P84** (20s-70s, 81-86)
Swan Falls Flag - _____
Trust - 051(**P74**) (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

— **SURFACE WATER:** (√Flow Chart)

F&G contacted - Yes/No Response _____

In/Above MSF - WB9

PLANNING REVIEW/RESPONSE _____

In-stream development - **P52**

WD - R04 (WD# _____)

≤ 0.20 cfs/others - 01H(P01), 01P or No MD

> 0.20 cfs - 01J(**P08**)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 01M or No MD

— **RIVER BASINS:** (SW special considerations)

Snow R (01) - W22(**P04**), N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047(**P04**) (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

✓ **USES:**

STORAGE - 18A-01H(**P01**), 01P-18B(**P09**)-NA

✓ IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)

> 5 ac - **R62**/R63/R64/R65 (0.02 cfs/ac) 3.0 AP

STOCKWATER - R37 (BLM/USFS)

MINING - 054-081(**P10**)

FISH PROP - 029(70'S only)-007-042-081(**P10**)

HEAT/COOL - R07(injection well)

FIRE PROT. - 077

USES:

POWER - 17H-17K (+uses)-08A-025(**P18**)-01N-081(**P10**)

MUNICIPAL

Restricted area - 022,075

Irr., GW supp to SW - 102

DOMESTIC

Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)

>1 in restricted area - 070-071-075(no parks/common areas, etc)

Irr use listed separate - WB5

Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)

✓ **BENEFICIAL USE DUE:** 11 / 01 / 02

✓ **MISC CONDITIONS/REMARKS:**

Protested - 020-W19

✓ **Development Period**

≤ 1 yr - **P16**

✓ > 1 yr - 26A(P17)

Ownership - 004

Non-consumptive - 027

Water Quality - 081-R07

Multiple pd's per ¼/¼ - W32

Subd lot desc (pd) - W59

Subd lot desc (pu) - W60

Use definitions - W02 example - S/50 range

Pre-1987 development - 068-074 (allow 120 days for proof due)

Single p/d intended - 076

IRRIGATION SEASON 4/1 - 10/31 (Per updated map)

OTHER CONDITIONS/REMARKS ① 26A ② 046 ③ 01M ④ R62

COMMENTS 4 Codes: P17, P23



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

November 1, 2000

CLIFTY VIEW NURSERY INC
RT 1 BOX 509
BONNERS FERRY ID 83805

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 98-07799

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

MICROFILMED


JAN 29 2001

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure

to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

MICROFILMED

JAN 25 2003

CERTIFICATE OF MAILING

I hereby certify that on the 1st day of November, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 98-07799

CLIFTY VIEW NURSERY INC
RT 1 BOX 509
BONNERS FERRY ID 83805


Kari Lynn Townsend
Secretary

MICROFILMED

JAN 9 1975

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
JAN 28 2003

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
JAN 29 2003

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

WR4
DCA
WRA

APPLICATION # 98-07799

INITIAL REVIEW

APPLICANT: CLIFTY LEAN NURSERY

BY: AB

DATE: 4/20/00

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
(X) Signature
(X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

PROCESSING

(Yes) (No) PRIORITY DATE: 4/20/00
☒ (Include Moratorium Remark)
☒ Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

OF/Wed/ok

ADVERTISE IN: BOUNDARY County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information
 () Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information
 () Power Information () Other: N/A

ADDITIONAL INFORMATION

(Yes) (No)

Field check: by READ
 Field report: PLACE OF USE
SEC 26 NW SW 13
SHOULD BE SE SE 6.13

WD Permit

WATER SECTION

fees
 \$
 \$
 \$

Receipt No.

Upgrade Needed?

Y () N ()
 Y () N ()
 Y () N ()

Remarks: W.D. PERMIT NOT FILED
AT TIME OF RECEIVING AD. FOR
PERMIT.

received

PROCESSING/REVIEW

(Yes) (No)

- ☒ Issued. Final order response date: / /
- ☒ Information required from applicant
- ☒ Affidavit of publication received
- ☒ Application published correctly. If not, record action taken: Needs to correct form
- ☒ Publication dates and paper recorded on application | Sr. Agent initial
- ☒ Protests received, Final protest date: 6/5/00
- ☒ Measuring device required aug 7.00
- ☒ Measuring port required
- ☒ Special conditions:
- ☒ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB

Date: 9/21/2000

**IDaho DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET**

WRI
DCA
WRA

APPLICATION # 98-07799
INITIAL REVIEW

APPLICANT: CLIFTY LEAN NURSERY BY: AB DATE: 4/26/00

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
(X) Signature
(X) Fee (Amt, receipt, acknowledgement)

PROCESSING

(Yes) (No) PRIORITY DATE: 4/26/00
☒ (Include Moratorium Remark)
☒ Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

BF/Wed/ok

ADVERTISE IN: BOUNDARY County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information
 () Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information
 () Power Information () Other: N/A

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes) (No)
 ___ ☒ Field check: by _____
 ___ ☒ Field report attached
 ___ ☒ Analysis Supp. attached(>5cfs/500af)
 ___ ☒ Water delivered by water master?
 Water District # _____

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()

- ___ Groundwater management area
- ___ Critical ground water area
- ___ Well Drilling Permit required
- ___ Well Drilling Application and Fees received
- ___ Well Drilling Application approved?

Remarks: W.D. PERMIT NOT FILED
AT TIME OF RECEIVING AP. FOR
PERMIT.

FINAL REGIONAL PROCESSING/REVIEW

- (Yes) (No)
- ___ ☒ Notice of pending void order issued. Final order response date: ___/___/___
 - ___ ☒ Further information required from applicant
 - ___ Affidavit of publication received
 - ___ Application published correctly. If not, record action taken: Needs to correct POU
 - ___ Publication dates and paper recorded on application | Sr. Agent initial _____
 - ___ ☒ Protests received, Final protest date: 6/5/00
 - ___ ☒ Measuring device required aug 7,00
 - ___ ☒ Measuring port required
 - ___ ☒ Special conditions:
 - ___ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: [Signature] Date: 9/21/2000

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary, Carol Osburn

_____ being first duly sworn on oath
deposes and says that he/she is ad manager
of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the
hereto attached notice of publication in the case of:

4338 correction notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 19 day of July, 20 00
and ending on the 26 day of July, 20 00
and that said notice was published in said newspaper.

On this 26 day of July in the year
of 2000, before me, a Notary Public, personally
appeared Carol A. Osburn,

known or identified to me to be the person whose name
subscribed to the within instrument, and being by me
first duly sworn, declared that the statements therein are
true, and acknowledged to me that he executed the same.

Joan C. Dail
Notary Public for Idaho

Residing at Bonners Ferry

My Commission expires: 7/22/2002

RECEIVED
AUG 03 2000
IDWR/North

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN THAT
APPLICATION FOR PERMIT NO. 98-
07799 in the name of CLIFTY VIEW
NURSERY INC, RT 1 BOX 509, BON-
NERS FERRY, ID 83805, was incorrectly
advertised on MAY 17 and 24, 2000.

THAT PORTION of the PLACE OF
USE originally advertised as the NWSW
of T62N R01E Sec 26 in BOUNDARY
County was incorrectly advertised,
whereas correctly it should read the
SESE (Government Lot 13) of T62N
R01E Sec 26, BOUNDARY County.

(For additional information concern-
ing the property location, call the
Northern Regional Office at 769-1450.)

Any protests against the approval of
the above-referenced correction must be
filed with the applicant and with the
Director, Dept. of Water Resources, 1910
Northwest Blvd., Suite 210, Coeur
d'Alene, Id. 83814, together with a
protest fee of \$25.00 on or before August
7, 2000.

KARL J. DREHER, Dir.
BFH#4338
July 19, 26, 2000

MICROFILMED
AUG 23 2000

July 12, 2000

Bonnars Ferry Herald
PO Box 539
Bonnars Ferry ID 83805

Re: 98-07799

Gentlemen:

Enclosed you will find a legal Notice of Correction which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send the Affidavit of Publication, and the bill, to this office before August 7, 2000.

Thank you.

Sincerely,

Dianne Ball
Administrative Assistant

Enclosure

MICROFILMED

JAN 14 2001

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 98-07799 in the name of CLIFTY VIEW NURSERY INC, RT 1 BOX 509, BONNERS FERRY, ID 83805, was incorrectly advertised on MAY 17 AND 24, 2000.

THAT PORTION of the PLACE OF USE originally advertised as the NWSW of T62N R01E Sec 26 in BOUNDARY County was incorrectly advertised, whereas correctly it should read the SESE (Government Lot 13) of T62N R01E Sec 26, BOUNDARY County.

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before August 7, 2000.

KARL J. DREHER, Dir.

Published in the Bonners Ferry Herald on July 19 and 26/2000.

MICROFILMED

1999-08-07

WR0749NP
No. 98-07799

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/06/00
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CLIFTY VIEW NURSERY INC RT 1 BOX 509 BONNERS FERRY ID 83805 (208) 267-7129	04/26/2000	IRRIGATION	03/15 11/15	1.440 CFS	
TOTAL DIVERSION:					1.440 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: APPLICATION

Point(s) of Diversion: T62N R01E S26 Lot 13(SESESE)

BOUNDARY County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE									
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
62N	01E	25	:									11-40	10-17							:	57.0
62N	01E	26	:																13-07	:	7.0
62N	01E	36	:					03-08												:	8.0
																			TOTAL ACRES	72.0	

Pou County: BOUNDARY

Dates: App. Received: 04/26/2000 Priority Date: 04/26/2000
Proof Due Date: Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 04/28/2000 User-ID: DBALL Subject: Examiner's notes.
Proposed well and pump.
Time required 2 years.

Audit: 04/28/00 DBALL 07/06/00 DBALL

*See 36
corrected*

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary, Carol Arthur

_____ being first duly sworn on oath
deposes and says that he/she is ad manager
of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the
hereto attached notice of publication in the case of:

4317 Water Right

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 17 day of May, 20 00
and ending on the 24 day of May, 20 00
and that said notice was published in said newspaper.

On this 24 day of May in the year
of 2000 before me, a Notary Public, personally
appeared Carol A. Arthur,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me
first duly sworn, declared that the statements therein are
true, and acknowledged to me that he executed the same.

Juan E. Dail
Notary Public for Idaho

Residing at Bonners Ferry

My Commission expires: 7/22/2002

RECEIVED
JUN 09 2000
IDWR/North

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of
the State of Idaho:

98-07798

CLIFTY VIEW NURSERY INC.
RT 1 BOX 509

BONNERS FERRY, ID 83805

Source: KOOTENAI RIVER

Diversion Pt: SWSWNW Sec 25 T 62N R 01E in BOUNDARY County.

Use: IRRIGATION

Total Diversion:

Date Filed: 4/26/2000

In: BOUNDARY County

T62N R01E S25

25.0 ACRES TOTAL

Tributary: COLUMBIA RIVER

(0.500 CFS)

(0.500 CFS)

SWNW

NWSW

98-07799

CLIFTY VIEW NURSERY INC.

RT 1 BOX 509

BONNERS FERRY, ID 83805

Source: GROUNDWATER

Diversion Pt: SESESE Sec 26 T 62N R 01E in BOUNDARY County.

Use: IRRIGATION

Total Diversion:

Date Filed: 4/26/2000

In: BOUNDARY County

T62N R01E S25

S26

S36

72.0 ACRES TOTAL

SWSW

NWSW

NWNW

SESW

98-07800

LUSTIG, KENNETH W

6039 N DAVENPORT

DALTON GARDENS, ID 83815

Source: MOYIE RIVER

Diversion Pt: NWNW Sec 14 T 64N R 02E in BOUNDARY County.

Use: IRRIGATION

Total Diversion:

Date Filed: 4/26/2000

In: BOUNDARY County

T64N R02E S14

1.5 ACRES TOTAL

Tributary: KOOTENAI RIVER

(0.040 CFS)

(0.040 CFS)

NWNW

For additional information concerning the property location, call the Northern
Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with
the applicant and with the Director, Dept. of Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest
fee of \$25.00 on or before JUNE 5, 2000.

KARL J. DREHER, Director

BFH#4317

May 17, 24, 2000

98-07799

CLIFTY VIEW NURSERY INC
RT 1 BOX 509
BONNERS FERRY, ID 83805

Source: GROUNDWATER

Diversion Pt: SESESE Sec 26 T 62N R 01E in BOUNDARY County.

Use: IRRIGATION	(	1.440 CFS)
Total Diversion:	(	1.440 CFS)

Date Filed: 4/26/2000

In: BOUNDARY County		
T62N R01E S25	SWSW	SESW
S26	NWSW	
S36	NWNW	

72.0 ACRES TOTAL

APR 26 2000
11:24 AM

May 10, 2000

Lon Merrifield, President
Clifty View Nursery Inc
Rt 1 Box 509
Bonners Ferry ID 83805

Re: Water Appropriation Application No. 98-07799 - Appropriation from groundwater (well)

Dear Mr. Merrifield:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If your source is groundwater, a Well Drilling Permit is required for all wells constructed after July 1, 1987.

A "Domestic" well drilling permit should be obtained for a rate of diversion of up to 18 gallons per minute (0.04 CFS) and a daily volume of up to 2,500 gallons per day. The cost for this permit is \$75.00. For any other use, including multiple homes, or municipal, etc., the Drilling Permit fee is \$200. These Permits can be obtained by your driller, also. It is sometimes possible to upgrade an existing Domestic Drilling Permit by submitting a fee for the difference. This, however, depends on the individual well.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

N013618

4/26/2000

CLIFTY VIEW NURSERY, INC.

APPLICATION FOR PERMIT	65103	229 21 1155	120.00
------------------------	-------	-------------	--------

CHECK	3059	\$	120.00
-------	------	----	--------

Region: NORTHERN

Signature: _____

WORTH 1110

1110 1110

WR0749NP
No. 98-07799

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/28/00
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CLIFTY VIEW NURSERY INC RT 1 BOX 509 BONNERS FERRY ID 83805 (208) 267-7129	04/26/2000	IRRIGATION	03/15 11/15	1.440 CFS	
TOTAL DIVERSION:					1.440 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: APPLICATION

Point(s) of Diversion: T62N R01E S26 SESESE BOUNDARY County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE												
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		
62N	01E	25	:					:					:			40	17	:					:	57.0
62N	01E	26	:					:					:			07		:					:	7.0
62N	01E	36	:					:			08		:					:					:	8.0
TOTAL ACRES																							72.0	

Pou County: BOUNDARY

Dates: App. Received: 04/26/2000 Priority Date: 04/26/2000
Proof Due Date: Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 04/28/2000 User-ID: DBALL Subject: Examiner's notes.
Proposed well and pump.
Time required 2 years.

Audit: 04/28/00 DBALL

Readjust to
correct POU.