


S.13 T62N R2E

NATIONAL FOREST
Boundary Co., Idaho



NE 1/4 NW 1/4 S. 13
T62N R2E

DUNNING CREEK

IRRIGATION

SPRING LOCATION

Evergreen Sch

Kootenai River

MICROFILMED
APR 23 1997

BM

1803

2096X

2366

2400

2600

2500

2480

2400

2335

2340

2349

2200

2000

1800

1800


2000

2200

180

20

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____.

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	.75	SKC3901V001	Grundfos J57	3/4

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

SEP 29 1998



2 580 000
FEET

5398

5397

5396

42'30"

TROY, MONT 19 MI

BBY, MONT 37 MI

MICROFILMED

SEP 29 1998

98-07778


62N-02E-13

Katka
BM 1804

Mile

YICREEK
LINE

98-0778



PD



PD



PD



PD

MICROFILMED
SEP 29 1998

98-0778

'98 4 30

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary,

David Keys being first duly sworn on oath
deposes and says that he/she is publisher
of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the
hereto attached notice of publication in the case of:

#3490 Water Right / McClintock

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 5 day of February, 1997
and ending on the 12 day of February, 1997
and that said notice was published in said newspaper.

Dated: Feb 12, 1997

Don Rg

Subscribed and sworn to before me this 28 day
of February, 1997.

Jean E. Diel
Notary Public for Idaho

Residing at Bonners Ferry

My Commission expires: 7/22/2002

NOTICE OF APPLICATION FOR
WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

98-07778

MC CLINTOCK, KENNON

MC CLINTOCK, JODY

HCR 62 BOX 52

MOYIE SPRINGS, ID 83845

Source: SPRING

Tributary: UNNAMED STREAM

Diversion Pt: NENENW Sec 13 T
62N R 02E in BOUNDARY County.

Use: IRRIGATION (0.070 CFS)

COMMERCIAL (0.070 CFS)

FIRE PROTECTION (0.070 CFS)

Total Diversion: (0.070 CFS)

Date Filed: 1-27-97

In: BOUNDARY County

T62N R02E S13

NENW

6.0 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at
(208) 769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene, Ida-
ho 83814, together with a protest fee
of \$25.00 on or before FEBRUARY
24, 1997.

KARL J. DREHER, Director

BFH#3490 February 5 & 12, 1997

MICROFILMED

APR 23 1997

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 98-07778

Priority: January 27, 1997

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

9.7 AF

This is to certify, that KENNON MC CLINTOCK
JOYCE MC CLINTOCK

HC 62 BOX 52

MOYIE SPRINGS ID 83845

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 27, 1997; and has submitted Proof of Beneficial Use on April 23, 1997. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

SPRING

tributary to KOOTENAI RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	9.7 AF
FIRE PROTECTION	01/01 to 12/31	0.02 CFS	
	Totals	0.02 CFS	9.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NENENW , Sec. 13, Township 62N, Range 02E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
62N	02E	13	NENW	4		4

Total number of acres irrigated: 4

PLACE OF USE:

FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

SEP 29 1998


State of Idaho
Department of Water Resources**Water Right License**

WATER RIGHT NO. 98-07778

CONDITIONS OF APPROVAL AND REMARKS

5. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
6. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
7. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of July, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

SEP 29 1998

Amt. of Fee \$: 31.00
 Receipt No. 2077
 Receipt By: 2077
 Date Received: 1/15/77

RECEIVED
23 1997

RECEIVED
APR 23 1997
Department of Water Resources
PF

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 98-07778 Telephone No. 208-267-7064
2. Name(s) of Permit Holder(s): Kennon & Joyce McClintock
3. Mailing Address: HCR 62, Box 52 Moyie Springs, Idaho 83845
4. Source of Water: spring If GROUNDWATER (well), Date Drilled: mo. / yr.
- a. Well Driller: Drilling Permit Number: - - -
- b. **OPTIONAL:**
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): Stockwater (No. and type of stock):
Irrigation (No. of acres): 6.0 Other: Fire protection
6. Total rate of diversion and/or volume for which proof is submitted: 0.07 cfs OR acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- Measuring Device: Is a measuring device required? Yes or No X
Has the measuring device been installed? Yes or No
- Flow Measurement Port: Is a flow measurement port required? Yes or No X
Has the measurement port been installed? Yes or No
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Kennon or Jody McClintock Telephone Number: 208-267-7064
Address: HCR 62, Box 52 Moyie Springs, Idaho 83845
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Kennan McClintock Date: 4-19-1997
(include your title, if on behalf of company or organization)

May 22 1972

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 98-07778

Proposed Priority: January 27, 1997

Maximum Diversion Rate:

0.07 CFS

This is to certify, that KENNON MC CLINTOCK

JODY MC CLINTOCK

HC 62 BOX 52

MOYIE SPRINGS ID 83845

has applied for a permit to appropriate water from:

SPRING

tributary of UNNAMED STREAM

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.07 CFS
FIRE PROTECTION	01/01 to 12/31	0.07 CFS
	Totals	0.07 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENENW , Sec. 13, Township 62N, Range 02E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
62N	02E	13	NENW	6.0		6.0

Total number of acres irrigated: 6.0


PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1998.
2. Subject to all prior water rights.
3. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

28th day of March, 1997.

for 
Karl J. Dreher, Director

Ident. No. 98-07778

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
MAR 17 1997

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant Kennon & Jody McClintock Phone 267-7064
Mailing address HCR 62, Box 52 Moyie Springs, Idaho 83845
2. Source of water supply spring which is a tributary of UNNAMED STREAM
Dunning Creek
3. Location of point of diversion is Township 62N Range 2E Sec. 13 in the NE 1/4,
NE 1/4, NW 1/4, Govt. Lot NA, B.M., Boundary County;
additional points of diversion if any: NA
4. Water will be used for the following purposes:
- | | |
|---|--|
| Amount <u>.07 cfs</u> for <u>irrigation</u> purposes from <u>3/15</u> to <u>11/15</u> (both dates inclusive) | |
| ~~Amount <u>.07 cfs</u> for <u>COMMERCIAL</u> purposes from <u>3/15</u> to <u>11/15</u> (both dates inclusive)~~ | |
| Amount <u>.07 cfs</u> for <u>FIRE PROTECTION</u> purposes from <u>4/1</u> to <u>12/31</u> (both dates inclusive) | |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) | |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) | |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) | |
5. Total quantity to be appropriated is (a) .07 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source 18" x 6' long culvert placed vertically
in ground below spring. 3" rock placed around culvert (See #12 Remarks)
- b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total
reservoir capacity NA acre-feet
- c. Proposed well diameter is NA inches; proposed depth of well is NA feet
- d. Is ground water with a temperature of greater than 85°F being sought? No
- e. If well is already drilled, when? NA; Drilling firm NA;
Well was drilled for (well owner) NA; Drilling Permit No. NA
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in KW. NA
- b. Stockwatering; list number and kind of livestock. NA
- c. Municipal; show name of municipality. NA
- d. Domestic; show number of households. NA
- e. Other; describe fully. water used for truck garden & nursery stock irrigation &
fire protection

* per telecon today with applicant no commercial use of water was intended.
3/27/97 cjr.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic use* below. See instructions for standard symbols.

use below. See instructions for standard symbols.

[illegible]

9

NA

Kennon; Jody McClintock

Kennon; Jody McClinck

_____ this filing: NA

Remarks: The spring on our property comes out of the ground & flows into a marsh (approx 1/2 acre in size) which sits alongside Dunning Cr. Dunning Cr. is a tributary to the Kootenai River. Our culvert diversion is located at the north edge of this marsh, approximately 70' east of the spring & 100' west of Dunning Creek. Dunning Creek is intermittent -- generally does not run winter in August - October, depending on the year.

MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)


BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Signature of Applicant (and title, if applicable)

Received by	CP	Date	1/27/97	Time	3:00	Preliminary check by	CP	Date	1/27/97
Fee \$	56.00	Received by	CP	Date	1/29/97	#	NO 10936	Date	1/27/97
Publication prepared by	CP	Date	1/29/97	Published in	February 1997	CP	CP	Date	1/27/97
Publication approved	CP	Date	3/4/97	CP	CP	Date	CP	Date	1/27/97

S.13 T62N R2E

NATIONAL FOREST
Boundary Co., Idaho



NE 1/4 NW 1/4 S. 13

T62N R2E

DUNNING CREEK

IRRIGATION

SPRING LOCATION

Evergreen Sch

R

Kootenai River

BM

1803

2096X



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 14, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

KENNON MC CLINTOCK
JOYCE MC CLINTOCK
HC 62 BOX 52
MOYIE SPRINGS ID 83845

RE: WATER RIGHT NO. 98-07778

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

SEP 24 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,



for Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 14th day of July, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 98-07778

KENNON MC CLINTOCK
JOYCE MC CLINTOCK
HC 62 BOX 52
MOYIE SPRINGS ID 83845



Kari Lynn Townsend
Secretary

MICROFILMED

SEP 29 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 16, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

IDAHO DEPT OF FISH & GAME
2750 KATHLEEN AVENUE
COEUR D'ALENE ID 83814

RE: Surface Water Appropriations

To Whom It May Concern:

The Department of Water Resources (IDWR) is preparing to issue a number of water appropriation permits and licenses for diversions from small streams and/or springs in your region. Before proceeding, IDWR would appreciate receiving your comments, if any, on the draft permits and licenses. I have enclosed printouts of the drafts for the items listed below. Please respond by June 30, 1998. If I have not heard from you by then, I will assume you have no comment. If you prefer, you may reach me by electronic mail at skeen@idwr.state.id.us.

Proposed Licenses

95-08734
96-08969
96-08908
97-07384
98-07778

Proposed Permits

96-08987

If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

Enclosures

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT NO. L98-07778

KENNON MC CLINTOCK
JOYCE MC CLINTOCK

Priority Date: 01/27/1997
Stage: LICENSE

Source: SPRING
Tributary: KOOTENAI RIVER

Beneficial Use	From:	To:	Diversion Rate	Volume
IRRIGATION	03-15	11-15	0.02 CFS	9.70 AFA
FIRE PROTECTION	01-01	12-31	0.02 CFS	
	Total:		0.02 CFS	9.70 AFA

Point(s) of Diversion: NENENW, Sec. 13, Township 62N, Range 02E

Place(s) of Use: IRRIGATION

Twp:	Rng:	Sec:	Tract:	Acres:	Tract:	Acres:	Tract:	Acres:
62N	02E	13	Lot 03 (NWSW)		NENW	4.0		
				Total Acres:	4.0			

Place of Use: FIRE PROTECTION, same as IRRIGATION

Conditions of Approval and Remarks:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
6. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
7. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

Dates:	App. Received:	01/27/1997	Proof Due Date:	04/01/1998
	Proof Made Date:	04/23/1997	Exam Made Date:	04/30/1998

MICROFILMED

SEP 29 1998

WR0749NP
No. L98-07778

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/11/98
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	KENNON MC CLINTOCK	01/27/1997	IRRIGATION ✓	03/15 11/15	✓ 0.020 CFS	✓ 9.70 AFA
C	JOYCE MC CLINTOCK HC 62 BOX 52 MOYIE SPRINGS ID 83845 (208) 267-7064		FIRE PROTECTION ✓	01/01 12/31	✓ 0.020 CFS	
TOTAL DIVERSION:					0.020 CFS	9.70 AFA

Water Source: SPRING ✓

Tributary to: KOOTENAI RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.020 CFS ✓

Point(s) of Diversion: T62N R02E S13 NENENW ✓ BOUNDARY County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE							
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
62N	02E	13	:					04										:	4.0
TOTAL ACRES																		4.0	

Place of use location for FIRE PROTECTION is the same location as described for: IRRIGATION

Pou County: BOUNDARY

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):

~~98-07778~~

Other Water Rights Listing Overlapping Place(s) of use:

~~98-07778~~

Conditions of Approval:

- ✓ 01M - After specific notification by the department, the right holder
 - shall install a suitable measuring device or shall enter into an
 - agreement with the department to determine the amount of water
 - diverted from power records and shall annually report the
 - information to the department.
- ✓ 1077 - Water shall not be diverted for fire protection use under this
 - right except to fight or repel an existing fire.
- ✓ R66 - This right when combined with all other rights shall provide no
 - more than 0.03 cfs per acre nor more than 3.0 afa per acre at the
 - field headgate for irrigation of the lands above.

Dates: App. Received: 01/27/1997 Priority Date: 01/27/1997
Proof Due Date: 04/01/1998 Proof Made Date: 04/23/1997
Exam Made Date: 04/30/1998 Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

WR0749NP
No. L98-07778

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/11/98
PAGE: 2

Comments: Date: 01/28/1997 User-ID: DBALL Subject: DIVERSION DESCRIPTION
18 inch x 6 ft long culvert placed vertically in ground below the
spring. 3+ inch rock placed around culvert. Culvert diversion
is located at north edge of marsh approximately 70 ft east of the
spring and 100 ft west of Dunning Creek.

Date: 04/24/1997 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 06/11/98 SCURTIS

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM	
		NE		NW		SW		SE		NE		NW		SW		SE			
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
L9807778	T62N R02E S13 SPRING																		
	:						04												4
NO MATCHES FOR THIS POU IN AJ-POU																			
9807200	UNNAMED ST :								01										1
~~9807778~~	~~SPRING~~						06												6
NO MAPPING INFO AVAILABLE																			

MEMORANDUM

TO: File 98-07778

FROM: Sharla

DATE: June 10, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit No. 98-07778 are as follows:

A. GENERAL INFORMATION

3. Source: springs tributary to Kootenai River

The examiner states the source is a spring tributary to another unnamed spring. Data entry standards require that the tributary be the first "named" source or in the case of springs the tributary may also be "sinks". The topo map shows the intermittent stream flowing through the area marked for point(s) of diversion flows into the Kootenair River; this is the source that will be shown on the license as the tributary.

Examiner: Wayne Baldwin
Exam Date: April 30, 1998

MICROFILMED
SEP 29 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 98-07778 DATE 6/11/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK trib - next named source = Kootenai River
 Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate .07 cfs
 Fee limit .20 cfs \$50
 Measured .02 cfs at 20' lift
 Theoretical .02 cfs at 40' and 130' lift
 Recommended Total Div Rate .02 cfs

WATER USES

4x3.0 = 12.0
Irr. .02 cfs 9.7 af Irrig - overlap (R58-R61, R62-R65, R66-R69)
Fire .02 cfs N/A af supp. gw (WB7/065/079)
_____ _____ cfs _____ af overlap spec. combined rts (W35)
_____ _____ cfs _____ af <1 acre (W31)
_____ _____ cfs _____ af Domestic (W01/WB5/070/071/075)
 TOTALS .02 cfs 9.7 af Power (W42 or W43/025/027/R22 or R23)
_____ _____ cfs _____ af Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .02 cfs X 246 days X 1.98 = 9.7 af

REMARKS

ADD'L CONDITIONS

_____ Watermaster Control WD# _____
01M GW Measurement/Measuring Device

_____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes no

SRBA Claim N/A

Adjust Memo trib
 Amend letters ok
for area

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 14 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 98-07778

1. Owner: Kennon & Jody McClintock Phone No. (208) 267-7064

Current Address: Hc 62 Box 52, Moyie Spring Id. 83845

2. Accompanied by: Kennon McClintock EXAM DATE: 4-30-98

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to unnamed spring

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NW	13	62N	02E	Boundary	U.S.G.S. 7.5 min Quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
62N	02E	13					04												
							F												

MICROFILMED

SEP 29 1998

202 7 9 1988

MICROFILMED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


1. D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	.75	SKC390M001	Grundfos 557	3/4

4.

Scale: 1" = _____
 Copy of USGS Quadrangle Attached Showing location(s) of _____
 Aerial Photo Attached _____
 Photo of Diversion and System Attached _____
 (required for irrigation of 10+ acres)
 (required for use (required).
 point(s) of diversion and place(s) of use (required).



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

System consist of spring development, a $\frac{3}{4}$ hp pump delivering through $\frac{3}{4}$ in. Pipe buried, feeds several frost free hydrants. From there portable sprinklers are set up to irrigate desired area. Irrigated areas are lawn, garden, and nursery stock.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

SEP 29 1998

F. FLOW CALCULATIONS

Measured Method:

Sgar Creek

Sgar Creek 41 ac = 7.39 pm

$$7.3 \times .133681 = .02$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4 \times 3 = 12$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 245 \times 1.9835 = 9.7$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Allyson
Side Section

Period of Use
From 03-15 To 11-15
01-01 12-31

Rate of Diversion

Q (cfs)
.02

Annual Volume

V (ata)
9.7

Totals:

.02

9.7

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

Change P.U. as reflected above

Add P.U. as reflected above

None

Other

I. AUTHENTICATION

Field Examiner's Name


Allyson
5-12-98

Date

Reviewer

SEAL

RECORDED
572 2 9 1998




2 580 000
FEET

MICROFILMED
SEP 29 1998

98-07778
62N-02E-13

98-0778



PD

PD

PD

PD

MICROFILMED
SEP 29 1998

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 98-07778 Reviewed by [Signature] Date 5-9-97

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Irr. pipe

Correct Uses? yes

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☐ Drilling permit required?

☐ Copy in the file? Drilling Permit No. _____

☐ Amount paid for permit

_____ Correct?

☐ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

50- Amount Submitted

yes Correct?

MEASURING DEVICE

no Required?

☐ Installed?

☐ Waiver requested?

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

_____	_____
_____	_____
_____	= _____
_____	+ _____
_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable
Send to Shelley to address name change

DATA ENTRY

New Address X Proof Made 4-23-97



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 22, 1997

KENNON MCCLINTOCK
JOYCE MCCLINTOCK
HCR 62 BOX 52
MOYIE SPRINGS ID 83845

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 98-07778

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

If you have questions concerning the field examination, contact the **NORTHERN** Regional Office in Coeur d'Alene, at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Region

MICROFILMED
MAY 28 1997

RECEIVED

APR 23 1997

4-20-97

Department of Water Resources

Cindy,

On my original application, I made
a mistake when I put down my
wife's name as "Jody" (which is
what she goes by) when her legal
name is "Joyce" & is what needs
to be on all legal documents. I hope

this does not cause a major problem.

NOT RECORDED

Thanks for the help. MAY 28 1997

Kenneth McClintock



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 28, 1997

KENNON MC CLINTOCK
JODY MC CLINTOCK
HC 62 BOX 52
MOYIE SPRINGS ID 83845

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 98-07778

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures

APR 23 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 28, 1997

KENNON MC CLINTOCK
JODY MC CLINTOCK
HC 62 BOX 52
MOYIE SPRINGS ID 83845

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 98-07778

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures


APR 1 1997
APR 1 1997

CERTIFICATE OF MAILING

I hereby certify that on the 28th day of March, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 98-07778

KENNON MC CLINTOCK
JODY MC CLINTOCK
HC 62 BOX 52
MOYIE SPRINGS ID 83845



Vanessa Roby
Secretary

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

01/97

No.: 98-7778 Name: McClintock Date: 3/25/97 Ad OK? ☒ ☒ Gvmt Lts: ☒

AREA OF CONCERN?

- No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED:

- 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

Yes/proof filed

- NA

1 year/no proof

- P16

+1 year

- 26A-P17

GROUNDWATER: ☒ FLO-CH

+ 0.24 cfs

- 01M (may report) or 028 (shall report)

=/- 0.24 cfs

- No MD

=/+ 5 a.

- 01M or 028; 065 (if GW use SW 1st)

DRILLING PERMIT:

Existing well

- NA (pre 7/1/87; ☒ WDQ3)

Included w/permit

- Permit No. _____ P99

No WD permit?

- 046-46B-P23 (post 7/1/87)

irr. in WD

- P05 (new well)

SURFACE WATER ☒ FLO-CH (Surface water that doesn't sink is regulated):

Water District (dem)

- R04 (req) WD # _____ <SEE MAP & LISTING>

=/+ 0.24 cfs

- 01J (meas dev)-P08

- 0.24 cfs

- 01H (lock dev)-P01 or No MD

In-WD =/+ 0.24 cfs

- 01M or No MD (in-stream stock or power)

- 0.24 cfs

- No MD

=/+ 5 a. irr.

- 01M

RIVER BASINS (*Surface water):

Snake R (01)

- 11A-P04, NA

(02/03-irr)

- 007-P07 (w/ remark *WB9 if above Weiser), NA

Boise River (63)

- 05A (if WD), 11E (not 42-111 use), NA

Payette River (65)

- 064 (regulated uses), 047-P04 (Payette Lake), NA

USE:

Domestic (surface)

- *WB5 (Big Wood R or Boise R $\uparrow$ Star Bridge); 27A (Payette River); NA

Fish Propagation

- 07A-042 (req)-09E (WQ)-P10; 044 (North of 1000 Springs)

Irr <POU> =/- 5 a

- 057 (0.03 cfs/acre)

+ 5 a

- 03A (0.02 cfs/acre)

Mining

- 054 (req) & 09E-P10

Power

- 08A-17K-025-028-01F(P19)-09E(P10); 027 (if no other cons. use);

+25 cfs-P18; 17G (FERC) or 17M (FERG); 18B-P09

Storage (☒ 3 compo.)

- 072 (req); 18A (multiple MD within district), 18B-P09 (+10' dam),

LOCATION:

42-248 area

- P84 (if in 20/30/40/50/60/70/80 (87) basin)

Boise Front LoGeo

- 058 (-85° GW temp only)

In-stream dev.

- P52 (stream channel alteration)

Irr Dist/Canal Co.

- 023 (Twin Falls area)

Swan Falls Flag

- _____ <SEE CODE CHART>

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust <1>

- 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-owner

- 004 (PD/PU)

OTHER CONDITIONS:

- 017

STANDARD REMARKS:

- P16

BENEFICIAL USE DUE:

- 4/1/ 1998

COMMENTS:

No. a
4/87-06/92n

IRIGUIR DEPARTMENT OF WATER RESOURCE
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 98-07778

***** INITIAL REVIEW *****

APPLICANT: MCCUNTOCK BY: AS DATE: 1/27/97

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other Water Rights
11. (x) Ownership
13. (x) Map
(x) Signature
(x) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- Y Field check: by _____
Y Field report attached _____
Y Analysis Supp. attached(>5cfs/500af) _____
Y Water delivered by water master? _____
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 1/27/97

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

b/well ok

ADVERTISE IN: BOUNDARY County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- Y Groundwater management area
Y Critical ground water area
Y Well Drilling Permit required
Y Well Drilling Application and Fees received
Y Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

3/17 Affidavit of publication received

3/17 Application published correctly, If not, record action taken: _____

1/29/97 Publication dates and paper recorded on application

Protests received. Final protest date: 2/24/97

Measuring device required

Measuring port required

Special conditions: _____

Special conditions of approval supplement and/or cover letter attached: _____

Sr. Agent initial AS

RECEIVED

Approval Recommended by: AS

MAR 17 1997

Date: 3/5/97

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary,

David Keys being first duly sworn on oath
deposes and says that he/she is publisher
of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the
hereto attached notice of publication in the case of:

#3490 Water Right / McClintock

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 5 day of February, 19 97
and ending on the 12 day of February, 19 97
and that said notice was published in said newspaper.

Dated: Feb 12, 1997

Subscribed and sworn to before me this 28 day
of February, 19 97.

Jean E. Diel
Notary Public for Idaho

Residing at Bonners Ferry

My Commission expires: 7/22/2002

**NOTICE OF APPLICATION FOR
WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

98-07778

MC CLINTOCK, KENNON

MC CLINTOCK, JODY

HCR 62 BOX 52

MOYIE SPRINGS, ID 83845

Source: SPRING

Tributary: UNNAMED STREAM

Diversion Pt: NENENW Sec 13 T
62N R 02E in BOUNDARY County.

Use: IRRIGATION (0.070 CFS)

COMMERCIAL (0.070 CFS)

FIRE PROTECTION (0.070 CFS)

Total Diversion: (0.070 CFS)

Date Filed: 1-27-97

In: BOUNDARY County

T62N R02E S13

NENW

6.0 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at
(208) 769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene, Ida-
ho 83814, together with a protest fee
of \$25.00 on or before FEBRUARY
24, 1997.

KARL J. DREHER, Director

BFH#3490 February 5 & 12, 1997

98-07778

MC CLINTOCK, KENNON
MC CLINTOCK, JODY
HCR 62 BOX 52
MOYIE SPRINGS, ID 83845

Source: SPRING

Tributary: UNNAMED STREAM

Diversion Pt: NENENW Sec 13 T 62N R 02E in BOUNDARY County.

Use: IRRIGATION	(	0.070 CFS)
COMMERCIAL	(	0.070 CFS)
FIRE PROTECTION	(	0.070 CFS)
Total Diversion:	(	0.070 CFS)

Date Filed: 1/27/1997

In: BOUNDARY County
T62N R02E S13 NENW

6.0 ACRES TOTAL

APR 22 1997

January 29, 1997

Kennon & Jody Mc Clintock
HCR 62 Box 52
Moyie Springs ID 83845

Re: Water Appropriation Application No. 98-07778

Dear Mr. and Mrs. Mc CLintock:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application. Enclosed for your file is Receipt Number N010926.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

RECEIVED
JAN 30 1997