

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower: show total feet of head and proposed capacity in KW. _____
- b. Stockwatering: list number and kind of livestock. _____
- c. Municipal: show name of municipality. _____
- d. Domestic: show number of households. 35
- e. Other: describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NEW	NW 1/4	SW 1/4	SE 1/4	NEW	NW 1/4	SW 1/4	SE 1/4	NEW	NW 1/4	SW 1/4	SE 1/4	NEW	NW 1/4	SW 1/4	SE 1/4	
61N	R1E	7	D 1/4			D 1/4				D 3/4	D 1			D 1/4	D 3/4	D 3/4	D 1/2	D 1/4	4-3/4
		8	~~D~~ D	D 1/4			1/4 D	D 1/4	D 1			D 1/4	D 1						3
		18	D 1/4	D 1/2			D 1/2												1-1/4

Total number of acres to be irrigated 9


10. Describe any other water rights used for the same purposes as described above Water right
No. 98-02093 for 0.1 cfs from Carribou Creek

11. a. Who owns the property at the point of diversion? _____
- b. Who owns the land to be irrigated or place of use? Association members
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Applicant has an agreement to purchase property if well is developed at point of diversion

12. Remarks: _____

RECEIVED
MAY 07 1996





ROAD CLASSIFICATION

Medium-duty ——— Light-duty ———

Unimproved dirt =====

Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1963 and planetable surveys 1965

Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate data

JAN 11 1999

IDAHO
NGLE LOCATION


MORAVIA, IDAHO
N4837.5—W11622.5/7.5

B-7

RECEIVED

5 JUN 11 1997

NORTHERN REGION
IDWR



ROAD CLASSIFICATION

MORAVIA WATER ASSOCIATION

TTTTTTT APPROX. SERVICE AREA
BOUNDARY

MICROFILMED

JAN 11 1999


Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS

Topography by photogrammetric methods from aerial
photographs taken 1963 and planetable surveys 1965


Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system,
west zone

1000-meter Universal Transverse Mercator grid ticks,
zone 11, shown in blue

Fine red dashed lines indicate selected fence lines



UTM GRID AND 1965 MAGNETIC
DECLINATION AT CENTER OF



L-4
35-24

6
3016

7
34
T-15

8
34
T-16

9
34
T-17

10
34
T-18

11
34
T-19

12
34
T-20

13
34
T-21

14
34
T-22

15
34
T-23

16
34
T-24

17
34
T-25

18
34
T-26

19
34
T-27

20
34
T-28

21
34
T-29

8c
23.39
MERLE OLSON

66.39
MERLE OLSON

E. WOLDSOHN TRUST

5
8

T-16
MERRILL MARY

T-14
MARY

T-15
MERLE OLSON

CATHARINE COLE

CATHARINE COLE

JAMES HUBBARD

VILLAGE LANE
&
BURN MAREL RD

SEE FILE

98-07763



PD



Pump House



18,000
gal storage

RECEIVED
JAN 11 1999

98-07763

PERMIT #



Domestic
PU



Developed Lot
Domestic PU

MICROFILMED

JAN 11 1999

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 98-07763

Priority: September 13, 1995

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:

48.3 AF

This is to certify, that MORAVIA WATER ASSN

RT 4 BOX 617

BONNERS FERRY ID 83805

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 13, 1995; and has submitted Proof of Beneficial Use on September 27, 1996. An examination indicates that the works have a diversion capacity of 0.200 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.12 CFS	27.3 AF
DOMESTIC	01/01 to 12/31	0.10 CFS	21.0 AF
	Totals	0.20 CFS	48.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 7, Township 61N, Range 01E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
61N	01E	7	NENE 0.3	SWNE 0.5	SENE 0.3	
			SENE 0.3	NESW 0.8	NESE 1	
			NWSE 0.5	SWSE 0.5		4.2
		8	NWNE 0.3	NENW 0.5	NWNW 0.3	
			SWNW 1.5	SWSW 0.5		3.1
		18	NENE 0.5	NWNE 1	NENW 0.3	1.8

Total number of acres irrigated: 9.1

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECORDED

SEP 11 1995


State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 98-07763

CONDITIONS OF APPROVAL AND REMARKS

5. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
7. Domestic use is for 35 homes and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 8TH day of JUNE, 1998.


Acting for KARL J. DREHER, Director

RECEIVED

JUN 11 1998

State of Idaho
Department of Water Resources

RECEIVED

JUN 01 1998

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 98-07763

Department of Water Resources

Date of Priority: September 13, 1995 Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 48.3 AF

Comes now MORAVIA WATER ASSN
RT 4 BOX 617
BONNERS FERRY ID 83805

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 98-07763, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.12 CFS	27.3 AF
DOMESTIC	01/01 to 12/31	0.10 CFS	21.0 AF
	Totals	0.20 CFS	48.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 7, Township 61N, Range 01E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
61N	01E	7	NENE 0.3	SWNE 0.5	SENE 0.3	
			SENE 0.3	NESW 0.8	NESE 1	
			NWSE 0.5	SWSE 0.5		4.2
		8	NWNE 0.3	NENW 0.5	NWNW 0.3	
			SNNW 1.5	SWSW 0.5		3.1
		18	NENE 0.5	NWNE 1	NENW 0.3	1.8

Total number of acres irrigated: 9.1

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Moravia, this 7 day of May, 1998.

MICROFILMED
JAN 11 1999

Wade Harrington
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 98-07763

FOR DEPARTMENT USE ONLY

Preliminary check by SK Fee = 5500 Received by LS # C012467 Date 6/1/98


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 98-07763 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
7. Domestic use is for 35 homes and does not include lawn, garden, landscape, or other types of irrigation.

Witness my hand this 8TH day of June, 1998.


Acting for KARL J. DREHER, Director

MICRO FILMED

JAN 11 1998

RECEIVED

SEP 27 1996

FOR OFFICE USE ONLY

Amt. of Fee \$: 50.00Receipt No. 0006-32Receipt By: RETDate Received: 9-27-97

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- Permit No. 98-07763 Telephone No. 267-5601
- Name(s) of Permit Holder(s): Moravia Water Assn.
- Mailing Address: Rt 4 Box 617, Bonners Ferry, ID 83805
- Source of Water: Well If GROUNDWATER (well), Date Drilled: mo. 10 / yr. 95
 - Well Driller: H2O Well Service Inc Drilling Permit Number: 98-95-N-0041
 - OPTIONAL:
Pump Horsepower: 7.5 Pressure (psi): 65 Dynamic pumping level (ft): 60'
- Use(s) (as authorized by the water right permit):
Domestic (No. of households): 35 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 9 acres Other: _____
- Total rate of diversion and/or volume for which proof is submitted: 0.20 cfs OR _____ acre feet
- Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes X or No _____
Has the measuring device been installed? Yes X or No _____
Flow Measurement Port: Is a flow measurement port required? Yes _____ or No X
Has the measurement port been installed? Yes _____ or No X
- Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
- Person to contact to accompany the Department representative during field examination of the water system.
Name: Mike Hubbell Telephone Number: 267-5601
Address: Rt 4 Box 617, Bonners Ferry, ID, 83805
- The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Mike Hubbell board member
(include your title, if on behalf of company or organization)

Date:

8/25/96

MICROFILMED

DEC 2 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 98-07763

Proposed Priority: September 13, 1995 Maximum Diversion Rate: 0.22 CFS

This is to certify, that **MORAVIA WATER ASSN**

RT 4 BOX 617

BONNERS FERRY ID 83805

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.12 CFS
DOMESTIC	01/01 to 12/31	0.10 CFS
Totals		0.22 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 7, Township 61N, Range 01E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
61N	01E	7	NENE 0.3	SENE 0.3	SENW 0.8	
			NESW 1.0	SESW 0.3	NESE 0.8	
			NWSE 0.8	SWSE 0.5	SESE 0.3	5.1
		8	NWNE 0.3	NENW 0.3	NWNW 0.3	
			SWNW 1.0	NWSW 0.3	SWSW 1.0	3.2
		18	NENE 0.3	NWNE 0.5	NENW 0.5	1.3

Total number of acres irrigated: 9.6

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1996**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Construction of the well must comply with Idaho well construction standards.
5. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
7. The issuance of this right does not grant any right-of-way or easement across the land of another.

MAY 07 1996

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 98-07763

CONDITIONS OF APPROVAL AND REMARKS


8. Domestic use is for 35 homes.
9. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

29th day of November, 1995.

for 
Karl J. Dreher, Director

MAY 07 1996



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 98-07763

Department of Water Resources

To appropriate the public waters of the State of Idaho


1. Name of applicant Moravia Water Association Phone (208) 267-5601
Post office address Route 4, Box 617 - Bonners Ferry, ID 83805
2. Source of water supply GRAND CANYON which is a tributary of _____
3. Location of point of diversion is _____ ~~SW~~ of _____ SE _____ 1/4, Govt. Lot _____
Sec. 7 Township 61 North Range 1 E B.M. Boundary County: additional
points of diversion if any: None
4. Water will be used for the following purposes:
- | | | |
|---|-----------------------|---|
| Amount <u>0.10</u>
<small>(cfs or acre-feet per annum)</small> | for <u>domestic</u> | purposes from <u>Jan. 1</u> to <u>Dec. 31</u> (both dates inclusive) |
| Amount <u>0.12</u>
<small>(cfs or acre-feet per annum)</small> | for <u>irrigation</u> | purposes from <u>April 15</u> to <u>Nov 15</u> (both dates inclusive) |
| Amount _____
<small>(cfs or acre-feet per annum)</small> | for _____ | purposes from _____ to _____ (both dates inclusive) |
| Amount _____
<small>(cfs or acre-feet per annum)</small> | for _____ | purposes from _____ to _____ (both dates inclusive) |
5. Total quantity to be appropriated is (a) 0.22 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. Water will be pumped from an 8 in. well into an existing storage tank and distribution system for distribution to the users.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
- c. Proposed well diameter is 8 inches; proposed depth of well is 180 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? No
- e. If well is already drilled, when? NA; Drilling firm _____;
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is One years (minimum 1 year).

MAY 07 1996

MAY 07 1996

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T61N R1E BM



1 inch equals 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard C. Truett P.E.
(Applicant)
Engineer for Moravia Water System

MAY 07 1996

Received by db Date 9/8/95 Time 1 40 P Preliminary check by AS
Fee \$ 45⁰⁰ / 55⁰⁰ Receipted by db / db # N9456 / N9477 Date 9/8/95 / 9/13/95
Publication prepared by db Date 10/12/95 Published In Bonnie Terry / Hull 10/28/95 v.25/2
Publication approved db Date 11/6/95

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MAY 07 1996



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

June 8, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MORAVIA WATER ASSN
RT 4 BOX 617
BONNERS FERRY ID 83805

RE: WATER RIGHT NO. 98-07763

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

NOT RECORDED

JUN 11 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

RECEIVED


JAN 11 1993

CERTIFICATE OF MAILING

I hereby certify that on the 8th day of June, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 98-07763

MORAVIA WATER ASSN
RT 4 BOX 617
BONNERS FERRY ID 83805


Kari Lynn Townsend
Secretary

RECORDED

JAN 11 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 26, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MORAVIA WATER ASSN
RT 4 BOX 617
BONNERS FERRY ID 83805

RE: WATER RIGHT NO. 98-07763

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within 14 days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

JAN 11 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 4, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MORAVIA WATER ASSN
RT 4 BOX 617
BONNERS FERRY ID 83805

RE: WATER RIGHT NO. 98-07763

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that your place(s) of use is in a location other than what was described on your permit. Therefore, before a license can be issued, the permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the place(s) of use and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MOVED

JAN 1 1998

MEMORANDUM

TO: File 98-07763

FROM: Sharla

DATE: April 30, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 98-07763 are as follows:

C. DIVERSION AND DELIVERY SYSTEM

2. Place(s) of Use:

T61N, R1E, S7 - NENE (.3 acres),	SWNE (0.5 acres),	SENE (0.9 acres)
TOTAL		5 acres

For rights with 5 acres or more, the number of acres per $\frac{1}{4}$ are normally rounded to the nearest whole number. In this case, however, the total number of acres would exceed the permitted number and would thus require other special conditioning. It is more reasonable to round the numbers to the nearest tenth.

The six homes identified as numbers 4, 7, 8, 10, 11, and 12 are located in the SWNW, S7, rather than the SENW.

Examiner: Wayne Baldwin

Exam Date: May 15, 1997

MICROFILMED

JAN 11 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 98-07763 DATE _____ REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK ☐ Change (Para P39 - gov P40/P47) ☐ Add (P45/P42)

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE Chg ☐ Change (P41 - gov P43/P47) ☒ Add (P41/P42)
 W60 (subd. desc)
 W27 (ppu acre limit)
 SWNE, S1

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

RATE OF DIV
 Permitted Rate .22 cfs
 Fee limit .20 cfs \$50⁰⁰
 Measured .20 cfs
 Theoretical .22 cfs (65 psi, 60' lift - 3/4" from)
 Recommended Total Div Rate .20 cfs

WATER USES	<u>OK</u>				
<u>Irr.</u>	<u>.12</u> cfs	<u>9.1 x 3 =</u> af	<u>27.3</u>	Irrig -	overlap (R58-R61, R62-R65, R66-R69)
<u>Dom.</u>	<u>.10</u> cfs	<u>21.0</u> af			supp. gw (WB7/065/079)
					overlap spec. combined rts (W35)
					<1 acre (W31)
					(W01/WB5/070/071/075)
				Domestic	(W42 or W43/025/027/R22 or R23)
TOTALS	<u>.20</u> cfs	<u>48.3</u> af		Power	(W42 or W43/025/027/R22 or R23)
				Fish (042)	Fire (077) Wtr Quality (081/R07)

Flow rate .12 cfs X 246 days X 1.98 = 58.4 af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
OM GW Measurement/Measuring Device
☐ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority ☐ yes ☒ no

SRBA Claim NA

Adjust Memo rounded acres
 Amend letters SENW vs. SWNW, S8 plu
P41 P38
P42

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1998

Department of Water Resources

98-07763

A. GENERAL INFORMATION

Permit No.

1. Owner: Moran Water Assn. Phone No. 208-267-5601

Current Address: RT 2 Box 617 Bonners Ferry Id 83805

2. Accompanied by: Mike Hubbell EXAM DATE: 5-15-97

Address: RT 2 Box 617 Bonners Ferry Id 83805 Phone No. 208-267-5601

Relationship to Permit Holder: Board Member

3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 98-07721 / 98-07750 / 98-07777

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	07	61N	01E	Boundary	U.S. G.S. 7.5 min Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
61N	1E	7	.25		.5	.25				.25	.25	.25			.25	.25	.25		4 (160)
11	11	8		.25			.25	.25	.25	.25									3 (120)
11	11	18	.25	.25			.25												1.75 (70)
																			8.75 acres
																			35 (1400)

MICROFILMED
JAN 11 1999

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached _____
 _____ (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<i>Franklin</i>	<i>7.5</i>	<i>2Y22019310</i>	<i>Sub</i>	<i>2"</i>

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

[illegible]

al been met? Yes

F. FLOW CALCULATIONS

Measured Method:

flow meter 100 gals. 66.5 sec = 90 gpm

$$90 \times .133681 = .20045$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 80.75(3) = 26.3$$

$$V_{OR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .2(245)(19835) = 97.2$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{OR} = 26.3$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use		Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
From	To	From	To		
01-01	11-31	03-15	11-15	.2	26.3
				.2	26.3
Totals:				.2	47.3

2. Recommended Amendments

Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None ☐

Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other ☐

I. AUTHENTICATION

Field Examiner's Name Wayne Collins Date 8-5-92

Date

Reviewer


SEAL

JAN 1 1 1993

RECEIVED

5 JUN 11 1997

NORTHERN REGION
IDWR



INTERIOR-GEOLOGICAL SURVEY, WASHINGTON D.C. - 1987
R.I.W. R.I.E. NAPLES (U.S. 2 & 95) 4.8 MI.
SANDPOINT 24 MI.

Mapped, edited, and published by the Geological Survey


Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1963 and planetable surveys 1965

Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system,
west zone

1000-meter Universal Transverse Mercator grid ticks,
zone 11, shown in blue

Fine red dashed lines indicate selected fence lines



UTM GRID AND 1965 MAGNETIC DECLINATION AT CENTER OF

ROAD CLASSIFICATION
MORAVIA WATER ASSOCIATION

TTTTTT APPROX. SERVICE AREA
BOUNDARY

MICROFILMED

JUN 11 1997



66.39

MERLE OLSON

86
23.39

MERLE OLSON

EVOLDSON
1951

5

8

MERLE OLSON

T-16 MERRILL MARGY

T-17

T-14

MARGY

805 PL

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

DOB

CATHARINE
SOLE

FOUNSTONAC
9000

E27

7.8

7

5717-4015

VILLORENE
2
BUON NATALE LTD

#107
SEE FILES

JANUARY
HURLEY
1953

98-07763


PD

Pump
House

18,000
gal storage

1981
11/1/81

PERMIT # 98-07763



Domestic
Pu

Developed Lot
Domestic Pu

MICROFILMED
JAN 11 1989

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 98-07763 Reviewed by [Signature] Date 10-29-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 98-95-N-0041-000
200- Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
yes Required?
yes Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 9-27-96

November 1, 1996

MORAVIA WATER ASSN
RT 4 BOX 617
BONNERS FERRY ID 83805

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 98-07763

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED

DEC 9 2 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 29, 1995

MORAVIA WATER ASSN
RT 4 BOX 617
BONNERS FERRY ID 83805

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 98-07763

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECORDED

MAY 07 1996

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 98-7763 Name: Monavia Date: 11/27/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: N9477 Priority: 9/2/95 9/13/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes Mor GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. , P99
No WD permit? - 046-46B(P23) (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):
Water District(dem) - 005 (req) WD # <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
~~In WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-† Weiser), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA

USE:
Domestic (surface) - 021(Boise R † L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU) assn members

OTHER CONDITIONS: -

STANDARD REMARKS: - OWB 5/35

BENEFICIAL USE DUE: - 12-1-1996

COMMENTS: -

MEMORANDUM

DATE: November 28, 1995
TO: File No. 98-07763
FROM: Cindy Zimmerman
SUBJECT: Corporate Officers

=====

Per telecon with Mike Hubbell today, the officers of Moravia Water Association are:

President:
Dale Harrington

Vice President:
Roy Copeland

Secretary/Treasurer:
Cherry Dunnington

Board of Directors:
Merrell Olsen, Mike Hubbell

MAY 9 7 1996

No. a
4/87-06/92n

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

W. GRAV
BO

APPLICATION # 98-07763

***** INITIAL REVIEW *****

APPLICANT: MORAVIA WATER ASSOC BY: BS DATE: 9/13/95

ITEM REQUIRED INFORMATION

1. (✓) Name and Address
2. (✓) Source
3. (✓) Point of Diversion & County
4. (✓) Quantity
(✓) Nature of Proposed Use
(✓) Period of Use
5. (✓) Total Quantity
6. (✓) Description of diverting works
7. (✓) Time required for b/u
8. (✓) Proposed use
9. (✓) Place of use or acres irrigated
10. (✓) Other Water Rights
11. (✓) Ownership
13. (✓) Map
(✓) Signature
(✓) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y () N ()

PROCESSING

Yes No

PRIORITY DATE: 9/13/95

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONDARY County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

ADDITIONAL INFORMATION

Yes No

- Y Field check: by _____
Y Field report attached
Y Analysis Supp. attached (>5cfs/500af)
Y Water delivered by water master?
Water District # _____

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- X Groundwater management area
X Critical ground water area
X Well Drilling Permit required
X Well Drilling Application and Fees received
X Well Drilling Application approved?
Well Drilling Application Number 98-95-41

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ____ Notice of pending void order issued. Final order response date: ____/____/____
____ Further information required from applicant
11/13 Affidavit of publication received
11/16 Application published correctly, If not, record action taken: _____

- 10/11/95 Publication dates and paper recorded on application | Sr. Agent initial BS
Y Protests received. Final protest date: 11/16/95
Y Measuring device required
Y Measuring port required
Y Special conditions: _____
Y Special conditions of approval _____ letter attached: _____

Approval Recommended by: BS

NOV 21 1995

Date: 11/8/95

Department of Water Resources

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary,

David Keyes being first duly sworn on oath
deposes and says that he/she is Publisher

of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the
hereto attached notice of publication in the case of:

Legal # 3181

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 18 day of October, 19 95
and ending on the 25 day of October, 19 95
and that said notice was published in said newspaper.

Dated: 10/31/95
David Keyes

Subscribed and sworn to before me this 30 day
of October, 19 95.

Christy Johnson
Notary Public for Idaho

Residing at Bonners Ferry

My Commission expires: 7-22-2000

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application (s) have been filed to appropriate the public waters of the State of Idaho:

98-07763
MORAVIA WATER ASSN *ok*
RT 4 BOX 617
BONNERS FERRY, ID 83805
Source: GROUNDWATER
Diversión Pt: SWSE Sec 7 T 61N R 01E in BOUNDARY County.
Use: IRRIGATION (0.120 CFS)
DOMESTIC (0.100 CFS)
Total Diversión: (0.220 CFS)
Date Filed: 9/13/1995
In: BOUNDARY County
T61N R01E S07
NENE SENE SENW NESW
SESW NESE NWSE SWSE
SESE S08 NWNW NENW
NWNW SWNW NWSW SWSW
S18 NENE NWNE NENW
9.6 ACRES TOTAL


98-07764
HALL, MARK V
HALL, MARGIE C
P O BOX 791
SANDPOINT, ID 83864
Source: SNOW CREEK Tributary: DEEP CREEK
Diversión Pt: NWNE Sec 1 T 61N R 01W in BOUNDARY County.
Use: DOMESTIC (0.040 CFS)
Total Diversión: (0.040 CFS)
Date Filed: 9/28/1995
In: BOUNDARY County
T61N R01W S01 NESW

98-07765
PETEFISH, MATT
P O BOX 3612
CAMP VERDE, AZ 86322
Source: UNNAMED STREAM
Tributary: BROWN CREEK
Diversión Pt: SWNE Sec 27 T 61N R 01E in BOUNDARY County.
Use: DOMESTIC (0.040 CFS)
Total Diversión: (0.040 CFS)
Date Filed: 9/26/1995
In: BOUNDARY County
T61N R01E S27 NENE

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before NOVEMBER 6, 1995.

KARL J. DREHER, Director
BFH#3181 October 18, 25, 1995



MAY 07 1996

98-07763

MORAVIA WATER ASSN
RT 4 BOX 617
BONNERS FERRY, ID 83805

Source: GROUNDWATER

Diversion Pt: SWSE Sec 7 T 61N R 01E in BOUNDARY County.

Use: IRRIGATION	(	0.120 CFS)
DOMESTIC	(	0.100 CFS)
Total Diversion:	(	0.220 CFS)

Date Filed: 9/13/1995

In: BOUNDARY County
T61N R01E S07

	NENE	SENE	SENW	NESW
	SESW	NESE	NWSE	SWSE
	SESE			
S08	NWNE	NENW	NWNW	SWNW
	NWSW	SWSW		
S18	NENE	NWNE	NENW	

9.6 ACRES TOTAL

MAY 07 1996

October 12, 1995

Mr. Mike Hubbell
Moravia Water Association
Route 4 Box 617
Bonners Ferry, ID 83805

Re: Water Appropriation Application No. 98-07763

Dear Mr. Hubbell:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested. However, if the application is protested during the waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome.

If your source is groundwater, a separate well drilling permit is required for all wells constructed after July 1, 1987. Drilling permits are issued for "domestic" uses with a fee of \$35 or "non-domestic" uses which have a fee of \$200. A "domestic" use is defined as one home with less than 1/2 acre of lawn and garden OR any other use which has a pumping rate of less than 0.04 cubic feet per second (18 gallons per minute) and a daily use of less than 2500 gallons. If you have already obtained a "domestic" well drilling permit and your uses are not included in the definition of "domestic" listed above, you will need to upgrade your well drilling permit. The fee for upgrading a "non-domestic" use permit is the difference between the two, or \$165.00.

RECEIVED
MAY 07 1996

Mr. Mike Hubbell
Moravia Water Association

October 12, 1995
Page Two

If you have any questions or if I can be of any assistance please feel free to contact me at this office.


Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

cc: Richard C. Tucker, P.E., Tucker Engineering
With Receipts No. N009456 and N009477

RECEIVED
OCT 17 1995



Tucker Engineering Consultants

617 Church Street • Sandpoint, Idaho, 83864 • (208) 263-8558 • FAX (208) 263-5522
Surveying • Subdivisions • Structures • Water and Sewer Systems

September 12, 1995

Idaho Department of Water Resources
Northern Region Office
1910 Northwest Blvd. - Suite 210
Coeur d'Alene, ID 83814-2615

ATTENTION: Allen Beardsley

RE: Moravia Water Association

Enclosed is a portion of a quadrangle map showing the approximate water service area of the Association.

Also enclosed is a check for \$55.00 which is the balance of the application fee due. Thank you for sending the new application forms. If you have any questions, do not hesitate to contact us.

Very truly yours,


TUCKER ENGINEERING CONSULTANTS

Richard C. Tucker, P.E.
Civil Engineer

Enclosure

RCT/cfw


cc: Moravia Water Association
File



Rec U 9477

RECEIVED

MAY 07 1996



Tucker Engineering Consultants

617 Church Street • Sandpoint, Idaho, 83864 • (208) 263-8558 • FAX (208) 263-5522
Surveying • Subdivisions • Structures • Water and Sewer Systems



September 7, 1995

Idaho Department of Water Resources
Northern Region Office
1910 Northwest Blvd. - Suite 210
Coeur d'Alene, ID 83814-2615

ATTENTION: Allen Beardsley

RE: Moravia Water Association

Enclosed is an application for permit to develop a well to serve the members of the Association.
Should you have any questions, do not hesitate to contact us.

Very truly yours,

TUCKER ENGINEERING CONSULTANTS

Richard C. Tucker, P.E.
Civil Engineer

Enclosure

RCT/cfw

cc: Moravia Water Association/Mike Hubbell
File

RECEIVED
MAY 07 1996