




MAY 07 1996

T. 62 N. R. 2E

637.18


581.00

T62N R2E


F

MICROFILMED

MAY 07 1996



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____.

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____


MICROFILMED

APR 23 1997



PERMIT # 98-07751

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



PD
Domestic



PJ



PD
PJ

MICROFILMED
APR 23 1997



98-0775 /
Stockwell

MICROFILMED
APR 23 1997

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary,

David Keyes being first duly sworn on oath
deposes and says that he/she is Publisher

of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the
hereto attached notice of publication in the case of:

Legal # 3001

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 15 day of march, 19 95
and ending on the 22 day of march, 19 95
and that said notice was published in said newspaper.

Dated: 3/29/95
Dail Hg

Subscribed and sworn to before me this 27 day
of march, 19 95.

Krusty Johnson
Notary Public for Idaho

Residing at Bonners Ferry

My Commission expires: 07/22/2000

RECEIVED

APR 03 1995

NORTHERN REGION
IDWR

NOTICE OF APPLICATION FOR
WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

98-97751 98-07751

STOCKWELL, PRESTON
STOCKWELL, LINDA
RT 1 BOX 535-A

BONNERS FERRY, ID 83805

Source: GROUNDWATER

Diversion Pt: SESENE Sec 29 T
62N R 02E in BOUNDARY County.

Use: IRRIGATION (0.060 CFS)

DOMESTIC (0.040 CFS)

Total Diversion (0.100 CFS)

Date Filed: 2/24/1995

In: BOUNDARY County
T62N R02E S29 SENE
2.0 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at
(208) 769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene, Ida-
ho 83814, together with a protest fee
of \$25.00 on or before APRIL 3,
1995.

R. KEITH HIGGINSON, Director
BFH#3001 March 15, 22, 1995

Microfilm

MAY 07 1996

#3001

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07751

Priority: February 24, 1995

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

6.6 AF

This is to certify, that PRESTON STOCKWELL
LINDA STOCKWELL

RT 1 BOX 535-A

BONNERS FERRY ID 83805

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 24, 1995; and has submitted Proof of Beneficial Use on October 13, 1995. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.03 CFS	6.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 29, Township 62N, Range 02E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
62N	02E	29	SENW	2		2

Total number of acres irrigated: 2

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 98-07751

CONDITIONS OF APPROVAL AND REMARKS

6. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 11TH day of FEBRUARY, 1997.


Acting for KARL J. DREHER, Director



RECEIVED

SEP 21 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 98-07751 Telephone No. 208-267-7197

2. Name(s) of Permit Holder(s): Preston Stockwell Linda Stockwell

3. Mailing Address: RT 1 Box 535-A Bonners Ferry Idaho 83805

4. Source of Water: well If **GROUNDWATER** (well), Date Drilled: mo. 6 / yr. 85

a. Well Driller: Jim Volking Drilling Permit Number: - -

b. **OPTIONAL:**
Pump Horsepower: 1/2 hp. Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock):

Irrigation (No. of acres): 2.0 Other:

6. Total rate of diversion and/or volume for which proof is submitted: 0.10 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No
Has the measuring device been installed? Yes or No

Flow Measurement Port: Is a flow measurement port required? Yes or No
Has the measurement port been installed? Yes or No

8. Fee Enclosed: \$ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Telephone Number:

Address:

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Preston Stockwell Date: Sept 11, 1995
(include your title, if on behalf of company or organization)

MAY 07 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 98-07751

Proposed Priority: February 24, 1995 Maximum Diversion Rate: 0.10 CFS

This is to certify, that **PRESTON STOCKWELL**
LINDA STOCKWELL
RT 1 BOX 535-A
BONNERS FERRY ID 83805

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/01	0.06 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION: SESENW , Sec. 29, Township 62N, Range 02E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
62N	02E	29	SENW	2.0		2.0

Total number of acres irrigated: 2.0

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1996**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Construction of the well must comply with Idaho well construction standards.
5. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
6. Domestic use is for 1 home.
7. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

25 day of July, 1995

[Signature]
for Karl J. Dreher, Director

MAY 07 1996

RECEIVED
JUL 20 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 98 7151

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant Preston & Linda Stockwell Phone 207-7197
Post office address Rt 1 Box 535-A Bonners Ferry, Id 83805
2. Source of water supply GROUNDWATER which is a tributary of _____
SE SE NW
3. Location of point of diversion is SE 1/4 of SE 1/4 of NW 1/4, Govt. Lot _____
Sec. 29 Township 62N. Range 2E B.M. BOUNDARY County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from 4/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.06 for IRRIGATION purposes from 3/15 to 11/5 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.10 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL & Pump
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

MAY 07 1996

[Faint handwritten notes at the bottom of the page]

12. Remarks:

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion?

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.


d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):



A full-page sheet of white graph paper featuring a uniform grid of thin black lines. The grid consists of 15 columns and 15 rows, creating a total of 225 small squares. The lines are evenly spaced and extend across the entire page, leaving no margins or additional markings.

X Preston Stokwell
(Applicant)

CONFIDENTIAL

e. Other:

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

61

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

*Note: For copy your receipt send Note
8/26/95 & authorization for publishing in 4/19+26/95
Receipt for adv. on 6/7 + 14/95*

Received by _____ Date 2/24/95 Time 3:15
Fee \$ 50.00
Received by _____
Publication prepared by _____ Date 3/8/95
Publication approved _____ Date 4/3/95
MS Preliminary check by _____
N-8647
Date 2/24/95
Published in Journal of King Kool Date 4/19+26
3/5+ 22/8


63718

58100

T62N R2E

F

MAY 07 1936





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

February 12, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

PRESTON STOCKWELL
LINDA STOCKWELL
RT 1 BOX 535-A
BONNERS FERRY ID 83805

RE: WATER RIGHT NO. 98-07751

Dear Water Right Holders:

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration within fourteen (14) days after issuance as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,

- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have questions, please contact me at (208) 327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SWK:pah

c: Northern Region

Enclosures

CERTIFICATE OF MAILING

I hereby certify that on the 12th day of **February, 1997**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 98-07751

**PRESTON AND LINDA STOCKWELL
RT 1 BOX 535-A
BONNERS FERRY ID 83805**

Patti Harrell
Patti Harrell
Secretary

LICENSE REVIEW CHECKLIST

PERMIT NO. 98-07751

DATE 2/3/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>No</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>No</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

295 x 245 = 1.997 → 2.0 ac.
w/ driveway & home.

RATE OF DIV

Permitted Rate	<u>.10</u> cfs
Fee limit	<u>.20</u> cfs <u>\$50⁰⁰</u>
Measured	<u>.03</u> cfs
Theoretical	<u>.02</u> cfs <u>240psi and 100' lift</u>
Recommended Total Div Rate <u>.03</u> cfs	

ANNUAL VOLUME/
NATURE OF USES —

Use ✓

Volume Calculation
<u>Dom. .03</u> <u>2430 = 6.0</u> af
<u>Dom. .02</u> <u>.6 (in house)</u> af
<u>—</u> af
<u>—</u> af
SUBTOTAL <u>6.6</u> af

Flow rate .02 cfs X 365 days X 1.98 = 14.5 af
Total volume recommended 6.6 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1/1 home - very not incl.

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

R29 Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
Adjustment Memo dom rate

1st Amend Letter N/A
2nd Amend Letter N/A

MEMORANDUM

TO: File 98-07751

FROM: Sharla

DATE: February 3, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Right 98-07751 are based on the following:

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.03 cfs	6.0 afa
Domestic	1/1 - 12/31	0.02 cfs	0.6 afa
	TOTALS	0.03 cfs	6.6 afa

The domestic component is for in-house use only; the rate has been adjusted accordingly.

Examiner: Wayne Baldwin
Exam Date: September 17, 1996

2000-01-01
0.02 cfs

OCT 21 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 98-07751

1. Owner: Dwight E. Jenda Stockwell Phone No. (208) 267-7197

Current Address: RT. 1 Box 535A Bonners Ferry Id 83805

2. Accompanied by: Linda Stockwell EXAM DATE: 9-17-96

Address: Same as above Phone No. _____

Relationship to Permit Holder:

3. Source: Ground Water tributary to

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion:

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:


[illegible]

2. Place(s) of Use:

Indicate Method of Determination

[illegible]

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" =

Copy of USGS Quadrangle Attached Showing location(s) of
Aerial Photo Attached (required for irrigation of 10+ acres)
Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

E. NARRATIVE/REMARKS/COMMENTS

Irrigation is accomplished by using garden hose at various hydrant & portable sprinklers. approx 1.6 acres lawn & garden use .4 acres in fruit trees scattered around property.

Have conditions of permit approval been met? ☒ yes ☐ no

APR 23 2007

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached
 5 gal Bucket 5 gal in 20 sec = 14.5 gpm
 14.5 x .133681 = 1.9385
 1.9385 x 20 = 38.77

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 3 = 6$$

$$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 245 \times 1.9835 = 14.6$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} = 6$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic
Stockwater

Period of Use
 From 01-01 To 11-15
 11-15

Rate of Diversion
 Q (cfs)
 .03

Annual Volume
 V (ata)
 6

2. Recommended Amendments

Change P.D. as reflected above
 Change P.U. as reflected above

Add P.D. as reflected above
 Add P.U. as reflected above
 None
 Other

I. AUTHENTICATION


Field Examiner's Name

Wayne Babel
 Date 9-24-96

Reviewer

Date

SEAL



PERMIT # 98-07751

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT




PO
Domestic

PO

PO
PJ

well
51



98-07751
Stockwell

2012

Permit No. 98-07751 Reviewed by [Signature] Date 9-25-95

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

Correct Uses? yes

no Required?
/ Installed?
/ Waiver requested?

Request 50.⁰⁰ exam fee.
~~Fee~~ Fee received, Proof acceptable

New Address *V* Proof Made *10/13/95*

October 26, 1995

PRESTON STOCKWELL
LINDA STOCKWELL
RT 1 BOX 535-A
BONNERS FERRY ID 83805

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 98-07751

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
MAY 6 7 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 27, 1995

Preston Stockwell
Rt. 1 Box 535-A
Bonners Ferry, ID 83805

RE: Permit No. 98-07751

Dear Permit Holder:

I have returned a copy of the Proof of Beneficial Use form submitted in connection with the above referenced water right. Before the department can process the proof, it must be accompanied by a \$50.00 license examination fee.

Please return the copy of the proof along with the \$50.00 license examination fee within thirty (30) days of receipt of this letter. **Please address your correspondence to my attention.**

If you have any questions or if I can be of any assistance, please feel free to contact me at (208)327-7900.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

MAY 07 1996

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 25, 1995

PRESTON STOCKWELL
LINDA STOCKWELL
RT 1 BOX 535-A
BONNERS FERRY ID 83805

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 98-07751

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

MAY 27 1996

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 98-7751 Name: Stockwell Date: 7/24/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: 26647 Priority: 2/24/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes Mor GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. (POU cmp) - 01M, 065(if GW use SW 1st)

Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. - - - , P99
No WD permit? - ~~046-46B-P23~~ (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink):
Water District(~~dem~~) - 005 (req) WD # <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report) (POU cmp)
~~In-WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(consump. use), 047-P04(Payette Lake), NA

USE:
Domestic (surface) - 021(Boise R + L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10;044(N 1000 Spr)
Irr =/- 5 acres - ~~057~~ (0.03 cfs/A) <DO POU COMPARISON>
+ 5 acres - 03A (0.02 cfs/A) <DO POU COMPARISON>
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP:Non-land owner - 004 (PD/PU)

OTHER CONDITIONS: -

STANDARD REMARKS: - 0.035/1

BENEFICIAL USE DUE: - 8-1-1996

COMMENTS: -

No. a
4/87-06/92n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
JUL 20 1995

APPLICATION # 98-7751

Department of Water Resources

***** INITIAL REVIEW *****

APPLICANT: ~~PRESTON~~ STOCKWELL

BY: AS

DATE: 2/24/95

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
5. ☒ Nature of Proposed Use
6. ☒ Period of Use
7. ☒ Total Quantity
8. ☒ Description of diverting works
9. ☒ Time required for b/u
10. ☒ Proposed use
11. ☒ Place of use or acres irrigated
12. ☒ Other Water Rights
13. ☒ Ownership
14. ☒ Map
15. ☒ Signature
16. ☒ Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y () N ()

PROCESSING

Yes No

PRIORITY DATE: 2/24/95

(Include Moratorium Remark)

Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BOUNDARY County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: n/a

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached (>5cfs/500af)
☒ Water delivered by water master?
Water District # _____

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: n/a

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: EXISTING WELL

- ☒ Groundwater management area
☒ Critical ground water area
☒ Well Drilling Permit required
Well Drilling Application and Fees received
Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- Notice of pending void order issued. Final order response date: _____
Further information required from applicant
Affidavit of publication received
Application published correctly, If not, record action taken: _____

Publication dates and paper recorded on application _____ Sr. Agent initial AS

- Protests received. Final protest date: 4/13/95
Measuring device required
Measuring port required
Special conditions:
Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AS

Date: 4/14/95
7/7/95

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary,

David Reyes being first duly sworn on oath
deposes and says that he/she is Publisher
of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the
hereto attached notice of publication in the case of:

Legal # 3071

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 7 day of June, 19 95
and ending on the 14 day of June, 19 95
and that said notice was published in said newspaper.

Dated: 6/30/95
David Reyes

Subscribed and sworn to before me this 14 day
of June, 19 95.

Kristy Johnson
Notary Public for Idaho

Residing at Bonners Ferry

My Commission expires: 7/22/2000

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN
THAT APPLICATION FOR PERMIT
NO. 98-07751 in the name of Preston
and/or Linda Stockwell, Rt. 1 Box
535-A, Bonners Ferry, ID 83805, was
incorrectly advertised on 03/15 &
22/95.

The number was incorrectly
advertised as 98-97751 whereas cor-
rectly it should read 98-07751.

The Point of Diversion was incor-
rectly advertised as the SESENE,
Sec. 29 T 62N R 02E in BOUNDARY
County, whereas correctly it should
read SESENW, Sec. 29 T 62N, R
02E.

The Place of Use was incorrectly
advertised as the SENE, Sec. 29 T
62N, R 02E, whereas correctly it
should read SENW, Sec. 29 T 62N,
R 02E.

(For additional information con-
cerning the property location, call
the Northern Regional Office at 769-
1450.)

Any protests against the approval
of the above-referenced correction
must be filed with the applicant and
with the Director, Dept. of Water
Resources, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Id. 83814,
together with a protest fee of \$25.00
on or before JUNE 25, 1995.

KARL J. DREHER, Dir.
BFH#3071 June 7, 14, 1995

RECEIVED

JUL 03 1995

NOTIFICATION
IDWR

MAY 07 1996

May 31, 1995

Carol Tingley
Bonners Ferry Herald
P O Box 539
Bonners Ferry, ID 83805

Re: 98-07751 - STOCKWELL

Gentlemen:

Enclosed you will find a legal Notice of Correction which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

(This is a duplication of the same notice of correction mailed from our office on April 12, 1995, which was to have been published on 4/19 and 26/1995, and which you indicate was never received by your office.)

Please send the Affidavit of Publication, and the bill, to this office before June 26, 1995.

PLEASE FAX OUR OFFICE UPON RECEIPT OF THIS NOTICE OF CORRECTION. OUR FAX NUMBER IS (208) 769-1454.

Thank you.

Sincerely,

Dianne Ball
Senior Secretary

Enclosure

RECEIVED
MAY 07 1995

MAY 07 1995

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 98-07751 in the name of Preston and/or Linda Stockwell, Rt. 1 Box 535-A, Bonners Ferry, ID 83805, was incorrectly advertised on 03/15 & 22/95.

The number was incorrectly advertised as 98-97751 whereas correctly it should read 98-07751.

The Point of Diversion was incorrectly advertised as the SESENE, Sec. 29 T 62N R 02E in BOUNDARY County, whereas correctly it should read **SESENW**, Sec. 29 T 62N, R 02E.

The Place of Use was incorrectly advertised as the SENE, Sec. 29 T 62N, R 02E, whereas correctly it should read **SENW**, Sec. 29 T 62N, R 02E.

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before JUNE 25, 1995.

KARL J. DREHER, Dir.

Published in the Bonners Ferry Herald on 06/07 & 14/95.

MAY 07 1996

April 12, 1995

Bonnors Ferry Herald
P O Box 539
Bonnors Ferry, ID 83805

Re: 98-07751 - STOCKWELL

Gentlemen:

Enclosed you will find a legal Notice of Correction which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send the Affidavit of Publication, and the bill, to this office before May 8, 1995.

Thank you.

Sincerely,

Dianne Ball
Senior Secretary

Enclosure

*5/25/95 Decided to see why we never
received affidavit & bill
267-5521*

*Not received by paper
Resent 5/31/95*

MAY 07 1995

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 98-07751 in the name of Preston and/or Linda Stockwell, Rt. 1 Box 535-A, Bonners Ferry, ID 83805, was incorrectly advertised on 03/15 & 22/95.

The number was incorrectly advertised as 98-97751 whereas correctly it should read 98-07751.

The Point of Diversion was incorrectly advertised as the SESENE, Sec. 29 T 62N R 02E in BOUNDARY County, whereas correctly it should read SESENW, Sec. 29 T 62N, R 02E.

The Place of Use was incorrectly advertised as the SENE, Sec. 29 T 62N, R 02E, whereas correctly it should read SENW, Sec. 29 T 62N, R 02E.

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before ~~May 8, 1995~~. June 25, 1995

R. KEITH HIGGINSON, Dir.

Published in the Bonners Ferry Herald on ~~04/19~~ & ~~26/1995~~.

*Never published
by paper -
Resend 5/31/95
for
publishing on
6/7 + 14/95*

MAY 07 1996

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary,

David Keger being first duly sworn on oath
deposes and says that he/she is Publisher

of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the
hereto attached notice of publication in the case of:

Legal #13001

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 15 day of March, 1995
and ending on the 22 day of March, 1995
and that said notice was published in said newspaper.

Dated: 3/22/95
David Keger

Subscribed and sworn to before me this 27 day
of March, 1995.

Christy Johnson
Notary Public for Idaho

Residing at Bonners Ferry

My Commission expires: 07/22/2000

RECEIVED

APR 03 1995

NORTHERN REGION
IDWR

NOTICE OF APPLICATION FOR
WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

98-97751 98-07751
STOCKWELL, PRESTON
STOCKWELL, LINDA
RT 1 BOX 535-A
BONNERS FERRY, ID 83805
Source: GROUNDWATER
Diversion Pt: SESENE Sec 29 T
62N R 02E in BOUNDARY County.
Use: IRRIGATION (0.060 CFS)
DOMESTIC (0.040 CFS)
Total Diversion (0.100 CFS)

Date Filed: 2/24/1995

In: BOUNDARY County
T62N R02E S20 SENE
2.0 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at
(208) 769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene, Ida-
ho 83814, together with a protest fee
of \$25.00 on or before APRIL 3,
1995.

R. KEITH HIGGINSON, Director
BFH#3001 March 15, 22, 1995

March 8, 1995

Preston and/or Linda Stockwell
Rt 1 Box 535-A
Bonners Ferry, ID 83805

Re: Water Appropriation Application No. 98-07751

Dear Mr. and Mrs. Stockwell:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

MAY 07 1996

98-07751

STOCKWELL, PRESTON
STOCKWELL, LINDA
RT 1 BOX 535-A
BONNERS FERRY, ID 83805

Source: GROUNDWATER

Diversion Pt: ~~SESENE~~ *Changed to SE SENW* Sec 29 T 62N R 02E in BOUNDARY County.

Use: IRRIGATION	(	0.060 CFS)
DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.100 CFS)

Date Filed: 2/24/1995

In: BOUNDARY County
T62N R02E S29

2.0 ACRES TOTAL

~~SENE~~ *Changed to SENW*

Bonnors Ferry Herald 3/15 Y 22

APR 1 1996

4/3/95

WR# listed
wrong by paper

(98-97751)
07751

Boo says if all else
ok - do not read.

b

Read to correct

POD + POU

5/25/95 paper says they
never got correction
resend to paper for publish
on 6/7 + 14/95

*Re-advertised 4/19 + 26/95
Correct #, POD & POU.

*Paper never received
Resend for add on
6/7 + 14/95