


545

P. 04



MICHO FILMED


AUG 27 1999

Sec. 20.

Sec. 21.

Sec. 22.

LAKE



Total number of Acres 4122.10 (Additional)

| By       | Date of Contract | Amount of Surveys |     |     | When Surveyed       | Mean Declination |
|----------|------------------|-------------------|-----|-----|---------------------|------------------|
|          |                  | M.                | Ch. | Lk. |                     |                  |
| Calb 173 | June 10, 1896    | 1                 | 69  | 71  | October 12-13, 1896 | 22°00' E.        |
|          |                  | 9                 | 21  | 55  | October 15-19, 1896 |                  |
|          |                  | 2                 | 25  | 35  | October 13-14, 1896 |                  |
|          |                  | 8                 | 13  | 70  | October 20-21, 1896 |                  |
|          |                  | 39                | 21  |     | October 13-17, 1896 |                  |
| LS       | June 11, 1891    |                   |     |     | September 6, 1891   |                  |


MICROFILMED

AUG 27 1999


TALACHE QU.  
IDAHO-BON  
7.5 MINUTE SERIES

MICROFILMED

JAN 31 2001



PERMIT #



96



96

96-09020

MICROFILMED

JAN 31 2001

State of Idaho  
Department of Water Resources  
**Water Right License**

WATER RIGHT NO. 96-09020

Priority: April 07, 1999

Maximum Diversion Rate: 0.04 CFS  
Maximum Diversion Volume: 1.2 AF

It is hereby certified that RICK RIEGER  
730 E PLATEAU RD  
SPOKANE WA 99203 has complied with the terms and  
conditions of the permit, issued pursuant to Application for Permit dated April 07, 1999; and has  
submitted Proof of Beneficial Use on May 08, 2000. An examination indicates that the works have a  
diversion capacity of 0.04 cfs of water from:

**SOURCE**

PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>DIVERSION RATE</u> | <u>ANNUAL<br/>DIVERSION VOLUME</u> |
|-----------------------|----------------------|-----------------------|------------------------------------|
| DOMESTIC              | 01/01 to 12/31       | 0.04 CFS              | 1.2 AF                             |

**LOCATION OF POINT(S) OF DIVERSION:**

PEND OREILLE LAKE L4 NW¼SW¼ Sec. 33, Twp 57N, Rge 01W, B.M., BONNER County

**PLACE OF USE:** DOMESTIC

| Twp Rge Sec | NE |    |    |    | NW |    |    |    | SW |     |    |    | SE |    |    |    |        |
|-------------|----|----|----|----|----|----|----|----|----|-----|----|----|----|----|----|----|--------|
|             | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW  | SW | SE | NE | NW | SW | SE | Totals |
| 57N 01W 33  |    |    |    |    |    |    |    |    |    | X   |    |    |    |    |    |    |        |
|             |    |    |    |    |    |    |    |    |    | L 4 |    |    |    |    |    |    |        |

**CONDITIONS OF APPROVAL**

1. Domestic use is for 1 home.
2. A fish screen of ¼ inch or smaller mesh shall be installed and maintained at the point of diversion.
3. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 26<sup>th</sup> day of MARCH, 2001.

Acting for

KARL J. DREHER  
Director

MICROFILMED

APR 11 2001

RECEIVED

MAY 8 - 2000

Department of Water Resources

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 96-09020 Telephone No. (509) 838-6963

2. Name of Permit Holder(s): RICK Rieger

3. Mailing Address: 730 E. Plateau Rd

City Spokane State WA Zip 99203

4. Source of Water: LAKE Pend Oreille If GROUNDWATER (well), Date Drilled: mo. \_\_\_\_\_ / yr. \_\_\_\_\_

a. Well Driller: (LAKE Water System) Drilling Permit Number: (not a well)

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): \_\_\_\_\_

Irrigation (No. of acres): \_\_\_\_\_ Other: \_\_\_\_\_

6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR \_\_\_\_\_ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes \_\_\_\_\_ or No ☒

Has the measuring device been installed?

Yes \_\_\_\_\_ or No ☒

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: RICK Rieger Telephone Number: (509) 838-6963

Address: SAME

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Richard D. Rieger Date: 5/4/00  
(include your title, if on behalf of company or organization)

MICROFILMED

JAN 31 2001

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
LICENSE EXAMINATION FEE SCHEDULE

(C.F.S. = cubic feet per second    AF = acre feet)

| <u>CFS</u>    | <u>AF</u>   | <u>FEE</u> |
|---------------|-------------|------------|
| 0 - 0.20      | 0 - 20      | \$50.00*   |
| .21 - 1.00    | 21 - 100    | 100.00     |
| 1.01 - 2.00   | 101 - 200   | 125.00     |
| 2.01 - 3.00   | 201 - 300   | 150.00     |
| 3.01 - 4.00   | 301 - 400   | 175.00     |
| 4.01 - 5.00   | 401 - 500   | 200.00     |
| 5.01 - 6.00   | 501 - 600   | 225.00     |
| 6.01 - 7.00   | 601 - 700   | 250.00     |
| 7.01 - 8.00   | 701 - 800   | 275.00     |
| 8.01 - 9.00   | 801 - 900   | 300.00     |
| 9.01 - 10.00  | 901 - 1000  | 325.00     |
| 10.01 - 11.00 | 1001 - 1100 | 350.00     |
| 11.01 - 12.00 | 1101 - 1200 | 375.00     |
| 12.01 - 13.00 | 1201 - 1300 | 400.00     |
| 13.01 - 14.00 | 1301 - 1400 | 425.00     |
| 14.01 - 15.00 | 1401 - 1500 | 450.00     |
| 15.01 - 16.00 | 1501 - 1600 | 475.00     |
| 16.01 - 17.00 | 1601 - 1700 | 500.00     |
| 17.01 - 18.00 | 1701 - 1800 | 525.00     |
| 18.01 - 19.00 | 1801 - 1900 | 550.00     |
| 19.01 - 20.00 | 1901 - 2000 | 575.00     |
| 20.01 - over  | 2001 - over | 600.00     |

\*Checks should be made payable to the  
Idaho Department of Water Resources (IDWR.)

A license examination fee is not required in connection with  
permits which use a ground water source **AND** have a total rate of  
diversion of 0.04 cfs or less or where the total volume stored is 4.0 AF per annum or less.

A license exam fee is required for ANY permit which uses surface water

**MICROFILMED**  
JAN 31 2001

State of Idaho  
Department of Water Resources

# Permit To Appropriate Water

NO. 96-09020

Proposed Priority: April 7, 1999

Maximum Diversion Rate:

0.04 CFS

This is to certify, that RICK RIEGER

730 E PLATEAU RD

SPOKANE WA 99203

has applied for a permit to appropriate water from:

PEND OREILLE LAKE

tributary of PEND OREILLE RIVER

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 4 ( NWSW), Sec. 33, Township 57N, Range 01W  
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

57N 01W 33 Lot 4 (NWSW)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 2000.
2. Subject to all prior water rights.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.
4. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
5. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
6. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.  
Witness the signature of the Director, affixed at Boise, this

13 day of July, 1999.

*Karl J. Dreher*  
Karl J. Dreher, Director

MICROFILMED

AUG 27 1999

FORM 202

Ident. No.

96-09020

2/86

RECEIVED

JUL - 9 1999

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**APPLICATION FOR PERMIT**

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant RICK RIEGER Phone (509) 838-6963  
Mailing address 730 E PLATEAU RD SPOKANE WA 99203
2. Source of water supply POND OREILLE LAKE which is a tributary of POND OREILLE RIVER
3. Location of point of diversion is Township 57N Range 1W Sec. 33 in the 1/4,  
NW 1/4, SW 1/4, Govt. Lot 4, B.M., BANNER County,  
additional points of diversion if any: \_\_\_\_\_
4. Water will be used for the following purposes:  
 Amount 0.04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)  
 (cfs or acre-feet per annum)  
 Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per annum)  
 Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per annum)  
 Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per annum)  
 Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per annum)  
 Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) \_\_\_\_\_  
 cubic feet per second acre feet per annum
6. Proposed diverting works:
  - a. Describe type and size of devices used to divert water from the source PUMP IN LAKE
  - b. Height of storage dam \_\_\_\_\_ feet; active reservoir capacity \_\_\_\_\_ acre-feet; total  
reservoir capacity \_\_\_\_\_ acre-feet
  - c. Proposed well diameter is \_\_\_\_\_ inches; proposed depth of well is \_\_\_\_\_ feet
  - d. Is ground water with a temperature of greater than 85°F being sought? \_\_\_\_\_
  - e. If well is already drilled, when? \_\_\_\_\_; Drilling firm \_\_\_\_\_;  
Well was drilled for (well owner) \_\_\_\_\_; Drilling Permit No. \_\_\_\_\_
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
  - a. Hydropower; show total feet of head and proposed capacity in KW. \_\_\_\_\_
  - b. Stockwatering; list number and kind of livestock. \_\_\_\_\_
  - c. Municipal; show name of municipality. \_\_\_\_\_
  - d. Domestic; show number of households. 1 HOME
  - e. Other; describe fully. \_\_\_\_\_

MICROFILMED  
AUG 27 1999

## 9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

| TWP             | RGE            | SEC | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | TOTALS |
|-----------------|----------------|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|                 |                |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 57 <sup>N</sup> | 1 <sup>W</sup> | 33  |    |    |    |    |    |    |    |    | D  |    |    |    |    |    |    |    |        |
|                 |                |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|                 |                |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|                 |                |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|                 |                |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|                 |                |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|                 |                |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|                 |                |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|                 |                |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|                 |                |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|                 |                |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |

Total number of acres to be irrigated \_\_\_\_\_

10. Describe any other water rights used for the same purposes as described above. \_\_\_\_\_

11. a. Who owns the property at the point of diversion? APPLICANT - STATE OF IDAHO DEPT of LANDSb. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: \_\_\_\_\_

12. Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township &amp; range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)


BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard D. Rogers  
Signature of Applicant (and title, if applicable)

Received by db Date 3/26/99 Time 110P Preliminary check by db  
 Fee \$ \$50.00 Received by db # N012754 Date 4/7/99  
 Publication prepared by db Date 4/28/99 Published in Bornet County Fee \$16 x 13/99  
 Publication approved db Date 6/13/99

MICROFILMED

JUN 27 1999



MICROFILMED


AUG 27 1999

Sec. 22.

Sec. 21.

Sec. 22.

LAKE



Total number of Acres 4122.10 (Additional)

| No. | Date of Conveyance | Amount of Surveys |                 |                 | When Surveyed       | Mean Declination |
|-----|--------------------|-------------------|-----------------|-----------------|---------------------|------------------|
|     |                    | M.                | Ch <sup>2</sup> | Lk <sup>2</sup> |                     |                  |
| 175 | June 20, 1896      | 1                 | 69              | 71              | October 12-13, 1896 | 22°00' E.        |
|     |                    | 9                 | 21              | 56              | October 15-19, 1896 |                  |
|     |                    | 2                 | 25              | 35              | October 13-14, 1896 |                  |
|     |                    | 8                 | 13              | 70              | October 20-21, 1896 |                  |
|     |                    | 39                | 21              |                 | October 13-17, 1896 |                  |
| 132 | June 11, 1891      |                   |                 |                 | September 6, 1891   |                  |

MICROFILMED

196 77 1969



State of Idaho

**DEPARTMENT OF WATER RESOURCES**

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098  
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: [www.idwr.state.id.us](http://www.idwr.state.id.us)

March 27, 2001

DIRK KEMPTHORNE  
Governor

KARL J. DREHER  
Director

RICK RIEGER  
730 E PLATEAU RD  
SPOKANE WA 99203

RE: License No. 96-9020 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

APR 11 2001

# **CERTIFICATE OF MAILING**

I hereby certify that on March 27, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

**RE: WATER RIGHT NO. 96-9020**

**RICK RIEGER  
730 E PLATEAU RD  
SPOKANE WA 99203**

A handwritten signature in cursive script, reading "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend  
Secretary**

MICROFILMED  
APR 11 2001

**EXPLANATORY INFORMATION  
TO ACCOMPANY A  
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

**PETITION FOR RECONSIDERATION**

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

**EXCEPTIONS AND BRIEFS**

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

**REQUEST FOR HEARING**

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

**ORAL ARGUMENT**

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

**CERTIFICATE OF SERVICE**

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED  
APR 11 2001

## FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

## APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 11 2001

LICENSE REVIEW CHECKLIST

Permit No. 96-9020 Date: 3-22-01 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK  
Point of Diversion: OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)  
W36 (overlap)  
W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)  
W27 (ppu acre limit)

Overlaps: Right(s): 96-9021 - same p/d  
File reviewed \_\_\_\_\_ Profile reports printed \_\_\_\_\_

P/D & P/U amend (P37) Feds (P48)

*Topo D1  
different pumps, same pipeline  
in lake per  
Beginna  
Napmack  
3/22/01*

Rate of Diversion:

Permitted rate 0.04 cfs  
Fee Limit \_\_\_\_\_ cfs  
Measured \_\_\_\_\_ cfs  
Theoretical 0.04 cfs

Recommended Total Diversion Rate 0.04

Water Uses OK

Change (P46)

Season of Use per new Standards

Irrigation \_\_\_\_\_ cfs \_\_\_\_\_ af  
Stockwater \_\_\_\_\_ cfs \_\_\_\_\_ af  
Domestic 0.04 cfs 1.2 af  
\_\_\_\_\_ cfs \_\_\_\_\_ af  
\_\_\_\_\_ cfs \_\_\_\_\_ af  
Total 0.04 cfs 1.2 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)  
supp. Gw (WB7/065/104)  
overlap spec combined rts (W35)  
<1 acre (W31)  
Domestic (W01/wb5/070/071/075)  
Power (W42 or W43/025/027/R22 or R23)  
Fish (042)  
Fire (077)  
Water Quality (081/R07)  
Payette - (W22/047/27A)  
Stockwater for US (R37)

Volume Determination

\_\_\_\_\_ cfs x 1.9835 x \_\_\_\_\_ days = \_\_\_\_\_ af (vs) \_\_\_\_\_ acres x \_\_\_\_\_ (FHR) = \_\_\_\_\_ af

Remarks: W15, W16, W01, W36

Additional Conditions ☒ Watermaster Control  
☒ GW Measurement/Measuring Device  
☒ Other  
☒ Trust R55 - remove 051  
☒ Non-Trust (048/049)

GW Dist? \_\_\_\_\_  
Water Msmt. Dist? \_\_\_\_\_  
Crit. GWMA? \_\_\_\_\_  
GWMA? \_\_\_\_\_  
Government Lots? YES

Advance Priority? yes  
no If yes, explain why below.

SRBA Claim? N/A

Adjust memo \_\_\_\_\_

Amend Letters \_\_\_\_\_ P87, S06 Second Amendment Notice \_\_\_\_\_ S06

## A. GENERAL INFORMATION

Permit No. 96-09020

1. Owner: Chuck Kreser Phone No. (509) 838-6963

Current Address: 730 E Plateau Rd, Spokane Wa 99203

2. Accompanied by: Keane Hammack EXAM DATE: 6-21-00

Address: 812 W. John N. Sandert St. 83804 Phone No. (208) 263-1415

Relationship to Permit Holder: Neighbor

3. Source: Pond Creek Lake tributary to Pond Creek River

## B. OVERLAP REVIEW

1. Other water rights with the same place of use:

2. Other water rights with the same point of diversion: 96-09021

### C. DIVERSION AND DELIVERY SYSTEM

**1. Point(s) of Diversion:**

[illegible]

**2. Place(s) of Use:**


**Indicate Method of Determination**

[illegible]

**MICROFILMED**

JAN 31 2001

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = \_\_\_\_\_

\_\_\_\_ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

\_\_\_\_ Aerial Photo Attached (required for irrigation of 10+ acres)

\_\_\_\_ Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make  | Hp   | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|-------------|------|------------------|-----------|-----------------------------------|
|                                       | Franklin E. | 0.75 | N/A              | Sub       | 1"                                |
|                                       |             |      |                  |           |                                   |
|                                       |             |      |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo

#### D. FLOW MEASUREMENTS

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements: \_\_\_\_\_

MICROFILMED

JAN 31 2001

MICROFILMED

MICROFILMED  
yes no  
JAN 31 2001

**F. FLOW CALCULATIONS**

Measured Method:

Additional Computation Sheets Attached

$$\frac{\text{Theoretical } 8.8(0.75)(.7)}{24 + (2.31 \times 45)} = \frac{4.62}{127.95} = .036 = .04$$

**G. VOLUME CALCULATIONS**

## 1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$  \_\_\_\_\_ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$  \_\_\_\_\_ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$  \_\_\_\_\_

## 2. Volume Calculations for Other Uses:

**H. RECOMMENDATIONS**

## 1. Recommended Amounts

| Beneficial Use  | Period of Use |              | Rate of Diversion<br>Q (cfs) | Annual Volume<br>V (afa) |
|-----------------|---------------|--------------|------------------------------|--------------------------|
|                 | From          | To           |                              |                          |
| <u>Domestic</u> | <u>01-01</u>  | <u>12-31</u> | <u>.04</u>                   | <u>1.2</u>               |
| _____           | _____         | _____        | _____                        | _____                    |
| _____           | _____         | _____        | _____                        | _____                    |
| _____           | _____         | _____        | _____                        | _____                    |
| _____           | _____         | _____        | _____                        | _____                    |
| Totals:         |               |              | <u>.04</u>                   | <u>1.2</u>               |


## 2. Recommended Amendments

☐ Change P.D. as reflected above    ☐ Add P.D. as reflected above    ☐ None  
☐ Change P.U. as reflected above    ☐ Add P.U. as reflected above    ☐ Other

**I. AUTHENTICATION**Field Examiner's Name Wayne Balch Date 7-11-00

Reviewer \_\_\_\_\_ Date \_\_\_\_\_

 MICROFILMED  
 JAN 31 2001



MICROFILMED  
IAN 31 2001

TALACHE QU.  
IDAHO-BON  
7.5 MINUTE SERIES

PERMIT #

9/10/11

9/10

9/10

96-09020

MICROFILMED

JAN 31 2001



State of Idaho

**DEPARTMENT OF WATER RESOURCES**

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 16, 2000

DIRK KEMPTHORNE  
GOVERNOR

KARL J. DREHER  
DIRECTOR

RICK RIEGER  
730 E PLATEAU RD  
SPOKANE WA 99203

**PROOF ACKNOWLEDGMENT LETTER**

**RE: PERMIT NO. 96-09020**

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **Northern** Regional Office of the department in Coeur d'Alene at (208) 769-1450.

Sincerely,

Deborah Drew-Ellis  
Administrative Assistant  
Water Allocation Bureau

Encl.

c: IDWR - Regional Office

**MICROFILMED**  
**JAN 31 2001**

**ANALYSIS SHEET  
FOR  
PROOF OF BENEFICIAL USE**

Permit No. 96-09020 Reviewed by D. Elli Date 5/16/00

**GENERAL CONSIDERATIONS**

Yes Name same as permit?  
Yes Address same as permit?  
Yes Proof timely received?  
If not, complete calculation below.

**TYPES OF USE**

Domestic  
  
  
Correct Uses? Yes

**SOURCE OF WATER**

✓ Surface water source

No Ground water source

/ Drilling permit required?  
/ Copy in the file? Drilling Permit No. /  
/ Amount paid for permit  
/ Well log in the file? / Correct?

**LICENSE EXAMINATION FEE**

Yes Required?  
\$50 Amount Submitted  
Yes Correct?

**MEASURING DEVICE**

No Required?  
/ Installed?  
/ Waiver requested?

**PRIORITY CALCULATION**

Date proof received 5/8/00  
Date proof due 7/1/00 - /  
No. of days late / = /  
Priority Date / + /  
New Priority Date /

**DEFICIENCIES OR ACTION ITEMS**

Acknowledge proof

**DATA ENTRY**

New Address No Proof Made 5/8/00

April 30, 2000

RICK RIEGER  
730 E PLATEAU RD  
SPOKANE WA 99203

PROOF DUE NOTICE

RE: PERMIT NO. 96-09020

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 2000.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

DEBORAH DREW-ELLIS  
Administrative Assistant

Enclosures

MICROFILMED

JAN 31 2001





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 14, 1999

DIRK KEMPTHORNE  
GOVERNOR

RICK RIEGER  
730 E PLATEAU RD  
SPOKANE WA 99203

KARL J. DREHER  
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-09020

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen  
Water Rights Supervisor

SK:klt  
Enclosures

MICROFILMED


AUG 27 1999

CERTIFICATE OF MAILING

I hereby certify that on the 14th day of July, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 96-09020

RICK RIEGER  
730 E PLATEAU RD  
SPOKANE WA 99203

  
Kari Lynn Townsend  
Secretary

MICROFILMED

AUG 27 1999

## Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

### PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

### EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

### ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED  
AUG 27 1999

### CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

### FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

### APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED  
AUG 27 1999

APPLICATION FOR PERMIT  
STATE OFFICE ANALYSIS

by S. Curtis

No.: 96-09020 Name: Rieger Date: 7/12/99 Ad OK?        / Gvmt Lts:       

AREA OF CONCERN: - No/Yes:        Mor /        GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or \*W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 26A-P17
- ≤ 1 year/no proof - P18

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

- All wells (✓ WDQ3) - 046-P23
- In Basin 34? - 085
- Irr. within WD - P05 (new well location)
- WMD (✓ MAP) - North / East / West
- > 0.24 cfs/5 acres - 067
- ≤ 0.24 cfs/5 acres - No MD

WMD

- Supp. irr. use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr. source)
- Supp. irr. + uses - 100-101
- > 0.24 cfs/5 acres - 01M (report when notified)
- ≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED: - YES / NO; WHEN: 7/7/99 RESPONSE: velocity/screening cond. requested

IN/ABOVE MSF (✓ MAP)

IN-STREAM DEVELOPMENT - P52 (stream channel alteration)

WD (✓ MAP & LISTING)

- > 0.20 cfs - R04 (WD #       )
- ≤ 0.20 cfs - 01J-P08 (MD & LD)
- ≤ 0.20 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (\*Surface water):

- Snake R (01) - \*W22-P04, NA
- (02/03-irr) - 007 (w/ remark \*WB9 if above Weiser), NA
- Payette R (65) - \*W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R (70's) - 029 (fish screens), NA
- Weiser R (67) - 086, 087

USE:

- STORAGE (✓ 3 compo.) - 18A (in & out MD for on-stream storage)-01H-P01 (LD)/01P, 18B-P09 (>10' dam), NA
- IRR ≤ 5 acres - R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- STOCKWATER - R37 (BLM/USFS); NA
- MINING - 054(req)-081-P10
- FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WQ)-P10
- HEATING/COOLING - R07 (injection well)
- POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use); 17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

MUNICIPAL

- In restricted area? - 022, 075, 004 (+memo?)
- Irr., GW supp. to SW? - 102

DOMESTIC

- Surface water - \*WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- >1 in rest. area - 071-070

FIRE PROTECTION

- 077

LOCATION:

- BOISE FRONT LOGEO - 058 (<85° GW temp only)
- MITIGATION - 120
- 42-248 AREA - P84 (in 20/30/40/50/60/70/80 (87) basin)
- SWAN FALLS FLAG (✓ Code) -

- Trust - 051-052-053-P74 (Consumptive Uses), NA
- Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PDU) DOH

OTHER CONDITIONS:

STANDARD REMARKS: - ③ W01/1 ① W015 ② W016

BENEFICIAL USE DUE: - 7.11.2000

COMMENTS: -

RECEIVED

JUL - 9 1999

IDW DEPARTMENT OF WATER RESOURCES  
APPROPRIATION APPLICATION ANALYSIS SHEETWR1  
ACA  
WRAAPPLICATION # 96-09020

Department of Water Resources . . . . . INITIAL REVIEW . . . . .

APPLICANT: RIEGER BY: JB DATE: 4/7/99

## ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity  
(X) Nature of Proposed Use  
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map  
(X) Signature  
(X) Fee (Amt, receipt, acknowledgement)

\*\*\* Send info sheet Y ( ) N ( )

## ADDITIONAL INFORMATION

(Yes) (No)

- (X) Field check: by \_\_\_\_\_
- Field report attached \_\_\_\_\_
- Analysis Supp. attached (>5cfs/500af) \_\_\_\_\_
- Water delivered by water master? \_\_\_\_\_
- Water District # \_\_\_\_\_

## PROCESSING

(Yes) (No) PRIORITY DATE: 4/7/99

X (Include Moratorium Remark)

X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONNER County

## LETTERS SENT REQUESTING:

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: N/A

## INFORMATION RECEIVED:

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: N/A

## GROUNDWATER SECTION

| WD Permit No.'s: | TAG # | Type:               | Fees          | Receipt No. | Upgrade Needed? |
|------------------|-------|---------------------|---------------|-------------|-----------------|
| _____            | _____ | Dom. Non-Dom. _____ | Paid \$ _____ | _____       | Y ( ) N ( )     |
| _____            | _____ | Dom. Non-Dom. _____ | Paid \$ _____ | _____       | Y ( ) N ( )     |
| _____            | _____ | Dom. Non-Dom. _____ | Paid \$ _____ | _____       | Y ( ) N ( )     |

Groundwater management area

Critical ground water area

Well Drilling Permit required

Well Drilling Application and Fees received

Well Drilling Application approved?

Remarks: \_\_\_\_\_

## FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

Notice of pending void order issued. Final order response date: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_

Further information required from applicant

Affidavit of publication received

Application published correctly. If not, record action taken: \_\_\_\_\_

Publication dates and paper recorded on application Sr. Agent initial \_\_\_\_\_

Protests received, Final protest date: 5/24/99

Measuring device required

Measuring port required

Special conditions:

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: JBDate: 7/7/99

Memorandum

Date: July 7, 1999

To: File 96-09020

From: Beardslee

Re: Fish and Game approval

-----  
Chip Corsi, of Idaho Fish and Game Department was contacted as part of the Regional approval review of this filing.

Mr. Corsi stated that he suggested that a condition be placed on the Water Right Permit that the intake structure be screen to 1/4" mesh and that the approach velocities be less than .5' per second.

Other than the above condition, Mr. Corsi had no reason that this filing should not be approved.

MICROFILMED  
AUG 27 1999

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Sherilyn Plunk being first duly sworn on oath  
deposes and says that he/she is Book Keeper  
of the Bonner County Daily Bee, a newspaper printed and  
published at Sandpoint, Bonner County, Idaho; that the  
said newspaper has been continuously and uninterruptedly  
published in said Bonner County during a period of 12  
months prior to the first publication of the hereto attached  
notice of publication in the case of:

App for water Right

as it was published in the regular and entire issue of the  
said paper for a period of 2 consecutive weeks,  
commencing on 6 day of May, 1999  
and ending on the 13 day of May, 1999  
and that said notice was published in said newspaper.

On this 13 day of May in the year  
of 1999, before me, a Notary Public, personally  
appeared Sherilyn Plunk,  
known or identified to me to be the person whose name  
subscribed to the within instrument, and being by me first  
duly sworn, declared that the statements therein are true,  
and acknowledged to me that he executed the same.

Notary Public for Idaho

Residing at

My commission expires:

RECEIVED  
JUN 03 1999  
IDWR/North

NOTICE OF APPLICATION  
FOR WATER RIGHT

The following application(s)  
have been filed to appropriate the  
public waters of the State of Idaho:

96-09019

HOUSER, DON  
TRESTLE CREEK INN, DBA  
PO BOX 246  
COEUR D'ALENE, ID 83816  
Source: TRESTLE CREEK  
Tributary: PEND OREILLE LAKE  
Diversion Pt: LOT 1 (NWNW) Sec  
21 T 57N R 01E in BONNER  
County.  
Use: IRRIGATION (0.020 CFS)  
Total Diversion: (0.020 CFS)  
Date Filed: 4/26/1999  
In: BONNER County  
T57N R01E S21 Lot 1 (NWNW)  
1.0 ACRES TOTAL

96-09020

RIEGER, RICK  
730 E PLATEAU RD  
SPOKANE, WA 99203  
Source: PEND OREILLE LAKE  
Tributary: PEND OREILLE RIVER  
Diversion Pt: LOT 4 (NWSW) Sec  
33 T 57N R 01W in BONNER  
County  
Use: DOMESTIC (0.040 CFS)  
Total Diversion: (0.040 CFS)  
Date Filed: 4/7/1999

In: BONNER County  
T57N R01W S33 Lot 4 (NWSW)

96-09021

HAMMACK, REGINA E  
5900 MC GHEE  
SANDPOINT, ID 83864  
Source: PEND OREILLE LAKE  
Tributary: PEND OREILLE RIVER  
Diversion Pt: LOT 4 (NWSW) Sec  
33 T 57N R 01W in BONNER  
County.  
Use: DOMESTIC (0.040 CFS)  
Total Diversion: (0.040 CFS)  
Date Filed: 4/16/1999  
In: BONNER County  
T57N R01W S33 Lot 4 (NWSW)

For additional information con-  
cerning the property location, call  
the Northern Regional Office at  
(208) 769-1450.

The permit(s) will be subject to  
all prior water rights. Protests must  
be filed with the applicant and with  
the Director, Dept. of Water  
Resources, Northern Region, 1910  
Northwest Blvd., Suite 210, Coeur  
d'Alene, Idaho 83814, together with  
a protest fee of 425.00 on or before  
MAY 24, 1999.

KARL J. DREHER, Director  
SNP#9994 May 6, 13, 1999

MICROFILMED  
AUG 27 1999

96-09020

RIEGER, RICK  
730 E PLATEAU RD  
SPOKANE, WA 99203

Source: PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

Diversion Pt: LOT 4 (NWSW) Sec 33 T 57N R 01W in BONNER County.

|                  |   |            |
|------------------|---|------------|
| Use: DOMESTIC    | ( | 0.040 CFS) |
| Total Diversion: | ( | 0.040 CFS) |

Date Filed: 4/ 7/1999

In: BONNER County  
T57N R01W S33 Lot 4 (NWSW)

MICROFILMED

AUG 27 1999

April 28, 1999

Rick Rieger  
730 E Plateau Rd  
Spokane WA 99203

Re: Water Appropriation Application No. 96-09020

Dear Mr. Rieger:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application. Enclosed for your file is Receipt Number N012754.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE  
Senior Water Resources Agent

AB:db

MICROFILMED  
AUG 27 1999



State of Idaho  
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615  
(208) 769-1450

Fax (208) 769-1454

Dirk Kempthorne  
Governor

KARL J. DREHER  
Director

March 26, 1999

Mr Rick Rieger  
730 E Plateau Road  
Spokane WA 99203

*Sorry,  
Enclosed  
check*

Re: Water Right Application

Dear Mr. Rieger:

We are returning your check No. 1264 in the amount of \$250.00. The correct fee for your water right application is \$50.00. It is faster to have you reissue a check in that amount than to process a deposit of your check and request a refund of the \$200.00 difference through our state office.

Please issue a check in the amount of \$50.00 and return to our office as soon as possible so that we might expedite processing of your application.

Thank you.

Sincerely,

*Dianne Ball*

Dianne Ball  
Administrative Assistant

db

Enc. Your check No. 1264

PS A copy of your application has been forwarded to the Idaho Department of Lands. An encroachment permit is needed from them, and they will be sending you the necessary forms.

MICROFILMED

AUG 27 1999