




MICROFILMED
APR 15 1999

600 in h
T. 56 N., R. 2 W.

MICROFILMED
APR 15 1999

CEDAR GROVE ESTATES

LYING IN A PORTION OF THE SW1/4 OF THE NE1/4 OF SECTION 16,
TOWNSHIP 56 NORTH, RANGE 2 WEST, BOISE MERIDIAN, BONNER COUNTY, IDAHO

BASIS OF BEARING

THE BEARING OF NORTH 88°30'34" EAST, ALONG THE NORTH LINE OF THE NORTHEAST QUARTER IS BASED UPON AN INCOMPLETE SURVEY BY P.L.S. 8078 IN THE SOUTHEAST QUARTER OF SECTION 24.


PRELIMINARY

120 60 0 120 240
SCALE IN FEET
1" = 200'

LEGEND

 FOLD, SECTIONAL CORNER, AS NOTED.

- FOLIO 8 1/2" REBAR.
 - FOLIO 1 1/2" REBAR.
 - COMPUTATION POINT (NOT DET.)
 - SET. 1 1/2" DIA. X 36" LONG REBAR WITH LUTHER PLASTIC CAP.
 - SET. 3" DIA. X 36" LONG ASPH PIPE FOR INITIAL POINT.
 - 3/8" REBAR SET PREVIOUS SURVEY.
- (X) (X) BARRE VALLEY ESTIMATES, 1930BBL.
- [1 RECORD OF SURVEY, 1930BBL.
- [2 RECORD OF SURVEY, 1930BBL.
- RECORD OF SURVEY, 1930BBL.
- RECORD OF SURVEY, 1930BBL.



LOTS

BK: 1 1-16
2 1-13
3 1-5


CURVE DATA

C-1	$\Delta = 89.0733^{\circ}$ R = 150.00" T = 16.133 L = 234.95 CHORD BING & DIST S 140.00' E 21.31' N	C-5	$\Delta = 241.730^{\circ}$ R = 180.00" T = 38.639 L = 76.000 CHORD BING & DIST S 20.00' E 73.44'	C-9	$\Delta = 173.960^{\circ}$ R = 180.00" T = 27.807 L = 64.800 CHORD BING & DIST S 08.00' E 35.88'	C-13	$\Delta = 39.2950^{\circ}$ R = 180.00" T = 49.007 L = 7.918 CHORD BING & DIST S 70.00' E 114.80'	C-17	$\Delta = 29.7815^{\circ}$ R = 175.00" T = 59.802 L = 714.800 CHORD BING & DIST S 70.00' E 112.83'
C-2	$\Delta = 89.0733^{\circ}$ R = 150.00" T = 150.268 L = 68.986 CHORD BING & DIST S 48.00' SE 118.68'	C-8	$\Delta = 173.950^{\circ}$ R = 180.00" T = 27.798 L = 64.814 CHORD BING & DIST S 20.00' E 73.44'	C-10	$\Delta = 241.730^{\circ}$ R = 180.00" T = 38.639 L = 76.000 CHORD BING & DIST S 20.00' E 73.44'	C-14	$\Delta = 39.2950^{\circ}$ R = 180.00" T = 21.798 L = 127.833 CHORD BING & DIST S 71.00' E 136.12'	C-18	$\Delta = 29.7815^{\circ}$ R = 175.00" T = 70.109 L = 134.800 CHORD BING & DIST S 70.00' E 131.28'
C-3	$\Delta = 241.730^{\circ}$ R = 180.00" T = 38.639 L = 76.000 CHORD BING & DIST S 20.00' E 73.44'	C-7	$\Delta = 80.5733^{\circ}$ R = 150.00" T = 15.187 L = 190.334 CHORD BING & DIST S 48.00' E 77.00'	C-11	$\Delta = 241.730^{\circ}$ R = 180.00" T = 38.639 L = 76.000 CHORD BING & DIST S 20.00' E 73.44'	C-15	$\Delta = 21.7874^{\circ}$ R = 240.00" T = 43.633 L = 63.327 CHORD BING & DIST S 80.00' SE 86.22'	C-19	$\Delta = 29.7815^{\circ}$ R = 175.00" T = 43.079 L = 63.327 CHORD BING & DIST S 80.00' SE 86.22'
C-4	$\Delta = 241.730^{\circ}$ R = 180.00" T = 38.639 L = 76.000 CHORD BING & DIST S 20.00' E 73.44'	C-6	$\Delta = 80.5733^{\circ}$ R = 150.00" T = 15.187 L = 190.334 CHORD BING & DIST S 48.00' E 77.00'	C-12	$\Delta = 241.730^{\circ}$ R = 180.00" T = 38.639 L = 76.000 CHORD BING & DIST S 20.00' E 73.44'	C-16	$\Delta = 19.0725^{\circ}$ R = 200.00" T = 38.633 L = 72.938 CHORD BING & DIST S 70.00' E 77.88'	C-20	$\Delta = 17.0678^{\circ}$ R = 200.00" T = 28.877 L = 71.946 CHORD BING & DIST S 80.00' SE 86.22'

LINE DATA

L-1	M	80°C/10'	E	23.97
L-2	A	80°C/10'	E	23.96
L-3	B	80°C/10'	E	23.97
L-4	S	40°C/20'	N	26.17
L-5	S	40°C/20'	N	26.17

PRELIMINARY



96-09004



PD



Pump House



Pump House

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by *Cindy*No.: 96-9004 Name: Goding Date: 2/3/99 Ad OK? ✓ Gvmt Lts: ✓

AREA OF CONCERN:

PROTESTED:

SYSTEM COMPLETED:

> 1 year

≤ 1 year/no proof

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT:

All wells (✓ WDAQ3)

In Basin 34?

~~Irr. within WD~~

WMD (✓ MAP)

> 0.24 cfs/5 acres

≤ 0.24 cfs/5 acres

WMD Supp irr use only

Supp. irr + uses

> 0.24 cfs/5 acres

≤ 0.24 cfs/5 acres

SURFACE WATER: (✓ FLO-CH) (Surface water that *doesn't sink* is regulated):

FISH & GAME CONTACTED:

IN/ABOVE MIN. STR. FLOW (✓ MAP)

IN-STREAM DEVELOPMENT

WD (✓ MAP & LISTING)

> 0.10 cfs

≤ 0.10 cfs

WMD (✓ MAP)

> 0.24 cfs/5 acres

≤ 0.24 cfs/5 acres

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

≤ 0.24 cfs/5 acres

RIVER BASINS: (*Surface water):

Snake R (01)

(02/03-irr)

Payette R(65)

Salmon R (70's)

Weiser R (67)

USE:

Storage (✓ 3 compo.)

Irr ≤ 5 acres

> 5 acres

Stockwater

Mining

Fish Propagation

Heating/Cooling

Power

Municipal

Domestic surface

> 1 in rest. area

Fire Protection

LOCATION:

Boise Front LoGeo

Mitigation

42-248 area

SWAN FALLS FLAG (See Code Chart)

Trust

Non-Trust (1)

OWNERSHIP:

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust
- 020 (Protest Agreement) or *W19 (Order)

- 26A(P17)

- P16

- 046(P23)

- 085

- P05 (new well location)

- North / East / West

- 067 or No MD (in-stream stock or power)

- No MD

- 065-079-102 (if GW use SW)-(keep SW)-(GW not primary irr source)

- 100-101-102

- 01M (report when notified)

- No MD

- Yes / No; WHEN: _____ RESPONSE: _____

- *WB9

- P52 (stream channel alteration)

- R04 (WD # _____)

- 01J-P08 (MD & LD)

- 01H-P01 (LD), 01P or No MD (in-stream stock)

- 067 or No MD (in-stream stock or power)

- No MD

- 01M or No MD (in-stream stock or power)

- No MD

- *W22 -P04, NA

- 007 (w/ remark *WB9 if above Weiser), NA

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

- 029 (fish screens), NA

- 086, 087

- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

- R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)

- R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)

- R37 (BLM/USFS); NA

- 054(req) -081-P10

- 029(70's only)-007-042(req)-081 (WQ)-P10

- R07 (injection well)

- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);

17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

- 022, 075, 004 (+memo?), NA (not in restricted area)

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

- 071-070

- 077

- 058 (<85° GW temp only)

- 120

- P84 (in 20/30/40/50/60/70/80 (87) basin)

- 051-052-053-P74 (Consumptive Uses), NA

- 048-049 (Consumptive Uses), NA

- 004 (PD/PU)

- 1 WB5/55 2 W59 3 W60 4 W32/3

- 2 /1/ 2004

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

RECEIVED

NOV 04 1998

IDWR/North

Sherilyn Plunk being first duly sworn on oath
deposes and says that he/she is BOOK Keeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

App for water

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 1 day of Oct., 1998
and ending on the 8 day of Oct., 1998
and that said notice was published in said newspaper.

On this 8 day of Oct. in the year
of 1998, before me, a Notary Public, personally
appeared Sherilyn Plunk,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Carolyn L. Inge
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 6/00

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-09004

GODING, BEVERLY *ok*
PO BOX 397

SAGLE, ID 83860

Source: GROUNDWATER

Diversion Pt: SWNE Sec 16 T 56N

R 02W in BONNER County.

Use: IRRIGATION (0.550 CFS)

DOMESTIC (0.350 CFS)

FIRE PROTECTION (1.110 CFS)

Total Diversion: (1.110 CFS)

Date Filed: 9/16/1998

In: BONNER County

T56N R02W S16 SWNE SENW

27.5 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at
(208) 769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene,

Idaho, Idaho 83814, together with a
protest fee of \$25.00 on or before
OCTOBER 19, 1998.

KARL J. DREHER, Director
SNP#9507 Oct 1, 8, 1998

MICROFILMED

APR 15 1999

9507

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO.)
96-9004 IN THE NAME OF)
BEVERLY GODING)
_____)

REINSTATEMENT ORDER

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted to the Department on or before February 1, 2004; and

WHEREAS, the Department notified the permit holder on November 30, 2003, by certified mail that proof of beneficial use was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use or an extension of time request; and

WHEREAS, on February 1, 2004, the permit lapsed since the Department had not received an acceptable proof of beneficial use statement or extension of time from the permit holder; and

WHEREAS, Section 42-218a, Idaho Code, provides that the Department may reinstate a permit upon a showing of reasonable cause by the permit holder within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting acceptable proof of beneficial use on February 3, 2004.

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-31753 is **REINSTATED** with an advance in priority to **September 18, 1998**.

DATED this 10th day of February 2004.


GARY SPACKMAN

MICROFILMED
APR 9 5 2004

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. PSW # 109 0249 Telephone No. 208-263-3267
2. Name of Permit Holder(s): Ralph & Beverly Goding Cedar Grove Water LLC
3. Mailing Address: PO Box 397
City Sagle State Id Zip 83860
4. Source of Water: 2 Wells If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____
Well Driller: H2O Well Drilling Permit Number: _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 55 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: _____ cfs OR _____ acre-feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X
8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Ralph Goding Telephone Number: 208-263-0869
Address: PO Box 397 Sagle, Id 83860
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Beverly Goding owner Date: 1/21/04
(include your title if on behalf of company or organization) manager

MICROFILMED
APR 6 6 2004

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-09004

Proposed Priority: September 16, 1998 Maximum Diversion Rate: 1.11 CFS

This is to certify, that BEVERLY GODING
PO BOX 397

SAGLE ID 83860-0397

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.55 CFS
DOMESTIC	01/01 to 12/31	0.35 CFS
FIRE PROTECTION	01/01 to 12/31	1.11 CFS
	Totals	1.11 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 16, Township 56N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
56N	02W	16	SWNE 25.0	SENW 2.5		27.5

Total number of acres irrigated: 27.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 2004.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
6. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.

MICROFILMED

APR 15 1999

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 96-09004

CONDITIONS OF APPROVAL AND REMARKS

7. Three points of diversion are located within SWNE, S16, T56N, ROEW.
8. Points of diversion are located within Lot 17, Sagle Pines Estates.
9. Places of use are located within Lots 1-16, Blk. 1; Lots 1-13, Blk. 2; Lots 1-5, Blk. 3; Cedar Grove Estates, and Lots 1-17, Sagle Pines Estates.
10. Domestic use is for 55 homes and does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

5th day of February, 1999.

Karl J. Dreher
for Karl J. Dreher, Director

MICROFILMED
APR 15 1999

Ident. No. 96-09004

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho


RECEIVED

JAN 13 1999

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant BEVERLY GODING Phone 208-263-0869
Mailing address P.O. Box 397 SAGLE, ID 83860
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is Township 56N Range 2W Sec. 16 in the _____ 1/4,
SW 1/4, NE 1/4, Govt. Lot _____, B.M., BONNER County;
additional points of diversion if any: (3 POINTS OF DIVERSION - 3 WELLS)
4. Water will be used for the following purposes:
- | | |
|---|------------------------------|
| Amount <u>0.35</u> for <u>DOMESTIC</u> purposes from <u>1/1</u> to <u>12/31</u> (both dates inclusive) | (cfs or acre-feet per annum) |
| Amount <u>0.55</u> for <u>IRRIGATION</u> purposes from <u>3/15</u> to <u>11/15</u> (both dates inclusive) | (cfs or acre-feet per annum) |
| Amount <u>1.11</u> for <u>FIRE PROTECTION</u> purposes from <u>1/1</u> to <u>12/31</u> (both dates inclusive) | (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) | (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) | (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) | (cfs or acre-feet per annum) |
5. Total quantity to be appropriated is (a) 1.11 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source WELL, PUMP, DELIVERY SYSTEM
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
- c. Proposed well diameter is 8" inches; proposed depth of well is 200 feet
- d. Is ground water with a temperature of greater than 85°F being sought? NO
- e. If well is already drilled, when? 9/20; Drilling firm H2O
Well was drilled for (well owner) GODING; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 58 HOMES
- e. Other; describe fully. _____

MICROFILMED
APR 15 1999



2513X

2214

2211

Gravel Pit

PLACE OF USE

2220

Gravel Pit

16

2200

2184

2180

Algoma

BM 2179

2177

2174

MICROFILMED
APR 15 1995

600 in h
T. 56N, R. 2W.

PRELIMINARY PLAT OF


SAGLE PINES

THE INTENT IS TO SUBDIVIDE THE ABOVE PARCEL
INTO 17 RESIDENTIAL LOTS.

HEADQUARTER DRIVE

—

RALPH & BEVERLY CODING
P.O. BOX 797
SAGLE, ID 83860

VICINITY MAP[illegible]

1. SITE CONDITIONS ARE DETERMINED BY USGS QUANTITATIVE MAP OF SOILS BASED ON QUAD MAP NO SIGNIFICANT ELEVATION CHANGES OCCUR
2. SEWER SERVICE TO BE PROVIDED BY INDIVIDUAL ON SITE SUBSURFACE TREATMENT AREAS
3. WATER TO BE SUPPLIED BY MOUNTAIN PACIFIC
4. THE ROAD KNOWN AS BECKLEY DRIVE TO BE DEDICATED AS PUBLIC PICK-UP-WAY
5. RESIDENTIAL PICK-UP BY WASTE MANAGEMENT OF IDAHO.

MICROFILMED

WILCH ENGINEERING, INC., P.O. BOX 934, SANDPOINT, IDAHO 83864

TOP

MICROFILMED
APR 15 1999

CEDAR GROVE ESTATES


LYING IN A PORTION OF THE SW1/4 OF THE NE1/4 OF SECTION 16,
TOWNSHIP 56 NORTH, RANGE 2 WEST, BOISE MERIDIAN, BONNER COUNTY, IDAHO

BASIS OF BEARING

THE BEARING OF NORTH SECTION EAST, ALONG THE NORTH LINE OF THE NORTHWEST QUARTER IS BASED UPON AN INCOMPLETE SURVEY BY PLS 1876 IN THE SOUTHEAST QUARTER OF SECTION 16.



PRELIMINARY



LEGEND

- FOUND, SECTIONAL CORNER AS NOTED.
- FOUR 5/8" REBAR
- FOUR 1/2" REBAR
- COMPUTATION POINT (NOT SET)
- SET 3/4" DIA. 12" LONG REBAR WITH YELLOW PLASTIC CAP
- SET 3/4" DIA. 36" LONG REBAR WITH YELLOW PLASTIC CAP
- 5/8" REBAR SET PREVIOUS SURVEY
- 1/2" REBAR SET PREVIOUS SURVEY
- 1/4" REBAR SET PREVIOUS SURVEY
- 1/8" REBAR SET PREVIOUS SURVEY
- 1/16" REBAR SET PREVIOUS SURVEY
- 1/32" REBAR SET PREVIOUS SURVEY
- 1/64" REBAR SET PREVIOUS SURVEY
- 1/128" REBAR SET PREVIOUS SURVEY
- 1/256" REBAR SET PREVIOUS SURVEY
- 1/512" REBAR SET PREVIOUS SURVEY
- 1/1024" REBAR SET PREVIOUS SURVEY
- 1/2048" REBAR SET PREVIOUS SURVEY
- 1/4096" REBAR SET PREVIOUS SURVEY
- 1/8192" REBAR SET PREVIOUS SURVEY
- 1/16384" REBAR SET PREVIOUS SURVEY
- 1/32768" REBAR SET PREVIOUS SURVEY
- 1/65536" REBAR SET PREVIOUS SURVEY
- 1/131072" REBAR SET PREVIOUS SURVEY
- 1/262144" REBAR SET PREVIOUS SURVEY
- 1/524288" REBAR SET PREVIOUS SURVEY
- 1/1048576" REBAR SET PREVIOUS SURVEY
- 1/2097152" REBAR SET PREVIOUS SURVEY
- 1/4194304" REBAR SET PREVIOUS SURVEY
- 1/8388608" REBAR SET PREVIOUS SURVEY
- 1/16777216" REBAR SET PREVIOUS SURVEY
- 1/33554432" REBAR SET PREVIOUS SURVEY
- 1/67108864" REBAR SET PREVIOUS SURVEY
- 1/134217728" REBAR SET PREVIOUS SURVEY
- 1/268435456" REBAR SET PREVIOUS SURVEY
- 1/536870912" REBAR SET PREVIOUS SURVEY
- 1/1073741824" REBAR SET PREVIOUS SURVEY
- 1/2147483648" REBAR SET PREVIOUS SURVEY
- 1/4294967296" REBAR SET PREVIOUS SURVEY
- 1/8589934592" REBAR SET PREVIOUS SURVEY
- 1/17179869184" REBAR SET PREVIOUS SURVEY
- 1/34359738368" REBAR SET PREVIOUS SURVEY
- 1/68719476736" REBAR SET PREVIOUS SURVEY
- 1/137438953472" REBAR SET PREVIOUS SURVEY
- 1/274877906944" REBAR SET PREVIOUS SURVEY
- 1/549755813888" REBAR SET PREVIOUS SURVEY
- 1/1099511627776" REBAR SET PREVIOUS SURVEY
- 1/2199023255552" REBAR SET PREVIOUS SURVEY
- 1/4398046511104" REBAR SET PREVIOUS SURVEY
- 1/8796093022208" REBAR SET PREVIOUS SURVEY
- 1/17592186044416" REBAR SET PREVIOUS SURVEY
- 1/35184372088832" REBAR SET PREVIOUS SURVEY
- 1/70368744177664" REBAR SET PREVIOUS SURVEY
- 1/140737488355328" REBAR SET PREVIOUS SURVEY
- 1/281474976710656" REBAR SET PREVIOUS SURVEY
- 1/562949953421312" REBAR SET PREVIOUS SURVEY
- 1/1125899906842624" REBAR SET PREVIOUS SURVEY
- 1/2251799813685248" REBAR SET PREVIOUS SURVEY
- 1/4503599627370496" REBAR SET PREVIOUS SURVEY
- 1/9007199254740992" REBAR SET PREVIOUS SURVEY
- 1/18014398509481984" REBAR SET PREVIOUS SURVEY
- 1/36028797018963968" REBAR SET PREVIOUS SURVEY
- 1/72057594037927936" REBAR SET PREVIOUS SURVEY
- 1/144115188075855872" REBAR SET PREVIOUS SURVEY
- 1/288230376151711744" REBAR SET PREVIOUS SURVEY
- 1/576460752303423488" REBAR SET PREVIOUS SURVEY
- 1/1152921504606846976" REBAR SET PREVIOUS SURVEY
- 1/2305843009213693952" REBAR SET PREVIOUS SURVEY
- 1/4611686018427387904" REBAR SET PREVIOUS SURVEY
- 1/9223372036854775808" REBAR SET PREVIOUS SURVEY
- 1/18446744073709551616" REBAR SET PREVIOUS SURVEY
- 1/36893488147419103232" REBAR SET PREVIOUS SURVEY
- 1/73786976294838206464" REBAR SET PREVIOUS SURVEY
- 1/147573952589676412928" REBAR SET PREVIOUS SURVEY
- 1/295147905179352825856" REBAR SET PREVIOUS SURVEY
- 1/590295810358705651712" REBAR SET PREVIOUS SURVEY
- 1/1180591620717411303424" REBAR SET PREVIOUS SURVEY
- 1/2361183241434822606848" REBAR SET PREVIOUS SURVEY
- 1/4722366482869645213696" REBAR SET PREVIOUS SURVEY
- 1/9444732965739290427392" REBAR SET PREVIOUS SURVEY
- 1/18889465931478580854784" REBAR SET PREVIOUS SURVEY
- 1/37778931862957161709568" REBAR SET PREVIOUS SURVEY
- 1/75557863725914323419136" REBAR SET PREVIOUS SURVEY
- 1/151115727451828646838272" REBAR SET PREVIOUS SURVEY
- 1/302231454903657293676544" REBAR SET PREVIOUS SURVEY
- 1/604462909807314587353088" REBAR SET PREVIOUS SURVEY
- 1/1208925819614629174706176" REBAR SET PREVIOUS SURVEY
- 1/2417851639229258349412352" REBAR SET PREVIOUS SURVEY
- 1/4835703278458516698824704" REBAR SET PREVIOUS SURVEY
- 1/9671406556917033397649408" REBAR SET PREVIOUS SURVEY
- 1/19342813113834066795298816" REBAR SET PREVIOUS SURVEY
- 1/38685626227668133590597632" REBAR SET PREVIOUS SURVEY
- 1/77371252455336267181195264" REBAR SET PREVIOUS SURVEY
- 1/154742504910672534362390528" REBAR SET PREVIOUS SURVEY
- 1/309485009821345068724781056" REBAR SET PREVIOUS SURVEY
- 1/618970019642690137449562112" REBAR SET PREVIOUS SURVEY
- 1/1237940039285380274899124224" REBAR SET PREVIOUS SURVEY
- 1/2475880078570760549798248448" REBAR SET PREVIOUS SURVEY
- 1/4951760157141521099596496896" REBAR SET PREVIOUS SURVEY
- 1/9903520314283042199192993792" REBAR SET PREVIOUS SURVEY
- 1/19807040628566084398385987584" REBAR SET PREVIOUS SURVEY
- 1/39614081257132168796771975168" REBAR SET PREVIOUS SURVEY
- 1/79228162514264337593543950336" REBAR SET PREVIOUS SURVEY
- 1/158456325028528675187087900672" REBAR SET PREVIOUS SURVEY
- 1/316912650057057350374175801344" REBAR SET PREVIOUS SURVEY
- 1/633825300114114700748351602688" REBAR SET PREVIOUS SURVEY
- 1/1267650600228229401496703205376" REBAR SET PREVIOUS SURVEY
- 1/2535301200456458802993406410752" REBAR SET PREVIOUS SURVEY
- 1/5070602400912917605986812821504" REBAR SET PREVIOUS SURVEY
- 1/10141204801825835211973625643008" REBAR SET PREVIOUS SURVEY
- 1/20282409603651670423947251286016" REBAR SET PREVIOUS SURVEY
- 1/40564819207303340847894502572032" REBAR SET PREVIOUS SURVEY
- 1/81129638414606681695789005144064" REBAR SET PREVIOUS SURVEY
- 1/162259276832213363391578010288128" REBAR SET PREVIOUS SURVEY
- 1/324518553664426726783156020576256" REBAR SET PREVIOUS SURVEY
- 1/649037107328853453566312041152512" REBAR SET PREVIOUS SURVEY
- 1/1298074214657706907132624082305024" REBAR SET PREVIOUS SURVEY
- 1/2596148429315413814265248164610048" REBAR SET PREVIOUS SURVEY
- 1/5192296858630827628530496329220096" REBAR SET PREVIOUS SURVEY
- 1/10384593717261655257060992658440192" REBAR SET PREVIOUS SURVEY
- 1/20769187434523310514121985316880384" REBAR SET PREVIOUS SURVEY
- 1/41538374869046621028243970633760768" REBAR SET PREVIOUS SURVEY
- 1/83076749738093242056487941267521536" REBAR SET PREVIOUS SURVEY
- 1/166153499476186484112975882535043072" REBAR SET PREVIOUS SURVEY
- 1/332306998952372968225951765070086144" REBAR SET PREVIOUS SURVEY
- 1/664613997904745936451903530140172288" REBAR SET PREVIOUS SURVEY
- 1/1329227995809491872903807060280344576" REBAR SET PREVIOUS SURVEY
- 1/2658455991618983745807614120560689152" REBAR SET PREVIOUS SURVEY
- 1/5316911983237967491615228241121378304" REBAR SET PREVIOUS SURVEY
- 1/10633823966475934983230456482242756608" REBAR SET PREVIOUS SURVEY
- 1/21267647932951869966460912964485513216" REBAR SET PREVIOUS SURVEY
- 1/42535295865903739932921825928971026432" REBAR SET PREVIOUS SURVEY
- 1/85070591731807479865843651857942052864" REBAR SET PREVIOUS SURVEY
- 1/170141183463614959731687303715884105728" REBAR SET PREVIOUS SURVEY
- 1/340282366927229919463374607431768211456" REBAR SET PREVIOUS SURVEY
- 1/680564733854459838926749214863536422912" REBAR SET PREVIOUS SURVEY
- 1/1361129467708919677853498429727072857824" REBAR SET PREVIOUS SURVEY
- 1/2722258935417839355706996859454145715648" REBAR SET PREVIOUS SURVEY
- 1/5444517870835678711413993718908291431296" REBAR SET PREVIOUS SURVEY
- 1/10889035741671357422827987437816582862592" REBAR SET PREVIOUS SURVEY
- 1/21778071483342714845655974875633165725184" REBAR SET PREVIOUS SURVEY
- 1/43556142966685429691311949751266331450368" REBAR SET PREVIOUS SURVEY
- 1/87112285933370859382623899502532662900736" REBAR SET PREVIOUS SURVEY
- 1/174224571866741718765247799005065325801472" REBAR SET PREVIOUS SURVEY
- 1/348449143733483437530495598010130651602944" REBAR SET PREVIOUS SURVEY
- 1/696898287466966875060991196020261303205888" REBAR SET PREVIOUS SURVEY
- 1/1393796574933933750121982392040522606411776" REBAR SET PREVIOUS SURVEY
- 1/2787593149867867500243964784081045212823552" REBAR SET PREVIOUS SURVEY
- 1/5575186299735735000487929568162090425647104" REBAR SET PREVIOUS SURVEY
- 1/11150372599471470000975859136241810851294208" REBAR SET PREVIOUS SURVEY
- 1/22300745198942940001951718272483621702588416" REBAR SET PREVIOUS SURVEY
- 1/44601490397885880003903436544967243405176832" REBAR SET PREVIOUS SURVEY
- 1/89202980795771760007806873089934486810353664" REBAR SET PREVIOUS SURVEY
- 1/178405961591543520015613746179868973620707328" REBAR SET PREVIOUS SURVEY
- 1/356811923183087040031227492359737947241414656" REBAR SET PREVIOUS SURVEY
- 1/71362384636617408062445498471947589448282912" REBAR SET PREVIOUS SURVEY
- 1/142724769273234816124890996943895178896565824" REBAR SET PREVIOUS SURVEY
- 1/285449538546469632249781993887790357793131648" REBAR SET PREVIOUS SURVEY
- 1/570899077092939264499563987775580715586263296" REBAR SET PREVIOUS SURVEY
- 1/1141798154185878529999127975551161431732526592" REBAR SET PREVIOUS SURVEY
- 1/2283596308371757059998255951102322863465053184" REBAR SET PREVIOUS SURVEY
- 1/4567192616743514119996511902204645726930106368" REBAR SET PREVIOUS SURVEY
- 1/9134385233487028239993023804409291453860212736" REBAR SET PREVIOUS SURVEY
- 1/18268770466974056479986047608818582907720425472" REBAR SET PREVIOUS SURVEY
- 1/36537540933948112959972095217637165815440850944" REBAR SET PREVIOUS SURVEY
- 1/73075081867896225919944190435274331630881701888" REBAR SET PREVIOUS SURVEY
- 1/14615016373579245183988838087054866326176403776" REBAR SET PREVIOUS SURVEY
- 1/29230032747158490367977676174109732652352807552" REBAR SET PREVIOUS SURVEY
- 1/58460065494316980735955352348219465304705615104" REBAR SET PREVIOUS SURVEY
- 1/116920130988633961471910704696438930609411230208" REBAR SET PREVIOUS SURVEY
- 1/233840261977267922943821409392877861218822460416" REBAR SET PREVIOUS SURVEY
- 1/467680523954535845887642818785755722437644920832" REBAR SET PREVIOUS SURVEY
- 1/935361047909071691775285637571511444875289841664" REBAR SET PREVIOUS SURVEY
- 1/1870722095818143383550571275143022889750579683328" REBAR SET PREVIOUS SURVEY
- 1/3741444191636286767101142550286045779501159366656" REBAR SET PREVIOUS SURVEY
- 1/7482888383272573534202285100572091559002318733312" REBAR SET PREVIOUS SURVEY
- 1/14965776766545147068404570201144183118004634666624" REBAR SET PREVIOUS SURVEY
- 1/29931553533090294136809140402288366236009269333248" REBAR SET PREVIOUS SURVEY
- 1/59863107066180588273618280804576732472018538666496" REBAR SET PREVIOUS SURVEY
- 1/119726214132361176547236561609154664944037077332992" REBAR SET PREVIOUS SURVEY
- 1/239452428264722353094473123218309329888074154665984" REBAR SET PREVIOUS SURVEY
- 1/478904856529444706188946246436618659776148309331968" REBAR SET PREVIOUS SURVEY
- 1/957809713058889412377892492873237319552296618663936" REBAR SET PREVIOUS SURVEY
- 1/1915619426117778824755784977464674639104593237327872" REBAR SET PREVIOUS SURVEY
- 1/3831238852235557649511569954929349278209186474655744" REBAR SET PREVIOUS SURVEY
- 1/7662477704471115299023139909858698556418372949311488" REBAR SET PREVIOUS SURVEY
- 1/15324954408942230598046278819717397112836745898622976" REBAR SET PREVIOUS SURVEY
- 1/30649908817884461196092557639434794225673491797245952" REBAR SET PREVIOUS SURVEY
- 1/61299817635768922392185115278869588451346983594491904" REBAR SET PREVIOUS SURVEY
- 1/12259963527153784478437023055773917690269396718898208" REBAR SET PREVIOUS SURVEY
- 1/24519927054307568956874046111547835380538793437796416" REBAR SET PREVIOUS SURVEY
- 1/49039854108615137913748092223095670761077586875592832" REBAR SET PREVIOUS SURVEY
- 1/98079708217230275827496184446191341522155173751185664" REBAR SET PREVIOUS SURVEY
- 1/1961594164344605176549923689243826830443103475023712" REBAR SET PREVIOUS SURVEY
- 1/3923188328689210353099847378487653660886206950047424" REBAR SET PREVIOUS SURVEY
- 1/7846376657378420706199694756975307321772413900094848" REBAR SET PREVIOUS SURVEY
- 1/15692753314756841412399379513950614643544827800189696" REBAR SET PREVIOUS SURVEY
- 1/31385506629513682824798759027901229287089655600379392" REBAR SET PREVIOUS SURVEY
- 1/62771013259027365649597518055802458574179311200758784" REBAR SET PREVIOUS SURVEY
- 1/125542026118054731299195036111604917148358622401517568" REBAR SET PREVIOUS SURVEY
- 1/251084052236109462598390072223209834296717244803035136" REBAR SET PREVIOUS SURVEY
- 1/502168104472218925196780144446419668593434489606070272" REBAR SET PREVIOUS SURVEY
- 1/1004336209144437850393560288892839337186868979212140544" REBAR SET PREVIOUS SURVEY
- 1/2008672418288875700787120577785678674373737958424281088" REBAR SET PREVIOUS SURVEY
- 1/4017344836577751401574241155571357348747475916848562176" REBAR SET PREVIOUS SURVEY
- 1/803468967315550280314848231114271497489495183369712512" REBAR SET PREVIOUS SURVEY
- 1/1606937934631100560629696462228542994978990366739425024" REBAR SET PREVIOUS SURVEY
- 1/3213875869262201121259392924457085989957980733478850048" REBAR SET PREVIOUS SURVEY
- 1/6427751738524402242518785848914171979915961466957700096" REBAR SET PREVIOUS SURVEY
- 1/12855503477048804485037571697828343959831922933915400192" REBAR SET PREVIOUS SURVEY
- 1/25711006954097608970075143395656687919663845867830800384" REBAR SET PREVIOUS SURVEY
- 1/51422013908195217940150286791313375839327691735661600768" REBAR SET PREVIOUS SURVEY
- 1/102844027816390435880300573582626756678655383471323201536" REBAR SET PREVIOUS SURVEY
- 1/205688055632780871760601147165253513357310766942646403072" REBAR SET PREVIOUS SURVEY
- 1/411376111265561743521202294330507026714621533885292806144" REBAR SET PREVIOUS SURVEY
- 1/822752222531123487042404588661014053429243067770585612288" REBAR SET PREVIOUS SURVEY
- 1/164550444506224797408480917732202810685848613554117124576" REBAR SET PREVIOUS SURVEY
- 1/329100889012449594816961835464405621371689227108234249152" REBAR SET PREVIOUS SURVEY
- 1/658201778024899189633923670928811247433778454216468498304" REBAR SET PREVIOUS SURVEY
- 1/1316403556049798379267847341857622494867556908432936996608" REBAR SET PREVIOUS SURVEY
- 1/2632807112099596758535694683715244989735113816865873993216" REBAR SET PREVIOUS SURVEY
- 1/5265614224199193517071389367430489979470227633731747986432" REBAR SET PREVIOUS SURVEY
- 1/10531228448398387034142778738609799589440455267463495972864" REBAR SET PREVIOUS SURVEY
- 1/21062456896796774068285557477219599178888910534926991945728" REBAR SET PREVIOUS SURVEY
- 1/42124913793593548136571114954439197377777821069853983891456" REBAR SET PREVIOUS SURVEY
- 1/84249827587187096273142229908878394755555642139707967782912" REBAR SET PREVIOUS SURVEY
- 1/168499654374374192546284459817756789511111284269415935565824" REBAR SET PREVIOUS SURVEY
- 1/336999308748748385092568919635513579022222568538831871131648" REBAR SET PREVIOUS SURVEY
- 1/673998617497496770185137839271027180444445137077663742263296" REBAR SET PREVIOUS SURVEY
- 1/1347997234994993540370275678542054360888890274155327484525792" REBAR SET PREVIOUS SURVEY
- 1/2695994469989987080740551357084108721777780548310654970051584" REBAR SET PREVIOUS SURVEY
- 1/5391988939979974161481102714168217435555561096621309940103168" REBAR SET PREVIOUS SURVEY
- 1/10783977879959948322962205428336434871111122183242618020206336" REBAR SET PREVIOUS SURVEY
- 1/2156795575991989664592441085667286974222224436648523604041268" REBAR SET PREVIOUS SURVEY
- 1/4313591151983979329184882171334573948444448873297047208082536" REBAR SET PREVIOUS SURVEY
- 1/8627182303967958658369764342669147896888897746594094416165072" REBAR SET PREVIOUS SURVEY
- 1/17254364607935917316739528685338295793777795493188188832330144" REBAR SET PREVIOUS SURVEY
- 1/34508729215871834633479057370676591587555590986376377646660288" REBAR SET PREVIOUS SURVEY
- 1/690174584317436692669581147413531837

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
			Within Service AREA of Cedar Grove water LLC. PWS# 1090249 Generally Located 56N-22W-16																

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo


Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well 1	Fluor	5	2821139310	S.G.B	1.5"
Well 2	"	"	"	"	"

4.


Scale: 1" = _____
 Copy of USGS Quadrangle Attached Showing location(s) of _____
 (point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached _____
 (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached _____



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



96-09004



PD

Pump
House

Pump
House

E. NARRATIVE/REMARKS/COMMENTS

Only 2 points of diversion located
SW NE 16. Not 3 as in no. 7 conditions.

At time of exam spoke with Mr.
Goding about amending this permit
to Municipal. He agreed. I explained
there would be an amendment fee,
he agreed.

Have conditions of permit approval been met? Yes ☐ no

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

Flowmeter, well #1 108 gpm
well #2 107 gpm

315 gpm x 1.133681 = 357.107 gpm

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$

$V_{or} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{ir} \text{ and } V_{or} =$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Unmeasured

Period of Use
From 04-01
To 11-31

Rate of Diversion
Q (cfs) 0.48

Annual Volume
V (afa) 108

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

Walter J. Bordin
Date 5-25-04

Reviewer

Date

SEAL



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 11, 2004

BEVERLY GODING
PO BOX 397
SAGLE ID 83860

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-9004

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form and examination fee submitted for the above referenced permit. Enclosed is an order reinstating the permit advancing the priority since proof was submitted after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. The regional office staff will contact you when that examination is to be conducted. At the time the examination is conducted the system must be in operation, otherwise this permit will be of no force nor effect.

Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions, please contact the **Northern** Regional Office of the department in Coeur d'Alene (208) 769-1450.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Enclosure

c: IDWR - Region (w/encl.)

MICROFILMED

APR 06 2004

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 96-9004

Reviewed By: dgibson

Date: February 10, 2004

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?		X	Drilling permit required?	X	
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		C072509	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		X
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received	02/03/2004
Date proof due	- 02/01/2004
Lapse notice sent	-
No. of days late	= 2
Holiday allowance	+
Priority date	+ 09/16/1998
New priority date	= 09/18/1998

Deficiencies of Actions Items

Acknowledge proof. *Reinstall permit & advance priority to 9/18/98.*

November 30, 2003

BEVERLY GODING
PO BOX 397
SAGLE, ID 83860-0397

PROOF DUE NOTICE

RE: PERMIT NO. 96-9004

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 01, 2004. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

Deborah J. Gibson, Administrative Assistant
Water Allocation Bureau

Enclosures

MICROFILMED
APR 05 2004





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 8, 1999

DIRK KEMPTHORNE
GOVERNOR

BEVERLY GODING
PO BOX 397
SAGLE ID 83860-0397

KARL J. DREHER
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-09004

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt


MICROFILMED
APR 15 1999

CERTIFICATE OF MAILING

I hereby certify that on the 8th day of February, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 96-09004

BEVERLY GODING
PO BOX 397
SAGLE ID 83860-0397


Kari Lynn Townsend
Secretary

MICROFILMED

APR 15 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 15 1997

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by CindylanNo.: 96-9004 Name: Goding Date: 2/3/99 Ad OK? ✓ Gvmt Lts: ✓

AREA OF CONCERN:

- No/Yes: ✓ Mor / ✓ GWMA / Trust / Non-trust
- 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

> 1 year

06A-P17

≤ 1 year/no proof

- P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT:

All wells (✓ WDAQ3)

046-P23

In Basin 34?

- 085

~~Ir. within WD~~046 (new well location)

WMD (✓ MAP)

- North / East / West

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

WMD Supp irr use only

- 065-079-102 (if GW use SW)-(keep SW)-(GW not primary irr source)

Supp. irr + uses

- 100-101-102

> 0.24 cfs/5 acres

- 01M (report when notified)

≤ 0.24 cfs/5 acres

- No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED:

- YES / No; WHEN: _____ RESPONSE: _____

IN/ABOVE MIN. STR. FLOW (✓ MAP)

- *WB9

IN-STREAM DEVELOPMENT

- P52 (stream channel alteration)

WD (✓ MAP & LISTING)

- R04 (WD # _____)

> 0.10 cfs

- 01J-P08 (MD & LD)

≤ 0.10 cfs

- 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

RIVER BASINS: (*Surface water):

Snake R (01)

- *W22 -P04, NA

(02/03-irr)

- 007 (w/ remark *WB9 if above Weiser), NA

Payette R(65)

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

Salmon R (70's)

- 029 (fish screens), NA

Weiser R (67)

- 086, 087

USE:

Storage (✓ 3 compo.)

- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

Irr ≤ 5 acres

- R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)

> 5 acres

- R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)

Stockwater

- R37 (BLM/USFS); NA

Mining

- 054(req) -081-P10

Fish Propagation

- 029(70's only)-007-042(req)-081 (WQ)-P10

Heating/Cooling

- R07 (injection well)

Power

- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);

17G (FERC) or 17M (FERG); 18B-P09; >25 cfs-P18

Municipal

- 022, 075, 004 (+memo?), NA (not in restricted area)

Domestic surface

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

>1 in rest. area

- 071-070

Fire Protection

- ~~077~~

LOCATION:

Boise Front LoGeo

- 058 (<85° GW temp only)

Mitigation

- 120

42-248 area

- P84 (in 20/30/40/50/60/70/80 (87) basin)

SWAN FALLS FLAG (See Code Chart)

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust (1)

- 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU)


OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- 1 WBS/55 W59 W60 W32/3- 2/11/2009



JAMES A. SEWELL & ASSOCIATES

*Civil Engineering *Electrical Engineering *Land Surveying

Phone WA (509) 447-3626 Fax (509) 447-2112

Phone ID (208) 437-2641

fax

To: Cindy Zimmerman - Idaho DEQ

Fax #: (208)327-7866

From: Jim Valentine
James A. Sewell & Associates

Date: February 3, 1999

Subject: Cedar Grove Estates/Sage Pines Estates Water
System

Pages: 10(including cover sheet)

NOTES: Enclosed please find additional sections of drawings for Sage Pines. I am sorry about the oversight.

Received Sage Pines Est. plat.

2/3/99 cjs.

MICROFILMED

APR 15 1999

JAMES A. SEWELL & ASSOCIATES
Consulting Engineers & Land Surveyors
600 4th Street West
Newport Wa 99156

In Washington
(509)447-3626

In Idaho
(208)437-2641

(509)447-2112 Fax



FAX TRANSMITTAL

PAGES (including cover sheet: 10

DATE: January 27, 1999

FROM: Jim Valentine

TO: Cindy Zimmerman - Id DEQ

FAX #: (208)327-7866

SUBJ: Cedar Grove Estates/Sage Pines Estate Water System

NOTES: At the request of Bev Goding, we are transmitting plat drawings showing the service area for the subject water system. Please call with questions or comments. Thanks.

Please contact our office if an error occurs in transmission at the above phone numbers. Thank you.

2/2/99

Missing middle section on Sage Pines. Called Jim Valentine who agreed to send it. Jim clarified LT 17, Sage Pines Est. as well lot.

MICROFILMED

APR 15 1999

MEMORANDUM

DATE: January 27, 1999
TO: File No. 96-09004
FROM: Cindy Zimmerman
SUBJECT: Subdivision Plat

This application is requesting 0.55 cfs for irrigation of 27.5 acres, 0.35 cfs for domestic for 55 homes, and 1.11 cfs for fire protection; total diversion rate of 1.11 cfs. The application file did not contain a subdivision plat.

I called the applicant on January 19, 1999 at 3:05 pm and left a message on the answering machine. The applicant did not call me back. I called again this morning and spoke with Beverly Goding. I requested a subdivision plat showing the location of the wells and lots.

Ms. Goding said she would fax me a plat later today.

MICROFILMED
APR 15 1999

IDAHO DEPARTMENT OF WATER RESOURCES APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED WR/ WRA ACA
JAN 13 1999

APPLICATION # 96-09004
INITIAL REVIEW

DEPARTMENT OF WATER RESOURCES

APPLICANT: GODINE BY: AB DATE: 9 / 16 / 98

ITEM REQUIRED INFORMATION

1. (☒) Name and Address
2. (☒) Source
3. (☒) Point of Diversion & County
4. (☒) Quantity
 - (☒) Nature of Proposed Use
 - (☒) Period of Use
5. (☒) Total Quantity
6. (☒) Description of diverting works
7. (☒) Time required for b/u
8. (☒) Proposed use
9. (☒) Place of use or acres irrigated
10. (☒) Other water Rights
11. (☒) Ownership
12. (☒) Map
 - (☒) Signature
 - (☒) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

- Yes () No ()
- ☒ Field check: by _____
 - ☒ Field report attached
 - ☒ Analysis Supp. attached (>5cfs/500af)
 - ☒ Water delivered by water master?
 - Water District # _____

PROCESSING

(Yes) (No) PRIORITY DATE: 9 / 16 / 98
☒ (Include Moratorium Remark)
☒ Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONNER County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information
 () Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information
 () Power Information () Other: N/A

GROUNDWATER SECTION

D Permit No.'s:	Type:	Fees
<u>96 98 N 0279</u>	Dom. Non-Dom. ☒	Paid \$ <u>200</u>
<u>96 98 N 0280</u>	Dom. Non-Dom. ☒	Paid \$ <u>200</u>
_____	Dom. Non-Dom. _____	Paid \$ _____

Receipt No.	Upgrade Needed?
<u>NO12413</u>	Y () N (☒)
<u>NO12824</u>	Y () N (☒)
<u>NO12567</u>	Y () N ()

- ☐ Groundwater management area
- ☐ Critical ground water area
- ☐ Well Drilling Permit required
- ☐ Well Drilling Application and Fees received
- ☐ Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

- Yes () No ()
- ☐ Notice of pending void order issued. Final order response date: _____/_____/_____
 - ☐ Further information required from applicant
 - ☒ Affidavit of publication received
 - ☐ Application published correctly. If not, record action taken: _____
 - ☒ Publication dates and paper recorded on application
 - ☒ Protests received, Final protest date: 10 / 19 / 98
 - ☒ Measuring device required
 - ☒ Measuring port required
 - ☒ Special conditions:
 - ☒ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB Date: 12 / 28 / 98

AFFIDAVIT OF PUBLICATION

RECEIVED

NOV 04 1998

IDWR/North

State of Idaho

ss.

County of Bonner,

Sherilyn Plunk being first duly sworn on oath
deposes and says that he/she is BOOK Keeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

App for water

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 1 day of Oct, 1998
and ending on the 8 day of Oct, 1998
and that said notice was published in said newspaper.

On this 8 day of Oct in the year
of 1998, before me, a Notary Public, personally
appeared Sherilyn Plunk,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Carolyn K. Inge
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 6/00

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-09004

GODING, BEVERLY

PO BOX 397

SAGLE, ID 83860

Source: GROUNDWATER

Diversion Pt: SWNE Sec 16 T 56N

R 02W in BONNER County.

Use: IRRIGATION (0.550 CFS)

DOMESTIC (0.350 CFS)

FIRE PROTECTION (1.110 CFS)

Total Diversion: (1.110 CFS)

Date Filed: 9/16/1998

In: BONNER County

T56N R02W S16 SWNE SENW

27.5 ACRES TOTAL

For additional information concern-
ing the property location, call
the Northern Regional Office at
(208) 769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene,

Idaho, Idaho 83814, together with a
protest fee of \$35.00 on or before
OCTOBER 19, 1998.

Karl J. Dreher, Director
SNP 10/1/98 Oct 1, 8, 1998

MICROFILMED

APR 15 1999

9507

96-09004

GODING, BEVERLY
PO BOX 397
SAGLE, ID 83860

Source: GROUNDWATER

Diversion Pt: SWNE Sec 16 T 56N R 02W in BONNER County.

Use: IRRIGATION	(	0.550 CFS)
DOMESTIC	(	0.350 CFS)
FIRE PROTECTION	(	1.110 CFS)
Total Diversion:	(	1.110 CFS)

Date Filed: 9/16/1998

In: BONNER County
T56N R02W S16 SWNE SENW

27.5 ACRES TOTAL

MICROFILMED
APR 15 1999

September 23, 1998

Beverly Goding
PO Box 397
Sagle ID 83860

Re: Water Appropriation Application No. 96-09004

Dear Ms. Goding::

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If your source is groundwater, a Well Drilling Permit is required for all wells constructed after July 1, 1987.

A "Domestic" well drilling permit should be obtained for a rate of diversion of up to 18 gallons per minute (0.04 CFS) and a daily volume of up to 2,500 gallons per day. The cost for this permit is \$75.00. For any other use, including multiple homes, or municipal, etc., the Drilling Permit fee is \$200. These Permits can be obtained by your driller, also. It is sometimes possible to upgrade an existing Domestic Drilling Permit by submitting a fee for the difference. This, however, depends on the individual well.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

MICROFILMED

APR 15 1999