


" EXHIBIT A "


BOUNDARY SURVEY

Lots 12 & 13 of WEST COCALALLA ESTATES
Sec. 7, T55N, R2W, B.M.
Bonner County, Idaho



CERTIFICATE OF SURVEYOR

I, ERNEST M. WARNER, do hereby certify that I am a Registered Professional Land Surveyor, licensed by the State of Idaho, and that this map has been prepared from an actual survey made on the ground under my supervision, and that this map is an accurate representation of said survey.



ERNEST M. WARNER
1/2/96
P.L.S. No. 4565

BASIS OF BEARING

Basis of bearing is along the westerly line of Lot 13 of WEST COCALALLA ESTATES according to the plat filed as Instrument Number 339206 (Records of Bonner County, Idaho).

LEGEND

- Fnd. 3/4" Iron Pipe Monument except as noted
- Fnd 5/8" Steel Pin w/Cap PLS 974
- Fnd 1/2" Steel Pin
- (Rec) Record dimensions per Plat
- Property Boundary
- Old Rail Fence

LINE TABLE

LINE	BEARING	DISTANCE
L1	N 34°36'11" W	9.45
L2	S 88°15'19" E	25.08
L3	N 84°45'28" E	43.80
L4	S 88°23'55" E	84.60
L5	N 86°45'43" E	21.56
L6	S 87°04'35" E	91.70
L7	N 88°46'19" E	40.99
L8	N 83°58'58" E	157.11
L9	N 87°03'39" E	34.14
L10	S 86°07'29" E	39.96
L11	S 76°09'59" E	48.83
L12	S 71°38'15" E	30.48
L13	S 74°01'32" E	18.72

SURVEY FOR AL HANSON
Lots 12 & 13 of WEST COCALALLA ESTATES
Sec. 7, T55N, R2W, B.M., Bonner Co.



J-U-B ENGINEERS, INC.
Engineers Surveyors Planners
Coeur d'Alene, Idaho

ACAD.DWG FILE: 200475.DWG PLS. (1=100)
DE: DR, PH CK, ENW SHEET OF
DATE: OCT, 1995 DWG. NO.

REUSE OF DRAWINGS

These drawings, in any portion thereof, shall not be used on any project without the written consent of J-U-B ENGINEERS, INC. except by agreement in writing with J-U-B ENGINEERS, INC.

MICROFILMED
SEP 29 1998

8/7/98

APPLICANT SENT MAP
SHOWING PO/PU.


RECEIVED

AUG 07 1998

NORTHERN REGION
IDWR

• = well
x = House

allan
509-918-1087
8-6-98



MICROFILMED

SEP 29 1998

5328

BM 2218

HANSON
T. S. S. N., R2W.


APPLICANT SENT MAP
SHOWING PD/PO.

AUG 07 1998

NORTHERN REGION
IDWR

• = well
x = House

all right
509-918-1047
8-6-98



APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by *Cindy Lou*
 No.: 96-8999 Name: Hanson Date: 9/22/98 Ad OK? ✓ Gvmt Lts: LT6

 AREA OF CONCERN: No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust
 PROTESTED: 020 (Protest Agreement) or *W19 (Order)

 SYSTEM COMPLETED:
 > 1 year - 26A-P17
 ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

 WMD (✓ MAP) - North / East / West
 > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
 ≤ 0.24 cfs/5 acres - No MD
 WMD Supplemental use - 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)
 > 0.24 cfs/5 acres - 01M (report when notified)
 ≤ 0.24 cfs/5 acres - No MD

DRILLING PERMIT:

 All wells (✓ WDQ3) - 046-P23
 In Basin 34? - 085
 Irr. within WD - P05 (new well location)
SURFACE WATER: (✓ FLO-CH) (Surface water that *doesn't* sink is regulated):
 FISH & GAME CONTACTED: - Yes / No; RESPONSE: _____
 IN/ABOVE MIN. STR. FLOW (✓ MAP) - *WB9 _____
 WD (✓ MAP & LISTING) - R04 (WD # _____)
 > 0.10 cfs - 01J-P08 (MD & LD)
 ≤ 0.10 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

 WMD (✓ MAP)
 > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
 ≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

 > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
 ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water):

 Snake R (01) - *W22 -P04, NA
 (02/03-irr) - 007 (w/ remark *WB9 if above Weiser), NA
 Payette R(65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA
 Salmon R (70's) - 029 (fish screens), NA
 Weiser R (67) - 086, 087

USE:

 Domestic surface - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
 >1 in rest. area - 071-070
 Fire Protection - 077
 Fish Propagation - 029-007-042(req)-081 (WQ)-P10
 Heating/Cooling - R07 (injection well)
 Irr ≤ 5 acres - R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
 > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
 Mining - 054(req) -081-P10
 Municipal - 022, 075, 004 (+memo?), NA (not in restricted area)
 Power - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);
 17G (FERC) or 17M (FERG); 18B-P09; >25 cfs-P18
 Stockwater - R37 (BLM/USFS); NA
 Storage (✓3 compo.) - 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

LOCATION:

 42-248 area - P84 (in 20/30/40/50/60/70/80 (87) basin)
 Boise Front LoGeo - 058 (<85° GW temp only)
 In-stream dev. - P52 (stream channel alteration)
 Mitigation - 120

SWAN FALLS FLAG (See Code Chart)

 Trust - _____
 Non-Trust (1) - 051-052-053-P74 (Consumptive Uses), NA
 - 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU) Farmer / easement

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- 01W01/1
- 10/1/1999

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Debra Bergman being first duly sworn on oath

deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Capp. for Water Rights

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 20th day of Aug., 1998

and ending on the 27th day of Aug., 1998

and that said notice was published in said newspaper.

On this 27th day of Aug. in the year

of 1998, before me, a Notary Public, personally

appeared Debra Bergman,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me first

duly sworn, declared that the statements therein are true,

and acknowledged to me that he executed the same.

Notary Public for Idaho

Residing at _____

My commission expires: _____

RECEIVED

SEP 11 1998

NORTHERN REGION
IDWR

RECEIVED

SEP 04 1998

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08999

HANSON, ALLAN

4701 S PROGRESS COURT

VERADALE, WA 990379196

Source: GROUNDWATER

Diversion Pt: SWNE Sec 7 T 55N

R 02W in BONNER County.

Use: DOMESTIC (0.040 CFS)

Total Diversion: (0.040 CFS)

Date Filed: 8/7/1998

In: BONNER County

T55N R02W S07 SWNE

For additional information con-
cerning the property location, call
the Northern Regional office at
(208) 769-1450.

The permit(s) will be subject to
all prior water rights. Protests must
be filed with the applicant and with
the Director, Dept. of Water
Resources, Northern Region, 1910
Northwest Blvd., Suite 210, Coeur
d'Alene, Idaho 83814, together with
a protest fee of \$25.00 on or before

SEPTEMBER 8, 1998.

KARL J. DREHER, Director
SNP#9410 Aug 20, 27, 1998

MICROFILMED

SEP 29 1998

#9410

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 96-08999

Priority: August 7, 1998

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that ALLAN HANSON

4701 S PROGRESS CT

VERADALE WA 99037-9196

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 7, 1998; and has submitted Proof of Beneficial Use on December 3, 1998. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 6 (SWNE), Sec. 7, Township 55N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC


TWN RGE SEC

55N 02W 7 Lot 6 (SWNE)

CONDITIONS OF APPROVAL AND REMARKS

1. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 2nd day of MARCH, 1999.


Acting for KARL J. DREHER, Director

MICROFILMED

APR 15 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES RECEIVED

PROOF OF BENEFICIAL USE

DEC 07 1998

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08999 Telephone No. 509-928-1047
2. Name(s) of Permit Holder(s): Allan Hansen
3. Mailing Address: 4701 South Progress Court Veradale, WA 99037
4. Source of Water: Groundwater If GROUNDWATER (well), Date Drilled: mo. 4 yr. 92
- a. Well Driller: H₂O Well Service Drilling Permit Number: 96-92-C-004
- b. OPTIONAL:
Pump Horsepower: 3/4 hp ap. Pressure (psi): _____ Dynamic pumping level (ft): 220
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .04 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | | | |
|------------------------|--|-----------|----|-------------|
| Measuring Device: | Is a measuring device required? | Yes _____ | or | No <u>✓</u> |
| | Has the measuring device been installed? | Yes _____ | or | No <u>✓</u> |
| Flow Measurement Port: | Is a flow measurement port required? | Yes _____ | or | No <u>✓</u> |
| | Has the measurement port been installed? | Yes _____ | or | No <u>✓</u> |
8. Fee Enclosed: \$ 0 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Same as Above Telephone Number: _____
Address: _____
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

(include your title, if on behalf of company or organization)

Date: Dec 3, 1998

MICROFILMED

JAN 04 1999

MICROFILMED

FEB 11 1999

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08999

Proposed Priority: August 7, 1998 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **ALLAN HANSON**
4701 S PROGRESS CT
VERADALE WA 99037-9196
has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 6(SWNE), Sec. 7, Township 55N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC


55N 02W 7 Lot 6(SWNE)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1999**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

23rd day of September, 1998.


for Karl J. Dreher, Director

MICROFILMED
SEP 29 1998

Ident. No. 96-08999
RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

SEP 16 1998
Department of Water Resources

1. Name of Applicant Alan Hanson Phone (509) 928-1047
Mailing address 4701 S. Progress Court, Veradale, WA 99037-9196
2. Source of water supply well - GROUNDWATER which is a tributary of N/A
3. Location of point of diversion is Township 55N Range 2W Sec. 7, in the 1/4,
SW 1/4, NE 1/4, Govt. Lot 64, B.M., Bonner County;
additional points of diversion if any: _____

4. Water will be used for the following purposes:
Amount 0.04 per for domestic purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source pipe liner for well
b. Height of storage dam none feet; active reservoir capacity none acre-feet; total
reservoir capacity _____ acre-feet
c. Proposed well diameter is 6" with 4" liner inches; proposed depth of well is 243 feet
d. Is ground water with a temperature of greater than 85°F being sought? No
e. If well is already drilled, when? 4-23-92; Drilling firm H2O
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. one house hold
e. Other; describe fully. _____

BONNER CO. ASSESSOR'S OFFICE DETERMINED THAT HANSON'S PROPERTY WAS
LOCATED IN SW 1/4 NE 1/4, OR SE 1/4 NW 1/4.
* per govt plat. 9/22/98 cz.
MICROFILMED
SEP 29 1998

9. Description of place of use:


- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC												
		5522	7											

BOUNDARY SURVEY
Lots 12 & 13 of WEST COCALALLA ESTATES
Sec. 7, T55N, R2W, B.M.
Bonner County, Idaho



I, ERNEST M. WARNER, do hereby certify that I am a Registered Professional Land Surveyor, licensed by the State of Idaho, and that this map has been prepared from an actual survey made on the ground under my supervision, and that this map is an accurate representation of said survey.



B-57M
ERNEST M. WARNER

BASIS OF BEARING

Basis of bearing is along the westerly line of Lot 13 of WEST COCOLALLA ESTATES according to the plat filed as Instrument Number 339206 (Records of Bonner County, Idaho).

LEGEND

- | | |
|------|--|
| ○ | Fnd. 3/4" Iron Pipe Monument except as noted |
| ○ | Fnd 5/8" Steel Pin w/Cop PLS 974 |
| ○ | Fnd 1/2" Steel Pin |
| Rec) | Record dimensions per Plat |
| --- | Property Boundary |
| * | Old Rail Fence |
- REUSE

LINE	GEARING		DISTANCE
	N	W	
L1	35.58	11	9.45
L2	89.15	19	23.08
L3	88.75	28	43.80
L4	88.35	36	64.60
L5	87.95	44	85.40
L6	87.55	52	106.20
L7	87.15	60	127.00
L8	86.75	68	147.80
L9	86.35	76	168.60
L10	85.95	84	189.40
L11	85.55	92	210.20
L12	85.15	100	231.00
L13	84.75	108	251.80
L14	84.35	116	272.60
L15	83.95	124	293.40
L16	83.55	132	314.20
L17	83.15	140	335.00
L18	82.75	148	355.80
L19	82.35	156	376.60
L20	81.95	164	397.40
L21	81.55	172	418.20
L22	81.15	180	439.00
L23	80.75	188	459.80
L24	80.35	196	480.60
L25	79.95	204	501.40
L26	79.55	212	522.20
L27	79.15	220	543.00
L28	78.75	228	563.80
L29	78.35	236	584.60
L30	77.95	244	605.40
L31	77.55	252	626.20
L32	77.15	260	647.00
L33	76.75	268	667.80
L34	76.35	276	688.60
L35	75.95	284	709.40
L36	75.55	292	730.20
L37	75.15	300	751.00
L38	74.75	308	771.80
L39	74.35	316	792.60
L40	73.95	324	813.40
L41	73.55	332	834.20
L42	73.15	340	855.00
L43	72.75	348	875.80
L44	72.35	356	896.60
L45	71.95	364	917.40
L46	71.55	372	938.20
L47	71.15	380	959.00
L48	70.75	388	979.80
L49	70.35	396	1000.60
L50	69.95	404	1021.40
L51	69.55	412	1042.20
L52	69.15	420	1063.00
L53	68.75	428	1083.80
L54	68.35	436	1104.60
L55	67.95	444	1125.40
L56	67.55	452	1146.20
L57	67.15	460	1167.00
L58	66.75	468	1187.80
L59	66.35	476	1208.60
L60	65.95	484	1229.40
L61	65.55	492	1250.20
L62	65.15	500	1271.00
L63	64.75	508	1291.80
L64	64.35	516	1312.60
L65	63.95	524	1333.40
L66	63.55	532	1354.20
L67	63.15	540	1375.00
L68	62.75	548	1395.80
L69	62.35	556	1416.60
L70	61.95	564	1437.40
L71	61.55	572	1458.20
L72	61.15	580	1479.00
L73	60.75	588	1500.20
L74	60.35	596	1521.40
L75	59.95	604	1542.60
L76	59.55	612	1563.80
L77	59.15	620	1585.00
L78	58.75	628	1606.20
L79	58.35	636	1627.40
L80	57.95	644	1648.60
L81	57.55	652	1669.80
L82	57.15	660	1691.00
L83	56.75	668	1712.20
L84	56.35	676	1733.40
L85	55.95	684	1754.60
L86	55	692	1775.80
L87	54.6	700	1797.00
L88	54.2	708	1818.20
L89	53.8	716	1839.40
L90	53.4	724	1860.60
L91	53	732	1881.80
L92	52.6	740	1903.00
L93	52.2	748	1924.20
L94	51.8	756	1945.40
L95	51.4	764	1966.60
L96	51	772	1987.80
L97	50.6	780	2009.00
L98	50.2	788	2030.20
L99	49.8	796	2051.40
L100	49.4	804	2072.60

SURVEY FOR AL HANSON
Lots 12 & 13 of WEST COCALALLA ESTATES



J-U-B ENGINEERS, INC.
Engineers Surveyors Planners
Coeur d'Alene, Idaho

REUSE OF DRAWINGS


ACAD.DWG FILE: 200475.DWG		PLT.SC. (1=100)
DE	DR. PH	CK. EAW
		SHEET
		OF

Old Rail Fence

APPLICANT SENT MAP
SHOWING PD/PO.

AUG 07 1998

NORTHERN REGION
IDWR





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 3, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

ALLAN HANSON
4701 S PROGRESS CT
VERADALE WA 99037-9196

RE: WATER RIGHT NO. 96-08999

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

APR 15 1999

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

3 MICROFILMED


APR 15 1993

CERTIFICATE OF MAILING

I hereby certify that on the 3rd day of March, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 96-08999

ALLAN HANSON
4701 S PROGRESS CT
VERADALE WA 99037-9196


Kari Lynn Townsend
Secretary

MICROFILMED
APR 15 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08999 DATE 2/26/99 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK ☐ Change (P39 /P47) ☐ Add (P45/P42) Feds - P40
 W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK ☐ Change (P41/P47) ☐ Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .04 cfs
 Fee limit .04 cfs No fee
 Measured ✓ cfs
 Theoretical .04 cfs
 Recommended Total Div Rate .04 cfs

WATER USES	<u>OK</u>	Change (P46)		
<u>Dom</u>	<u>.04</u> cfs	<u>1.2</u> af	Irrig -	overlap (R58-R61, R62-R65, R66-R69)
_____	_____ cfs	_____ af		supp. gw (WB7/065/079)
_____	_____ cfs	_____ af		overlap spec. combined rts (W35)
_____	_____ cfs	_____ af		<1acre (W31)
_____	_____ cfs	_____ af	Domestic	(W01/WB5/070/071/075)
TOTALS	<u>.04</u> cfs	<u>1.2</u> af	Power	(W42 or W43/025/027/R22 or R23)
			Fish (042)	Fire (077) Wtr Quality (081/R07)

Flow rate .04 cfs X 365 days X 1.98 = 29.0 af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority ☐ yes ☒ no SRBA Claim NA Adjust Memo _____
 Amend letters _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1999

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08999

1. Owner: Allan Hanson Phone No. (509) 928-1047

Current Address: 4701 South Progress Court Veradale WA 99037

2. Accompanied by: N/A EXAM DATE: 12-18-98

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	6		SW	NE	7	55N	2W	Bonner	USGS 7.5' Quad.

2. Place(s) of Use:

Indicate Method of Determination USGS 7.5' Quad.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	2W	7			D														

MICROFILMED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


1.
D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		75			

4.

Scale: 1" = 1/4 mi.
 _____ Copy of USGS Quadrangle Attached Showing location(s) of
 _____ Aerial Photo Attached (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached (points) of diversion and place(s) of use (required).



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

WATER IS PUMPED FROM WELL TO HOME/CABIN BY 3/4 H.P.
PUMP.

NO PHOTO SUBMITTED WITH EXAM.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 15 1989

Measured Method:

Additional Computation Sheets Attached

See Theoretical Calculation

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

From

10/10

Period of Use

oi

12/31

Rate of Diversion

Q (c/s)

40-

Annual Volume

V (a1a)

1.2

2. Recommended Amendments

Change P.D. as reflected above

Change P.U. as reflected above

Add P.D. as reflected above

Add P.U. as reflected above

☒ None

Other _____

Totals:

60.

27

1. AUTHENTICATION

Field Examiner's Name _____

Date: _____

SEAL

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: A. HANSON 96-08999

DATE: 12-JAN-99

COMPLETE BY: PAGEL

HORSEPOWER = .75

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 20 FEET

SYSTEM PRESSURE = 45 PSI

QUANTITY = 0.04 CFS

MICROFILMED
APR 15 1999

8/7/98

APPLICANT SENT MAP
SHOWING PD/PU.


RECEIVED

AUG 07 1998

NORTHERN REGION
IDWR

• = well
x = House

allan hansen
509-918-1047
8-6-98



**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08999 Reviewed by [Signature] Date 12-15-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? dom.
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 96-92-C-0004-000
35.- Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

NO Required?
1 Amount Submitted
 Correct?
NO Required?
1 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address X Proof Made 12-3-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 15, 1998

Allan Hanson
4701 S Progress Ct
Veradale WA 99037-9196

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08999

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **NORTHERN** Regional Office of the department in Coeur d'Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED
JAN 04 1999

MICROFILMED
Kishot
FEB 11 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 23, 1998

PHILIP E. BATT
GOVERNOR

ALLAN HANSON
4701 S PROGRESS CT
VERADALE WA 99037-9196

KARL J. DREHER
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08999

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.


The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

If you have any questions, please call me at 208-327-7946.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SK:klt
Enclosures

RECEIVED

SEP 29 1998

CERTIFICATE OF MAILING

I hereby certify that on the 23rd day of **September, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved Permit)** to the person(s) listed below:

Water Right No. 96-08999

ALLAN HANSON
4701 S PROGRESS CT
VERADALE WA 99037-9196


Kari Lynn Townsend
Secretary

MICROFILMED

SEP 29 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by *Cindy Lou*
 No.: 96-8999 Name: Hanson Date: 9/22/98 Ad OK? / Gvmt Lts: LT6

 AREA OF CONCERN: - No/Yes: Mor / GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

> 1 year

- 26A-P17

≤ 1 year/no proof

- P16

GROUNDWATER: (✓ FLO-CH)

WMD (✓ MAP)

- North / East / West

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

WMD Supplemental use

- 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

> 0.24 cfs/5 acres

- 01M (report when notified)

≤ 0.24 cfs/5 acres

- No MD

DRILLING PERMIT:

All wells (✓ WDQ3)

- P23

In Basin 34?

- 085

Irr. within WD

- P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED:

- Yes / No; RESPONSE:

IN/ABOVE MIN. STR. FLOW (✓ MAP)

- *WB9

WD (✓ MAP & LISTING)

- R04 (WD #)

> 0.10 cfs

- 01J-P08 (MD & LD)

≤ 0.10 cfs

- 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

RIVER BASINS: (*Surface water):

Snake R (01)

- *W22-P04, NA

(02/03-irr)

- 007 (w/ remark *WB9 if above Weiser), NA

Payette R(65)

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

Salmon R (70's)

- 029 (fish screens), NA

Weiser R (67)

- 086, 087

USE:

Domestic surface

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

>1 in rest. area

- 071-070

Fire Protection

- 077

Fish Propagation

- 029-007-042(req)-081 (WQ)-P10

Heating/Cooling

- R07 (injection well)

Irr ≤ 5 acres

- R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)

> 5 acres

- R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)

Mining

- 054(req)-081-P10

Municipal

- 022, 075, 004 (+memo?), NA (not in restricted area)

Power

- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);

17G (FERC) or 17M (FERG); 18B-P09; >25 cfs-P18

Stockwater

- R37 (BLM/USFS); NA

Storage (✓3 compo.)

- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

LOCATION:

42-248 area

- P84 (in 20/30/40/50/60/70/80 (87) basin)

Boise Front LoGeo

- 058 (<85° GW temp only)

In-stream dev.

- P52 (stream channel alteration)

Mitigation

- 120

SWAN FALLS FLAG (See Code Chart)

-

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust (1)

- 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU) Farmer / easement~~OTHER CONDITIONS:~~

STANDARD REMARKS:

- 0001/1

BENEFICIAL USE DUE:

- 01/1999

COMMENTS:

-

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
SEP 16 1998
WRI
BCA
WRK

APPLICATION # 96-08999

INITIAL REVIEW

DEPARTMENT OF WATER RESOURCES

APPLICANT: HANSON BY: AB DATE: 8/7/98

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
 - (X) Nature of Proposed Use
 - (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
 - (X) Signature
 - (X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

- Yes() No()
- Y Field check: by _____
 - Y Field report attached
 - Y Analysis Supp. attached(>5cfs/500af)
 - Y Water delivered by water master?
 - Water District # _____

PROCESSING

(Yes)(No) PRIORITY DATE: 8/7/98

X (Include Moratorium Remark)

X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONNER County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

GROUNDWATER SECTION

D Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
<u>96 92 C 004</u>	Dom. <u>✓</u> Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()

- _____ Groundwater management area
- _____ Critical ground water area
- _____ Well Drilling Permit required
- _____ Well Drilling Application and Fees received
- _____ Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

- Yes() No()
- _____ Notice of pending void order issued. Final order response date: _____/_____/_____
 - _____ Further information required from applicant
 - 9/11 _____ Affidavit of publication received
 - 9/11 _____ Application published correctly. If not, record action taken: _____
 - 9/12 _____ Publication dates and paper recorded on application
 - ✓ _____ Protests received, Final protest date: 9/8/98
 - ✓ _____ Measuring device required
 - ✓ _____ Measuring port required
 - ✓ _____ Special conditions:
 - ✓ _____ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB Date: 9/14/98

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Debra Bergman being first duly sworn on oath

deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Capp. for Water Rights

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 20th day of Aug., 1998

and ending on the 27th day of Aug., 1998

and that said notice was published in said newspaper.

On this 27th day of Aug. in the year

of 1998, before me, a Notary Public, personally

appeared Debra Bergman,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me first

duly sworn, declared that the statements therein are true,

and acknowledged to me that he executed the same.

Notary Public for Idaho

Residing at _____

My commission expires: _____

RECEIVED

SEP 11 1998

NORTHERN REGION
IDWR

RECEIVED

SEP 04 1998

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08999

HANSON, ALLAN

4701 S PROGRESS COURT

VERADALE, WA 990379196

Source: GROUNDWATER

Diversion Pt: SWNE Sec 7 T 55N

R 02W in BONNER County.

Use: DOMESTIC (0.040 CFS)

Total Diversion: (0.040 CFS)

Date Filed: 8/7/1998

In: BONNER County

T55N R02W S07 SWNE

For additional information con-
cerning the property location, call
the Northern Regional office at
(208) 769-1450.

The permit(s) will be subject to
all prior water rights. Protests must
be filed with the applicant and with
the Director, Dept. of Water
Resources, Northern Region, 1910
Northwest Blvd., Suite 210, Coeur
d'Alene, Idaho. ~~Protest fee~~ with
a protest fee of ~~\$100~~ before

SEPTEMBER 8, 1998.

KARL J. DREHER, Director

SNP#9410 Aug 20, 27, 1998

MICROFILMED

SEP 29 1998

#9410

96-08999

HANSON, ALLAN
4701 S PROGRESS COURT
VERADALE, WA 990379196

Source: GROUNDWATER

Diversion Pt: SWNE Sec 7 T 55N R 02W in BONNER County.

Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)

Date Filed: 8/ 7/1998

In: BONNER County
T55N R02W S07 SWNE

MICROFILMED

SEP 29 1998

August 12, 1998

Allan Hanson
4701 S Progress Court
Veradale WA 99037-9196

Re: Water Appropriation Application No. 96-08999

Dear Mr. Hanson:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If your source is groundwater, a Well Drilling Permit is required for all wells constructed after July 1, 1987.

A "Domestic" well drilling permit should be obtained for a rate of diversion of up to 18 gallons per minute (0.04 CFS) and a daily volume of up to 2,500 gallons per day. The cost for this permit is \$75.00. For any other use, including multiple homes, or municipal, etc., the Drilling Permit fee is \$200. These Permits can be obtained by your driller, also. It is sometimes possible to upgrade an existing Domestic Drilling Permit by submitting a fee for the difference. This, however, depends on the individual well.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

MICROFILMED

SEP 29 1998

AB:db

RECEIVED
MAY 04 1992

State of Idaho
Department of Water Resources

96-92-C-004

Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Mr Al Hansen
2. Mailing Address S 1906 Conklin
Vernadale Wa 99037 Telephone 509-928-1047
() Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 SW 1/4, or Gov't Lot No. _____
Sec. 7, Twp. S5, Rge. 2W, County Kootenai Bonner
Street Address of Well Site Cassalla Loop Rd
Lot, block and subdivision _____

4. Proposed use of well:

- ☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- () Non-Domestic: Any beneficial use not included within the definition of domestic.

- () Injection

- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

- A. ☒ New well () Deepen () Replace - See Condition 9

- B. Proposed Surface Diameter 6" Proposed Maximum Depth 300'

C. Anticipated bottom hole temperature:

- () 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date H2O Well Service

7. Anticipated Well Driller H2O Well Service

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature [Signature] Date 3-23-92
Title Drilling Supervisor

(Owner, Firm Representative, Other)

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
— within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT