




MICROFILMED
SEP 29 1998

48° 07' 30" 116° 37' 30"
COCOLALLA 1.2 MI.
COEUR D'ALENE 34 MI.
Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS

Cocolalla Loop Road,


Entrance



MICROFILMED
SEP 29 1998

88680-9b

(CAREYWOOD)
2680 II SW



Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1966. Field checked 1968

Selected hydrographic data compiled from USC&GS Chart 6170 (1967)

This information is not intended for navigational purposes

Polyconic projection. 1927 North American datum. 10,000-foot grid based on Idaho coordinate system, west zone

1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue

Fine red dashed lines indicate selected fence lines

MICROFILMED

2001



UTM GRID AND 1968 MAGNETIC DECLINATION AT CENTER

96-08988-96



PD

school
pu



church
pu



Gym
pu



MICROFILMED
JAN 31 2001

96-08988-96



PD



school
pu

church
pu



Gym
pu



NOT REPROFILMED
JAN 31 2001

96-08988-96



pd



school
pu



church
pu



Gym
pu

MICROFILMED
JAN 31 2001

96-08988



pd



school
pu



church
pu



Gym
pu

MICROFILMED
JAN 31 2001



Dining Hall
In building listed
as office



Kitchen

RECORDED

MICROFILMED

JAN 31 2001



Dining Hall
In building listed
as office



Kitchen

REPRODUCED

MICROFILMED

JAN 31 2001

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 96-08988

Priority: April 13, 1998

Maximum Diversion Rate: 0.08 CFS
Maximum Diversion Volume: 10.5 AF

It is hereby certified that COCOLALLA LAKE BIBLE CAMP
PO BOX 106
COCOLALLA ID 83813-0106 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated April 13, 1998; and has
submitted Proof of Beneficial Use on May 19, 2000. An examination indicates that the works have a
diversion capacity of 0.08 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.08 CFS	10.5 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER L6 NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 5, Twp 55N, Rge 2W, B.M. BONNER County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N 02W 5									X	X							
									L6	L5							

CONDITIONS OF APPROVAL


1. Domestic use is for a bathhouse, a church, and an office/kitchen at a camp.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 11TH day of JANUARY, 2002.

MICROFILMED

FEB 25 2002

Acting for 
KARL J. DREHER
Director

RECEIVED

MAY 18 2000

Department of Water Resources

 STATE OF IDAHO
 DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 96-08988 Telephone No. 208-263-3912
2. Name of Permit Holder(s): Cocolalla Lake Bible Camp
3. Mailing Address: P.O. Box 106
 City Cocolalla State ID Zip 83813
4. Source of Water: Groundwater If GROUNDWATER (well), Date Drilled: mo. 12 / yr. 98
 a. Well Driller: H2O Drilling Permit Number: 96-98-N-270.000
5. Use(s) (as authorized by the water right permit):
 Domestic (No. of households): 3 buildings Stockwater (No. and type of stock): _____
 Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .20 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
 (This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
 Measuring Device: Is a measuring device required? Yes _____ or No X
 Has the measuring device been installed? Yes _____ or No _____
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
 Name: Robert P. Sisson Telephone Number: 208-263-0703
 Address: P.O. Box 102 Cocolalla, ID 83813-0102
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

 Signature of permit holder: [Signature] Maintenance Director Date: 4/19/00
 (include your title, if on behalf of company or organization)

MICROFILMED

JAN 31 2001

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08988

Proposed Priority: April 13, 1998

Maximum Diversion Rate:

0.20 CFS

This is to certify, that **COCOLALLA LAKE BIBLE CAMP**
PO BOX 106
COCOLALLA ID 83813-0106

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 5, Township 55N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

55N 02W 5

NESW


NWSW

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **June 1, 2000**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Domestic use is for 3 buildings at Bible camp.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

15th day of June, 1998.


for Karl J. Dreher, Director

MICROFILMED

SEP 29 1998

Ident. No. 96-8988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

JUN 11 1998

Department of Water Resources

1. Name of Applicant Cocolalla Lake Bible Camp Phone 208-263-3912
Mailing address P.O. Box 106 Cocolalla Id 83813
2. Source of water supply groundwater which is a tributary of N/A
3. Location of point of diversion is Township 55 N Range 2 W Sec. 5, in the SUNE 1/4, SW 1/4, SW 1/4, Govt. Lot SE, B.M., Bonner County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:

Amount <u>0.20</u> for <u>Domestic</u> purposes from <u>Jan 1</u> to <u>Dec 31</u> (both dates inclusive)	(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)	(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)	(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)	(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)	(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)	(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source 1 hp pump - 6" casing
1 1/4" poly pipe.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
 - c. Proposed well diameter is 8" inches; proposed depth of well is 105 feet
 - d. Is ground water with a temperature of greater than 85°F being sought? NO
 - e. If well is already drilled, when? N/A; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. _____
 - e. Other; describe fully. organizational Camp MICROFILM for building
3 BUILDINGS AT BIBLE CAMP WILL BE SERVED BY WELL

SEP 29 1998

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic* use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Cocolalla Lake Bible Camp

b. Who owns the land to be irrigated or place of use?

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

ឈ្មោះ ឈ្មោះ

12. Remarks: Discrepancy will be noted for REBILITATION.

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters

of the State of Idaho as herein set forth.

SEP 29 1998
MICROFILMED

Signature of Applicant (and title, if applicable)

President

Preliminary check by

2015

Time

Date 4/13/98

Received by

Date _____

Publication prepared by

Publication approved

Received by

Fee \$

05-

Φ

100

5	0	5
---	---	---

Date _____

86	5	9
----	---	---

Date _____

100/1973

4/13/98

[Handwritten signature]

86/12/15/5



MICROFILMED


SEP 29 1998

236000
FEET

Survey

Cacolalla Loop Road,

Entrance




MICROFILMED

SEP 29 1998



Cocolalla Lake Bible Camp



Corporate Officers

President
George Riffle

13130 W Sunrise Ct Rathdrum Id 83858

Vice President
Randy Anderson

P.O. Box 509 Spirit Lake Id 83869

Treasurer
Curt Kruger

W2108 Strong Rd Spk WA 99208

Secretary
Dale Schultz

3915 N Elm Street Spokane WA 99205

MICROFILMED

SEP 29 1998

COCOLALLA LAKE BIBLE CAMP P.O. BOX 106 COCOLALLA ID 83813



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

January 16, 2002

COCOLALLA LAKE BIBLE CAMP
PO BOX 106
COCOLALLA ID 83813-0106

RE: License No. 96-8988 - Issuance of License

Dear Water Right Holder(s):


The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,



for Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

FEB 23 2002

CERTIFICATE OF MAILING

I hereby certify that on January 16, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 96-8988

**COCOLALLA LAKE BIBLE CAMP
PO BOX 106
COCOLALLA ID 83813-0106**


**Kari Lynn Townsend
Secretary**

MICROFILMED

FEB 25 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

FEB 23 2002

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 21 2002

Comment Report

96-8988

1. skeen 01/11/2002 License Review

Comment: Licensing review and data entry by S. Keen on 1/11/2002. Diversion rate is higher than recommended by the field examiner because his theoretical used the total depth of the well and an unusually high pressure to estimate the head. Also, the digitized place of use is just a guess.

2. DBALL 04/14/1998 DIVERSION DESCRIPTION

Comment: Proposed 8" diameter well, 1 HP pump 6" casing, 1-1/4" poly pipe. Other (existing) well will be used for irrigation.

3. DELLIS 05/31/2000 Proof of Beneficial Use Rcvd

Comment: Proof of Beneficial Use Rcvd

Theoretical diversion rate

$$\frac{8.8(.7)(1.5 \text{ h.p.})}{50 \text{ ft.} + (2.31 * 30 \text{ psi})} = 0.08 \text{ cfs}$$

MICROFILMED

FEB 25 2002

Proof Report

Permit No. 760677
Metal Tag No. D0005698,
Well ID # 332450

Relationship: Owner/Operator
Name: -COCOLALLA BIBLE CAMP
Address: PO BOX 106
COCOLALLA ID 838130106

Well Location: Township 55N, Range 02W, Section 5, NE, SW
COUNTY BONNER

Address of Well Site:
COCOLALLA ID

Use of Well: Commercial

Activity: New Well

Region: Northern

Construction Method:

Const Start Date: Dec 01 1998 Const End Date: Dec 01 1998

Well Drilling Company: H2O WELL SERVICE (No. 448)

Card Hold Name: JOHN H WHEELER- (No. 4055)

Certifying Official:

Date Received: Dec 10 1998

Date Approved: Nov 30 1998

Date Inspected: May 06, 1999,

Completed Depth: 110 FT Drilled Depth: Surface Diameter: 6 inches

Primary Flow Depth: Overall Temp: Static Water Level: 15

Head Pipe Length: Tail Pipe Length Production Rate: 20 GPM

Closed in Pressure: 0 Psi Bottom Hole Temp: 0 F. Low Temp Geothermal: NO

Control Device Desc:

Access Port Desc:

Casing

From	To	Diam	Type	Gauge	Join Type	Material
	102					

Seal

From	To	Material	Amount	Method
------	----	----------	--------	--------

MICROFILMED

1997 11 10

Screen

From	To	Dia	Type	Slot Size	# of Slots	Material	Perforation Meth	Screen Type
------	----	-----	------	--------------	---------------	----------	---------------------	-------------

Lithologic Layer

From	To	Diam	Water	Color	Material	Texture
------	----	------	-------	-------	----------	---------

Drive Shoe

Depth	Test Description
-------	------------------

MICROPIERCE

SEP 21 2009

Keen, Shelley

From: Unity Messaging System - A009
Sent: Friday, January 11, 2002 1:40 PM
To: Keen, Shelley
Subject: Rob Sisson 208-263-3912 Cocolalla Lake Bible Camp Schoolhouse is not on the system.
Add the church in its place.



VoiceMessage
e

Today I received a telephone message with the information in the subject line above.

S. Keen
1/11/2002

MICROFILMED

SEP 23 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 11, 2001

COCOLALLA LAKE BIBLE CAMP
PO BOX 106
COCOLALLA ID 83813

RE: Water Appropriation Permit 96-8988

Dear Permit Holder:

On June 15, 1998, the Department of Water Resources (IDWR) issued Permit 96-8988 authorizing you to divert water from a well for domestic use in three buildings. On May 19, 2000, you submitted a proof of beneficial use statement, and on September 20, 2000, an IDWR field inspector conducted an examination of your water system to confirm the beneficial use developed in accordance with the permit. The next step in the water appropriation process is the issuance of a water right license confirming the establishment of a water right. The water right license issued to you will be based on the examiner's report.

In Idaho a water right license can be issued only for the beneficial use that is authorized by the permit and actually developed. For example, if a permit is issued for 10 acres of irrigation, but the examiner finds 20 acres of irrigation, the license can be issued for only 10 acres of irrigation because that was all that was authorized. Similarly, if a permit is issued for the irrigation of 10 acres, but the examiner finds only five acres irrigated, then the license will be issued for five acres of irrigation because that was all that was developed.

In your case, the examiner's report indicates that water is used in five buildings -- bathhouse, schoolhouse, church, gymnasium, and office/kitchen -- instead of three buildings, as was indicated on the permit. Neither your application nor your permit, however, indicate which buildings were contemplated by your original filing. Therefore, I am inviting your assistance in identifying which three buildings to identify on your water right license. The remaining beneficial use will need to be covered by another water right filing.

Alternatively, you may attempt to demonstrate that the beneficial use associated with the five buildings is not an enlargement of the authorized water use and should, therefore, be covered under this right. For example, perhaps you developed five smaller buildings that represent less water use apiece than was originally anticipated for the three buildings. If you choose to pursue this option, please provide documentation showing the volume of water that would have been diverted and used in the three buildings compared to what is actually diverted and used in the five buildings.

MICROFILMED

DEC 25 2002

Cocolalla Bible Camp
December 11, 2001
Page 2

Please reply by January 10, 2001. If I have not received a response by that date, I will draft the license to cover the bathhouse, the office/kitchen, and the schoolhouse.

If you have any questions, please call me at 208-327-7946, or email me at skeen@idwr.state.id.us.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

C: IDWR Northern Region

MICRONIMEL

FEB 25 2002

RECEIVED
OCT 18 2000
K
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08988

1. Owner: Cocolalla Lake Bible Camp Phone No. (208) 263-3912

Current Address: PO Box 106 Goolalla Id. 83813-0106

2. Accompanied by: Robert R. Lison EXAM DATE: 9-20-00

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]


2. Place(s) of Use:

Indicate Method of Determination

[illegible]

JAN 3 1 2009

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" =

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached of 10+ acres (required for irrigation of 10+ acres)
Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1.5	2823008110	Sub	1.5"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. Measurements:

MICROFILMED

JAN 3 1 2000

96-0896

(CAREYWOOD)
2690 II SW



Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1966. Field checked 1968

Selected hydrographic data compiled from USC&GS Chart 6170 (1967)

This information is not intended for navigational purposes

Polyconic projection. 1927 North American datum.
10,000-foot grid based on Idaho coordinate system,
west zone

1000-meter Universal Transverse Mercator grid ticks,
zone 11, shown in blue

Fine red dashed lines indicate selected fence lines

MICROFILMED

UTM GRID AND 1968 MAGNETIC DECLINATION AT CENTER

9-2-68




PD

school
pu



church
pu



Gym
pu



REFILMED
10-1-68

9-2-68



PD



school
pu



Gym
pu



PROFILMED
4-11-68

96-2276



PD



school
pu



church
pu

Gym pu

PROFILMED

4/1/81

9-26-73




PD



school
pu




church
pu



Gym
pu

REFILMED
12-1-73



Dining Hall
In building tested
as office



Kitchen

MICROFILMED

1964



Dining Hall
In building listed
as office



Kitchen

MICROFILMED

1964

Agg Occupancy 200

E. NARRATIVE/REMARKS/COMMENTS

There are 5 buildings on system

- ① Office - 1 Restroom, Kitchen, Dining hall. During max occupancy kitchen does 3 meals a day for 250 people.
- ② Bathhouse - it has 8 showers, 6 toilets, 4 urinals
- ③ Gymnasium - has 2 baths each have 3 showers, 2 sinks & 2 toilets. There also is a kitchenette, and there are 3 apts up stairs each a shower toilet
- ④ Christian School - has 3 bathroom 25 students
- ⑤ Church - it has 2 bathrooms

Permit listed 3 buildings but 2 additional buildings are now on sys.

MICROFILMED

JUN 3 1 2004

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

$$8.8(1.5)(.7) = 9.24$$

$$110 + (9.24 \times 50) = 582.4$$

$$582.4 = .04 cfs$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{or} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{or} =$$

2. Volume Calculations for Other Uses:

6.5 acres x 50 gpd/campus = 325 gpd for 6 mo 100/dy 6 mo = 1.6 AF

1500 houses x 100 gpd/1500 = 150,000 gpd for 6 mo 100/dy 6 mo = 2.1 AF

School 200 gpd/student x 250 students = 50,000 gpd for 6 mo 100/dy 6 mo = 2.5 AF

6 yrs 200 gpd x 200 camps for 6 mo 100/dy 6 mo = 2.2 AF

Church 150 gpd x 200 people x 52 wks = 1.5 AF

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Concrete

Period of Use

From 01-01 To 12-31

Rate of Diversion

Q (cfs) .04

Annual Volume

V (ata) 14.1

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

I. AUTHENTICATION

Field Examiner's Name

Date

Date 10-12-00

Reviewer

MICROFILMED

SEAL



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 15, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

COCOLALLA LAKE BIBLE CAMP
PO BOX 106
COCOLALLA ID 83813-0106

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08988

Dear Permit Holder:

The department acknowledges receipt of the proofs of beneficial use forms submitted for the above referenced permits. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the Northern Regional Office of the department in Coeur d'Alene at (208) 769-1450.

Sincerely,

Deborah Drew-Ellis
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office

MICROFILMED

JAN 31 2001

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 96-08988 Reviewed by D. Ellis Date 6/15/00

GENERAL CONSIDERATIONS

Yes Name same as permit?
Yes Address same as permit?
Yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Domestic
Correct Uses? Yes

SOURCE OF WATER

No Surface water source

Yes Ground water source

Yes Drilling permit required?

No Copy in the file?

No Amount paid for permit

No Well log in the file?

Drilling Permit No. 96-98-N-270-000

Correct?

LICENSE EXAMINATION FEE

Yes Required?

\$50 Amount Submitted

Yes Correct?

MEASURING DEVICE

No Required?

No Installed?

Waiver requested?

PRIORITY CALCULATION

Date proof received

5/19/00

Date proof due

6/1/00

No. of days late

Priority Date

New Priority Date

DEFICIENCIES OR ACTION ITEMS

Acknowledge proof

DATA ENTRY

New Address

No

Proof Made

5/19/00

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: L049197

Date: 5/19/2000
Time: 09:36:01

Received From: CODO LALLA LAKE BIBLE CONF


	Type of Payment		Program A cct	Amount
BENEFICIAL USE	#96-05782	56104	229 21 1150	574.00

CHECK: 549

Total

574.00

Region: STATE

Signature: 

March 31, 2000

COCOLALLA LAKE BIBLE CAMP
PO BOX 106
COCOLALLA ID 838130106

PROOF DUE NOTICE

RE: PERMIT NO. 96-08988

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 2000.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

DEBORAH DREW-ELLIS
Administrative Assistant

Enclosures

MICROFILMED

JAN 21 2001





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 16, 1998

PHILIP E. BATT
GOVERNOR

COCOLALLA LAKE BIBLE CAMP
PO BOX 106
COCOLALLA ID 83813-0106

KARL J. DREHER
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08988

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

If you have any questions, please call me at 208-327-7946.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SK:klt


MICROFILMED
SEP 29 1998

CERTIFICATE OF MAILING

I hereby certify that on the 16th day of June, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 96-08988

COCOLALLA LAKE BIBLE CAMP
PO BOX 106
COCOLALLA ID 83813-0106


Kari Lynn Townsend
Secretary

MICROFILMED
SEP 29 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
SEP 29 1998

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
SEP 29 1998

APPLICATION FOR PERMIT STATE OFFICE REVIEW

by *Cindy Lou*

No.: 96-8988 Name: Cocolalla Lake Bible Camp Date: 6/12/98 Ad OK? ☒ ☒ Gvmt Lts: ☒

AREA OF CONCERN:

- No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust
- 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 264-P17
≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)**WMD (✓ MAP)**

- > 0.24 cfs/5 acres - North / East / West
≤ 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- No MD

WMD Supplemental use

- > 0.24 cfs/5 acres - 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)
≤ 0.24 cfs/5 acres - 01M (report when notified)
- No MD

DRILLING PERMIT:**All wells (✓ WDQ3)****In Basin 34?****Irr. within WD**

- 046-P23
- 085
- P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):**IN/ABOVE MIN. STR. FLOW (✓ MAP)****WD (✓ MAP & LISTING)**

- > 0.10 cfs - *WB9 _____
- R04 (WD # _____)
- 01J-P08 (MD & LD)
≤ 0.10 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water):**Snake R (01)**

(02/03-irr)

Payette R(65)**Salmon R(70's)**

- *W22 -P04, NA
- 007 (w/ remark *WB9 if above Weiser), NA
- *W22 (regulated uses), 047-P04 (Payette Lake), NA
- 029 (fish screens), NA

USE:**Domestic surface**

>1 in rest. area

Fire Protection**Fish Propagation****Heating/Cooling****Irr ≤ 5 acres**

> 5 acres

Mining**Municipal****Power**

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- 071-070
- 077
- 029-007-042(req)-081 (WQ)-P10
- R07 (injection well)
- R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- 054(req) -081-P10
- 022, 075, 004 (+memo?), NA (not in restricted area)
- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);
17G (FERC) or 17M (FERG); 18B-P09; >25 cfs-P18
- R37 (BLM/USFS); NA
- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

LOCATION:**42-248 area****Boise Front LoGeo****In-stream dev.****Mitigation****SWAN FALLS FLAG (See Code Chart)****Trust****Non-Trust (1)**


- P84 (in 20/30/40/50/60/70/80 (87) basin)
- 058 (<85° GW temp only)
- P52 (stream channel alteration)
- 120
- _____
- 051-052-053-P74 (Consumptive Uses), NA
- 048-049 (Consumptive Uses), NA
- 004 (PD/PU) _____

OWNERSHIP:**OTHER CONDITIONS:****STANDARD REMARKS:****BENEFICIAL USE DUE:****COMMENTS:**

- DW01/BC
- 6/1/2000



Cocolalla Lake Bible Camp



6/12/98

Idaho Dept. of Water Resources

To whom it may concern.

Below are the officers and board of directors members of
Cocolalla Lake Bible Camp.

President: George Riffle
Secretary: Dale Schultz
Treasurer: Curt Kruger

Randy Anderson
Robert McDowall
Dan Nickerson

Yours truly

Rob Sisson
Facility Manager
Cocolalla Lake Bible Camp

COCOLALLA LAKE BIBLE CAMP P.O. BOX 106 COCOLALLA ID 83813

MICROFILMED

SEP 29 1998

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

WR/ WRA BC

APPLICATION # 96-8988

JUN 11 1998

INITIAL REVIEW

DEPARTMENT OF WATER RESOURCES

APPLICANT: COXALLA LAKE
BIBLE CAMP

BY: AB

DATE: 4/13/98

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
(X) Signature
(X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

- (Yes) (No)
- ✓ Field check: by _____
- _____ Field report attached
- _____ Analysis Supp. attached (>5cfs/500af)
- _____ Water delivered by water master?
- _____ Water District # _____

PROCESSING

- (Yes) (No) PRIORITY DATE: 4/13/98
- _____ X (Include Moratorium Remark)
- _____ X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONNER County

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
_____	Dom. Non-Dom. <u>X</u>	Paid \$ <u>200</u>	_____	Y () N ()
_____	Dom. Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. Non-Dom. _____	Paid \$ _____	_____	Y () N ()

- X Groundwater management area
- ✓ Critical ground water area
- X Well Drilling Permit required
- _____ Well Drilling Application and Fees received
- _____ Well Drilling Application approved?

Remarks: APPLICANT WILL OBTAIN
W.D. PERM IT AFTER W.R. IS
APPROVED.

FINAL REGIONAL PROCESSING/REVIEW

- (Yes) (No)
- _____ Notice of pending void order issued. Final order response date: _____/_____/_____
- _____ Further information required from applicant
- 6/17/98 Affidavit of publication received
- 6/15/98 Application published correctly. If not, record action taken: _____
- 5/12/98 Publication dates and paper recorded on application
- _____ Protests received, Final protest date: 6/08/98
- _____ Measuring device required
- _____ Measuring port required
- _____ Special conditions:
- _____ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB RYH

Date: 6/8/98

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Sherilyn Plunk being first duly sworn on oath
deposes and says that he/she is Book Keeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

App for water
rights

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 21 day of May, 1998
and ending on the 28 day of May, 1998
and that said notice was published in said newspaper.

On this 28 day of May in the year
of 1998, before me, a Notary Public, personally
appeared Sherilyn Plunk,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Carolyn L. Inge
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 6/00

RECEIVED

JUN 04 1998

NORTHERN REGION
IDWR

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08985

READ, ROBERT
READ, ALEXIS
1700 GOLD CREEK ROAD
SANDPOINT, ID 83864
Source: LITTLE GOLD CREEK
Tributary: GOLD CREEK
Diversion Pt: NENW Sec 12 T 58N
R 01W in BONNER County.
NWNW Sec 12 T 58N R 01W in
BONNER County.
Use: IRRIGATION

(0.120 CFS) ok
IRRIGATION
STORAGE (8.53 AF)
IRRIGATION FROM
STORAGE (8.53 AF)
WILDLIFE STORAGE (8.53 AF)
RECREATION
STORAGE (8.53 AF)
DIVERSION TO
STORAGE (0.100 CFS)
Total Diversion:
(0.120 CFS)

Date Filed: 3/27/1998
In: BONNER County
T58N R01W S12 NENW NWNW

96-08986

READ, ROBERT
READ, ALEXIS
1700 GOLD CREEK ROAD
SANDPOINT, ID 83864
Source: LITTLE GOLD CREEK
Tributary: GOLD CREEK
Diversion Pt: SWNW Sec 12 T 58N
R 01W in BONNER County.

Use: IRRIGATION
STORAGE (3.20 AF)
IRRIGATION FROM
STORAGE (3.20 AF)
WILDLIFE
STORAGE (3.20 AF)
RECREATION
STORAGE (3.20 AF)
DIVERSION TO

STORAGE (0.100 CFS) ok
Total

Diversion: (0.100 CFS) ok
Date Filed: 3/27/1998
In: BONNER County
T58N R01W S12 SWNW

96-08987

HAMMEL, WILLIAM G
HAMMEL, RABIA M
PO BOX 555
SANDPOINT, ID 83864
Source: UNNAMED STREAM
Tributary: JOHNSON CREEK
Diversion Pt: NENE Sec 32 T 57N
R 03W in BONNER County.
Use: IRRIGATION (0.200 CFS)
STOCKWATER (0.020 CFS)
FIRE PROTECTION (0.200 CFS)
Total Diversion: (0.200 CFS)
Date Filed: 3/2/1998 - 3/27/98
In: BONNER County
T57N R03W S32 NENE
10.0 ACRES TOTAL

96-08988

COCOLALLA LAKE BIBLE CAMP
PO BOX 106
COCOLALLA, ID 83813 ok
Source: GROUNDWATER
Diversion Pt: NESW Sec 5 T 55N R
02W in BONNER County.
Use: DOMESTIC (0.200 CFS)
Total Diversion: (0.200 CFS)
Date Filed: 4/13/1998
In: BONNER County
T55N R02W S05 NESW NWSW

96-08989

LAKEVIEW LANE CONDOMINI-
UM ASSN
FRANK B EVANS, MANAGER
500 LAKEVIEW LANE
SANDPOINT, ID 83864
Source: PEND OREILLE LAKE
Tributary: COLUMBIA RIVER
Diversion Pt: SWSW Sec 22 T
57N R 02W in BONNER County.
Use: IRRIGATION (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 4/27/1998
In: BONNER County
T57N R02W S22 SWSE
0.4 ACRES TOTAL

96-08991

BROWN, BILL
108 S SECOND AVENUE
SANDPOINT, ID 83864
Source: PEND OREILLE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: LOT 8 (SWSE) Sec
31 T 57N R 02W in BONNER
County.
Lot 9 (SESE) Sec 31 T 57N R 02W
in BONNER County.
Use: IRRIGATION (0.200 CFS)
Total Diversion: (0.200 CFS)
Date Filed: 4/29/1998
In: BONNER County
T57N R02W S31 Lot 8 (SWSE) Lot
9 (SESE)
5.0 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional office at (208)
769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene,
Idaho 83814, together with a protest
fee of \$25.00 on or before JUNE 8,
1998.

KARL J. DREHER, Director
SNP#9188 May 21, 28, 1998

SEP 29 1998

9188

96-08988

COCOLALLA LAKE BIBLE CAMP
PO BOX 106
COCOLALLA, ID 83813

Source: GROUNDWATER

Diversion Pt: NESW Sec 5 T 55N R 02W in BONNER County.

Use: DOMESTIC (0.200 CFS)
Total Diversion: (0.200 CFS)

Date Filed: 4/13/1998

In: BONNER County
T55N R02W S05 NESW NWSW

MICROFILMED

SEP 29 1998

April 29, 1998

Cocolalla Lake Bible Camp
PO Box 106
Cocolalla ID 83813

Re: Water Appropriation Application No. 96-08988

Gentlemen:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to Appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If your source is groundwater, a Well Drilling Permit is required for all wells constructed after July 1, 1987.

A "Domestic" well drilling permit should be obtained for a rate of diversion of up to 18 gallons per minute (0.04 CFS) and a daily volume of up to 2,500 gallons per day. The cost for this permit is \$75.00. For any other use, including multiple homes, or municipal, etc., the Drilling Permit fee is \$200. These Permits can be obtained by your driller, also. It is sometimes possible to upgrade an existing Domestic Drilling Permit by submitting a fee for the difference. This, however, depends on the individual well.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

MICROFILMED

SEP 20 1998