




POINT OF DIVERSION
AREA OF USE



MICROFILMED
JAN 12 1988

GLADISH
T. 55N., R. 2W.

MICROFILMED
JAN 12 1998

angle iron frame
bolted to rock with
expansion bolts

Rock




SHEET 3 of 8

NORTH




PETERSON PROPERTY

LAKE
COCOLALLA




,008
HOLLAND PROPERTY

PROPERTY IS LOCATED AT THE JUNCTION OF
THE FOLLOWING USGS MAPS:



SITE LOCATION: $48^{\circ}07.5'$ NORTH $116^{\circ}37.5'$ WEST

MICROFILMED
JAN 12 1998



SITE:
OFF OF
Cocolalla Loop Road
MILES SW OF
95 & US POST OFFICE

SANT POINT
II HOMES

ANTIQU
SHOP

4595

Cocolalla Creek

Cocolalla Post Office

CHEVRON STATION
& MINIMART

ADDRESS:

47 TOMAHAWK TR
Cocolalla, ID 8381

MAIL ADDRESS:

P.O. Box 427
Cocolalla, ID 8381

Cocolalla Loop Road
Tomahawk Tr.
PAVEMENT
ENDS HERE

SANDY
BEACH
RESORT

GLADISH
SITE

LAKE Cocolalla

Cocolalla Creek
4595

MICROFILMED

JAN 12 1998

COEUR D'ALANE (APPROX 35 MILES)
&
SPOKANE

Sheet 1 of 4

LICENSE REVIEW CHECKLIST

Reviewed by Sharla Curtis on 1/30/00

Permit No. 96-08970

BU Fee Pd \$ 50.00

Name/Address: ☒ OK ☐ CHANGE

Govt Lots n/a plat copy attached

AREA OF CONCERN: No/Yes Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M (if on permit)

LOCATION:

Trust - R55(consumptive uses)
Non-Trust - 048-049 (consumptive uses
or non-cons. > 1.0 cfs)

PD Change - P39/P47 - feds(P40)
PD Add - P45/P42

PU Change - P41/P47 - feds(P43)
PU Add - P41/P42

PD & PU Change - P37 - feds(P48)

USES:

STORAGE - 18A-R02-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 081
FISH PROP - 029(70'S only)-042-081
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

Use Change/Add - P46

ADVANCE PRIORITY? Yes ☒ No

MISC CONDITIONS/REMARKS:

Multiple pd's per ¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - C/tire shop
Non-consumptive - 027
Water Quality - 081-R07
Mitigation - 121 (if on permit)
PPU acre limit - W27

CHECK NEW IRR SEASON MAP 4/1-10/31

SURFACE WATER: (✓Flow Chart)

In/Above MSF - WB9
WD - R04 (WD#)
≤ 0.20 cfs/others - R02- 01P or No MD
> 0.20 cfs - R43

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

SNAKE R (01) - W22, N/A
(02,03) - WB9 if above Weiser
Payette R (65) - 047(Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - R22-R23 (+uses)-025-081-W42-W43-027
MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
DOMESTIC
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate - WB5
Lawn/garden included - W01

OVERLAP ANALYSIS/RATES/VOLUMES:

PD overlap rights - W35-W36 Right #
PU overlap rights - WB7-W31(<1 ac)
GW replaced SW - 050

Permit Rate .20 cfs Fee Limit .20 cfs
Measured .03 cfs Theoretical cfs

Use	Rate	Volume
<u>Irr</u>	<u>.02</u> cfs	<u>1.8</u> af
<u>Fire</u>	<u>.03</u> cfs	<u> </u> af
<u> </u>	<u> </u> cfs	<u> </u> af
TOTALS	<u>.03</u> cfs	<u>1.8</u> af

OTHER CONDITIONS/REMARKS/COMMENTS Rem < 1 ac.

SRBA Claim Filed Yes ☒ No

If no, is a claim required: Yes ☒ No

AMENDMENTS REQUIRED ☒ Yes No

If yes, paragraph codes: P41, P38


Adjustment Memo Needed ☒ Yes No

P47 reminder letter

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



NOTE SERIES (TOPOGRAPHIC)



PERMIT #

96-08970



PO

CISTERN WITH
TANK + CONTN



PV



PV

MICROFILMED
FEB 04 2000

PERMIT #

96-08970



PO



Cistern with
TANK + CONT



PV



PV

MICROFILMED
FEB 04 2000

PERMIT #

96-08970



PO



Cistern with
TANK + control



Pu

96-08970

7.28.99

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 96-08970

Priority: August 19, 1997

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

1.8 AF

This is to certify, that CHARLES F GLADISH

PO BOX 427

COCOLALLA ID 83813-0427

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 19, 1997; and has submitted Proof of Beneficial Use on October 21, 1998. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from:

COCOLALLA LAKE

tributary to COCOLALLA CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	1.8 AF
FIRE PROTECTION	01/01 to 12/31	0.03 CFS	
	Totals	0.03 CFS	1.8 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 6 (NENW), Sec. 18, Township 55N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
55N	02W	18	NENW 0.3	NWNW 0.3		0.6

Total number of acres irrigated: 0.6

PLACE OF USE:

FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
2. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 1.8 afa at the field headgate for the land described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 3rd day of

FEBRUARY, 2000.

MICROFILMED

FEB 9 & 2000

Acting for  KARL J. DREHER, Director

RECEIVED

OCT 21 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08970 Telephone No. (208) 263-6515

2. Name(s) of Permit Holder(s): CHARLES F. GLADISH

3. Mailing Address: P.O. Box 427, COCOLALLA, ID 83813

4. Source of Water: COCOLALLA LAKE If GROUNDWATER (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - -

b. OPTIONAL:
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): Stockwater (No. and type of stock):

Irrigation (No. of acres): 0.3 Other: FIRE PROTECTION

6. Total rate of diversion and/or volume for which proof is submitted: 0.20 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No X

Has the measuring device been installed? Yes or No X

Flow Measurement Port: Is a flow measurement port required? Yes or No X

Has the measurement port been installed? Yes or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: CHARLES F. GLADISH Telephone Number: (208) 263-6515

Address: 47 TOMAHAWK TR, P.O. Box 427, COCOLALLA, ID 83813

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

[Signature]
(include your title, if on behalf of company or organization)

Microfilm Date: 10/16/98

NOV 27 1998

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08970

Proposed Priority: August 19, 1997 Maximum Diversion Rate: 0.20 CFS

This is to certify, that **CHARLES F GLADISH**
PO BOX 427
COCOLALLA ID 83813-0427
has applied for a permit to appropriate water from:
COCOLALLA LAKE tributary of **COCOLALLA CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
FIRE PROTECTION	01/01 to 12/31	0.20 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 6(NENW), Sec. 18, Township 55N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
55N	02W	18	NENE 0.3	NWNE 0.3		0.6

Total number of acres irrigated: 0.6

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1998.
2. Subject to all prior water rights.
3. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. This right when combined with all other rights shall provide no more than 0.03 cfs nor more than 1.8 afa at the field headgate for the land described above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

17 day of November, 1997.

MICROFILMED

JAN 12 1998

Karl J. Dreher
Karl J. Dreher, Director

Ident. No. 96-08970

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

NOV 07 1997

Department of Water Resources

1. Name of Applicant CHARLES F. GLADISH Phone (208) 263-6515
Post Office address P.O. Box 427, COCOLALLA, ID 83813
2. Source of water supply COCOLALLA LAKE which is a tributary of COCOLALLA CREEK
3. Location of point of diversion is NE 1/4 of NE 1/4 of NW 1/4, Govt. Lot 6
Sec. 18 Township 55N Range 2W B.M. BONNER County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
 Amount 0.20 CFS for FIRE PROTECTION purposes from 01 JAN to 31 DEC (both dates inclusive)
 (cfs or acre-feet per annum) LESS THAN 1/2 ACRE
 Amount 0.03 for _____ purposes from 3/15 to 7/15 (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 CFS and/or (b) _____
 cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 1" LINE FROM UNDER DOCK IN LAKE
& 90 GPM ELECTRIC PUMP
 - b. Height of storage dam NONE feet; active reservoir capacity NONE acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85° F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____
 Well was drilled for (well owner) _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 yr years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity if KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. 0
 - e. Other; describe fully. STANDBY FIRE PROTECTION & LIGHT IRRIGATION
(LESS THAN 1/2 ACRE)

MICROFILMED

JAN 12 1998

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	2W	18	$\frac{1}{4}$	$\frac{1}{4}$			$\frac{1}{4}$	$\frac{1}{4}$											$\frac{1}{2}$

Total number of acres to be irrigated $\frac{1}{2}$

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? CHARLES F. GLADISH

b. Who owns the land to be irrigated or place of use? CHARLES F. GLADISH

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: _____

12. Remarks: LOCATION OF WATER SOURCE ON LAKE COCOPALLA;
48° 07.5' N 116° 37.5' W

13. MAP OF PROPOSED PROJECT ATTACHED _____ Show clearly the proposed point of diversion, place of use, section number, township and range number.


BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.



Charles F. Gladish
 (Applicant)

Received by db Date 8/19/97 Time 1:20P Preliminary check by AB
 Fee \$ 50.00 Receipted by db # 2011494 Date 8/1/97
 Publication prepared by db Date 8/6/97 Published in Bonneville Co Daily Bee 9/18/97
 Publication approved db Date 11/4/97 10/16/23/97

RECORDED

148 12 1838





angle iron frame
bolted to rock with
expansion bolts


RECORDED
JAN 12 1913

NORTH




PETERSON PROPERTY

LAKE
COCOLALLA



PROPERTY IS LOCATED AT THE JUNCTION OF
THE FOLLOWING USGS MAPS:



SITE LOCATION: 48° 07.5' NORTH 116° 37.5' WEST

ST SITE:

OFF OF

LA LOOP ROAD

MILES SW OF

95 & US POST OFFICE

ANTI QUE
SHOP

SANTA POINT
H M ES

COCOLALLA CREEK

COCOLALLA POST OFFICE

CHEVRON STATION
& MINIMART

ADDRESS:

47 TOMAHAWK TR

COCOLALLA, ID 8381

MAIL ADDRESS:

P.O. Box 427

COCOLALLA, ID 8381

PAVEMENT
ENDS HERE

PAVEMENT
ENDS HERE

SANDY
BEACH
RESORT

GLADISH
SITE

LAKE COCOLALLA

COCOLALLA LOOP ROAD

COCOLALLA CREEK

COEUR D'ALANE (APPROX 35 MILES)
&
SPOKANE

Sheet 1 of 1



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 3, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

CHARLES F GLADISH
PO BOX 427
COCOLALLA ID 83813-0427

RE: WATER RIGHT NO. 96-08970

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


FEB 04 2000

CERTIFICATE OF MAILING

I hereby certify that on the 3rd day of February, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 96-08970

CHARLES F GLADISH
PO BOX 427
COCOLALLA ID 83813-0427


Kari Lynn Townsend
Secretary

MICROFILMED

FEB 04 2000

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

TO: File 96-08970

FROM: Sharla

DATE: January 31, 2000

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 96-08970 are as follows:

H. RECOMMENDATIONS

Irrigation	4/1 - 10/31	0.02 cfs	1.8 af
Fire Prot.	1/1 - 12/31	0.03 cfs	n/a

The standard irrigation season for this area is 4/1 - 10/31. The rate of diversion for 0.6 acres at 0.03 cfs/acre = 0.02 cfs (rounded from 0.018 cfs).

MICROFILMED
FEB 04 2000

LICENSE REVIEW CHECKLIST

Reviewed by Sharla Curtis on 1/30/00

Permit No. 96-08970

BU Fee Pd \$ 50.00

Name/Address: ☒ OK ☐ CHANGE

Govt Lots n/a plat copy attached

AREA OF CONCERN: No/Yes Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

Supp irr (irr = only use) - 065-104
 Supp irr (+ other uses) - 100-105
 ≤ 0.24 cfs/5 acres - No MD
 > 0.24 cfs/5 acres - 01M (if on permit)

SURFACE WATER: (✓Flow Chart)

In/Above MSF - WB9
 WD - R04 (WD#)
 ≤ 0.20 cfs/others - R02-01P or No MD
 > 0.20 cfs - R43

LOCATION:

Trust - R55(consumptive uses)
 Non-Trust - 048-049 (consumptive uses
 or non-cons. > 1.0 cfs)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
 > 0.24 cfs/5 acres - 01M or No MD

PD Change - P39/P47 - feds(P40)
 PD Add - P45/P42

RIVER BASINS: (SW special considerations)

Snake R (01) - W22, N/A
 (02,03) - WB9 if above Weiser
 Payette R (65) - 047(Payette Lake)
 Salmon R (70's) - 029 (fish screens)
 Weiser R (67) - 086-087

WPU Change - P41/P47 - feds(P43)
 PU Add - P41/P42

PD & PU Change - P37 - feds(P48)

USES:

STORAGE - 18A-R02-01P-18B-NA
 IRR ≤ 5 ac - R60/R67/R68/R69 (0.03 cfs/ac)
 > 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
 STOCKWATER - R37 (BLM/USFS)
 MINING - 081
 FISH/PROP - 029(70'S only)-042-081
 HEAT/COOL - R07(injection well)
 FIRE PROT. - 0776

USES:

POWER - R22-R23 (+uses)-025-081-W42-W43-027
 MUNICIPAL
 Restricted area - 022,075
 Irr., GW supp to SW - 102
 DOMESTIC
 Surface water - WB5 (Big Wood or Boise above Star Bridge)
 27A (Payette R)
 >1 in restricted area - 070-071-075(no parks/common areas, etc)
 Irr use listed separate - WB5
 Lawn/garden included - W01

Use Change/Add - P46

ADVANCE PRIORITY? Yes ☒ No

MISC CONDITIONS/REMARKS:

Multiple pd's per 1/4 - W32
 Subd lot desc (pd) - W59
 Subd lot desc (pu) - W60
 Use definitions - W02 example - C/tire shop
 Non-consumptive - 027
 Water Quality - 081-R07
 Mitigation - 121 (if on permit)
 PPU acre limit - W27

OVERLAP ANALYSIS/RATES/VOLUMES:

PD overlap rights - W35-W36 Right #
 PU overlap rights - WB7-W31(<1 ac)
 GW replaced SW - 050

Permit Rate 20 cfs Fee Limit 30 cfs
 Measured 03 cfs Theoretical cfs

Use	Rate	Volume
<u>20</u>	<u>02</u> cfs	<u>1.8</u> af
<u>03</u>	<u>03</u> cfs	<u> </u> af
<u> </u>	<u> </u> cfs	<u> </u> af
TOTALS	<u>03</u> cfs	<u>1.8</u> af

CHECK NEW IRR SEASON MAP 4/1-10/31

OTHER CONDITIONS/REMARKS/COMMENTS Rem < 1 ac

SRBA Claim Filed Yes ☒ No

If no, is a claim required: Yes ☒ No

AMENDMENTS REQUIRED ☒ Yes No

Adjustment Memo Needed ☒ Yes No
in rate/plan

If yes, paragraph codes: P41, P38

P41 reminder letter

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 12 1999

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Charles L. Gladish Permit No. 96-08970
Phone No. (208) 263-6515
Current Address: PO Box 427 Cocolalla Id 83813-0427
2. Accompanied by: Charles Gladish EXAM DATE: 7-28-99
Address: Same as above Phone No. _____
Relationship to Permit Holder: _____
3. Source: Cocolalla Lake tributary to Cocolalla Creek

B. OVERLAP REVIEW

- Other water rights with the same place of use: _____
- Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					NE NW 18	55N	02W	Bonner	USGS 7.5 min Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	02W	18					3	3											

MICROFILMED

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 100'

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1.5	2820083210	Sub	1 1/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

FEB 9 4 2006

E. NARRATIVE/REMARKS/COMMENTS

System on NENE consist
of 14 19mm rain bird built in sprinkler
system.

System on NWNW is garden hose
& portable sprinkler moved around
where needed.

Note change in PV. Permit shows
NE should be NW

At time of exam ~~to~~ there was
no irrigation being done on NW NW
but water system is there and usable.

Have conditions of permit approval been met? ☒ yes ☐ no

11/10/20

SEP 8 4 25AM

Additional Computation Sheets Attached

$$\frac{8.8(1.5)(.7)}{40 + (2.31 \times 90)} = \frac{9.24}{247.9} = .03$$

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.6 \times 3 = 1.8$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 103 \times 245 \times 1.9835 = 19.6$$

$V = \text{Smaller of } V_{IB} \text{ and } V_{DB} = 1.8$

2. Volume Calculations for Other Uses:

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cts)	V (afa)
<i>Mine</i>	<i>01-01</i>	<i>12-31</i>	<i>.03</i>	
<i>Irrigation</i>	<i>03-15</i>	<i>11-15</i>	<i>.03</i>	<i>1.8</i>
Totals:			<i>.03</i>	<i>1.8</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name Wayne Dalden Date 8-10-99

Reviewer _____ Date _____

SEAL

MICROFILMED
FEB 04 2000




527 R.3W. R.2W. 116°37'30"

529000m.E.

SANDPOINT 12 MI.
WESTMOND 1.4 MI.

530

35'



PERMIT #

96-08970

PO

CISTERN WITH
TANK/RECORD

PV

PV

MICROFILMED
FEB 04 2000

PERMIT #

96-08970

PO

Cistern with
Tank + cont

PV

PV

MICROFILMED
FEB 04 2000

PERMIT #

96-08970

PO

CISTERN WITH
TANK + CONT

PC

96-08970

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08970 Reviewed by Jy Date 11-16-98

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Irr. Fire protection

Correct Uses? yes

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☐ Drilling permit required?

☐ Copy in the file? Drilling Permit No. _____

☐ Amount paid for permit _____ Correct?

☐ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50- Amount Submitted
yes Correct?

MEASURING DEVICE

NO Required?
☐ Installed?
☐ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address _____ Proof Made 10-21-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 17, 1998

Charles F Gladish
PO Box 427
Cocolalla ID 83813-0427

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08970

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **NORTHERN** Regional Office of the department in Coeur d'Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

RECEIVED
NOV 21 1998

September 30, 1998

CHARLES F GLADISH
PO BOX 427
COCOLALLA ID 838130427

PROOF DUE NOTICE

RE: PERMIT NO. 96-08970

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1998.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECORDED
NOV 27 1998





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 17, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CHARLES F GLADISH
PO BOX 427
COCOLALLA ID 83813-0427

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08970

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt
Enclosures

ARCHIVED


NOV 17 1997

CERTIFICATE OF MAILING

I hereby certify that on the 17th day of November, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 96-08970

CHARLES F GLADISH
PO BOX 427
COCOLALLA ID 83813-0427


Kari Lynn Townsend
Secretary

RECORDED
JAN 12 1998

APPLICATION FOR PERMIT STATE OFFICE REVIEW

by *Cindy Low*

No.: 96-8970 Name: Gladish Date: 11/17/97 Ad OK? ✓ / Gvmt Lts: ✓

AREA OF CONCERN:

- No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED:

- 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

1 year/no proof

- P16

>1 year

- 26A-P17

GROUNDWATER: (✓ FLO-CH)**WMD (✓ MAP)**

>0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

WMD

>0.24 cfs/5 acres

- 01M (report when notified)

Supplemental use

- 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

≤ 0.24 cfs/5 acres

- No MD

DRILLING PERMIT:

Existing well

- NA (pre 7/1/87; ✓ WDQ3)

Included w/permit

- Permit No. _____ - _____ - _____ - _____, P99

No drilling permit?

- 046-46B-P23 (post 7/1/87)

irr. in WD

- P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):**IN/ABOVE MIN. STR. FLOW (✓ MAP)**

- *WB9

WD (✓ MAP & LISTING)

Pumped >0.20 cfs

- R04 (WD # _____)-01J-P08 (MD)

WMD (✓ MAP)

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

RIVER BASINS: (*Surface water):

Snake R (01)

- *W22 -P04, NA

(02/03-irr)

- 007-P07 (w/ remark *WB9 if above Weiser), NA

Payette R(65)

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

Salmon R (70's)

- 029 (fish screens), NA

USE:

Domestic surface

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

>1 in rest. area

- 071-070-P53

Fish Propagation

- 029-007-042(req)-081 (WQ)-P10

Heating/Cooling

- R07 (injection well)

Irr ≤ 5 acres

Rmk

- R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)

> 5 acres

- R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)

Mining

- 054(req)-081-P10

Municipal

- 022, 075, 004 (+memo?), NA (not in restricted area)

Power

- 17H/17K(+uses)-08A-025-01N(P19)-028-081-027 (if no other cons. use);

17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

Stock

- R37 (BLM/USFS); NA

Storage (✓3 compo.)

- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

LOCATION:

42-248 area

- P84 (in 20/30/40/50/60/70/80 (87) basin)

Boise Front LoGeo

- 058 (<85° GW temp only)

In-stream dev.

- P52 (stream channel alteration)

Irr Dist/Canal Co.

- 023 (Twin Falls area)

SWAN FALLS FLAG (See Code Chart)

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust (1)

- 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU)

OTHER CONDITIONS:- 077**STANDARD REMARKS:**- QW 31 / 0.03 / 2.1**BENEFICIAL USE DUE:**- 11/1/ 1998**COMMENTS:**

APPLICATION # 96-8970

***** INITIAL REVIEW *****

APPLICANT: GLADISH BY: B DATE: 8/19/97

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other Water Rights
11. (x) Ownership
13. (x) Map
(x) Signature
(x) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- Y Field check: by _____
Y Field report attached _____
Y Analysis Supp. attached(>5cfs/500af) _____
Y Water delivered by water master?
Water District # _____

***** GROUNDWATER SECTION *****

(Yes)(No)

- Y Groundwater management area
Y Critical ground water area
Y Well Drilling Permit required
Y Well Drilling Application and Fees received
Y Well Drilling Application approved?
Well Drilling Application Number _____

Checked by: _____ Date: ____/____/____

Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes)(No)

- Y Notice of pending void order issued. Final order response date: ____/____/____
Y Further information required from applicant
Y Affidavit of publication received
Y Application published correctly, If not, record action taken: _____
Y Publication dates and paper recorded on application | Sr. Agent initial 15
Y Protests received. Final protest date: 10/16/97
Y Measuring device required 11/3/97
Y Measuring port required
Y Special conditions: _____
Y Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: 15 PWA Date: 11/4/97

AFFIDAVIT OF PUBLICATION **RECEIVED**

State of Idaho

NOV 04 1997

ss.

NORTHERN REGION
IDWR

County of Bonner,

Sherilyn Plunk being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Notice of Correction

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 16 day of Oct., 1997
and ending on the 23 day of Oct., 1997
and that said notice was published in said newspaper.

On this 23 day of Oct. in the year
of 1997, before me, a Notary Public, personally
appeared Sherilyn Plunk,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Cawlyn L. Inge
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 6/00

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN
THAT APPLICATION FOR PERMIT
NO. 96-08970 in the name of
CHARLES F. GLADISN, PO Box
427, Cocolalla, ID 83813, was incor-
rectly advertised on September 18
and 25, 1997.

The POINT OF DIVERSION was
incorrectly advertised as LOT 5
(NENENW) Sec 18 T55N R02W in
Bonner County, whereas correctly it
should read LOT 6 (NENENW)
Sec 18, T55N, R02W in Bonner
County; and, ok

The PLACE OF USE was incor-
rectly advertised as T55N R02W S18
NENE NWNE, in Bonner County,
whereas correctly it should read
T55N R02W S18 NENW NWNW,
in Bonner County.

(For additional information con-
cerning the property location, call
the Northern Regional Office at 769-
1450.)

Any protests against the approval
of the above-referenced correction
must be filed with the applicant and
with the Director, Dept. of Water
Resources, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Id. 83814,
together with a protest fee of \$25.00
on or before November 3, 1997.

KARL J. DREHER, Dir.
SNP#8744 Oct 16, 23, 1997

MICROFILMED

JAN 12 1998

8744

October 8, 1997

Bonner County Daily Bee
Legal Department
PO Box 159
Sandpoint ID 83864

Re: Water Right No. 96-08970

Gentlemen:

Enclosed you will find a legal Notice of Correction which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send the Affidavit of Publication, and the bill, to this office before November 3, 1997.

Thank you.

Sincerely,

Dianne Ball
Senior Secretary

Enclosure

RECEIVED
JAN 17 1998

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 96-08970 in the name of CHARLES F. GLADISN, PO Box 427, Cocolalla, ID 83813, was incorrectly advertised on September 18 and 25, 1997..

The POINT OF DIVERSION was incorrectly advertised as LOT 5 (NENENW) Sec 18 T55N R02W in Bonner County, whereas correctly it should read LOT 6 (NENENW) Sec 18, T55N, R02W in Bonner County; and,

The PLACE OF USE was incorrectly advertised as T55N R02W S18 NENE NWNE, in Bonner County, whereas correctly it should read T55N R02W S18 NENW NWNW, in Bonner County.

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before November 3, 1997.

KARL J. DREHER, Dir.

Published in the Bonner County Daily Bee on October 16 & 23, 1997.

RECORDED
146 12 833

AFFIDAVIT OF PUBLICATION

RECEIVED

State of Idaho

OCT 03 1997

ss.

NORTHERN REGION
IDWR

County of Bonner,

Sherilyn Plunk being first duly sworn on oath
deposes and says that he/she is BOOKKEEPER
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

App. for water rights

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 18 day of Sept., 1997
and ending on the 25 day of Sept., 1997
and that said notice was published in said newspaper.

On this 25 day of Sept. in the year
of 1997, before me, a Notary Public, personally
appeared Sherilyn Plunk,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Caulyn L. Inge
Notary Public for Idaho

Residing at Sandpoint MICROFILMED

My commission expires: 6/30/98

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08969

HALL, DENNY J
188 VERTICAL DRIVE
COCOLALLA, ID 83813

Source: UNNAMED STREAM
Tributary: FISH CREEK
Diversion Pt: NESW Sec 23 T 55N
R 03W in BONNER County.

Use: DOMESTIC (0.040 CFS)

Total Diversion: (0.040 CFS)

Date Filed: 8/19/1997

In: BONNER County
T55N R03W S23 NESW

96-08970

GLADISH, CHARLES F
PO BOX 427
COCOLALLA, ID 83813

Source: COCOLALLA LAKE
Tributary: COCOLALLA CREEK
Diversion Pt: LOT 5 (NE1/4 NW)
Sec 18 T 55N R 02W in BONNER
County.

Use: IRRIGATION (0.030 CFS)

FIRE PROTECTION (0.200 CFS)

Total Diversion: (0.200 CFS)

Date Filed: 8/19/1997

In: BONNER County
T55N R02W S18 NENE NWNE
0.6 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at (208)
769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene,
Idaho 83814, together with a protest
fee of \$25.00 on or before OCTOBER
6, 1997.

KARL J. DREHER, Director
SNP#8666 Sept 18, 25, 1997

*Sent to paper
correctly*

86666

96-08970

GLADISH, CHARLES F
PO BOX 427
COCOLALLA, ID 83813

Source: COCOLALLA LAKE

Tributary: COCOLALLA CREEK

Diversion Pt: LOT 6 (NENENW) Sec 18 T 55N R 02W in BONNER County.

Use: IRRIGATION	(	0.030 CFS)
FIRE PROTECTION	(	0.200 CFS)
Total Diversion:	(	0.200 CFS)

Date Filed: 8/19/1997

In: BONNER County		
T55N R02W S18	NENE	NWNE

0.6 ACRES TOTAL

RECORDED

1997 8 20

September 10, 1997

Charles F. Gladish
PO Box 42F
Cocolalla ID 83813

Re: Water Appropriation Application No. 96-08970

Dear Mr. Gladish:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

10/10/97
10/10/97

FILE COPY



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

August 6 1997

PHILIP E. BATT
Governor

KARL J. DREHER
Director

Mr. Charles Gladish
PO Box 427
Cocolalla ID 83813

RE: Application for Permit

Dear Mr. Gladish:

We are returning your Application for Permit, along with Receipt Number N011494, for the amount of \$50.00.

I have enclosed a topographical map of Cocolalla Lake. Please mark the map where you plan to pump water from the lake and also, outline the area which you plan to irrigate.

The legal descriptions for the Point of Diversion and Place of Use on the Application should reflect the points marked on the map. We can determine the legal descriptions for you, if you wish.

We have modified the uses on Item 4. to reflect 0.02 CFS (9 GPM) for the irrigation use, including a use period from March 15, to November 15. The changes represent standards for this use.

Please return this filing and the map back to this office for processing.

If you have any questions, please feel free to contact me at this office.

Sincerely,

Allen Beardslee
Sr. Water Resource Agent

File Copy

MICROFILMED

JAN 12 1998