

2' 130

54 / 0000

Anderson
Point

+ Mile
130

N

T 57

T 56

T 55

T 54

T 53

T 52

T 51

T 50

T 49

T 48

T 47

T 46

T 45

T 44

T 43

T 42

2114 T

Property
Involved

2165 T

5

6

12

Martin Bay

BM 2066

+ 2089AT

MICROFILMED
JAN 12 1998

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LIVE 2067T

5345000mN

2063AT

547000mE

548

ANDERSON 2 2' 30"

Anderson
Point

+ Mile
130

**POINT
OF
DIVERSION**

T 56N, R 1E,
Sec 5.

**PLACE
OF
USE**

Martin Bay
BM 2066

2089AT

2165T

Glengary

2079T
Gamble Lake

MICROFILMED

JAN 12 1998

**VAN SICKLE
T 56N, R 1E.**

Picard
Point

BEAVER

2384T

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

116° 22' 30"
48° 15'
5344000mN

547000mE


548

549

Anderson
Point

Mile
130

Pc → PD



Martin Bay
BM 2066
2089AT
2165

Glengary

Picard
Point

Van Sickle

96-08967

T56N R1E

Sec 5 Lot 1

Pearl
Island
Lighthouse
2086 T
PEARL 2

12' 30"

Elliot
Bay
2074AT
2114

MICROFILMED
FEB 04 2000

Camp

INDEFINITE

BOUNDARY

T56N
R1E3

WARREN
ISLAND


U.S. SURVEY
9764 AC

Sec. 4.

CONTAINED
+ MICROFILMED
FEB 07 1966

Sec. 9.
1.49 PEARL IS

96-08967
T56N
R1E
Lot 1
Sec 5



PERMIT #

96-08967

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



VAN Sickle Domestic

96-08967

MICROFILMED
FEB 04 2000

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 96-08967

Priority: June 2, 1997

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that FRED VAN SICKLE
JANE VAN SICKLE

PO BOX 2209

SPOKANE WA 99210-2209

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 2, 1997; and has submitted Proof of Beneficial Use on August 24, 1998. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

PEND OREILLE LAKE

tributary to PEND OREILLE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NWNW), Sec. 5, Township 56N, Range 01E
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC


56N 01E 5 Lot 1(NWNW)

CONDITIONS OF APPROVAL AND REMARKS

1. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 13th day of

DECEMBER, 1999.


KARL J. DREHER, Director

MICROFILMED

FEB 9 4 2000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

AUG 24 1998

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08967 Telephone No. (509) 353-3224

2. Name(s) of Permit Holder(s): Fred + Jane Van Sickle

3. Mailing Address: P.O. Box 2209, Spokane, Wa. 99210-2209

4. Source of Water: Pend Oreille Lake If **GROUNDWATER** (well), Date Drilled: mo. ____ / yr. ____

a. Well Driller: _____ Drilling Permit Number: ____ - ____ - ____

b. **OPTIONAL:**

Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes ____ or No ☒

Has the measuring device been installed?

Yes ____ or No ☒

Flow Measurement Port: Is a flow measurement port required?

Yes ____ or No ☒

Has the measurement port been installed?

Yes ____ or No ☒

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Fred Van Sickle / Jane Van Sickle Telephone Number: (509) 353-3224

Address: P.O. Box 2209, Spokane, WA 99210-2209

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Fred Van Sickle Date: August 20, 1998
(include your title, if on behalf of company or organization)

RECORDED

OCT 28 1998

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08967

Proposed Priority: June 2, 1997

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **FRED VAN SICKLE**

JANE VAN SICKLE

PO BOX 2209

SPOKANE WA 99210-2209

has applied for a permit to appropriate water from:

PEND OREILLE LAKE

tributary of **PEND OREILLE RIVER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NWNW), Sec. 5, Township 56N, Range 01E
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC


56N 01E 5 Lot 1(NWNW)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1998**.
2. Subject to all prior water rights.
3. Water shall not be diverted under this right unless flows exceed established minimum stream flows.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

24th day of September, 1997.


for Karl J. Dreher, Director

MICROFILMED

JAN 12 1998

Ident. No. 96-8967

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED

SEP 19 1997

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant Fred + Jane Van Sickle Phone (509) 353-3224
Mailing address P.O. Box 2209, Spokane, WA 99210
2. Source of water supply Lake Pend Orellie which is a tributary of PEND OREILLE RIVER
3. Location of point of diversion is Township 56N Range 1E Sec. 5 in the 1/4.
NW 1/4, NW 1/4, Govt. Lot 1, B.M., Bonner County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 104/18 gpm for DOMESTIC purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 104 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source Pump + pipe
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
d. Is ground water with a temperature of greater than 85° F being sought? _____
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. One
e. Other; describe fully. _____

MICROFILMED
MAR 12 1998

9. Description of place of use:

Please see attachment -

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
S6N	1E	5						D					\$						
							GLI						GLI						

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Fred & Jane Van Sickle

b. Who owns the land to be irrigated or place of use? Same

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: _____

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Fred Van Sickle

Signature of Applicant (and title, if applicable)

Received by db Date 6/2/97 Time 1:30P Preliminary check by db
 Fee \$ 50.00 Received by db # N011270 Date 6/2/97
 Publication prepared by db Date 6/17/97 Published in Boonne Co Record 8/21+28/97
 Publication approved db Date 9/6/97

Anderson
Point

+ Mile
130

N

157

T

2114 T

T

158

N

Property
involved

2165 T

5

Martin Bay

BM 2066

MICROFILMED
JAN 12 1975

2000AT

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

548

Anderson
Point

Mile
130

POINT
OF
DIVERSION

T 56 N, R 1 E,
Sec 5.

Martin Bay
BM 2866

Glengary

Gamble Lake

VAN SICKLE

T 56 N, R 1 E.

Picard
Point

BEAVER

345000M

547000M

ANDERSON 2 2' 30"

2063AT

2487D

2437T

T 57 N

T 56 N

KANSAS
NAT FOR

2341AT

2165T

2089AT

2165T

2079T

2207T

2279T

2384T

JAN 12 1900

W 2067T

R 1 W
R 1 E

MENDOTA

BOISE



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 13, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

FRED VAN SICKLE
JANE VAN SICKLE
PO BOX 2209
SPOKANE WA 99210-2209

RE: WATER RIGHT NO. 96-08967

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
FEB 14 1999

CERTIFICATE OF MAILING

I hereby certify that on the 13th day of December, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 96-08967

FRED VAN SICKLE
JANE VAN SICKLE
PO BOX 2209
SPOKANE WA 99210-2209


Kari Lynn Townsend
Secretary

MICROFILMED
FEB 04 2000

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

SEP 14 2000

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

LICENSE REVIEW CHECKLIST

Reviewed by Sharla Curtis on 11/21/99

Permit No. 96-08967

BU Fee Pd \$ 50.00

Name/Address: ☒ OK ☐ CHANGE

Govt Lots ☐ n/a ☒ plat copy attached

AREA OF CONCERN: No/Yes ☐ Moratorium ☐ GWMA ☐ TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

Supp irr (irr = only use) - 065-079
Supp irr (+ other uses) - 100-101
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M (if on permit)

LOCATION:

Trust - R55(consumptive uses)
Non-Trust - 048-049 (consumptive uses
or non-cons. > 1.0 cfs)

PD Change - P39/P47 - feds(P40)
PD Add - P45/P42

PU Change - P41/P47 - feds(P43)
PU Add - P41/P42

PD & PU Change - P37 - feds(P48)

USES:

STORAGE - 18A-R02-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCK WATER - R37 (BLM/USFS)
MINING - 081
FISH PROP - 029(70'S only)-042-081
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

~~Use Change/Add - P46~~

ADVANCE PRIORITY? ☐ Yes ☐ No

MISC CONDITIONS/REMARKS:

Multiple pd's per ¼¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - C/tire shop
Non-consumptive - 027
Water Quality - 081-R07
Mitigation - 121 (if on permit)
PPU acre limit - W27

CHECK NEW IRR SEASON MAP ☐

SURFACE WATER: (✓Flow Chart)

In/Above MSP - WB5
WD - R04 (WD#)
≤ 0.20 cfs/others - R02- 01P or No MD
> 0.20 cfs - R43

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22, N/A
(02,03) - WB9 if above Weiser
Payette R (65) - 047(Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - R22-R23 (+uses)-025-081-W42-W43-027
MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
DOMESTIC
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
>1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate - WB5
Lawn/garden included - W01 (1)

OVERLAP ANALYSIS/RATES/VOLUMES:

PD overlap rights - W35-W36 Right #
PU overlap rights - WB7-W31(<1 ac)
GW replaced SW - 050

Permit Rate .04 cfs Fee Limit .20 cfs
Measured .02 cfs Theoretical cfs

Use	Rate	Volume
<u>Dom</u>	<u>.02</u> cfs	<u>1.2</u> af
<u> </u>	<u> </u> cfs	<u> </u> af
<u> </u>	<u> </u> cfs	<u> </u> af
TOTALS	<u> </u> cfs	<u> </u> af

OTHER CONDITIONS/REMARKS/COMMENTS

SRBA Claim Filed ☐ Yes ☒ No

If no, is a claim required: ☐ Yes ☒ No

AMENDMENTS REQUIRED ☐ Yes ☒ No

Adjustment Memo Needed ☐ Yes ☒ No

If yes, paragraph codes:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 26 1999

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08967

1. Owner: Fred & Jane Van Dickle Phone No. (509) 353-3224

Current Address: P.O. Box 2209 Spokane Wa. 99210-2209

2. Accompanied by: Fred Van Dickle EXAM DATE: 8-5-99

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Pond Oreille Lake tributary to Pond Oreille River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	01		NW	NW	05	56N	01E	Donner	O.S.G.S. 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	01E	05					01												
							0												

MICROFILMED

FEB 04 2000

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = **NTS**

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	.5	28010954910	Sub	1"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

FEB 04 2000

E. NARRATIVE/REMARKS/COMMENTS

A 1/2 hp submersible pump in lake
anchored at Dock. House sits back approx 100 ft
from lake on bench approx 60 ft from lake.
a 1" PVC line detours to house.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
FEB 04 2006

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

5 gal bucket 5 gal in 30 sec. 10 gpm

$$\frac{10 \times .133681}{60} = .02 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01-01</u>	<u>12-31</u>	<u>.02</u>	<u>1.2</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.02</u>	<u>1.2</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Wayne Baldwin

Date

8-24-99

Reviewer _____

Date _____

SEAL

MICROFILMED
FEB 3 4 2000

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

116° 22' 30"
48° 15'
5344000mN

547000mE


548

549

Anderson
Point

Mile
130

Pc → PD



Martin Bay
BM 2066

2089AT
2165 T

Glengary


Picard Point
BEAVER

2238 T
PICARD

Elliot Bay
2074AT
2114 T

2086 T
2086 T
2086 T

Camp



Cottage
Island



Van Sickle


96-08967

T 56 N R 1 E

Sec 5 Lot 1

MERIDIAN

5800



96-08967
T56N R1E
Sec 5 Lot 1

EXTRACTED
MICROFILMED

WARRIOR
ISLAND

T56N R1E

PERMIT # 96-08967

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



VAN Sickle Domestic

96-08967

MICROFILMED

FEB 14 1988

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-68967 Reviewed by Jay Date 10-20-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50 - Amount Submitted
yes Correct?
NO Required?
1 Installed?
1 Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 8-24-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 21, 1998

Fred and Jane VanSickle
PO Box 2209
Spokane WA 99210-2209

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08967

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **NORTHERN** Regional Office of the department in Coeur d'Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

OCT 28 1998

July 31, 1998

FRED VAN SICKLE
JANE VAN SICKLE
PO BOX 2209
SPOKANE WA 992102209

PROOF DUE NOTICE

RE: PERMIT NO. 96-08967

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1998.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
OCT 28 1998





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 24, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

FRED VAN SICKLE
JANE VAN SICKLE
PO BOX 2209
SPOKANE WA 92210-2209

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08967

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use." Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use." If your project is already completed, you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Sincerely,

Shelley W. Keen
Water Right Supervisor

SWK:klt

Enclosures

MICROFILMED

SEP 24 1997

CERTIFICATE OF MAILING

I hereby certify that on the 24th day of September, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 96-08967

FRED VAN SICKLE
JANE VAN SICKLE
PO BOX 2209
SPOKANE WA 99210-2209


Kari Lynn Townsend
Secretary

RECORDED
JAN 12 1998

APPLICATION FOR PERMIT STATE OFFICE REVIEW

by Cindy Lou
 No.: 96-8967 Name: Van Sickle Date: 9/19/97 Ad OK? ✓ Gvmt Lts: ✓
AREA OF CONCERN:

- No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED:

- 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:1 year/no proof
>1 year- P16
- 26A-P17**GROUNDWATER: (✓ FLO-CH)**

WMD (✓ MAP)

>0.24 cfs/5 acres

- _____ or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

WMD >0.24 cfs

- 01M (report when notified)

>5 a.

- 01M; 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

≤ 0.24 cfs/5 acres

- No MD

DRILLING PERMIT:

Existing well

- NA (pre 7/1/87; ✓ WDQ3)

Included w/permit

- Permit No. _____ - _____ - _____ - _____, P99

No drilling permit?

- 046-46B-P23 (post 7/1/87)

irr. in WD

- P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

IN MIN. STR. FLOW (✓ MAP)

- 31A (modify remark *WB9)

WD (✓ MAP & LISTING)

- R04 (WD # _____)-01J-P08 (MD)

Pumped >0.20 cfs

- 01H-P01 (LD & MD) or No MD (in-stream stock)

WMD (✓ MAP)

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

RIVER BASINS: (*Surface water):

Snake R (01)

- *W22 P04, NA

(02/03-irr)

- 007-P07 (w/ remark *WB9 if above Weiser), NA

Payette R(65)

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

USE:

Domestic surface

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

>1 in rest. area

- 070-071- P53

Fish Propagation

- 029-007-042(req)-081-R07 (WQ)-P10; 044 (N of 1000 Springs)

Irr ≤ 5 acres

- R49/R50/R51/R52 (0.03 cfs/acre +AF)

> 5 acres

- R29/R30/R31/R32 (0.02 cfs/acre +AF)

Mining

- 054(req)-081-R07-P10

Muni (in restricted areas)

- 022, 075, 004 (+memo?)

Power

- 17H/17K(+uses)-08A-025-01N(P19)-028-081-R07(P10); 027 (if no other cons. use);

17G (FERC) or 17M (FERG); 18B-P09; >25 cfs-P18

Stock (BLM/USFS)

- R37

Storage (✓ 3 compo.)

- 080; 18A (in- & out-flow MD within district), 18B-P09 (>10' dam),

LOCATION:

42-248 area

- P84 (in 20/30/40/50/60/70/80 (87) basin)

Basins 71-79

- 029 (fish screens)

Boise Front LoGeo

- 058 (<85° GW temp only)

In-stream dev.

- P52 (stream channel alteration)

Irr Dist/Canal Co.

- 023 (Twin Falls area)

SWAN FALLS FLAG (See Code Chart)

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust (1)

- 048-049 (Consumptive Uses), NA

OWNERSHIP:- 004 (PD/PU) W D L**OTHER CONDITIONS:****STANDARD REMARKS:**- ① w01/1**BENEFICIAL USE DUE:**

- 10/1/ 1998

COMMENTS:

No. a
4/87-06/92n

INDIAN DEPARTMENT OF WATER RESOURCE
APPLICATION ANALYSIS SHEET

RECEIVED

SEP 19 1997

WRI
WRA
BC

APPLICATION # 96-8967

***** INITIAL REVIEW *****

DEPARTMENT OF WATER RESOURCES

APPLICANT: VAN SICKLE BY: B DATE: 6/2/97

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
+ Field report attached
+ Analysis Supp. attached(>5cfs/500af)
+ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 6/2/97

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONNER County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ___/___/___

Remarks: _____

- X Groundwater management area
+ Critical ground water area
+ Well Drilling Permit required
+ Well Drilling Application and Fees received
+ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

Notice of pending void order issued. Final order response date: ___/___/___

Further information required from applicant

9/5 Affidavit of publication received

9/6 Application published correctly, If not, record action taken: _____

8/14 Publication dates and paper recorded on application

Sr. Agent initial B

Protests received. Final protest date: 9/8/97

Measuring device required

Measuring port required

Special conditions: _____

Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by: B

Date: 9/9/97

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Sherilyn Plunk being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Application for Water
Rights

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 21 day of August, 1997
and ending on the 28 day of August, 1997
and that said notice was published in said newspaper.

On this 28 day of August in the year
of 1997, before me, a Notary Public, personally
appeared Sherilyn Plunk,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Carolyn L. Inge
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 6/00

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08967

VAN SICKLE, FRED
VAN SICKLE, JANE *ok*
PO BOX 2209

SPOKANE, WA 99210

Source: PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

Diversion Pt: LOT 1 (NWNW) Sec

5 T 56N R 01E in BONNER County.

Use: DOMESTIC (0.040 CFS)

Total Diversion (0.040 CFS)

Date Filed: 6/2/1997

In: BONNER County

T56N R01E S05 Lot 1 (NWNW)

96-08968

MODAFFERI, THOMAS R

MODAFFERI, DOROTHY

140 OSPREY CIRCLE

HOPE, ID 83836

Source: PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

Diversion Pt: LOT 1 (NWSW) Sec

13 T 56N R 01E in BONNER County.

Use: IRRIGATION (0.020 CFS)

Total Diversion (0.020 CFS)

Date Filed: 8/6/1997

In: BONNER County

T56N R01E S13 Lot 1 (NWSW)

0.3 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at (208)
769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene,
Idaho 83814, together with a protest
fee of \$25.00 on or before SEPTEM-
BER 8, 1997.

KARL J. DREHER, Director
SNP#8598 Aug 21, 23, 1997

RECEIVED

SEP 05 1997

NORTHERN REGION
IDWR

MICROFILMED

JAN 12 1998

8598

August 13, 1997

Fred and Jane Van Sickle
PO Box 2209
Spokane WA 99210

Re: Water Appropriation Application No. 96-08967

Dear Mr. and Mrs. Van Sickle:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to Appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application. Enclosed for your file is Receipt Number N011270.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

RECEIVED

SEP 11 1997

96-08967

VAN SICKLE, FRED
VAN SICKLE, JANE
PO BOX 2209
SPOKANE, WA 99210

Source: PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

Diversion Pt: LOT 1 (NWNW) Sec 5 T 56N R 01E in BONNER County.

Use: DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.040 CFS)

Date Filed: 6/ 2/1997

In: BONNER County
T56N R01E S05 Lot 1(NWNW)