






Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS

Topography by photogrammetric methods from aerial
photographs taken 1966. Field checked 1968



T 55N R 02W 15



96-08942

PERMIT #

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PORT SUPPLEMENT

O C C R A P H S



MICROFILMED
SEP 16 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08942

Priority: October 8, 1996

Maximum Diversion Rate:
Maximum Diversion Volume:

0.03 CFS
3.0 AF

This is to certify, that WESTMOND CEMETERY ASSN
C/O HARP TURNBULL
3222 S SAGLE RD
SAGLE ID 83860-9608

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated October 8, 1996; and
has submitted Proof of Beneficial Use on October 8, 1996. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 5, Township 55N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
55N	02W	5	SWNE	1		1

Total number of acres irrigated: 1

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Rights 96-07014 and 96-08942 when combined shall not exceed a total diversion rate of 0.04 cfs.
7. Right 96-07014 is also diverted through the point(s) of diversion described above.

MICROFILMED


SEP 16 1987


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08942

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27th
day of JUNE, 1997.


Acting for KARL J. DREHER, Director



MICROFILMED
SEP 16 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08942 Telephone No. 263-3038
2. Name(s) of Permit Holder(s): Westmond Cemetery Assn
3. Mailing Address: 8135 S. Sagle Rd Sagle ID 83860
4. Source of Water: _____ If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____
 - a. Well Driller: _____ Drilling Permit Number: _____
 - b. **OPTIONAL:**
Pump Horsepower: 1 1/2 Pressure (psi): 40 Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 1 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.03 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____	or	No <u>✓</u>
	Has the measuring device been installed?	Yes _____	or	No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No <u>✓</u>
	Has the measurement port been installed?	Yes _____	or	No <u>✓</u>
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Harp Turnbull Telephone Number: 263-2038
Address: 8135 S Sagle Rd Sagle ID 83860
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Harp Turnbull Date: 10/8/96
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 96-08942

Proposed Priority: October 8, 1996 Maximum Diversion Rate: 0.03 CFS

This is to certify, that WESTMOND CEMETERY ASSN
3222 S SAGLE RD
SAGLE ID 83860-9608

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 5, Township 55N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
55N	02W	5	SWNE	1.0		1.0


Total number of acres irrigated: 1.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1997.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
4. Place of use is located within Westmond Cemetery.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

6th day of December, 1996.


Karl J. Dreher, Director
for

RECEIVED

NOV 21 1996

RECEIVED
NOV 08 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant Westmond Cemetery Assn. Phone 263-2038
Mailing address 8135 S. Sagler Rd Sagler 83860
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is Township 55N Range 2W Sec. 5, in the _____ 1/4,
SW 1/4, NE 1/4, Govt. Lot _____, B.M., Bonner County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
 Amount .03 for Irrigation purposes from 3/15 to 10/15 (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 (04) and/or (b) _____
 cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source pump and sprinkler system
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
 - c. Proposed well diameter is 8 inches; proposed depth of well is 227 feet
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? 1968; Drilling firm C & H, Bob Pitts & EA Holman
 Well was drilled for (well owner) Same; Drilling Permit No. 96-67-N-2
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. _____
 - e. Other; describe fully. _____

MICROFILMED

JAN 24 1997

* standard irrigation season. 11/21/96 c.s.

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	2W	5			1														1

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Appl

b. Who owns the land to be irrigated or place of use? Appl

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

12. Remarks: This filing is for 1 additional acre for the Westmond Cemetery First WR is 96-704

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Narp Turnbull Reg. Rep.
Signature of Applicant (and title, if applicable)

Received by TS Date 10/18/96 Time 9:30a Preliminary check by TS
 Fee \$ 50- Received by TS # NO10732 Date 10/18/96
 Publication prepared by TS Date 10/19/96 Published in Boise County Daily Bee 10/17 & 24/96
 Publication approved TS Date 11/6/96



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 30, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

WESTMOND CEMETERY ASSN
C/O HARP TURNBULL
3222 S SAGLE RD
SAGLE ID 838609608

RE: WATER RIGHT NO. 96-08942

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

SEP 16 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of June, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 96-08942

WESTMOND CEMETERY ASSN
C/O HARP TURNBULL
3222 S SAGLE RD
SAGLE ID 838609608


Kari Lynn Townsend
Secretary

MICROFILMED

SEP 16 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08942

DATE 6/26/97

REVIEWER: SHARLA

NAME Change OK

Address Change updated 1/97

SOURCE Change OK

Is change clarification of originally intended source? Yes

POINT OF DIV Change OK

If not, prepare Notice of Intent to Void Amendment required NO

PLACE OF USE Change OK

Amendment required NO

Does map agree with written description? Yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .03 cfs

Fee limit .04 20 cfs \$5000 Refunded - NO FEE REQD

Measured 0.04 cfs

Theoretical .04 cfs

Recommended Total Div Rate .03 cfs

ANNUAL VOLUME/
NATURE OF USES Use

Use

Volume Calculation

1 X 3.0 = 3.0 af

af

af

af

SUBTOTAL 3.0 af

Flow rate .03 cfs X 345 days X 1.98 = 14.6 af

Total volume recommended 3.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W35 (96-07014, 0.04 cfs)
W36 (")

CONDITIONS Watermaster Control WD#

GW Measurement/Measuring Device

Overlap

Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed NA

1st Amend Letter NA

Adjustment Memo NA

2nd Amend Letter NA

RECEIVED

JUN 12 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No.

96-08942**A. GENERAL INFORMATION**1. Owner: Westmond Cemetery Association Phone No. (208)-263-2038Current Address: 8135 S. Sagle Rd. Sagle, Id. 83860-96082. Accompanied by: Harp Turnbull EXAM DATE: 5-29-97Address: SAME AS ABOVE Phone No. SAME AS ABOVERelationship to Permit Holder: Board of Director / Care taker3. Source: Groundwater tributary to —**B. OVERLAP REVIEW**1. Other water rights with the same place of use: 96-070142. Other water rights with the same point of diversion: 96-07014**C. DIVERSION AND DELIVERY SYSTEM**

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
Well #1		NW	SW	NE	05	55N	02W	Bonner	USGS 7.5' QUAD; Site Visit

2. Place(s) of Use:


Indicate Method of Determination Site Visit

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	02W	05			1.0														1.0

MICROFILMED

SEP 18 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 113.

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well # 1	Submersible	1.5	9435174	Goulds	106515412 / 1" inch

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: *See Theoretical Calculation

MICROFILMED

SEP 10

E. NARRATIVE/REMARKS/COMMENTS

System consist of 227' ft. Well with a 1.5 HP Goulds
Submersible pump. Main line is constructed with 2" in main
line with RainBird sprinklers.

IRRIGATION is for Cemetery plots area consisting of
lawn. This Permit is in conjunction with 96-07014.
New irrigation is on 1^{acre} adjacent to and south of Existing
Cemetery.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

SEP 16 1997

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached*See Theoretical Calculations.***G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (1.0)(3.0) = 3.0 \text{ ACRE FT}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.03)(245)(1.9835) = 14.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.0 \text{ ACRE FT.}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	.03	3.0
Totals:			.03	3.0

2. Recommended Amendments

☐ Change P.D. as reflected above☐ Add P.D. as reflected above☒ None☐ Change P.U. as reflected above☐ Add P.U. as reflected above☐ Other**I. AUTHENTICATION**

Field Examiner's Name

William J. Sample

Date

6-2-97

Reviewer

Date

SEAL

MICROFILMED

SEP 16 1997

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08942
DATE: 2-JUN-97
COMPLETE BY: HERM

HORSEPOWER = 1.5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 106 FEET


SYSTEM PRESSURE = 60 PSI

QUANTITY = 0.04 CFS

RECORDED
SEP 16 1997

PERMIT # 96-08942

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PORT SUPPLEMENT
O G R A P H S



MICROFILMED
SEP 16 1997

MAY 21 1976

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well. Department of Water Resources

[illegible]

RECEIVED

JAN 15 1997

Department of Water Resources

Westmond Cemetery assoc

3212 S. Sagla Rd.

Sagle, SD. 57860-9608

G. Harp Turnbue

RECEIVED

JAN 07 1997

NORTH DAKOTA
DWR

Al Beardslee

1 DWR

1910 W.W Blvd Suite 210

Casper & alone, SD. 57814

FILE # 96-08942

Dear Sir;

The cemetery assoc. has received a request
from the Base office for the
current address of the assoc
which is as noted above

Please forward this address
to the Base office

Thanking you for your cooperation

Sincerely

Harp Turnbue
Reg. agent

MICROFILMED

JAN 15 1997

changed address

1/15/97

pat

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08942 Reviewed by [Signature] Date 12-11-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

_____ Surface water source
☒ Ground water source
no Drilling permit required?
_____ Copy in the file? Drilling Permit No. _____
_____ Amount paid for permit _____ Correct?
_____ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

no Required?
50- Amount Submitted
no Correct?
no Required?
_____ Installed?
_____ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Refund \$50.00 exam fee
Proof acceptable

DATA ENTRY

New Address 3222 S Sagie Rd. Proof Made 10-8-96



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 12, 1996

WESTMOND CEMETERY ASSN
8135 S SAGLE RD
SAGLE ID 83862

PROOF ACKNOWLEDGMENT LETTER

RE: Permit No. 96-08942

Dear Permit Holder:

The Department is in receipt of the proof of beneficial use statement and the \$50.00 license examination fee filed in connection with the above referenced water right permit.

A license examination fee is not required for a rate of diversion of 0.04 cfs or less from a ground water source. You submitted proof for 0.03 cfs, therefore, I have initiated the process to refund the \$50.00 exam fee. The refund should arrive in seven (7) to ten (10) business days under separate cover.

Please be advised that Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have any questions concerning the field examination, contact the **NORTHERN** Regional Office in Coeur d'Alene, at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Region,
Fiscal

RECEIVED
JAN 24 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 9, 1996

WESTMOND CEMETERY ASSN
3222 S SAGLE RD
SAGLE ID 83860-9608

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08942

Dear Permit Holder:

Enclosed is a copy of your approved application for permit.
Please be sure to thoroughly review the "Conditions of Approval
and Remarks" listing on the permit.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures

RECEIVED
JAN 24 1997

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

by Cindy Zimmerman 12/4/96

No.: 96-8942 Name: Westmont Cemetery Date: 11/21/96 Ad OK? ✓ Gvmt Lts: ✓

AREA OF CONCERN?

- No/Yes _____ Mor _____ GWMA Trust/Non-trust

PROTESTED:

- 020 (Protest Agr) or W19 (See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed

- NA

~~1 year~~/no proof

- ~~P16~~

+1 year

- 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs

- 01M

=/- 0.2 cfs

- No MD

=/+ 5 a.

- 01M, 065 (if GW use SW 1st)

DRILLING PERMIT:

Existing well

- NA (pre 7/1/87)

Included w/permit

- Permit No. _____, P99

No WD permit?

- 046-46B-P23 (post 7/1/87)

irr. in WD

- P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):

Water District (~~dem~~)

- 005 (req) WD # _____ <SEE MAP & LISTING>

+ 0.2 cfs

- 01J (meas dev)-P08

=/- 0.2 cfs

- 01H (lock dev)-P01 or No MD

In-WD + 0.2 cfs

- 01M or No MD (in-stream)

- 0.2 cfs

- No MD

=/+ 5 a. irr.

- 01M

RIVER BASINS (*Surface water):

Snake R (01)

- 11A-P04, NA

(02/03-irr)

- 007-P07 (w/ remark WB9-- Weiser), NA

Boise River (63)

- 05A (if WD), 11E (not 42-111 use), NA

Payette River (65)

- 064 (regulated uses), 047-P04 (Payette Lake), NA

USE:

Domestic (surface)

- *WB5 (Boise R above Star Bridge); 27A (Payette R); NA

Fish Propagation

- 07A-042 (req)-010/06A/09E (WQ)-P10; 044 (N 1000 Spr)

Irr <POU> =/- 5 a

- 057 (0.03 cfs/A)

+ 5 a

- 03A (0.02 cfs/A)

Mining

- 054 (req) & 06A/010/09E-P10

Power

- 08A-17K-025-027-028-01F(P19)-09E(P10);

+25 cfs-P18; 17G (FERC) or 17M (FERC); 18B-P09

Storage (✓3 compo.)

- 18A (multi MD in WD), 18B-P09 (+10' dam), W07

LOCATION:

42-248 area

- In 20/30/40/50/60/70/80 (87) basin? P84

Boise Front LoGeo

- 058 (-85° GW temp only)

In-stream dev.

- P52 (stream channel alteration)

Irr Dist/Canal Co.

- 023 (Twin Falls area)

Swan Falls Flag

- _____ <SEE CODE CHART>

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust <1>

- 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-owner

- 004 (PD/PU) _____

OTHER CONDITIONS:

STANDARD REMARKS:

- pu/Westmont Cemetery

BENEFICIAL USE DUE:

- 12-1-1997

COMMENTS:

- need comp off. rec'd 12/4/96



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

RECEIVED
NOV 29 1996
Department of Water Resources

November 22, 1996

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

WESTMOND CEMETERY ASSN
8135 S SAGLE RD
SAGLE ID 83860 - 9608

*Change of address to
3212 S Sagle Rd
Sagle, ID. 83860 - 9608*

RE: Application for Permit No. 96-08942

Dear Sirs:

I received the above application for permit for irrigation use for 1 acre for final review. However, due to the requirement of Water Allocation Rule 035.03.b.i., I need a list of the names, titles, and addresses of all the officers and/or partners of Westmond Cemetery Association.

I will hold further processing on your application for 14 days pending your response. Please submit this information as quickly as possible within the 14-day period to prevent any further undue delay in processing your application.

If you have any questions, you may contact me directly at (208) 327-7944.

Sincerely,

Cindy Zimmerman

Cindy Zimmerman
Water Resource Agent

*Per your request
List of officers & Board of
Directors on reverse side*

(over)

NOV 29 1996

NOV 29 1996

of prior
Pres. Ken Johnson

7341 Westmond Rd

office
ass. Secy. Treas.

Sagle, Id. 83860

Dorothy Eich

2980 S. Sagle Rd

Sagle Id. 83860

aff. Secy.
Secy. Treas.

Rosemary Turnbull

3222 S. Sagle Rd

Sagle Id. 83860

Board of Directors

4 Reg. agent

Harp Turnbull

3222 S. Sagle Rd.

Sagle Id. 83860

Board of Directors

Larry Lowless

766 Westmond Rd.

Sagle Id. 83860

Board of Directors

Bernie Pederson

5404 Fish Creek Rd.

Coeville Id. 83813

Board of Directors


Evelyn Keller

610 Westmond Rd

Sagle, Id. 83860

RECORDED

Westmond Lemteygassen
3222 S. Sage Rd.
Sage, Id. 83860-9608



NEW ADDRESS ↑

State of Idaho
Dept. of Water Resources
1301 N. Orchard St.
Boise, Id. 83706-2239

Att. Cindy Zimmerman





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

November 22, 1996

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

WESTMOND CEMETERY ASSN
8135 S SAGLE RD
SAGLE ID 83860

RE: Application for Permit No. 96-08942

Dear Sirs:

I received the above application for permit for irrigation use for 1 acre for final review. However, due to the requirement of Water Allocation Rule 035.03.b.i., I need a list of the names, titles, and addresses of all the officers and/or partners of Westmond Cemetery Association.

I will hold further processing on your application for 14 days pending your response. Please submit this information as quickly as possible within the 14-day period to prevent any further undue delay in processing your application.

If you have any questions, you may contact me directly at (208) 327-7944.

Sincerely,

A handwritten signature in cursive script that reads 'Cindy Zimmerman'.

Cindy Zimmerman
Water Resource Agent

RECORDED

NOV 24 1996

No. a
4/87-06/92n

I DEPARTMENT OF WATER RESOURCE
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 96-8942

***** INITIAL REVIEW *****

APPLICANT: WESTMORAD Cemetery BY: JB DATE: 10/18/96

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
12. ☒ Map
☒ Signature
13. ☒ Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

PROCESSING

Yes No PRIORITY DATE: 10/18/96
X (Include Moratorium Remark)
X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).
bc/shurs/ok
ADVERTISE IN: BANNER County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information
() Power Information () Other: N/A

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
X Field report attached
X Analysis Supp. attached(>5cfs/500af)
X Water delivered by water master?
Water District # _____

***** GROUNDWATER SECTION *****

(Yes) (No)

- X Groundwater management area
X Critical ground water area
X Well Drilling Permit required
X Well Drilling Application and Fees received
X Well Drilling Application approved?
Well Drilling Application Number _____

Checked by: _____ Date: ____/____/____

Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- X Notice of pending void order issued. Final order response date: ____/____/____
X Further information required from applicant
11/5 X Affidavit of publication received
11/6 X Application published correctly, If not, record action taken: _____
10/9 X Publication dates and paper recorded on application | Sr. Agent initial JB
X Protests received. Final protest date: 11/10/96
X Measuring device required
X Measuring port required
X Special conditions: _____
X Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: JB RJA

Date: 11/6/96

RECEIVED
NOV 08 1996

Department of Water Resources

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Rene Roosman being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Notice of Application
for Water Right

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 17 day of Oct, 1996
and ending on the 24 day of Oct, 1996
and that said notice was published in said newspaper.

On this 24 day of Oct in the year
of 1996, before me, a Notary Public, personally
appeared Rene Roosman,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Carolyn K. Inge
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 6/2000

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08940

KILBY, JERRY
KILBY, MARGARET
1232 N LEMON
FULLERTON, CA 92831
Source: PEND OREILLE LAKE
Tributary: PEND OREILLE RIVER
Diversion Pt: NESE Sec 21 T 56N
R 01W in BONNER County.
Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 10/1/1996
In: BONNER County
T56N R01W S21 NESE
96-08941

WOOD, VIRGIL
BOX 1042
SAGLE, ID 83860
Source: SPRINGS Tributary:
SINKS

Source: UNNAMED STREAMS
Tributary: SINKS
Diversion Pt: SESWNE Sec 10 T
54N R 02W in BONNER County.
Use: IRRIGATION (0.020 CFS)
IRRIGATION STORAGE

(10.00 AF)
IRRIGATION FROM STORAGE
(10.00 AF)

STOCKWATER (0.020 CFS)
DOMESTIC (0.040 CFS)
RECREATION STORAGE
(10.00 AF)

FIRE PROTECTION
(0.100 CFS)

FIRE PROTECTION STORAGE
(10.00 AF)

DIVERSION TO STORAGE
(0.100 CFS)
Total Diversion: (0.100 CFS)


Date Filed: 10/2/1996
In: BONNER County
T54N R02W S10 SWNE
2.0 ACRES TOTAL

96-08942
WESTMOND CEMETERY ASSN
8135 S SAGLE ROAD
SAGLE, ID 83860
Source: GROUNDWATER
Diversion Pt: SWNE Sec 5 T 55N R
02W in BONNER County.
Use: IRRIGATION (0.030 CFS)
Total Diversion: (0.030 CFS)
Date Filed: 10/8/1996
In: BONNER County
T55N R02W S05 SWNE
1.0 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at (208)
769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene,
Idaho 83814, together with a protest
fee of \$25.00 on or before NOVEM-
BER 4, 1996.

KARL J. DREHER, Director
SNP#7978 Oct 17, 24, 1996



MICROFILMED

JAN 14 1997

96-08942

WESTMOND CEMETERY ASSN
8135 S SAGLE ROAD
SAGLE, ID 83860

Source: GROUNDWATER

Diversion Pt: SWNE Sec 5 T 55N R 02W in BONNER County.

Use: IRRIGATION (0.030 CFS)
Total Diversion: (0.030 CFS)

Date Filed: 10/ 8/1996

In: BONNER County
T55N R02W S05 SWNE

1.0 ACRES TOTAL

UNRECORDED

JAN 24 1997

October 9, 1996

Harp Turnbull
Westmond Cemetery Assn
81335 S Sagle Road
Sagle ID 83860

Re: Water Appropriation Application No. 96-08942

Dear Mr. Turnbull:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If your source is groundwater, a Well Drilling Permit is required for all wells constructed after July 1, 1987.

A "Domestic" well drilling permit should be obtained for a rate of diversion of up to 18 gallons per minute (0.04 CFS) and a daily volume of up to 2,500 gallons per day. The cost for this permit is \$35.00. For any other use, including multiple homes, or municipal, etc., the Drilling Permit fee is \$200. It is possible to upgrade a Domestic Drilling Permit by submitting an additional \$165.00. These Permits can be obtained by your driller, also.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

MAILED

APR 24 1997