





Pond. Miller Lake

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 100'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
P.D.#1		GRAVITY FLOW			
P.D.#2		GRAVITY FLOW			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket Method:						

2. Measurements:

Bucket Method 4 gallons @ 22.6 sec 4 gallons @ 23.1 seconds.

MICROFILMED
JUN 26 1998

REILLE

KANIKSU

MICROFILMED
JUN 26 1998

TIONAL

T 55 N 2500 T
T 54 N


2070AT
Minerva2

Granite Point
Echo Rock

Pine Cove
+ 2082

Kilroy Bay

Kilroy



2113T
PD #1
ERD #2
Sullivan Spring

Granite 26

Footbridge

Trans Lines

Granite

96-08925

T. 55 N. R. 01 W. Sec. 26

RAND, RICHARD L.

OREST

CEDAR

DRIVE

GRANITE

CREEK

LAKEVIEW

DRIVE

T55N, R01W, SEC. 26

RAND RICHARD

AVENUE

9608925

8

7

Block 1

Block 2

Sarah Conner Knecht
494445

Richard Rand
384501

Michael D. & Dianne E. Rand
36372

Daniel Gumprecht
108-376

Joseph Dupre
116-75

Shed Jack M. Wyatt
455597

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330



Valve System for Spring #2

75 gal. Holding Tank & 5 gal. Sediment



P.D. #1 & 75 gal. Holding Tank

P.D. #2 - 2-3 gal. Buckets Buckle



PERMIT


46-08925



Water supply hose / Measure next
8661 9 7 1071
Site
Place of use



425 gallon holding Tank
Hose and water supply hose



PERMIT # 96-08925

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 96-08925

Priority: June 6, 1996

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 0.6 AF

This is to certify, that RICHARD L RAND
PO BOX 302

ROSALIA WA 99170-0302 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 6, 1996; and
has submitted Proof of Beneficial Use on June 20, 1997. An examination indicates
that the works have a diversion capacity of 0.050 cfs of water from:

SPRINGS tributary to GRANITE CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(SENWSE), Sec. 26, Township 55N, Range 01W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

55N 01W 26 Lot 3(NWSE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JUN 26 1998

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 96-08925

CONDITIONS OF APPROVAL AND REMARKS

5. Rights 96-07976, 96-08634, and 96-08925 when combined shall not exceed a total diversion rate of 0.05 cfs.
6. Rights 96-07976 and 96-08634 are also diverted through the point(s) of diversion described above.
7. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
8. Two points of diversion are located in Lot 3 (SENWSE), S26, T55N, R1W.
9. Place of use known as Lots 1 and 2, Blk. 1, Granite Creek Properties.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3RD
day of APRIL, 1998.


KARL J. DREHER, Director

MICROFILMED

JUN 26 1998

RECEIVED

APR 01 1998

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-08925

Date of Priority: June 6, 1996

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 0.6 AF

Comes now RICHARD L RAND
PO BOX 302
ROSALIA WA 99170-0302

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 96-08925, and requests that the permit be changed as follows:

Source: SPRINGS tributary to GRANITE CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3 (SENWSE), Sec. 26, Township 55N, Range 01W
BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC
55N 01W 26 Lot 3 (NWSE)

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 1:45, this 30 day of March, 1998.

Richard L Rand
(Signature)

MICROFILMED

JUN 26 1998

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-08925

FOR DEPARTMENT USE ONLY

Preliminary check by SK Fee = 5000 Received by LL # 6041935 Date 4/1/98

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 96-08925 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Rights 96-07976, 96-08634, and 96-08925 when combined shall not exceed a total diversion rate of 0.05 cfs.
6. Rights 96-07976 and 96-08634 are also diverted through the point(s) of diversion described above.
7. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
8. Two points of diversion are located in Lot 3 (SEWNSE), S26, T55N, R1W.
9. Place of use known as Lots 1 and 2, Blk. 1, Granite Creek Properties.

Witness my hand this 3rd day of April, 1998.


KARL J. DREHER, Director

MICROFILMED

JUN 28 1998

STATE OF IDAHO
 DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- Permit No. 96-08925 Telephone No. 208-222-2280
- Name(s) of Permit Holder(s): Richard L. Rand
- Mailing Address: Granite Creek, Id. (Bayview) 83803 or P.O. Box 302, Rosalia, Wa. 99170
- Source of Water: Spring If GROUNDWATER (well), Date Drilled: mo. / yr.
 - Well Driller: Drilling Permit Number: - -
 - OPTIONAL:
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):
- Use(s) (as authorized by the water right permit):
 Domestic (No. of households): 1 Stockwater (No. and type of stock):
 Irrigation (No. of acres): Other:
- Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR acre feet
- Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
 (This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u> or No <u> </u>
	Has the measuring device been installed?	Yes <u> </u> or No <u> </u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u> or No <u> </u>
	Has the measurement port been installed?	Yes <u> </u> or No <u> </u>
- Fee Enclosed: \$50.00 ~~not required~~ (See Fee Schedule on back of the instructions for filing proof of beneficial use)
- Person to contact to accompany the Department representative during field examination of the water system.
 Name: Richard L. Rand Telephone Number: 509-523-2130
 Address: Granite Creek, Bayview, Id. 83803 or P.O. Box 302, Rosalia, Wa. 99170
- The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 8-7-96
 (include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 96-08925

Proposed Priority: June 6, 1996

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **RICHARD L RAND**
PO BOX 302

ROSALIA WA 99170-0302

has applied for a permit to appropriate water from:

SPRING

tributary of **GRANITE CREEK**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 3(SENWSE), Sec. 26, Township 55N, Range 01W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

55N 01W 26 Lot 3(NWSE)


CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1997.**
2. Subject to all prior water rights.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

22nd day of

July, 1996



Karl J. Dreher, Director

for

AUG 2 2 1996

RECEIVED
JUL 17 1996

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-8925

To appropriate the public waters of the State of Idaho

1. Name of applicant RICHARD L. RAND Phone (509) 523-2130
Post office address PO Box 302 ROSALIA, WA 99170
2. Source of water supply SPRING which is a tributary of GRANITE CREEK
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot 3
Sec. 26 Township 55N Range 1W B.M. BONNER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from 4/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WATER FLOWS FROM
SPRING BOX TO 425 GALLON CISTERN GRAVITY FLOW
TO HOME
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1 HOME
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

6.6.3

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
55N	1W	26																	


Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? FOREST SERVICE
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. APPLICANT WILL SEEK EASEMENT.

12. Remarks: _____

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard L. Linn
(Applicant)

Received by AS Date 6/6/96 Time 2:00 Preliminary check by AS
Fee \$ 50.00 Received by AS # N-10268 Date 6/6/96
Publication prepared by [Signature] Date 6/11/96 Published in Bonneville Daily Bee 6/20 & 27/96
Publication approved [Signature] Date 7/8/96

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

AUG 22 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 6, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RICHARD L RAND
PO BOX 302
ROSALIA WA 99170-0302

RE: WATER RIGHT NO. 96-08925

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

JUN 26 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 6th day of April, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 96-08925

RICHARD L RAND
PO BOX 302
ROSALIA WA 99170-0302


Kari Lynn Townsend
Secretary

MAILED

JUN 26 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 17, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RICHARD L. RAND
PO BOX 302
ROSALIA WA 99170-0302

RE: WATER RIGHT NO. 96-08925

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within 14 days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script, reading 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

RECEIVED
JUN 25 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 19, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RICHARD L RAND
PO BOX 302
ROSALIA WA 99170-0302

RE: WATER RIGHT NO. 96-08925

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that you developed more points of diversion than were described on your permit. Therefore, before a license can be issued, your permit must be amended to include the additional point(s) of diversion.

The enclosed Application for Amendment form describes the additional point(s) of diversion and other information that will be included on the license when it is issued. In some cases, the reference to multiple points of diversion is contained in the list of conditions of approval and remarks on the last page of the amendment form. Please review the amendment carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

A handwritten signature in cursive script, reading 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

RECEIVED

JUN 23 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08925

DATE 2/17/98

REVIEWER: SHARLA

NAME Change OK

Address Change NO

SOURCE spring ✓

Is change clarification of originally intended source? ✓

POINT OF DIV add 2nd pld ✓

If not, prepare Notice of Intent to Void

Amendment required yes

PLACE OF USE ✓

Amendment required NO

Does map agree with written description? ✓ yes no

OVERLAPS

7976
P/D P/U
Overlap file pulled & reviewed ✓

RATE OF DIV

Permitted Rate .04 cfs

Fee limit .20 cfs \$5000

Measured .05 cfs

Theoretical cfs gravity flow

Recommended Total Div Rate .02 cfs

ANNUAL VOLUME/ NATURE OF USES

Use	cfs	Volume Calc
<u>Dom</u>	<u>.02</u>	<u>.6</u> af
<u> </u>	<u> </u>	<u> </u> af
<u> </u>	<u> </u>	<u> </u> af
<u> </u>	<u> </u>	<u> </u> af
SUBTOTAL	<u>.02</u>	<u>.6</u> af

Flow rate .02 cfs X 365 days X 1.98 = 14.5 af

Total volume recommended .6 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

WBS 2 pld in SENEWSE, S26.

Plu known as Lots 1 & 2, Blk. 1, Granite Creek Properties.

CONDITIONS

 Watermaster Control WD#

 GW Measurement/Measuring Device

 Overlap

 Use-specific conditions

Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed N/A

Adjustment Memo

1st Amend Letter P45 P38

2nd Amend Letter P42

WBS (96-08925) 0.02 cfs
36
WBS (-.05 cfs)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1998

Department of Water Resources

96-08925

A. GENERAL INFORMATION

Permit No.

1. Owner: Richard L. Rand Phone No. (509)-523-2130

Current Address: P.O. Box 302 Rosalia, WA, 99170-0302

2. Accompanied by: Richard Rand EXAM DATE: 7-24-97

Address: Granite Creek landing, Bayview, Id 83803 Phone No. (208)-222-2280

Relationship to Permit Holder: Permit Holder

3. Source: Spring tributary to Granite Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: 96-08634-, 96-04123, 96-07976

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
PD#1	#3	SE	NW	SE	26	55N	01W	Bonner	USGS 7.5' QUAD; site visit
PD#2	#3	SE	NW	SE	26	55N	01W	Bonner	USGS 7.5' QUAD; site visit

2. Place(s) of Use:

Indicate Method of Determination Assessor, Site Visit

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	01W	26															D		Domestic
				</															


** PLACE OF USE is within Part of Lot #1 and Lot 2 of Block #1 of Granite Creek Properties.*

MICROFILMED

JUN 26 1998

Hand-drawn
on file

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = 100'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
P.D.#1	GRAVITY FLOW				
P.D.#2	GRAVITY FLOW				

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket Method:						

2. Measurements:

Bucket Method 4 gallons @ 22.6 sec. 4 gallons @ 23.1 seconds.

RECORDED
JUN 26 1998

E. NARRATIVE/REMARKS/COMMENTS

System Consist of 2 Springs that are 20' Apart.

Spring #1 is used in Conjunction with 96-04123 and 96-08634. The Spring is an excavated hole measuring 3' wide x 6' long x 3' 4" deep. From here a 1" PVC hose runs out to a 5 gallon bucket that is used to catch sediment. When the 5 gallon bucket fills a 1/2" PVC hose @ the top of the bucket drains water to a 75 gallon holding tank. From the holding tank, ~~ON~~ the side and on the bottom of the holding tank is a water line that serves 96-04123. When the tank fills to the top a overflow pipe that is 3/4" drains water to a 425 gallon Holding tank. From this holding tank a 1" PVC Pipe runs approx 800' along Cedar Drive to a "T" - one line serves 96-08634 and the other serves 96-07976 and 96-08925. From the "T" a 1" PVC pipe runs approx 100' to a Hose bib next to a trailer on lot #3 Block 1. From this hose bib a garden hose serves water to The Domestic Home on lot #2 and Part of Lot #1, Block 1 Granite Creek Properties.

Spring #2 is used when spring #1 doesn't have enough water overflow to serve the domestic unit. When spring #1 is supplying enough water there is a Valve on the discharge line of Spring #2 that is shut off and that water is returned back to a lower part of the Spring Area.

Domestic use is located on a portion of Lot 1 and Lot 2, Block 1 of Granite Creek Properties.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JUN 28 1994

F. FLOW CALCULATIONS

Measured Method:

Bracket Method

Additional Computation Sheets Attached

$$\textcircled{1} \frac{4}{X} = \frac{22.6 \text{ seconds}}{60 \text{ seconds}} \frac{240}{22.6}$$

$$= 10.6 \text{ gpm}$$

$$\textcircled{2} \frac{4}{X} = \frac{23.1}{60 \text{ seconds}} \frac{240}{23.1}$$

$$= 10.4 \text{ gpm}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>1-01</i>	<i>12-31</i>	<i>.02</i>	<i>.6</i>
Totals:			<i>.02</i>	<i>.6</i>

2. Recommended Amendments

☐ Change P.D. as reflected above

☒

Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐

Add P.U. as reflected above

☐ Other

I. AUTHENTICATION

Field Examiner's Name

William D. Bangle

Date

7-30-94

Reviewer

Date


SEAL

RECORDED
JUN 28 1995

OREILLE

KANIKSU

IONAL



NOT FILMED
JUN 26 1998

96-08925
T. 55N. R. 01W. Sec. 26
RAND, RICHARD L.


Pueblo Land 329.65
Mineral 13.32

Sec. 27.

Sec. 26

25

Sec. 34.



MICROFILMED
JUN 26 1998



STATE OF OHIO
DIVISION OF WATER RESOURCES
REPORT SUPPLY
NO. 1000 P
P.D. #1 - 2-35 gal. Holding Tank
P.D. #2 - 2-35 gal. Buckets for




Valve System for Spring #2
35 gal. Holding Tank & 5 gal. Sediment



Rubbermaid



DATE OF INSPECTION
 TIME OF WATER
 REPORT NO.
 0 0 0 0
 25 gallon holding tank
 1755 closed water supply 1755



Water supply hose / Measure and
 5 ft
 Price of use



**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08925 Reviewed by [Signature] Date 7-9-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☒ Drilling permit required?
☒ Copy in the file? Drilling Permit No. _____
☒ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received _____
Date proof due _____
No. of days late _____
Priority Date _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 6-20-97



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR
July 11, 1997

RICHARD RAND
PO BOX 302
ROSALIA WA 99170

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08925

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

If you have questions concerning the field examination, contact the **NORTHERN** Regional Office in Coeur d'Alene, at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Region

RECEIVED
JUL 12 1997

May 31, 1997

RICHARD L RAND
PO BOX 302
ROSALIA WA 991700302

PROOF DUE NOTICE

RE: PERMIT NO. 96-08925

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

REGISTERED MAIL

JUL 1 8 1997

CERTIFIED MAIL

NO P59062046



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 22, 1996

RICHARD L. RAND
PO BOX 302
ROSALIA WA 99170-0302

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08925

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "Conditions of Approval and Remarks" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED
AUG 2 2 1996

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW**
by Cindy Zimmerman

No.: 96-8925 Name: Rand. Date: 7/18/96 Ad OK? ✓
Correct Fee? ✓ Receipt #: N010268 Priority: 6/6/96 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):

Water District(~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 01J(meas dev)-P08
=/- 0.2 cfs - 01H(lock dev)-P01 or No MD
In-WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-† Weiser), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R † Star Bridge); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - _____ <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU) FS / easement

OTHER CONDITIONS: -

STANDARD REMARKS: - ① woi/1

BENEFICIAL USE DUE: - 8-1-1997

COMMENTS: -

RECEIVED
JUL 17 1996

1. DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 96-8925

***** INITIAL REVIEW *****

APPLICANT: RAND
Department of Water Resources

BY: MS

DATE: 6/6/96

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
12. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

Yes No

- Y Field check: by _____
Y Field report attached
Y Analysis Supp. attached (>5cfs/500af)
Y Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 6/6/96

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).
bc / thurs / ok

ADVERTISE IN: BOONVILLE County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

- Y Groundwater management area
Y Critical ground water area
Y Well Drilling Permit required
Y Well Drilling Application and Fees received
Y Well Drilling Application approved?
Well Drilling Application Number _____

Checked by: _____ Date: ____/____/____

Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- 7/5 Notice of pending void order issued. Final order response date: ____/____/____
7/8 Further information required from applicant
7/8 Affidavit of publication received
6/11 Application published correctly, If not, record action taken: _____
Y Publication dates and paper recorded on application
Y Protests received. Final protest date: 7/8/96
Y Measuring device required
Y Measuring port required
Y Special conditions: _____
Y Special conditions of approval supplement and/or cover letter attached:

Sr. Agent initial AS

Approval Recommended by: AS

Date: 7/8/96

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pamela D. Roberts being first duly sworn on oath

deposes and says that he/she is Book Keeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

NOTICE OF APPLICATION FOR

WATER RIGHT

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 20 day of June, 19 96

and ending on the 27 day of June, 19 96

and that said notice was published in said newspaper.

On this 27 day of June in the year

of 1996, before me, a Notary Public, personally

appeared Pamela D. Roberts,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me first

duly sworn, declared that the statements therein are true,

and acknowledged to me that he executed the same.

Carole L. Inge
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 6/2006

RECEIVED

JUL 05 1996

NOTARY PUBLIC
IDWR

NOTICE OF APPLICATION
FOR WATER RIGHT

Three Following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

96-08925

RAND, RICHARD L

PO BOX 302

ROSALIA, WA 99170

Source: SPRING Tributary: GRAN-
ITE CREEK

Diversion Pt: LOT 3 (SENWSE)
Sec 26 T 55N R 01W in BONNER
County.

Use: DOMESTIC (0.040 CFS)

Total Diversion: (0.040 CFS)

Date Filed: 6/ 6/1996

In: BONNER County

T55N R01W S26 Lot 3(NWSE)

For additional information con-
cerning the property location, call
the Northern Regional Office at (208)
769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d' Alene,
Idaho 83814, together with a protest
fee of \$25.00 on or before JULY 8,
1996.

KARL J. DREHER, Director
SNP#7724 JUN 20, 27, 1996

AUG 22 1996

96-08925

RAND, RICHARD L
PO BOX 302
ROSALIA, WA 99170

Source: SPRING

Tributary: GRANITE CREEK

Diversion Pt: LOT 3 (SENWSE) Sec 26 T 55N R 01W in BONNER County.

Use: DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.040 CFS)

Date Filed: 6/ 6/1996

In: BONNER County
T55N R01W S26 Lot 3 (NWSE)

June 12, 1996

Richard L. Rand
P O Box 302
Rosalia WA 99170

Re: Water Appropriation Application No. 96-08925

Dear Mr. Rand:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If your source is groundwater, a Well Drilling Permit is required for all wells constructed after July 1, 1987.

A "Domestic" well drilling permit should be obtained for a rate of diversion of up to 18 gallons per minute (0.04 CFS) and a daily volume of up to 2,500 gallons per day. The cost for this permit is \$35.00. For any other use, including multiple homes, or municipal, etc., the Drilling Permit fee is \$200. It is possible to upgrade a Domestic Drilling Permit by submitting an additional \$165.00. These Permits can be obtained by your driller, also.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db