

RECEIVED
OCT 12 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-8898

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant KENNETH R. JAMIESON Phone 208-265-2634
Post office address PO Box 812, SANDPOINT, ID. 83864
2. Source of water supply TURNIPSEED CREEK which is a tributary of SYRINGA CREEK
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____
Sec. 18 Township 57 N Range 2 W B.M. BONDER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 101 CFS for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 101 CFS and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. A WATER POWERED PUMP TO RAISE THE WATER TO THE HIGH SPOT ON MY PROPERTY, THEN GRAVITY TO THE GARDEN.
 - b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total reservoir capacity NA acre-feet; period of year when water will be diverted to storage: NA to NA inclusive.
 - c. Proposed well diameter is NA inches; proposed depth of well is NA feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? NO
 - e. If well is already drilled, when? _____; Drilling firm: _____;
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is 1 YR. years (minimum 1 year).

JAN 31 1996

OF WATER A DAY. I REDUCED THAT TO .000013 CPS

(Applicant)

JAN 31 1996

11/11/95

e. Other:

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

_____, 19____.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Publication approved by _____ Date _____

Publication prepared by _____ Date _____

Fee \$ 30.00 Received by _____

Date 7/13/95 Time 1:10 pm Preliminary check by _____

Received by _____ Date 7/13/95 # N9195 / 10200 Date 7/13/95 / 7/14/95

Published in _____ Date 10/5/95

Published in _____ Date 8/30

Date 10/5/95


7/14/95

7/13/95

7/14/95

7/14/95

T57N,R2W SEC. 18



10 STATE HWY
RPPC
12X19'94
RW50
ROW

18-57-2W

SOUTHWESTERLY R/W PIN

N 89° 12' 45" E
566.3'

7

18

S 00° 45' 00" E
477.3'

FOURNIER

46 50 27
08 39 15
38 19 12
180 - -
218° 19' 12"

S 40° E 23.5' SHED
(4.10.73)

S 46° 58' 27" W
99.87'
156.04'

T.P.O.B.

N 58° 28' 00" W
269.3'

S 89° 12' 45" W
162.6'

HIGH POINT OF PROPERTY

JAMIESON

APPLE TREES

S 08° 39' 15" W
154.77'

HOUSE

CENTERLINE OF

N 62° 50' 18" E
173.56'

S 65° 58' 30" E
85.69'

S 62° 59' 15" E
243.7'

PORT OF DIVERSION

GARDEN


TURNPIKE CREEK

S 60° 06' 00" E
196.4'

N 20° 12' 15" E
271.66'

CO. RD.

HIGH POINT OF PROPERTY



RECEIVED

JUN 12 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

96-08898

A. GENERAL INFORMATION

Permit No.

1. Owner: Kenneth R. Jamieson Phone No. (208) 265-2634Current Address: P.O. Box 812 Sandpoint Id 83864-08122. Accompanied by: Kenneth R Jamieson EXAM DATE: 5-8-97Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Zumwalt Creek tributary to Syringa Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 96-08820-96-08821-96-08822-96-088722. Other water rights with the same point of diversion: 96-08821 - 96-08872

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	18	57N	02W	Bonner	U.S. G.S. 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	02W	18					5												5

MICROFILMED

JUL 18 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	8% C.	25		Greensky	3/4

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

MICROFILMED

JUL 18 1997

61-08848



R.02W.

96-08898

T.57N, R.02W., Sec. 18

JAMIESON, KENNETH

MICROFILMED
JUL 18 1997


116°37'30"

290 000 FEET

530

35' 31

T57N, R2W SEC. 18



PERMIT # 96-08898

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



Pump



2



MICROFILMED
JUL 18 1997

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 96-8898 Name: Jemieson Date: 10/17/95 Ad OK? ☒
Correct Fee? ☒ Receipt #: N9200 Priority: 7/14/95 ☒ Gvmt Lts: ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <☒ FLO-CH>

+ 0.2 cfs - 01M
=- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <☒ FLO-CH> (Surface water that doesn't sink is regulated):

Water District(~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
In-WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R + L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10;044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(☒ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- 10-1-1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08898

Priority: July 14, 1995

Maximum Diversion Rate:
Maximum Diversion Volume:

0.01 CFS
1.5 AF

This is to certify, that KENNETH R JAMIESON
PO BOX 812
SANDPOINT ID 83864-0812

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 14, 1995; and
has submitted Proof of Beneficial Use on October 15, 1996. An examination indicates
that the works have a diversion capacity of 0.010 cfs of water from:

TURNIPSEED CREEK

tributary to SYRINGA CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.01 CFS	1.5 AF

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 18, Township 57N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	02W	18	NENW	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs nor more than 1.5 afa for the land described above.


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08898

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27th
day of JUNE, 1997.

Acting for  KARL J. DREHER, Director



JUN 28 1997

OCT 1996

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No. 0030761
Receipt By: Kit
Date Received: 10.15.96

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OCT 15 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08870 Telephone No. (608) 265-2634

2. Name(s) of Permit Holder(s): KENNETH R. JAMIESON

3. Mailing Address: Box 810, SHARPSBURG, ID 83867

4. Source of Water: TRIBUTARY If GROUNDWATER (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - - -

b. OPTIONAL:
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): Stockwater (No. and type of stock):

Irrigation (No. of acres): 2 Other:

6. Total rate of diversion and/or volume for which proof is submitted: 1.10 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No ✓

Has the measuring device been installed? Yes or No ✓

Flow Measurement Port: Is a flow measurement port required? Yes or No ✓

Has the measurement port been installed? Yes or No ✓

8. Fee E 50.00 \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: K. R. JAMIESON Telephone Number: 265-2634

Address: 5050 BARRY ROAD, SHARPSBURG, ID

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 11 Oct 96

(include your title, if on behalf of company or organization)

DEC 02 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08898

Proposed Priority: July 14, 1995 Maximum Diversion Rate: 0.01 CFS

This is to certify, that KENNETH R JAMIESON

PO BOX 812

SANDPOINT ID 83864-0812

has applied for a permit to appropriate water from:

TURNIPSEED CREEK

tributary of SYRINGA CREEK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.01 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 18, Township 57N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	02W	18	NENW	0.5		0.5


Total number of acres irrigated: 0.5

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1996.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

19th day of October, 1995.


for Karl J. Dreher, Director

APPROVED
JAN 31 1996

RECEIVED

OCT 12 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-8898

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant KENNETH R. JAMIESON Phone 208-265-2634
Post office address PO BOX 812, SANDPOINT, ID 83864
2. Source of water supply TURNIPSEED CREEK which is a tributary of SYRINGA CREEK
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of _____ Govt. Lot _____
Sec. 18 Township 57 N Range 2 W B.M. BONNER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 101 CFS for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 101 CFS and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. A WATER POWERED PUMP TO RAISE THE WATER TO THE HIGH SPOT ON MY PROPERTY, THEN GRAVITY TO THE GARDEN.
 - b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total reservoir capacity NA acre-feet; period of year when water will be diverted to storage: NA to NA inclusive.
 - c. Proposed well diameter is NA inches; proposed depth of well is NA feet
 - d. Is ground water with a temperature of greater than 85°F being sought? NO
 - e. If well is already drilled, when? _____; Drilling firm: _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is 1 YR. years (minimum 1 year).

JAN 31 1996

- [illegible]

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

REF FILMED
JAN 31 1996

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Received by UDF Date 7/13/95 Time 1:10 pm Preliminary check by 7/14/95
Fee \$ 30⁰⁰ / 20⁰⁰ Receipted by db / db # N9195 / N9200 Date 7/13/95 / 7/14/95
Publication prepared by db Date 8/30 Published in Ben City Advertiser 9/7 & 14/95
Publication approved db Date 10/5/95

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

JAN 31 1996



10 State Hwy
 RPPC
 12X19 94
 RW 50
 ROW

18-57-2W

SOUTHWESTERLY R/W PIN

N 89° 12' 45" E
 566.3'

7
 18

N 20° 40' 30" N
 394.60'

S 00° 45' 00" E
 477.3'

FOURNIER

46 50 27
 03 39 15
 38 19 12
 180
 218° 19' 12"

S 40° E AB'S. SHED
 (4-10-93)
 76.57'

S 46° 58' 27" W
 99.87'
 156.04'

T.P.O.B.

N 58° 28' 00" W
 269.3'

S 89° 12' 45" W
 162.6'

N 51° 44' 00" N
 524.67'

APPLE
 TREES

S 08° 39' 15" W
 154.77'

JAMIESON

HOUSE

CENTERLINE OF TURNPIKE CREEK

N 62° 50' 18" E
 173.56'

PORT OF
 DUNFORD

CORNER

N 89° 12' 45" E
 261.4'


S 62° 59' 15" E
 243.7'

S 60° 06' 00" E
 196.4'

N 20° 12' 15" E
 271.66'

CO. RD.

53.56'





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 30, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

KENNETH R JAMIESON
PO BOX 812
SANDPOINT ID 838640812

RE: WATER RIGHT NO. 96-08898

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

WATER RIGHTS

JUL 16 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.


APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of June, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 96-08898

KENNETH R JAMIESON
PO BOX 812
SANDPOINT ID 838640812


Kari Lynn Townsend
Secretary

FILED
JUN 30 1997
IDAHO
SANDPOINT

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08898

DATE 6/26/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	—	✓	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	—	✓	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	—	✓	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.01</u> cfs
Fee limit	<u>.20</u> cfs \$50 ⁰⁰
Measured	<u>—</u> cfs
Theoretical	<u>.01</u> cfs

Recommended Total Div Rate .01 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use <u>✓</u>	Use <u>lar.</u>	Volume Calculation
		<u>1.5</u> af
		<u>—</u> af
		<u>—</u> af
		<u>—</u> af
	SUBTOTAL	<u>1.5</u> af

Flow rate .01 cfs X 245 days X 1.9835 = 4.9 af

Total volume recommended 1.5 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W31(1.5)

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

— Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
Adjustment Memo —

1st Amend Letter N/A
2nd Amend Letter —

RECEIVED

JUN 12 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No.

96-08898

A. GENERAL INFORMATION

1. Owner: Kenneth R. Jamison Phone No. (208) 265-2634Current Address: P.O. Box 812 Sandpoint Id 83864-08122. Accompanied by: Kenneth R. Jamison EXAM DATE: 5-8-97Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Turnipsand Creek tributary to Syringa Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 96-08820 - 96-08821 - 96-08822 - 96-088722. Other water rights with the same point of diversion: 96-08821 - 96-08872

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	18	57N	02W	Bohmer	U.S. G.S. 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	02W	18					5												5

RECORDED

JUL 16 1997

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ Aerial Photo Attached (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	80% C	25	—	Crevalley	3/4

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. NARRATIVE/REMARKS/COMMENTS

Water is diverted from creek
using an eveready reciprocating pump
with a 3/4" outlet feeding 1 1/4" Pvc.
The Pvc has two outlets where a
garden hose and portable sprinkler
may be attached and moved to
desired area

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
JUN 18 1967

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

Therrell

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \times 3 = 15$$

$$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .01 \times 245 \times 1.9835 = 4.8$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} = 15$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Therrell

Period of Use
From 03/15 To 11/15

Rate of Diversion
Q (cfs) .01

Annual Volume
V (afa) 1.5

2. Recommended Amendments

Change P.D. as reflected above
Add P.D. as reflected above
Change P.U. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name *Wayne Baker* Date 5-14-97
Reviewer _____ Date _____

SEAL

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08898

DATE: 14-MAY-97

COMPLETE BY: WAYNE BALDWIN

HORSEPOWER = .25


PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 35 FEET

SYSTEM PRESSURE = 35 PSI

QUANTITY = 0.01 CFS

JUL 13 1997



R. 02W.

96-08898

T. 57N., R. 02W., Sec. 18

JAMIESON, KENNETH H.



PERMIT # 96-08898


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



Handwritten: Pump



Handwritten: 2



96-08898

APR 15 1997

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08898 Reviewed by Jef Date 11-8-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? see
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required? no Required?
50- Amount Submitted / Installed?
yes Correct? _____ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____
Date proof due	_____ - _____
No. of days late	_____ = _____
Priority Date	_____ + _____
New Priority Date	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 10-15-96

November 12, 1996

KENNETH R JAMIESON
PO BOX 812
SANDPOINT ID 838640812

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08898

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED
DEC 02 1996

August 31, 1996

KENNETH R JAMIESON
PO BOX 812
SANDPOINT ID 838640812

PROOF DUE NOTICE

RE: PERMIT NO. 96-08898

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
DEC 02 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 19, 1995

KENNETH R JAMIESON
PO BOX 812
SANDPOINT ID 83864-0812

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08898

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

JAN 31 1996

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 96-8898 Name: Jamieson Date: 10/17/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: N9200 Priority: 7/14/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):

Water District(~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
In-WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R + L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10;044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP:Non-land owner - 004 (PD/PU)

OTHER CONDITIONS: _____

STANDARD REMARKS: _____

BENEFICIAL USE DUE: _____

COMMENTS: _____

10-1-1996

No. a
4/87-06/92n

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 96-8898

***** INITIAL REVIEW *****

APPLICANT: JAMIESON BY: AB DATE: 7/14/95

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- Y Field check: by _____
Y Field report attached
Y Analysis Supp. attached(>5cfs/500af)
Y Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 7/14/95

K (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BANNER County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes)(No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- Y Groundwater management area
Y Critical ground water area
Y Well Drilling Permit required
Y Well Drilling Application and Fees received
Y Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes)(No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

10/4 Affidavit of publication received

10/5 Application published correctly, If not, record action taken: _____

9/1 Publication dates and paper recorded on application | Sr. Agent initial AB

Y Protests received. Final protest date: 9/25/95

Y Measuring device required

Y Measuring port required

Y Special conditions: _____

Y Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB

RECEIVED
OCT 12 1995

Date: 10/5/95

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner.

Melanie Roberts being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

NOTICE OF APPLICATION

FOR WATER RIGHT

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 7 day of September, 19 95
and ending on the 14 day of September, 19 95
and that said notice was published in said newspaper.

On this 14 day of September in the year
of 1995, before me, a Notary Public, personally
appeared Pamela D. Roberts
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Carole K. Inge
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 6/2000

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08893

STRONG, BARBARA ANNE
STRONG, GEORGE
120 CAMP BAY ROAD
SAGLE, ID 83860

Source: UNNAMED CREEK
Tributary: PEND OREILLE LAKE
Diversion Pt: NESW Sec 11 T 56N
R 01W in BONNER County.
SESW Sec 11 T 56N R 01W in
BONNER County.

Use: IRRIGATION (0.200 CFS)
IRRIGATION STORAGE (22.00
AF)

IRRIGATION FROM STORAGE
(22.00 AF)

STOCKWATER STORAGE (0.20
AF)

STOCKWATER FROM STORAGE
(0.20 AF)

WILDLIFE STORAGE (22.00 AF)
FIRE PROTECTION STORAGE
(22.00 AF)

FIRE PROTECT. FROM STOR
(22.00 AF)

Total Diversion: (0.200 CFS)

Date Filed: 6/30/1995

In: BONNER County
T56N R01W S11 NESW SESW
14.0 ACRES TOTAL

96-08896

TREITMAN, NEIL
3701 FAIRBANKS AVE, #A1
YAKIMA, WA 98902

Source: PEND OREILLE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: LOT 3 (NESE) sec
20 T 56N R 03W in BONNER
County.

Use: IRRIGATION (0.600 CFS)
IRRIGATION STORAGE (56.20
AF)

IRRIGATION FROM STORAGE
(56.20 AF)

STOCKWATER (0.020 CFS)
STOCKWATER STORAGE (56.20
AF)

STOCKWATER FROM STORAGE
(56.20 AF)

DIVERSION TO STORAGE (0.400
CFS)

Total Diversion: (0.600 CFS)

Date Filed: 8/23/1995

In: BONNER County
T56N R03W S20 Lot 3 (NESE)
NWSE

30.0 ACRES TOTAL
96-08897

MC CORMICK, DONALD L
4900 SHINGLE MILL ROAD
SANDPOINT, ID 83864

Source: BOYER SLOUGH
Tributary: PEND OREILLE LAKE
Diversion Pt: SWNE Sec 6 T 57N
R 01W in BONNER County.

Use: IRRIGATION (0.500 CFS)
Total Diversion: (0.500 CFS)

Date Filed: 7/31/1995

In: BONNER County
T57N R01W S06 SWNE
23.0 ACRES TOTAL

96-08898

JAMIESON, KENNETH R
P O BOX 812
SANDPOINT, ID 83864

Source: TURNIPSEED CREEK
Tributary: SYRINGA CREEK
Diversion Pt: NENW Sec 18 T 57N
R 02W in BONNER County.

Use: IRRIGATION (0.010 CFS)
Total Diversion: (0.010 CFS)

Date Filed: 7/14/1995

In: BONNER County
T57N R02W S18 NENW
0.5 ACRES TOTAL

96-08899

SCHWARTZ, STANLEY M
2704 S MANITO BLVD
SPOKANE, WA 99203
Source: PEND OREILLE RIVER

Tributary: COLUMBIA RIVER
Diversion Pt: SESW Sec 9 T 56N R
03W in BONNER County.
Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 8/23/1995
In: BONNER County
T56N R03W S09 SESW
97-07366
PARVIN, THEODORE R
HC01 BOX 54
NORDMAN, ID 83848
Source: SPRING Tributary:

SINKS
Diversion Pt: NWSE Sec 17 T 61N
R 04W in BONNER County.
Use: WILDLIFE STORAGE (0.50
AF)

FIRE PROTECTION STORAGE
(0.50 AF)

AESTHETIC STORAGE (0.50 AF)
DIVERSION TO STORAGE (0.200
CFS)

Total Diversion: (0.200 CFS) 0.50
AF

Date Filed: 5/10/1995

In: BONNER County
T61N R04W S17 NWSE

For additional information con-
cerning the property location, call
the Northern Regional Office at
(208) 769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene,
Idaho 83814, together with a protest
fee of \$25.00 on or before SEPTEM-
BER 25, 1995.

KARL J. DREHER, Director
SNP#7158 Sep 7, 14, 1995

RECEIVED

OCT 04 1995

NORTHWESTERN
IDWR

JAN 31 1996

96-08898

JAMIESON, KENNETH R
P O BOX 812
SANDPOINT, ID 83864

Source: TURNIPSEED CREEK

Tributary: SYRINGA CREEK

Diversion Pt: NENW Sec 18 T 57N R 02W in BONNER County.

Use: IRRIGATION (0.010 CFS)
Total Diversion: (0.010 CFS)

Date Filed: 7/14/1995

In: BONNER County
T57N R02W S18 NENW

0.5 ACRES TOTAL

WILLIAMS

JAN 31 1996

August 30, 1995

Kenneth R. Jamieson
P O Box 812
Sandpoint, ID 83864

Subject: Water Appropriation Application for Permit Number 96-08898

Dear Mr. Jamieson:

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N009200. To assist us in providing you with prompt, accurate service, please refer to the above Application for Permit Number in all future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent
Enc. - Receipt

AB:db

ALSO ENCLOSED IS RECEIPT #N009195

RECEIVED

JAN 31 1996

EXHIBIT "A"

IN THE STATE OF IDAHO, COUNTY OF BONNER:

A tract of land in the Northeast quarter of the Northwest quarter of Section 18, Township 57 North, Range 2 West, Boise Meridian, Bonner County, Idaho, more particularly described as follows:

Beginning at the North quarter corner of said Section 18; thence South 00 degrees 45' 00" East along said center of Section line, 477.3 feet to a 3/4 inch iron pipe; thence South 89 degrees 12' 45" West, 162.6 feet to a 3/4 inch iron pipe; thence North 58 degrees 28' 00" West, 269.3 feet to a 3/4 inch iron pipe on the Northeasterly line of the Baldy County Road; thence South 46 degrees 58' 27" West, 56.17 feet to the centerline of Baldy Road and the True Point of Beginning; thence continuing South 46 degrees 58' 27" West, 340.59 feet; thence South 8 degrees 39' 15" West, 228.15 feet to the centerline of the existing creek; thence along said creek the following courses:

South 65 degrees 58' 30" East, 85.69 feet;

thence South 62 degrees 59' 15" East, 243.7 feet;

thence South 60 degrees 06' 00" East, 196.4 feet;

thence leaving said creek North 20 degrees 12' 15" East, 271.66 feet to the centerline of Baldy Road; thence North 31 degrees 44' 07" West, 524.97 feet to the True Point of Beginning.

EXCEPTING the County Road right of way.

RECORDED
JAN 31 1996