

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don McCormick
(Applicant)

System diagram




75-1829
3006 6000

Don McCormick

Business 206-263-2145
Home 208-263-5252

PUMP SIZE 1 1/2 TPN BENLBY - 2000
Control Panel: 675

300' - 4 USE PUMP BURIA @ 219.00
300' - 1/2 W/GRAND USE @ 341.76.00



3 small panels 11.3
4 valves 9.11
30.1 acres

- 1-20' HL. w/1/8" RISER & HEAD @ 40.00
- 10-40' HL w/1/8" RISER & HEAD 79.00
- 24-3X3 VALVE STUBS @ 34.00 EA.
- 24-3X3X3 TEE'S @ 9.24
- 25-3X3 90° ELBOW @ 4.31
- 24-3" M4 @ 4.80
- 1-3" 45° ELBOW @ 9.11
- 3-3" CAPS @ 3.10
- 3-3X3/4 BUSH. 3.80
- 3-MULTI USE CURB @ 45.00
- 9-3/4 X 4 GALV. NIPPLE @ 1.27
- 3-3/4" 90° ELBOW GALV. @ 1.33
- 240'-3"-125 PSI @ 49.17
- 80'-3"-SCH. 40 PVC @ 142.00
- 1-3X2 VALVE OPENING @ 13.00
- 1-2" END PLUG @ 29.00
- 1-1 1/2" FIELD ELBOW @ 29.00

75.0
90.0
90.0
90.0
+ CONDUIT

MICROFILMED
JAN 1 1999



MICROFILMED
JAN 11 1990



96-08638
96-08897
T57N R1W Sec6
McCormick
L A K E

MICROFILMED
JAN 11 1999

P E N
ELEVATION 2062

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 96-08897

Priority: July 31, 1995

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:

36.0 AF

This is to certify, that DONALD L MC CORMICK
4900 SHINGLE MILL RD
SANDPOINT ID 83864

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 31, 1995; and
has submitted Proof of Beneficial Use on February 20, 1997. An examination indicates
that the works have a diversion capacity of 0.320 cfs of water from:

BOYER SLOUGH

tributary to PEND OREILLE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.20 CFS	36.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 6, Township 57N, Range 01W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	01W	6	SWNE	12		12

Total number of acres irrigated: 12

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.

MICROFILMED

JAN 11 1998

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 96-08897

CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
7. Rights 96-08638 and 96-08897 when combined shall not exceed a total diversion rate of 0.32 cfs.
8. Right 96-08638 is also diverted through the point(s) of diversion described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 25TH day of SEPTEMBER, 1978.


Acting for KARL J. DREHER, Director

MICROFILMED
JAN 11 1984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
FEB 20 1997

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08897 Telephone No. 208-263-5652

2. Name(s) of Permit Holder(s): Donald L. McCormick

3. Mailing Address: 4900 Shingle Mill Rd Sandpoint ID 83864

4. Source of Water: Lake Pend Oreille If GROUNDWATER (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - -

b. OPTIONAL:
Pump Horsepower: 10 HP Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): Stockwater (No. and type of stock):

Irrigation (No. of acres): 23 Other:

6. Total rate of diversion and/or volume for which proof is submitted: 0.2 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u>	or	No <u>✓</u>
	Has the measuring device been installed?	Yes <u> </u>	or	No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u>	or	No <u>✓</u>
	Has the measurement port been installed?	Yes <u> </u>	or	No <u>✓</u>

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Donald L. McCormick Telephone Number: W-208-263-2145
H-208-263-5652

Address: 4900 Shingle Mill Rd Sandpoint ID 83864

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Donald L. McCormick Date: 2/16/97
(include your title, if on behalf of company or organization)

RECEIVED
MAR 11 1997

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 96-08897

Proposed Priority: July 31, 1995

Maximum Diversion Rate:

0.46 CFS

This is to certify, that **DONALD L MC CORMICK**
4900 SHINGLE MILL RD
SANDPOINT ID 83864

has applied for a permit to appropriate water from:
BOYER SLOUGH tributary of **PEND OREILLE LAKE**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.46 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 6, Township 57N, Range 01W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	01W	6	SWNE	23.0		23.0

Total number of acres irrigated: 23.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1997**.
2. Subject to all prior water rights.
3. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

11th day of March, 1996.

Karl J. Dreher
for Karl J. Dreher, Director

MAR 29 1996

RECEIVED

MAR 03 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-8897

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant DONALD L MCCORMICK Phone 208
Post office address 4900 Shingle Mill Rd Sandpoint ID 83864
2. Source of water supply Boyer Slough which is a tributary of Lake Pend Oreille
3. Location of point of diversion is _____ 1/4 of SW 1/4 of NE 1/4, Govt. Lot _____
Sec. 6 Township 57N Range 1W B.M. Bonner County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.46 for Irrigation purposes from 3/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.5046 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
Pump & Sprinklers
b. Height of storage dam NA feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 85°F being sought? _____
e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
_____ years (minimum 1 year).

Note: This is application to Amend Permit #96-08638 to 73 acres
INCREASE IRRIGATED ACRES

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N	1W	6			23														23

Total number of acres to be irrigated 23


10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: LEGAL DESCRIPTION VERIFIED BY BOWEN CO. ASSESSOR'S
OFFICE 8/22/95

MAR 29 1996

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don McCormick
(Applicant)

Received by 7/31/95 Date 7/31/95 Time 1 40 P Preliminary check by AF
Fee \$ 100⁰⁰ Received by db # N9279 Date 7/31/95
Publication prepared by db Date 9/30/95 Published in Bozch, A. Bee 9/7 + 14/95
Publication approved db Date 10/5/95

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MAR 29 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 30, 1998

DONALD L MC CORMICK
4900 SHINGLE MILL RD
SANDPOINT ID 83864

RE: Water Rights 96-08638/96-08897

Dear Mr. McCormick:

The Department of Water Resources (the Department) has issued the enclosed licenses confirming that water rights have been established in accordance with the permits referenced above. The licenses are preliminary orders issued by the Department pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

MICROFILMED

JAN 11 1999

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district

court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have questions, please contact me at (208) 327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SWK:klt


Enclosures

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of September, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDERS (Approved Licenses) to the person(s) listed below:

Water Rights 96-08638/96-08897

DONALD L MC CORMICK
4900 SHINGLE MILL RD
SANDPOINT ID 83864


Kari Lynn Townsend
Secretary

4 MICROFILMED

JAN 11 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08897 DATE 9/24/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK ☐ Change (P39 /P47) ☐ Add (P45/P42) Feds - P40
 W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK ☐ Change (P41/P47) ☐ Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .46 cfs
 Fee limit .20 cfs \$5000
 Measured _____ cfs
 Theoretical _____ cfs
 Recommended Total Div Rate _____ cfs

WATER USES	<u>OK</u>	Change (P46)	
<u>1/2</u>	<u>.20</u> cfs	<u>1213.0</u> af	Irrig - overlap (R58-R61, R62-R65, R66-R69)
_____	_____ cfs	_____ af	supp. gw (WB7/065/079)
_____	_____ cfs	_____ af	overlap spec. combined rts (W35)
_____	_____ cfs	_____ af	<1acre (W31)
_____	_____ cfs	_____ af	Domestic (W01/WB5/070/071/075)
TOTALS	<u>.20</u> cfs	<u>36.0</u> af	Power (W42 or W43/025/027/R22 or R23)
			Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .20 cfs X _____ days X 1.98 = _____ af

REMARKS W36

ADD'L CONDITIONS ☐ Watermaster Control WD# _____
☒ GW Measurement/Measuring Device
☐ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority ☐ yes ☒ no SRBA Claim NA Adjust Memo rate
 Amend letters _____

MEMORANDUM

TO: File 96-08897

FROM: Sharla

DATE: September 25, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 96-08897 are as follows:

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.20 cfs	36.0 afa
------------	--------------	----------	----------

The system capacity is 0.32 cfs; the earlier right (96-08638) is being licensed at the same time for irrigation of 10 acres and 0.20 cfs. The license for 96-08897 can allow a diversion rate of 0.20 (the maximum rate covered by the \$50 examination fee) for the 12 acres listed under it, with conditions on both licenses limited the combined rate of diversion to 0.32 cfs.

Exam Date: August 19, 1998
Examiner: David Pagel

MICROFILMED

JAN 11 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Permit No. **96-08897**

A. GENERAL INFORMATION

1. Owner: Donald L. McCormick Phone No. (208) 263-5652
Current Address: 4900 Shingle Mill Rd. Sandpoint, ID 83867
2. Accompanied by: D. McCormick EXAM DATE: Aug 19, 1998
Address: Same Phone No. _____
Relationship to Permit Holder: Self
3. Source: Boyer Slough tributary to Pond Oreille Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____
2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	6	57N	1W	Bonner	USGS 7.5' Quad Aerial Photo

2. Place(s) of Use:

Indicate Method of Determination USGS 7.5' Quad Aerial Photo

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	1W	6			12														12

FILED
AUG 17 1998

2. Measurements:

5 gal. measured in 42.34 sec. with a total of 20 sprinkler heads ~~operating simultaneously~~ = 141.71 gpm (.32 cfs)

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket/stepatch					5 gal.	

D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo


Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	10	F595	Berkley	M 2731

4.

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.

See System diagram

JAN 11 1999

E. NARRATIVE/REMARKS/COMMENTS

This proof of beneficial use exam was completed at the same time as permit # 96-08638.

After the 1st application had been filed Mr. McCormick realized that he needed to apply for additional rights.

The total output of his system is .32 cfs to irrigate a total area of 22 acres. My recommendation is for .2 cfs and 10 acres of irrigation on permit # 96-08638, in conjunction with .12 cfs for 12 acres of irrigation on Permit # 96-08897

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JAN 11 1999

SEAL

Review

Date _____

Field Examiner's Name

Date Aug. 20, 1998

1. AUTHENTICATION

Change P.D. as reflected above

Change P.U. as reflected above

Add P.D. as reflected above

Add P.U. as reflected above

None ☒ Other ☐

2. Recommended Amendments

Beneficial Use

Period of Use
From 03/15
To 11/15

Rate of Diversion
Q (cts)
17.

Annual Volume
V (ata)
36

1. Recommended Amounts

H. RECOMMENDATIONS

2. Volume Calculations for Other Uses:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 12000 \text{ acres} \times 30 \text{ af/acres/season} = 360 \text{ af}$$

$$V_{or} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .12 \text{ cfs} \times 245 \text{ days} \times 1.9835 = 58.3 \text{ af}$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{or} = 36 \text{ af}$$

1. Volume Calculations for Irrigation:

G. VOLUME CALCULATIONS

$$f_s = \frac{141.71 \text{ rpm}}{448.65 \text{ rpm}} = 0.32 \text{ cfs}$$
$$5 \text{ gal} / 42.34 \text{ sec.} \text{ while operating 20 heads}$$

Measured Method:

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

990

$$\frac{5}{450} = 4.2\text{ acres}$$

9.4 curve

670

MICROFILMED
JAN 11 1999

2000

26

3 small pencils 11.3

Four

30.7 acres

TPM BENLBY - 2000
Central Panel : 675

300' - #4 USE 18 FT BORIC	@ 93: 279.00
300' - #2 USE 16 FT BORIC	@ 93: 276.00

3 - 3/4" 90° ELBOW GALV @ 1.83
2460' 3"-125 PSI @ 60/Hr

140-3"-125 PSI @	119.00
50'-3'-SCH. 40 PVC @ 142	65.00
1-3X2 VALVES OPENING @ 6 PM	13.00
1-2" END PLUG	29.00
1-1/2" FIBER BOARD	

$\begin{array}{r} 6 \\ 2 \overline{) 12} \\ \underline{12} \\ 0 \end{array}$

+ CONDUIT

	10.0	10.0	AD. C
1st GLD			
1st PRIMER			

1-20 Hz. w/te Reser + Head 70000 7000

2A-3X3 VALVE STDS @ 34.00 EA.
259.2

$2x3 \times 3$ 785 @ 7.4
 $2x3 \times 3$ 785 @ 6.51
 157.1

25-3X3 40	EW	115.2
24-3" M4	@ 4.80	9.6

4	1-3"	45° ELBOW @ 1.00	9.36
7	1-3"	@ 3.10	11.40
8	1-3"		

3- 3x 3/4 Bush. 3.80 @ 45.00 135.00

3 - Model C 11.43

1 - 1/4" x 1/4" x 1/4" ELBOW GALV. @ 1.83	3.94
3 - 3/4" x 1/4" x 1/4" ELBOW GALV. @ 1.83	20.10

100-34-125 PSI @ .60/FT
127.1
119.60

20'-3" - SCH. 40 PVC @ 142 GPM 15.00

1-3X2 VALVE OPENING - 13.00

- ENL PLUG	
- 7' x 6' END SUBOT	\$9.00

62

06-08897

06-08638

R100000

armick

JAN 1 1980

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08897 Reviewed by [Signature] Date 2-28-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
Drilling permit required?
Copy in the file? ☒ Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file? ☒

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
☒ Installed?
☒ Waiver requested?

PRIORITY CALCULATION

Date proof received _____
Date proof due _____
No. of days late _____
Priority Date _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address [Signature] Proof Made 2-20-97

March 3, 1997

DONALD L MC CORMICK
4900 SHINGLE MILL RD
SANDPOINT ID 83864

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08897

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED
MAR 11 1997

December 31, 1996

DONALD L MC CORMICK
4900 SHINGLE MILL RD
SANDPOINT ID 83864

PROOF DUE NOTICE

RE: PERMIT NO. 96-08897

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

MAR 1 1997





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 11, 1996

DONALD L MC CORMICK
4900 SHINGLE MILL RD
SANDPOINT ID 83864

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08897

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

MAR 29 1996

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW**
by Cindy Zimmerman

No.: 96-8897 Name: McComick Date: 3/6/96 Ad OK? ✓
Correct Fee? ✓ Receipt #: N9279 Priority: 7/31/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):

Water District(~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 01J(meas dev)-P08
=/- 0.2 cfs - 01H(lock dev)-P01 or No MD
In-WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-↑ Weiser), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R ↑ Star Bridge); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - Blank <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

~~OWNERSHIP~~: Non-land owner - ~~004 (PD/PU)~~ 04 Dof / permit

OTHER CONDITIONS:

~~STANDARD REMARKS:~~

BENEFICIAL USE DUE:

COMMENTS:

3-1-1997

No. a
4/87-06/92n

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
MAR 03 1996

APPLICATION # 96-8797

***** INITIAL REVIEW ***** Department of Water Resources

APPLICANT: MCCORMICK BY: AS DATE: 7/31/95

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- Y Field check: by _____
Y Field report attached
Y Analysis Supp. attached(>5cfs/500af)
Y Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 7/31/95

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: Banner County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- Y Groundwater management area
Y Critical ground water area
Y Well Drilling Permit required
Y Well Drilling Application and Fees received
Y Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

10/4 Affidavit of publication received

10/5 Application published correctly, If not, record action taken: _____

9/1 Publication dates and paper recorded on application | Sr. Agent initial AS

Protests received. Final protest date: 9/25/95

Measuring device required

Measuring port required

Special conditions: _____

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AS Date: 10/5/95

October 20, 1995

Mr. Donald L. McCormick
4900 Shingle Mill Rd
Sandpoint, ID 83864

RE: Application for Permit Number 96-08897

Dear Mr McCormick:

This letter is regarding your recent Application for Permit for diverting water from Boyer Slough for irrigation purposes.

We accepted and advertised this filing with a diversion rate of 0.50 CFS for 23 acres of irrigation and we are ready to send it to our State Office for approval. However, the diversion rate exceeds 0.02 CFS per acre. In order to approve an Application for Permit for a diversion rate where the diversion is higher than 0.02 cfs per acre, we will need a letter from you describing why the additional diversion rate is required. Some golf courses and certain crops may require higher diversion rates.

If you do not actually intend on diverting more than 0.46 CFS, the above additional information is not necessary. We will hold this filing for 10 days and if we haven't heard from you, we will adjust the diversion rate to 0.46 CFS and send the filing to Boise to be approved.

Please contact this office either by phone or in writing by November 3, 1995 if you wish to pursue the higher diversion rate and submit additional information.

Thank you for your cooperation in this matter.

Sincerely,

Allen Beardslee
Sr. Water Resource Agent

RECEIVED
MAR 29 1996

From: DWR03::SKEEN 13-OCT-1995 15:11:39.83
To: DWR50::ABEARDSL
CC:
Subj: RE: 96-08897

Al,

Cindy would definitely question a high rate per acre without justification documented somewhere in the file. I do not think we would issue the permit for more than .02 cfs per acre without justification. Therefore, you have accurately identified the need to contact the applicant to get the justification or the adjustment. We would prefer that the application, including the data entry, be nearly ready for permitting when it is sent here. We would prefer to have to edit or attach only remarks and conditions. I think it would be appropriate for problems with place of use, point of diversion, amount, source, etc., to be addressed by the region whenever possible. This is especially true when signatures or re-advertisements may be necessary.

Shelley

AFFIDAVIT OF PUBLICATION

tate of Idaho

ss.

ounty of Bonner,

Nelah Roberts being first duly sworn on oath

leposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

ublished at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

ublished in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

NOTICE OF APPLICATION

FOR WATER RIGHT

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 7 day of September, 19 95

and ending on the 14 day of September, 19 95

and that said notice was published in said newspaper.

On this 14 day of September in the year

of 1995, before me, a Notary Public, personally

appeared Pamela D. Roberts

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me first

duly sworn, declared that the statements therein are true,

and acknowledged to me that he executed the same.

Caroleen K. Inge
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 6/2000

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-08893

STRONG, BARBARA ANNE

STRONG, GEORGE

120 CAMP BAY ROAD

SAGLE, ID 83860

Source: UNNAMED CREEK

Tributary: PEND OREILLE LAKE

Diversion Pt: NESW Sec 11 T 56N

R 01W in BONNER County.

SESW Sec 11 T 56N R 01W in

BONNER County.

Use: IRRIGATION (0.200 CFS)

IRRIGATION STORAGE (22.00

AF)

IRRIGATION FROM STORAGE

(22.00 AF)

STOCKWATER STORAGE (0.20

AF)

STOCKWATER FROM STORAGE

(0.20 AF)

WILDLIFE STORAGE (22.00 AF)

FIRE PROTECTION STORAGE

(22.00 AF)

FIRE PROTECT. FROM STOR

(22.00 AF)

Total Diversion: (0.200 CFS)

Date Filed: 6/30/1995

In: BONNER County

T56N R01W S11 NESW SESW

14.0 ACRES TOTAL

96-08896

TREITMAN, NEIL

3701 FAIRBANKS AVE, #A1

YAKIMA, WA 98902

Source: PEND OREILLE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 3 (NESE) sec

20 T 56N R 03W in BONNER

County.

Use: IRRIGATION (0.600 CFS)

IRRIGATION STORAGE (56.20

AF)

IRRIGATION FROM STORAGE

(56.20 AF)

STOCKWATER (0.020 CFS)

STOCKWATER STORAGE (56.20

AF)

STOCKWATER FROM STORAGE

(56.20 AF)

DIVERSION TO STORAGE (0.400

CFS)

Total Diversion: (0.600 CFS)

Date Filed: 8/23/1995

In: BONNER County

T56N R03W S20 Lot 3 (NESE)

NWSE

30.0 ACRES TOTAL

96-08897

MC CORMICK, DONALD L

4900 SHINGLE MILL ROAD

SANDPOINT, ID 83864

Source: BOYER SLOUGH

Tributary: PEND OREILLE LAKE

Diversion Pt: SWNE Sec 6 T 57N

R 01W in BONNER County.

Use: IRRIGATION (0.500 CFS)

Total Diversion: (0.500 CFS)

Date Filed: 7/31/1995

In: BONNER County

T57N R01W S06 SWNE

23.0 ACRES TOTAL

96-08898

JAMIESON, KENNETH R

P O BOX 812

SANDPOINT, ID 83864

Source: TURNIPSEED CREEK

Tributary: SYRINGA CREEK

Diversion Pt: NENW Sec 18 T 57N

R 02W in BONNER County.

Use: IRRIGATION (0.010 CFS)

Total Diversion: (0.010 CFS)

Date Filed: 7/14/1995

In: BONNER County

T57N R02W S18 NENW

0.5 ACRES TOTAL

96-08899

SCHWARTZ, STANLEY M

2704 S MANITO BLVD

SPOKANE, WA 99203

Source: PEND OREILLE RIVER

Tributary: COLUMBIA RIVER
Diversion Pt: SESW Sec 9 T 56N R
03W in BONNER County.
Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 8/23/1995
In: BONNER County
T56N R03W S09 SESW
97-07366
PARVIN, THEODORE R
HC01 BOX 54
NORDMAN, ID 83848
Source: SPRING Tributary:
SINKS

Diversion Pt: NWSE Sec 17 T 61N
R 04W in BONNER County.

Use: WILDLIFE STORAGE (0.50

AF)

FIRE PROTECTION STORAGE

(0.50 AF)

AESTHETIC STORAGE (0.50 AF)

DIVERSION TO STORAGE (0.200

CFS)

Total Diversion: (0.200 CFS) 0.50

AF)

Date Filed: 5/10/1995

In: BONNER County

T61N R04W S17 NWSE

For additional information con-
cerning the property location, call
the Northern Regional Office at
(208) 769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene,
Idaho 83814, together with a protest
fee of \$25.00 on or before SEPTEM-
BER 25, 1995.

KARL J. DREHER, Director

SNP#7158 Sep 7, 14, 1995

RECEIVED

OCT 04 1995

NOTARY PUBLIC
IDWR

96-08897

MC CORMICK, DONALD L
4900 SHINGLE MILL ROAD
SANDPOINT, ID 83864

Source: BOYER SLOUGH

Tributary: PEND OREILLE LAKE

Diversion Pt: SWNE Sec 6 T 57N R 01W in BONNER County.

Use: IRRIGATION (0.500 CFS)
Total Diversion: (0.500 CFS)

Date Filed: 7/31/1995

In: BONNER County
T57N R01W S06 SWNE

23.0 ACRES TOTAL

2000 25 1230



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

PHILIP E. BATT
Governor

KARL J. DREHER
Director

August 30, 1995

Donald L. Mc Cormick
4900 Shingle Mill Road
Sandpoint, ID 83864

Subject: Water Appropriation Application for Permit Number 96-08897

Dear Mr. Mc Cormick:

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N009279. To assist us in providing you with prompt, accurate service, please refer to the above Application for Permit Number in all future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent
Enc. - Receipt

AB:db

SEP 29 1995