

35' 531

532

533

32'30" 534

R. 2 W. 310 000 FEET

535

Creek

KANIKSU

NATIONAL FOREST

TRAIL

Creek

2249

3534

10

11

12

PACK

Taneta

JEEP

POINT OF DIVERSION

R 2180

2205

Creek

15

PLACE OF USE

14

13

KANIKSU

NATIONAL FOREST

KNIGHT

T. 59 N.

R. 2 W.


MANIFEST

JAN 31 1995

French

PAC

530 35' 531 532 533 32'30" 534 R. 2 W. 310 000 Ft



Knigh +
96-08889
T 59N R 2W
Sec 11

MICROFILMED
FEB 04 2000

PERMIT # 96-08889

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



PD



10/10/96



10/10/96

MICROFILMED
B 0 4 2000

96-08889 Knight

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 96-08889

Priority: July 27, 1995

Maximum Diversion Rate: 0.06 CFS

Maximum Diversion Volume: 6.0 AF

This is to certify, that ROBERT H KNIGHT

105 N 1ST AVE #127

SANDPOINT ID 83864

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 27, 1995; and has submitted Proof of Beneficial Use on September 18, 1998. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from:

PACK RIVER

tributary to PEND OREILLE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.06 CFS	6.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 11, Township 59N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
59N 02W 11	SWSE 2			2


Total number of acres irrigated: 2

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 3rd day of

FEBRUARY, 2000.


Acting for KARL J. DREHER, Director

MICROFILMED

FEB 24 2000

RECEIVED

SEP 18 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08889 Telephone No. 208-265-4772
760-746-6374
2. Name(s) of Permit Holder(s): ROBERT H. KNIGHT
3. Mailing Address: 105 N. FIRST AVE. NO. 127, SANDPOINT, ID. 83864
4. Source of Water: PACK RIVER If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
 - a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____
 - b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 3 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.09 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____	or	No <u>X</u>
	Has the measuring device been installed?	Yes _____	or	No <u>X</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No <u>X</u>
	Has the measurement port been installed?	Yes _____	or	No <u>X</u>
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: ROBERT H. KNIGHT Telephone Number: 208-265-4772
760-746-6374
Address: 105 N FIRST AVE. SANDPOINT, ID. 83864

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Robert H. Knight

(include your title, if on behalf of company or organization)

Date: 9-15-98

OCT 28 1998

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08889

Proposed Priority: July 27, 1995

Maximum Diversion Rate:

0.09 CFS

This is to certify, that **ROBERT H KNIGHT**
814 MONTVIEW DR
ESCONDIDO CA 92025

has applied for a permit to appropriate water from:

PACK RIVER

tributary of **PEND OREILLE LAKE**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.09 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 11, Township 59N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

59N 02W 11

SWSE 3.0

3.0

Total number of acres irrigated:

3.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1998**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

20th day of September, 1995

[Signature]
for Karl J. Dreher, Director

RECEIVED

SEP 31 1996

RECEIVED
SEP 14 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-8889

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant ROBERT H. KNIGHT Phone 619-746-6374
Post office address 81416 ANTIVIEW DR. ESCONDIDO, CA. 92025
2. Source of water supply PACK RIVER which is a tributary of LAKE PENN OREILLE
3. Location of point of diversion is _____ 1/4 of SW 1/4 of SE 1/4, Govt. Lot _____
Sec. 11 Township S9N Range 2W B.M. BOYER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.09 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.09 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. PUMP IN RIVER
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm MAINTENANCE;
Well was drilled for (well owner) _____ JAN 31 1996
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
3 years (minimum 1 year).

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

Total number of acres to be irrigated

11. a. Who owns the property at the point of diversion? APPLICANT


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the


12. Remarks:

JAN 18 1966


FOUND BLM BRASS CAP

QUARTER 1/4 CORNER
T 3/4" X 30" IRON PIPE WITH BRASS CAP






13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

RECEIVED
JAN 31 1996

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

JAN 31 1996
RECEIVED

e. Other:

permit.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

_____, 19____

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	<i>AS</i>	Date	7/27/95	Time	4:37	Preliminary check by	<i>AS</i>
Fee \$	50.00	Received by	<i>AS</i>	#	10-9267	Date	7/27/95
Publication prepared by	<i>KRH</i>	Date	8/10	Published in	<i>Land Acq. & Util. 2/15</i>	Date	9/8/95
Publication approved	<i>AS</i>	Date	9/8/95				



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 3, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

ROBERT H KNIGHT
105 N 1ST AVE #127
SANDPOINT ID 83864

RE: WATER RIGHT NO. 96-08889

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


FEB 04 2000

CERTIFICATE OF MAILING

I hereby certify that on the 3rd day of **February, 2000**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 96-08889

ROBERT H KNIGHT
105 N 1ST AVE #127
SANDPOINT ID 83864


Kari Lynn Townsend
Secretary

MICROFILMED
FEB 04 2000

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
FEB 04 2000

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

TO: File 96-08889

FROM: Sharla

DATE: January 31, 2000

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 96-08889 are as follows:

H. RECOMMENDATIONS

Irrigation	4/1 – 10/31	0.06 cfs	6.0 af
------------	-------------	----------	--------

The standard irrigation season for this area is 4/1 - 10/31.

MICROFILMED
FEB 04 2000

LICENSE REVIEW CHECKLIST

Reviewed by Sharla Curtis on 1/30/00

Permit No. 96-08869

BU Fee Pd \$ 50⁰⁰

Name/Address: ☒ OK ☐ CHANGE

Govt Lots n/a plat copy attached

AREA OF CONCERN: No/Yes Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M (if on permit)

LOCATION:

Trust - R55 (consumptive uses)
Non-Trust - 048-049 (consumptive uses
or non-cons. > 1.0 cfs)

PD Change - P39/P47 - feds(P40)
PD Add - P45/P42

PU Change - P41/P47 - feds(P43)
PU Add - P41/P42

PD & PU Change - P37 - feds(P48)

USES:

STORAGE - 18A-R02-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 081
FISH/PROP - 029(70'S only)-042-081
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

Use Change/Add - P46

ADVANCE PRIORITY? Yes ☒ No

MISC CONDITIONS/REMARKS:

Multiple pd's per 1/4 - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - C/tire shop
Non-consumptive - 027
Water Quality - 081-R07
Mitigation - 121 (if on permit)
PPU acre limit - W27

CHECK NEW IRR SEASON MAP 4/1-10/31

SURFACE WATER: (✓Flow Chart)

In/Above MSF - WB9
WD - R04 (WD#)
≤ 0.20 cfs/others - R02- 01P or No MD
> 0.20 cfs - R43

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

SNAKE R (01) - W22, N/A
(02,03) - WB9 if above Weiser
Payette R (65) - 047(Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - R22-R23 (+uses)-025-081-W42-W43-027
MUNICIPAL
Restricted area - 022,075
Irr, GW supp to SW - 102
DOMESTIC
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate - WB5
Lawn/garden included - W01

OVERLAP ANALYSIS/RATES/VOLUMES:

PD overlap rights - W35-W36 Right #
PU overlap rights - WB7-W31(<1 ac)
GW replaced SW - 050

Permit Rate	<u>09</u> cfs	Fee Limit	<u>20</u> cfs
Measured	<u>06</u> cfs	Theoretical	<u>32</u> cfs
Use	<u>06</u> cfs	Volume	<u>23</u> af
	<u>7</u> cfs		<u>7</u> af
	<u>7</u> cfs		<u>7</u> af
TOTALS	<u>7</u> cfs		<u>20</u> af

at 10 left and to ps

OTHER CONDITIONS/REMARKS/COMMENTS

SRBA Claim Filed Yes ☒ No

If no, is a claim required: Yes ☒ No

AMENDMENTS REQUIRED Yes ☒ No

Adjustment Memo Needed Yes ☒ No

If yes, paragraph codes:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 10 1999
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08889

1. Owner: Robert H. Knight Phone No. (208) 265-4772

Current Address: 105 N. 1st Ave, #127, Sandpoint Id. 83864

2. Accompanied by: Robert Knight EXAM DATE: 8-5-99

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Pack River tributary to Pend Oreille Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	11	59N	02W	Bonner	USGS 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
59N	02W	11															2		

MICROFILMED

FEB 04 2003

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached of _____
 _____ (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Honda	2hp	Not legible	Honda	1.5"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROBILMED

FEB 04 2003

E. NARRATIVE/REMARKS/COMMENTS

System consist of 1 1/2" Pvc suction line
in River, 3hp Honda gasoline powered pump, delivers
through 1 1/2" Pvc Trunk, then 5/8" garden hose
with portable sprinklers are moved to
desired areas Total acreage irrigated (2)

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
FEB 04 2000

F. FLOW CALCULATIONS

Measured Method:

5 gal bucket 5 gal in 11.5 sec = 26 gpm

$$26 \times 1.33681 = .06$$

$$.06$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 3 = 6$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \times 245 \times 1.9835 = 29$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 6$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Benjamin

Period of Use

From 03-15 To 11-15

Rate of Diversion

Q (cfs) .06

Annual Volume

V (ata) 6

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

Other

I. AUTHENTICATION

Field Examiner's Name

Wayne A. Bell

Date

9-7-99

Reviewer


Date

SEAL

MICROFILMED

FEB 0 4 2000

530 35' 531 532 533 32'30" 534 R. 2 W. 310 000 Ft



Knight
96-08889
T59N R2W
Sec 11

PERMIT # 96-08889

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



96-08889

Knights

PD

100P

10

ICB0111120
2003

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08889 Reviewed by Jef Date 10-22-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? Inc.
NO Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
☐ Installed?
☐ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____
Date proof due	_____
No. of days late	_____
Priority Date	_____
New Priority Date	_____

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address 105 N. 1st ave. NO. 127 Proof Made 9-18-98
Sandpoint, 83864



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 22, 1998

Robert H Knight
105 N First Ave No 127
Sandpoint ID 83864

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08889

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **NORTHERN** Regional Office of the department in Coeur d'Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

OCT 28 1998

July 31, 1998

ROBERT H KNIGHT
814 MONTVIEW DR
ESCONDIDO CA 92025

PROOF DUE NOTICE

RE: PERMIT NO. 96-08889

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1998.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

ENCLOSURE

OCT 28 1998





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 20, 1995

ROBERT H KNIGHT
814 MONTVIEW DR
ESCONDIDO CA 92025

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08889

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

JAN 31 1996

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 96-8889 Name: Knight Date: 9/18/95 Ad OK? ☒
Correct Fee? ☒ Receipt #: 0N9267 Priority: 7/27/95 ☒ Gvmt Lts: ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)
SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - **P16**
+1 year - **26A-P17**
GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)
Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - **P05** (new well)
SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):
Water District (~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-**P08**
=/- 0.2 cfs - 028(may report)-01H(lock dev)-**P01** or No MD
=/+ 5 a. irr. - 028(may report)
~~In-WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M
RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if ~~WD~~), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA
USE:
Domestic (surface) - 021(Boise R + L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-**P10**; 044(N 1000 Spr)
Irr <POU> =/- 5 a - ~~067~~ (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(**P19**)-09E(**P10**);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - **P52** (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - **B** <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA
OWNERSHIP: Non-land owner - 004 (PD/PU) _____
OTHER CONDITIONS: _____
STANDARD REMARKS: _____
BENEFICIAL USE DUE: - 10-1-1998
COMMENTS: _____

APPLICATION # 96-8889

***** INITIAL REVIEW *****

APPLICANT: KNIGHT BY: AS DATE: 7/27/95

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other Water Rights
11. (x) Ownership
13. (x) Map
(x) Signature
(x) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
X Field report attached
X Analysis Supp. attached(>5cfs/500af)
X Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 7/27/95

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BANNER County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes)(No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- X Groundwater management area
X Critical ground water area
X Well Drilling Permit required
X Well Drilling Application and Fees received
X Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes)(No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

Affidavit of publication received

Application published correctly, If not, record action taken: _____

Publication dates and paper recorded on application | Sr. Agent initial AS

Protests received. Final protest date: 9/15/95

Measuring device required


Measuring port required

Special conditions: _____

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AS

Date: 9/14/95



Department of Water Resources
Department of Water Resources

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pamela D. Johnson being first duly sworn on oath

deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

NOTICE OF APPLICATION

FOR WATER RIGHT

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 17 day of August, 19 95
and ending on the 24 day of August, 19 95
and that said notice was published in said newspaper.

On this 24 day of August in the year
of 1995, before me, a Notary Public, personally
appeared Pamela D. Johnson,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Carolyn A. Inge
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 6/2000

RECEIVED

SEP 05 1995

IDWR

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08882

DOOLITTLE, JAMES
DOOLITTLE, JERI
S 725 MONTAVILLA DRIVE
SPOKANE, WA 99204
Source: GROUNDWATER
Diversions Pt: SWSW Sec 20 T 55N
R 03E in BONNER County.
Use: IRRIGATION (0.060 CFS)
DOMESTIC (0.040 CFS)
Total Diversion: (0.100 CFS)
Date Filed: 6/29/1995
In: BONNER County
T55N R03E S20 SWSW
2.0 ACRES TOTAL

96-08888

GROSSHANS, JOHN H
7191 COCOLALLA LOOP ROAD
COCOLALLA, ID 83813
Source: COCOLALLA LAKE
Tributary: FISH CREEK
Diversions Pt: LOT 4 (SWSW) Sec
18 T 55N R 02W in BONNER
County.

Use: DOMESTIC (0.040 CFS)
FIRE PROTECTION (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 8/2/1995
In: BONNER County
T55N R02W S18 Lot 4 (SWSW)

96-08889

KNIGHT, ROBERT H
814 MONTVIEW DRIVE
ESCONDIDO, CA 92025
Source: PACK RIVER Tributary:
LAKE PEND OREILLE
Diversions Pt: SWSE Sec 11 T 59N
R 02W in BONNER County.
Use: IRRIGATION (0.090 CFS)
Total Diversion: (0.090 CFS)
Date Filed: 7/27/1995
In: BONNER County
T59N R02W S11 SWSE
3.0 ACRES TOTAL

96-08890

CHURCH OF JESUS CHRIST

LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversions Pt: LOT 2 (SEWN) Sec
16 T 56N R 03W in BONNER
County.

Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 7/27/1995
In: BONNER County
T56N R03W S16 Lot 2 (SEWN)

96-08892

NORTH IDAHO INVESTMENTS
PO BOX 1129
SAGLE, ID 83860
Source: UNNAMED STREAM
Tributary: COCOLALLA CREEK
Diversions Pt: NWNW Sec 6 T 54N
R 02W in BONNER County.
Use: RECREATION STORAGE
(5.00 AF)

Total Diversion: (5.00 AF)
Date Filed: 8/2/1995
In: BONNER County
T54N R02W S06 NWNW

97-07364

MORSE, BRENT
MORSE, SHERRI
8268 SUNNYSIDE
SANDPOINT, ID 83864
Source: SPRING Tributary:
PRIEST RIVER

Diversions Pt: SWNENE Sec 16 T
58N R 04W in BONNER County.
Use: COMMERCIAL (0.600 CFS)
Total Diversion: (0.600 CFS)
Date Filed: 7/20/1995
In: BONNER County
T58N R04W S16 NENE

For additional information con-
cerning the property location, call
the Northern Regional Office at
(208) 769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene,
Idaho 83814, together with a protest
fee of \$25.00 on or before SEPTEMBER 5, 1995.

KARL J. DREHER, Director
SNP#7090 Aug 17, 24, 1995

RECEIVED

JAN 31 1996

RECEIVED

SEP 05 1995

IDWR

96-08889

KNIGHT, ROBERT H
814 MONTVIEW DRIVE
ESCONDIDO, CA 92025

Source: PACK RIVER

Tributary: LAKE PEND OREILLE

Diversion Pt: SWSE Sec 11 T 59N R 02W in BONNER County.

Use: IRRIGATION (0.090 CFS)
Total Diversion: (0.090 CFS)

Date Filed: 7/27/1995

In: BONNER County
T59N R02W S11 SWSE

3.0 ACRES TOTAL

RECEIVED
JAN 31 1996

August 10, 1995

Robert H. Knight
814 Montview Drive
Escondido, CA 92025

Re: Water Appropriation Application No. 96-08889

Dear Mr. Knight:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and you are using a well that was constructed after July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application, if no permit was obtained by you or previous owners to construct the well. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

4431006