

280 000 FEET 526

527 R. 3 W.


R. 2 W.

116° 37' 30"


529 000 m. E.

SANDPOINT 12 MI.
WESTMOND 1.4 MI.

530



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John H. Fisher
(Applicant)

CAREWOOD QUADRANGLE
INHO-BONNER CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



R.03W

R.02W

96-08888

T.55N., R.02W., Sec. 18

GROSSHANS, JOHN. H.

FILMED
18-1997

Sec. 16.

Sec. 21.


96-08888

T. 55 N. R. 02 W. SEC. 18

GROSSHANS, JOHN H.

Sec. 17.

Sec. 20.



MICROFILMED

JUL 1 1963

PERMIT # 96-08888

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



PW



PV



PV

MONITORED
JUL 18 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08888

Priority: August 2, 1995

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that JOHN H GROSSHANS
7191 COCOLALLA LOOP RD
COCOLALLA ID 83813

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 2, 1995; and
has submitted Proof of Beneficial Use on August 21, 1996. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

COCOLALLA LAKE

tributary to FISH CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
FIRE PROTECTION	01/01 to 12/31	0.04 CFS	
	Totals	0.04 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SWSW), Sec. 18, Township 55N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC
55N 02W 18 Lot 4(SWSW)

PLACE OF USE:
FIRE PROTECTION, same as DOMESTIC use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 96-08888

CONDITIONS OF APPROVAL AND REMARKS

6. Domestic use is for irrigation of lawn and garden.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27TH
day of JUNE, 1997.

Acting for  KARL J. DREHER, Director



RECEIVED
AUG 26 1996

FOR OFFICE USE ONLY
Amt. of Fee \$: SD
Receipt No. 2010598
Receipt By: AB
Date Received: 8/21/96

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08888 Telephone No. (208)-265-2624
2. Name(s) of Permit Holder(s): John H. GROSSHANS
3. Mailing Address: 7191 Cocolalla Lp. Rd, Cocolalla, Id. 83813
4. Source of Water Cocolalla Lake If **GROUNDWATER** (well), Date Drilled: mo. N/A / yr.
 - a. Well Driller: N/A Drilling Permit Number: - -
 - b. **OPTIONAL:**
Pump Horsepower: 2 Pressure (psi): Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): N/A
Irrigation (No. of acres): N/A Other: Domestic Lawn + Garden / Fire
6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u>	or	No <u>✓</u>
	Has the measuring device been installed?	Yes <u> </u>	or	No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u>	or	No <u>✓</u>
	Has the measurement port been installed?	Yes <u> </u>	or	No <u>✓</u>
8. Fee Enclosed: \$ SD / RD (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: John Grosshans Telephone Number: 208-265-2624
Address: Same as above

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 21 Aug 96
(include your title, if on behalf of company of organization)

SEP 12 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08888

Proposed Priority: August 2, 1995 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **JOHN H GROSSHANS**
7191 COCOLALLA LOOP RD
COCOLALLA ID 83813
has applied for a permit to appropriate water from:
COCOLALLA LAKE tributary of FISH CREEK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS
FIRE PROTECTION	01/01 to 12/31	0.04 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SWSW), Sec. 18, Township 55N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

55N 02W 18 Lot 4(SWSW)


PLACE OF USE: FIRE PROTECTION, same as DOMESTIC use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1996.**
2. Subject to all prior water rights.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.
4. Domestic use is for 1 home.
5. Water shall not be diverted for fire protection under this right except to fight or repel an existing fire.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

20th day of September, 1995


for Karl J. Doherty Director
RECEIVED

JAN 31 1996

RECEIVED
SEP 14 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-08868

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant JOHN H. GROSSHANS Phone 265-2624
Post office address 7191 Cocolalla Lp. Rd. Cocolalla, ID 83413
2. Source of water supply Cocolalla Lake which is a tributary of Fish Creek Co. Creek
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot Lot 4
Sec. 18 Township 55 N Range 2 W B.M. LOT 4 Bonner County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from 4 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for Fire protection purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 1 Horse pump - which pumps 20 gal per minute - using 1 1/2" pipe
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____; Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is one week years (minimum 1 year).

depending on weather conditions

12. Remarks: Used for fire protection & a small garden & lawn - the pump furnishes 20 gal per minute or 1,200 per hour. If used 2 hrs three times a week = 7,200 per week. This may be less

14/12

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion? *514 f. 1046*

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated

[illegible]

ponding place of use below. See instructions for standard symbols.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

9. Description of place of use:

e. Other; describe fully.


d. Domestic; show number of households.

c. Municipal; show name of municipality.


b. Stockwatering; list number and kind of livestock.

a. Hydropower, show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John H. L. L.
(Applicant)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by RAA Date 8/2/95 Time 11:45 AM
Fee \$ 50.00
Received by RAA Date 8/10 # 19293
Published in Don't say it to 8/2/95 Date 8/2/95
Publication prepared by RAA Date 8/10
Publication approved RAA Date 9/11/95

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____
1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: _____

JAN 21 1996
WATER RESOURCES



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 30, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JOHN H. GROSSHANS
7191 COCOLALLA LOOP RD
COCOLALLA ID 83813

RE: WATER RIGHT NO. 96-08888

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

NOTED FILED

JUN 18 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

RECEIVED
JUL 18 1987

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of June, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 96-08888

JOHN H GROSSHANS
7191 COCOLALLA LOOP RD
COCOLALLA ID 83813


Kari Lynn Townsend
Secretary

RECEIVED

JUL 13 1997

MEMORANDUM

TO: File 96-08888

FROM: Sharla Curtis

DATE: June 26, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 96-08888 are based on the following:

H. RECOMMENDATIONS

Domestic	1/1 - 12/31	0.02 cfs	0.6 afa
Fire Prot.	1/1 - 12/31	0.04 cfs	n/a
	TOTALS	0.04 cfs	0.6 afa

Domestic use is only for lawn and garden irrigation; the rate has been calculated accordingly.

Examiner: Wayne Baldwin
Exam Date: May 15, 1997

RECEIVED

JUN 28 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08888

DATE 6/24/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change/clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.04</u> cfs
Fee limit	<u>20</u> cfs <u>\$50⁰⁰</u>
Measured	<u>—</u> cfs
Theoretical	<u>.04</u> cfs

Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use ✓

Volume Calculation

<u>Dom</u>	<u>.6</u> af
<u>Fire</u>	<u>— N/A</u> af
<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u> af
SUBTOTAL	<u>.6</u> af

Flow rate .02 cfs X 365 days X 1.984 = 14.5 af

Total volume recommended .6 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

Watering of lawn and garden.

CONDITIONS

— Watermaster Control WD# —
— GW Measurement/Measuring Device
— Overlap
✓ Use-specific conditions 077

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo dom rate

1st Amend Letter N/A
 2nd Amend Letter N/A

RECEIVED

JUN 12 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

96-08888

A. GENERAL INFORMATION

Permit No.

1. Owner: John H. Grosshans Phone No. (208) 265-2624

Current Address: 7191 Cocolalla Loop Rd Cocolalla Id 83813

2. Accompanied by: John Grosshans EXAM DATE: 5-15-97

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Cocolalla Lake tributary to Lish Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	18	55N	02W	Bonner	U.S. G.S. 7.5 min Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	02W	18											04 D						

JUN 18 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



~~Scale: 1" = NTS.~~

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached
(required for irrigation of 10+ acres)

Photo of Diversion and System Attached

D. FLOW MEASUREMENTS

1

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Myers	1	Submersible	Myers	1"
Motor Make					
Hp					
Motor Serial No.					
Pump Make					
Pump Serial No. or Discharge Size					

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

8880-01

E. NARRATIVE/REMARKS/COMMENTS

There is a submersible pump in the lake. A 1" Pvc line approx 25 ft in length runs up to lawn. at this point there are 2 5/8 faucet out lets to attach garden hoses & lawn sprinklers.

Domestic use does not include household uses drinking, cooking, toilet etc.

Have conditions of permit approval been met? yes ☒ yes ☐ no

RECORD - 11 1210

JUL 13 1937

F. FLOW CALCULATIONS

Measured Method:

Theriacal

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$
$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$
$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

Domestic use is for lawn + garden, no household use.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic
for protection

Period of Use
From 03-15 To 11-15

01-01 11-31

Rate of Diversion
Q (cfs)

0.04 0.04

Annual Volume
V (ata)

0.6 0.6

Totals:

0.04

0.6

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above
Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

Walter B. Baker
Date 5-16-97

Reviewer

Date

SEAL

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08888

DATE: 16-MAY-97

COMPLETE BY: WAYNE BALDWIN

HORSEPOWER = 1

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 30 FEET

SYSTEM PRESSURE = 60 PSI

QUANTITY = 0.04 CFS

101-18-000

CAREYWOOD QUADRANGLE
BLAHO-BONNER CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY




525

280 000 FEET | 526

527 R. 3 W. R. 2 W. 116° 37' 30"

529000m E.

SANDPOINT 12 MI.
WESTMOND 1.4 MI.



Sec. 16.

Sec. 21.

Sec. 20. 10 E
Sec. 20. 10 E

96-08888

T. 55 N., R. 02 W. Sec. 18

GROSSHANS, JOHN H.

Sec. 17.

0.40

Sec. 20.


0.40



PERMIT # 96-08888

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08888 Reviewed by [Signature] Date 9-6-96

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

dom, fire prot.

Correct Uses? yes

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☐ Drilling permit required?

☐ Copy in the file? Drilling Permit No. _____

☐ Amount paid for permit

☐ Well log in the file?

_____ Correct?

LICENSE EXAMINATION FEE

yes Required?
50- Amount Submitted
yes Correct?

MEASURING DEVICE

no Required?
_____ Installed?
_____ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____
Date proof due	_____
No. of days late	_____
Priority Date	_____
New Priority Date	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address [Signature] Proof Made 8-21-96

September 6, 1996

JOHN H GROSSHANS
7191 COCOLALLA LOOP RD
COCOLALLA ID 83813

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08888

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

SEP 12 1996

July 31, 1996

JOHN H GROSSHANS
7191 COCOLALLA LOOP RD
COCOLALLA ID 83813

PROOF DUE NOTICE

RE: PERMIT NO. 96-08888

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

SEP 2 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 20, 1995

JOHN H GROSSHANS
7191 COCOLALLA LOOP RD
COCOLALLA ID 83813

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08888

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECORDED

JAN 31 1996

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 96-8888 Name: Groschans Date: 9/18/95 Ad OK? ☒
Correct Fee? ☒ Receipt #: 29293 Priority: 8/2/95 / Gvmt Lts: ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH>(Surface water that doesn't sink in WD):

Water District(dam) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
In-WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(consump. use), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R + L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10;044(N 1000 Spr)
~~Irr <POU> =/- 5 a~~ - ~~057~~ (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - 8 <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP:Non-land owner

004 (PD/PU) State of Idaho

OTHER CONDITIONS:

STANDARD REMARKS:

① woi/1 ② wBb/modify

BENEFICIAL USE DUE:

10-1-1996

COMMENTS:

No. a
4/87-06/92n

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

E. W. L. BC
WRaps

APPLICATION # 96-8888

***** INITIAL REVIEW *****

APPLICANT: GROSSHAUS BY: AS DATE: 8/2/95

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other Water Rights
11. (x) Ownership
13. (x) Map
(x) Signature
(x) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
X Field report attached
X Analysis Supp. attached(>5cfs/500af)
X Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 8/2/95

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONAVILLE County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- ____ Groundwater management area
____ Critical ground water area
____ Well Drilling Permit required
____ Well Drilling Application and Fees received
____ Well Drilling Application approved?
____ Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

____ Notice of pending void order issued. Final order response date: ____/____/____

____ Further information required from applicant

____ Affidavit of publication received

____ Application published correctly, If not, record action taken: Number wrong

No need to read per Bob Haynes

____ Publication dates and paper recorded on application | Sr. Agent initial AS

____ Protests received. Final protest date: 9/5/95

____ Measuring device required

____ Measuring port required

____ Special conditions: _____

____ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AS

RECEIVED
SEP 14 1995

Date: 9/11/95

Department of Water Resources

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pamela D. Johnson being first duly sworn on oath deposes and says that he/she is Bookkeeper of the Bonner County Daily Bee, a newspaper printed and published at Sandpoint, Bonner County, Idaho; that the said newspaper has been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of:

NOTICE OF APPLICATION

FOR WATER RIGHT

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 17 day of August, 19 95 and ending on the 24 day of August, 19 95 and that said notice was published in said newspaper.

On this 24 day of August in the year of 1995, before me, a Notary Public, personally appeared Pamela D. Johnson known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Notary Public for Idaho

Residing at Sandpoint

My commission expires: 6/2000

RECEIVED

SEP 05 1995

NOTARY PUBLIC
IDWR

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-08882

DOOLITTLE, JAMES
DOOLITTLE, JERI
S 725 MONTAVILLA DRIVE
SPOKANE, WA 99204
Source: GROUNDWATER
Diversions Pt: SWSW Sec 20 T 55N
R 03E in BONNER County.
Use: IRRIGATION (0.060 CFS)
DOMESTIC (0.040 CFS)
Total Diversion: (0.100 CFS)
Date Filed: 6/29/1995
In: BONNER County
T55N R03E S20 SWSW
2.0 ACRES TOTAL

96-08888

GROSSHANS, JOHN H
7191 COCOLALLA LOOP ROAD
COCOLALLA, ID 83813
Source: COCOLALLA LAKE
Tributary: FISH CREEK
Diversions Pt: LOT 4 (SWSW) Sec
18 T 55N R 02W in BONNER
County.
Use: DOMESTIC (0.040 CFS)
FIRE PROTECTION (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 8/2/1995
In: BONNER County
T55N R02W S18 Lot 4 (SWSW)
96-08889

KNIGHT, ROBERT H
814 MONTVIEW DRIVE
ESCONDIDO, CA 92025
Source: PACK RIVER Tributary:
LAKE PEND OREILLE
Diversions Pt: SWSE Sec 11 T 59N
R 02W in BONNER County.
Use: IRRIGATION (0.090 CFS)
Total Diversion: (0.090 CFS)
Date Filed: 7/27/1995
In: BONNER County
T59N R02W S11 SWSE
3.0 ACRES TOTAL
96-08890

CHURCH OF JESUS CHRIST

LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversions Pt: LOT 2 (SENW) Sec
16 T 56N R 03W in BONNER
County.

Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 7/27/1995
In: BONNER County
T56N R03W S16 Lot 2 (SENW)
96-08892

NORTH IDAHO INVESTMENTS
PO BOX 1129
SAGLE, ID 83860
Source: UNNAMED STREAM
Tributary: COCOLALLA CREEK
Diversions Pt: NWNW Sec 6 T 54N
R 02W in BONNER County.
Use: RECREATION STORAGE
(5.00 AF)

Total Diversion: (5.00 AF)
Date Filed: 8/2/1995
In: BONNER County
T54N R02W S06 NWNW
97-07364

MORSE, BRENT
MORSE, SHERRI
8268 SUNNYSIDE
SANDPOINT, ID 83864
Source: SPRING Tributary:
PRIEST RIVER

Diversions Pt: SWNE Sec 16 T
58N R 04W in BONNER County.
Use: COMMERCIAL (0.600 CFS)
Total Diversion: (0.600 CFS)
Date Filed: 7/20/1995
In: BONNER County
T58N R04W S16 NENE

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before SEPTEMBER 5, 1995.

KARL J. DREHER, Director
SNP#7090 Aug 17, 24, 1995

RECEIVED

SEP 05 1995

NOTARY PUBLIC
IDWR

JAN 31 1996

96-08888

GROSSHANS, JOHN H
7191 COCOLALLA LOOP ROAD
COCOLALLA, ID 83813

Source: COCOLALLA LAKE

Tributary: FISH CREEK

Diversion Pt: LOT 4 (SWSW) Sec 18 T 55N R 02W in BONNER County.

Use: DOMESTIC	(	0.040 CFS)
FIRE PROTECTION	(	0.040 CFS)
Total Diversion:	(	0.040 CFS)

Date Filed: 8/ 2/1995

In: BONNER County
T55N R02W S18 Lot 4(SWSW)

RECEIVED
JAN 31 1996

August 10, 1995

John Grosshans
7191 Cocolalla Loop Road
Cocolalla, ID 83813

Subject: Water Appropriation Application for Permit Number 96-08888

Dear Mr. Grosshans:

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N009293. To assist us in providing you with prompt, accurate service, please refer to the above Application for Permit Number in all future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent
Enc. - Receipt

JAN 31 1996

Water Right Number - 96-08888 Prefix Translation: WATER RIGHT Old (D) Number -
+ - - - - Last Name - - - - + + - First Name - - + + - - - - Address - - - - - +

*** C - CURRENT OWNER ***
GROSSHANS JOHN H 1 - 7191 COCOLALLA LOOP ROAD State- ID Zip- 83813
2 -
3 -
City- COCOLALLA Phone - 208-265-2624

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - +
08/02/1995 18 NORTHERN A - APPLICATION + - - - -
+ - - Source - - - - - + + - - - - Tributary - - - - - +
COCOLALLA LAKE FISH CREEK

+ - - - - Point of Diversion - - - - - +
TwN Rng Sec Tract Lot RFlg County Diversion Name Diversion Rate Diversion No.
55N 02W 18 SW SW 4 (17) BONNER

+ - - - - Description Period From Period To Water Use Diversion Rate Diversion Volume
Code 43 - DOMESTIC 01/01 12/31 0.040
49 - FIRE PROTECTION 01/01 12/31 0.040

+ - - Total Div. Rate - + + - - Total Div. Volume - + + - - Total Div. Capacity - +
0.040

+ - - - - Place of Use - - - - - +
TwN Rng Sec Tract Lot Acres Code Description County
55N 02W 18 SW SW 4 43 DOMESTIC (17) BONNER

+ - - Diversion Means -
+ - - Non-Irrigation Use -
+ - - Other Rights for Same Use -

+ - - - - Remarks - - - - - +
Domestic use is for 1 home.

+ - - - - Old Water Right Numbers - - - - - +
No Old Water Right Numbers found.

+ - - - - Conditions of Approval - - - - - +
No Conditions of Approval found.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - - Decree Date - - +
00/00/0000

