





and published by the Geological Survey
USC&GS


grammetric methods from aerial
1958 and planetable surveys 1961

1927 North American datum
ed on Idaho coordinate system, west zone
l Transverse Mercator grid ticks,
ue

s indicate selected fence lines



UTM GRID AND 1961 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET



CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 10-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929


FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON I

SCALE 2 IN. = 1 MILE

FOR SALE BY
MEISKER MAPS
111 SOUTH 10TH ST., TACOMA, WASHINGTON
1020 THIRD AVE., SEATTLE, WASHINGTON


TOWNSHIP 52N., RANGE 3W. B. M.
KOOTENAI COUNTY, IDAHO


2



Township N^o 52 North, Range N^o 3 West of the 1

96 ME





Well

5

95

ALT 10

8

SPILLWAY ELEV 2517

Chilco Lake

RIM ROCK

17

Gravel Pit

2437

2436

20

ROAD

FD

9

16

21

3

10

15

22

Lancaster Creek

COEUR D'ALENE
NATIONAL FOREST

MICROFILMED
NOV 08 1996

TRAIL

JEEP TRAIL

Creek

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08871

Priority: May 30, 1995

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.5 AF

This is to certify, that BILL HENDERSON
23520 N CORBIN HILL RD
ATHOL ID 83801

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 30, 1995; and
has submitted Proof of Beneficial Use on October 18, 1995. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.3 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	1.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 6 (NWNWSW), Sec. 4, Township 52N, Range 03W
KOOTENAI County

PLACE OF USE: STOCKWATER
TWN RGE SEC
52N 03W 4 Lot 5 (SWNW)

PLACE OF USE:
DOMESTIC, same as STOCKWATER use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED
NOV 8 1996


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08871

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30TH
day of August, 19 96.


Acting for KARL J. DREHER, Director



MICROFILMED

NOV 6 1996

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 96-08871	)	ORDER OF
	)	REINSTATEMENT
IN THE NAME OF BILL HENDERSON	)	
_____	)	

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before August 1, 1996; and,

WHEREAS, the permit holder submitted proof of beneficial use on October 18, 1995, however, the proof was not forwarded to the appropriate section for acknowledgement; and


WHEREAS, on August 14, 1996, the Department lapsed the permit in error; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause; and,

WHEREAS, the permit holder provided a reasonable showing why the permit should be reinstated by submitting the proof in a timely manner; and,

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-12164 be REINSTATED with no advance in priority.

Dated this 16th day of August, 1996.



L. GLEN SAXTON, Chief

Water Allocation Bureau

MICROFILMED

NOV 08 1996

STATE OF IDAHO
 DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- Permit No. 96-08871 Telephone No. 683-2507
- Name(s) of Permit Holder(s): Bill Henderson
- Mailing Address: 23520 N. Corbin Hill Rd. Athol, Id. 83801
- Source of Water: Spring If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____
 - Well Driller: _____ Drilling Permit Number: _____
 - OPTIONAL:
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
- Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): 20 - Cows & Horses

Irrigation (No. of acres): _____ Other: _____
- Total rate of diversion and/or volume for which proof is submitted: 1 G.P.M. cfs. OR _____ acre feet
- Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No <u>X</u>
	Has the measuring device been installed?	Yes _____ or No <u>X</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No <u>X</u>
	Has the measurement port been installed?	Yes _____ or No <u>X</u>
- Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)
- Person to contact to accompany the Department representative during field examination of the water system.

Name: Bill Henderson Telephone Number: 6832507

Address: 23520 N. Corbin Hill Rd Athol, Id. 83801
- The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

NOV 08 1996

Signature of permit holder: Bill Henderson Date: 10-18-95
 (include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08871

Proposed Priority: May 30, 1995

Maximum Diversion Rate:

0.06 CFS

This is to certify, that **BILL HENDERSON**

23520 N CORBIN HILL RD

ATHOL ID 83801

has applied for a permit to appropriate water from:

SPRING

tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 5(NWNWSW), Sec. 4, Township 52N, Range 03W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

52N 03W 4 Lot 5(SWNW)

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1996**.
2. Subject to all prior water rights.
3. Stockwater use is for 20 range stock.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

25 day of July, 1995

Karl J. Dreher
Karl J. Dreher, Director

RECEIVED

SEP 18 1995

RECEIVED
JUL 20 1995
Department of Water Resources

Permit No. 96-8871
Ident. No. 96-8871

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Bill Henderson Phone 683 2507
Post office address 23520 N. Corbin Hill Rd Athol 83801
2. Source of water supply SPRING which is a tributary of SINKS
3. Location of point of diversion is NW 1/4 of NW 1/4 of SW 1/4, Govt. Lot 5
Sec. 4 Township 52N Range 3W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from 4/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCKWATER purposes from 4/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.06 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 2 - 24" x 6' LONG CULVERTS
SINK INTO SPRING - GRAVITY FLOW TO HOME + STOCK
TANKS
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? NO
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

SEP 18 1995

COPYRIGHT

applicant to make this filing.

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion?

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering: list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):


SCALE 2 IN. = 1 MILE

FOR SALE BY
METSKER MAPS
111 SOUTH JORD ST., TACOMA, WASHINGTON
1020 THIRD AVE., SEATTLE, WASHINGTON

TOWNSHIP 52N., RANGE 3W. B. M.
KOOTENAI COUNTY, IDAHO

(27)

SEP 8 1954



(19)

A large grid of graph paper with a 10x10 square pattern. The grid is mostly empty, with some faint, illegible markings in the bottom right corner.

SEP 18 1995

X Billy L Henderson
(Applicant)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by AS Date 5/30/95 Time 10:35
Fee \$ 50.00 Received by AS # W-8988 Date 5/30/95
Publication prepared by AS Date 6/17/95 Published in Idaho News 6/15-23/95
Publication approved AS Date 6/23/95

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____
1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
e. Other: _____

SEP 18 1995
Obed H. ...



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 3, 1996

BILL HENDERSON
23520 N CORBIN HILL RD
ATHOL ID 83801

RE: WATER RIGHT NO. 96-08871

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
NOV 08 1996

MEMORANDUM

DATE: August 27, 1996

TO: File 96-08871

FROM: Shelley W. Keen *SWK*

RE: Ownership of Place of Use and Point of Diversion

This afternoon I called the Kootenai County Assessor's office to verify that Bill Henderson owns the property he indicates are the point of diversion and place of use for the water use he developed under permit 96-08871. I was told that Billy L. Henderson (see signature on the application for permit) owns the following four parcels in Township 52 North, Range 3 West, Section 4.

1. N½ of Govt. Lot 4 20.815 acres
2. S½ of Govt. Lot 4 20.815 acres
3. N½ of Govt. Lot 5 20.95 acres
4. S½ of Govt. Lot 5 and the N 600' of the W 363' of Govt. Lot 6 25.95 acres

The point of diversion and place of use for Permit 96-08871 appear to be located in parcel no. 4.

* Right 96-08871 has the same P/D/POU, OWNER, and source as claimed in 96-04561.

SW Keen

MICROFILMED
NOV 08 1996

RECEIVED

AUG 27 1996

Department of Water Resources

August 24, 1996

Shelley W Keen
Water Rights Supervisor
Idaho Dept of Water Resources
1301 N Orchard St
Statehouse Mail
Boise, ID 83720-9000

RE: WATER RIGHT NO 96-08871

Dear Mr Keen:

Enclosed is information on spring location that you requested.

I don't feel that I have any obligation to pay a fee for an amendment because a field examiner made an error(s) in the location of where the spring is situated.

Thank you,

Bill Henderson

Bill Henderson
23520 N Corbin Hill Rd
Athol, ID 83801
(208) 683-2507


MICROFILMED
NOV 08 1996

↑
NORTH

RECEIVED

AUG 27 1996

Department of Water Resources



MICROFILMED
NOV 9 8 1996

 **Bill Henderson**
23520 N. Corbin Hill Rd.
Athol, ID 83801-9727

96-08871

M E M O R A N D U M

DATE: August 23, 1996

TO: File 96-08871

FROM: Shelley W. Keen

RE: Point of Diversion

At the request of Dave LePard, I called Bill Henderson this afternoon to discuss my request for a licensing amendment for Permit 96-08871. Mr. Henderson described the location of his spring as being on his property about 250 ft. east of the north-south road between sections 4 and 5. He says it is near the NW corner of Govt. Lot 6. If so, no amendment would be required. Mr. Henderson is going to send me a map for the file.

MICROFILMED

NOV 08 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 20, 1996

BILL HENDERSON
23520 N CORBIN HILL RD
ATHOL ID 83801

RE: WATER RIGHT NO. 96-08871

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SWK:ph
Enclosure

MICROFILMED

NOV 08 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08871

DATE 8/19/96

REVIEWER: S H A R L A

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	Change <u>—</u>	OK <u>✓</u>	Is change clarification of originally intended source? <u>—</u> If not, prepare Notice of Intent to Void <u>—</u>
POINT OF DIV	<u>✓</u>	<u>—</u>	Amendment required <u>yes</u>
PLACE OF USE	<u>✓</u>	<u>—</u>	Amendment required <u>yes</u> Lt 4

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.06</u>	cfs	
Fee limit	<u>.20</u>	cfs	\$50 ⁰⁰
Measured	<u>.04</u>	cfs	5 gal bucket / 19 sec
Theoretical	<u>—</u>	cfs	

Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/ NATURE OF USES

Use	Volume Calculation
<u>Stock</u>	<u>.3 (20 x 12 x 365)</u> af
<u>Dom</u>	<u>1.2 825,850</u> af
<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u> af
SUBTOTAL	<u>1.5</u> af

Flow rate .04 cfs X 365 days X 1.983 = 29.0 af
 Total volume recommended 1.5 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1/1 home

CONDITIONS

— Watermaster Control WD# —
— GW Measurement/Measuring Device
— Overlap
— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo N/A

1st Amend Letter P37 P38
 2nd Amend Letter P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 22 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08871

1. Owner: Bill Henderson Phone No. 208 683-2507

Current Address: 23520 N coburn hill rd. athol Id 83801

2. Accompanied by: Bill Henderson EXAM DATE: 7-8-96

Address: same Phone No. _____

Relationship to Permit Holder: owner

3. Source: spring tributary to dunks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SW	4	S2N	03W	Kootenai	USGS 7.5 quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	03W	4						D.S											

MICROFILMED

JUL 08 1996

2. Measurements: Bucket method with 5 gal/19.5 sec

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon Bucket						


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No. *	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A	-	N/A	N/A	Capacity

4.

Scale: 1" = 1/15
 Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached (proposed - 15AD)



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

a developed spring on ridge above home is two buried culvert pipes one next to the other for spring development and storage. water is carried via 2 in pipe to spicket for stock then 1/4 in. to home. owner had 20 range stock consisting of 6 horses and 14 cattle.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 8 1985

F. FLOW CALCULATIONS

Measured Method:

$$5/19 \text{ sec} = .04 \text{ cfs (Field Examiner Hand Book)}$$

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

$$20 \text{ acres} \times 12 \text{ gpd} \times 365 \text{ days} = 27 \text{ AFA}$$

$$325,850 \text{ gpd in AFA.}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Domestic	01-01	12-31	.04	1.2
Stock	01-01	12-31	.02	.7
Totals:			.04	1.47

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION

Field Examiner's Name: Al McCall Date: 7/16/96

Reviewer: _____ Date: _____

SEAL

WATER RIGHTS
DIVISION



**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08871 Reviewed by [Signature] Date 8-16-96

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

dom, stock

Correct Uses? yes

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☐ Drilling permit required?

☐ Copy in the file? Drilling Permit No. _____

☐ Amount paid for permit

_____ Correct?

☐ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50- Amount Submitted
yes Correct?

MEASURING DEVICE

no Required?
_____ Installed?
_____ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	X	_____
Date proof due	_____		_____
No. of days late	_____		_____
Priority Date	_____		_____
New Priority Date	_____		_____

DEFICIENCIES OR ACTION ITEMS

Reinstate w/no advance in priority. Proof was
stapled inside the field exam & just discovered.
Proof acceptable.

DATA ENTRY

New Address [X] Proof Made 10-18-95



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR
August 16, 1996

BILL HENDERSON
23520 N CORBIN HILL RD
ATHOL ID 83801

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 96-08871

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating your permit since the department lapsed the permit in error. Please note that the priority date has not been advanced.

Please be advised that Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have questions concerning the field examination, contact the **NORTHERN** Regional Office in Coeur d'Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

MICROFILMED
NOV 11 1996

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

August 14, 1996

BILL HENDERSON
23520 N CORBIN HILL RD
ATHOL ID 83801

LAPSE NOTICE

RE: PERMIT NO. 96-08871

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated May 31, 1996. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.


L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 8/14/96
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

MICROFILMED
NOV 08 1996



May 31, 1996

BILL HENDERSON
23520 N CORBIN HILL RD
ATHOL ID 83801

PROOF DUE NOTICE

RE: PERMIT NO. 96-08871

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

NOV 08 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 25, 1995

BILL HENDERSON
23520 N CORBIN HILL RD
ATHOL ID 83801

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08871

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED
SEP 18 1995

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 968871 Name: Henderson Date: 7/24/95 Ad OK? ☒
Correct Fee? ☒ Receipt #: N08988 Priority: 5/30/95 ☒ Gvmt Lts: ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <☒ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. (POU cmp) - 01M, 065(if GW use SW 1st)

Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <☒ FLO-CH> (Surface water that doesn't sink):
Water District(~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report) (POU cmp)
~~In WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(consump. use), 047-P04(Payette Lake), NA

USE:
Domestic (surface) - 021(Boise R + L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr =/- 5 acres - 057 (0.03 cfs/A) <DO POU COMPARISON>
+ 5 acres - 03A (0.02 cfs/A) <DO POU COMPARISON>
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Storage(☒ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU)

OTHER CONDITIONS: -

STANDARD REMARKS: - 1000/1 2002/2000

BENEFICIAL USE DUE: - 8-1-1996

COMMENTS: -

No. a
4/87-06/92n

DEPARTMENT OF WATER RESOURCE
APPLICATION ANALYSIS SHEET

WR
WR Apps
BC

Per AI
APPLICATION # 96-8871

***** INITIAL REVIEW *****

APPLICANT: HENDERSON

BY: AS

DATE: 5/30/95

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
12. (X) Map
13. (X) Signature
(X) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- Y Field check: by _____
Y Field report attached
Y Analysis Supp. attached(>5cfs/500af)
Y Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 5/30/95

Y

(Include Moratorium Remark)

Y

Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- Y Groundwater management area
Y Critical ground water area
Y Well Drilling Permit required
Y Well Drilling Application and Fees received
Y Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

6/23 Affidavit of publication received

6/23 Application published correctly, If not, record action taken: _____

6/4 Publication dates and paper recorded on application

Sr. Agent initial AS

Y Protests received. Final protest date: 07/03/95

Y Measuring device required

Y Measuring port required

Y Special conditions: _____

Y Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AS

RECEIVED
JUL 20 1995

Date: 7/7/95

Department of Water Resources

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Ken Alexander

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Legal Notice*

of which the annexed is a printed copy, was published in the regular *Thurs*
issue of said newspaper for *2* consecutive *weeks*,
commencing on the *15th* day of *June*, 19*95*, and
ending on the *22nd* day of *June*, 19*95*, and such
publication was made as often during said period as said *daily*
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Ken Alexander

Subscribed and sworn to before me this *22nd* day of *June*,
19*95*.

Roberta G. Hanley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA HANLEY 2-5-99
My commission expires

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

96-08871

ok

HENDERSON, BILL
23520 N. CORBIN HILL ROAD

ATHOL, ID 83801

Source: SPRING

Tributary: SINKS

Diversion Pt: LOT 5 (NWNWSW) (Sec
4T 52N R 03W in KOOTENAI County.

Use: STOCKWATER (0.020 CFS)

DOMESTIC (0.040 CFS)

Total Diversion: (0.060 CFS)

Date Filed: 5/30/1995

In: KOOTENAI County

T52N R03W S04 Lot 5(SWNW)


For additional information concerning
the property location, call the Northern
Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the applicant and with the Director, Dept.
of Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210, Coeur
d'Alene, Idaho 83814, together with a
protest fee of \$25.00 on or before JULY 3,
1995.

KARL J. DREHER, Director

Legal 999

June 15, 22, 1995



SEP 18 1995

June 7, 1995

Mr. Bill Henderson
23520 N. Corbin hill Rd.
Athol, ID 83801

Re: Water Appropriation Application No. 96-0887

Dear Mr. Henderson:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and you are using a well that was constructed after July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application, if no permit was obtained by you or previous owners to construct the well. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

RECEIVED
SEP 18 1995

96-08871

HENDERSON, BILL
23520 N CORBIN HILL ROAD
ATHOL, ID 83801

Source: SPRING

Tributary: SINKS

Diversion Pt: LOT 5 (NWNWSW) Sec 4 T 52N R 03W in KOOTENAI County.

Use: STOCKWATER	(	0.020 CFS)
DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.060 CFS)

Date Filed: 5/30/1995

In: KOOTENAI County
T52N R03W S04 Lot 5(SWNW)

RECEIVED
MAY 31 1995