


T 57N
R 2W



SAND

[illegible]

Stake Line	50
------------	----

SUBJECT

10	9	8
10	9	8

251
241

- RICHARD STEMMLEK
221-2915

PLAT MAP

7.5 MINU

532

1933

32130"

BONNERS FERRY 36 MI.
SANDPOINT 2.3 MI.

1310,000 FEET

RIVER

E
AL POOL ELEVATION 2062

POINT OF
DIVERSION

Murphy Bay

State Fish Hatchery

Murph
Slough

Spring

82192

Gravel Pits

Gravel

Grave

Grave

2077

Gravel P

Spring


Gravel P

ROBBINS

T. 57N. R. 2W

Sagle

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NISSAN (GAS)	69	?	Monarch	Nt 5M125 6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

OCT 19 2001

Pump
AT
PD



Line to
shore



End
to
3" attach-
y for 2 5" lines



96-0885-8

UNRECORDED
OCT 19 2001

SAGLE QUADRA
IDAHO-BONNER
7.5 MINUTE SERIES (TOP

BONNERS FERRY 36 MI.
SANDPOINT 2.3 MI.

532 2000 SE
(SANDPOINT)

32130"

310 000 FEET

536

RIVER

x Mile 118



Murphy Bay

State Fish Hatchery

Murphy Slough

Springs

Sleep

Gravel Pit

Gravel x Pit

Sagle Slough

Gravel Pit

Spring

96-08858
T57N R2W
Sec 34 Lot 2

MICROFILMED

OCT 19 2001

Sagle

BM 2160

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 96-08858

Priority: April 3, 1995

Maximum Diversion Rate: 2.00 CFS

It is hereby certified that EDWIN H ROBBINS
1870 LAKESHORE DR
SAGLE ID 83860 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated April 3, 1995; and has
submitted Proof of Beneficial Use on May 30, 1997. An examination indicates that the works have a
diversion capacity of 2.0 cfs of water from:

SOURCE

PEND OREILLE RIVER

Tributary: COLUMBIA RIVER

and a water right has been established as follows:

BENEFICIAL USE
FIRE PROTECTION

PERIOD OF USE
06/01 to 10/31

DIVERSION RATE
2.00 CFS

LOCATION OF POINT(S) OF DIVERSION:

PEND OREILLE RIVER L2 SW¼SE¼ Sec. 34, Twp 57N, Rge 2W, B.M. BONNER County

PLACE OF USE

Place of use is within Sagle Fire District.


CONDITIONS OF APPROVAL

1. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
2. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 30th day of OCTOBER, 2001.

Acting for


KARL J. DREHER
Director

MICROFILMED

201 3 9 2001

RECEIVED

FOR OFFICE USE ONLY
Amt. of Fee \$: 175.00
Receipt No. N11262
Receipt By: ESK
Date Received: 5/30/97

MAY 30 1997 **STATE OF IDAHO**
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION
IDWR

RECEIVED

JUN 04 1997

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08858 Telephone No. (208) 263-8895

2. Name(s) of Permit Holder(s): Edwin H Robbins

3. Mailing Address: 665 Lakeshore Dr Sagle, Id 83860

4. Source of Water: Pend Oreille River If **GROUNDWATER** (well), Date Drilled: mo. ____ / yr. ____

a. Well Driller: _____ Drilling Permit Number: ____ - ____ - ____

b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: Fire protection

6. Total rate of diversion and/or volume for which proof is submitted: 1000 gpm cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No _____

Has the measuring device been installed? Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No _____

Has the measurement port been installed? Yes _____ or No _____

8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Edwin H Robbins Telephone Number: (208) 263-8895

Address: 665 Lakeshore Dr Sagle

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Edwin H Robbins Date: 5/30/97
(include your title, if on behalf of company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
MAY 20 1996

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 96-08858

Name(s) of Permit Holder: Edwin H Robbins

Mailing Address: 1870 Lakeshore Dr Sagle, Id 83860

Date Proof is Due: June 1, 1996 Telephone No. (208) 263-8825

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Research in requirements for pump size, RPM needs,
intake, discharge size, pressure, lift capacity,
by-pass check valve — diesel engine size

Costing \$ _____

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

See attached letter

Permit holder(s) request an extension to June 1, 19 97.

FEE: \$50.00

Edwin H Robbins
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to June 1, 1997.

AUG 22 1996

Signed this 6th day of June, 19 96.

J. Glen Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08858

Proposed Priority: April 3, 1995

Maximum Diversion Rate:

2.00 CFS

This is to certify, that EDWIN H ROBBINS

1870 LAKESHORE DR

SAGLE ID 83860

has applied for a permit to appropriate water from:

PEND OREILLE RIVER

tributary of COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

FIRE PROTECTION

06/01 to 10/31

2.00 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 2(SWSE), Sec. 34, Township 57N, Range 02W
BONNER County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1996.
2. Subject to all prior water rights.
3. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
4. Place of use is within Sagle Fire District.
5. Water shall not be diverted under this right except to fight or repel an existing fire.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

29th day of May, 1995.

Karl J. Dreher
for Karl J. Dreher, Director

RECORDED

JUN 1 4 1995

12 13 14 less W 20 51

RECEIVED
MAY 10 1905

MAY 19 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-8858

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Edwin H Robbins Phone (208) 263-8895
Post office address 1870 Lakeshore Dr. Sagle, Id 83860
2. Source of water supply Pend Oreille River which is a tributary of Columbia
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot 2
Sec. 34 Township S7N Range 2W B.M. BONDER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 2.0 for Fire Protection purposes from June 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.0 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. diesel powered pump, installation of dry fire hydrant.
b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total reservoir capacity N/A acre-feet; period of year when water will be diverted to storage: N/A to N/A inclusive.
c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.
d. Is ground water with a temperature of greater than 85°F being sought? N/A
e. If well is already drilled, when? N/A; Drilling firm N/A
Well was drilled for (well owner) N/A
7. Time required for the completion of the works and application of the water to be proposed beneficial use is 1 year years (minimum 1 year).

JUN 14 1995
 MICHAEL MEYER

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. N/A
- c. Municipal; show name of municipality. N/A
- d. Domestic; show number of households. N/A
- e. Other; describe fully. Dry Hydrant fire protection

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N	2W	34					(SEE REMARKS)												

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Ed Applicant

b. Who owns the land to be irrigated or place of use? _____


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: PLACE OF USE IS WITHIN SAGE FIRE DIST.

RECEIVED


JUN 14 1995

T 57N
R 2W



D'O'REILLY E

PEND
JUN 14 1995



Beach Line

Stake Line 50

SUBJECT

O'REILLE

PEND


LAKESIDE

BEACH

BOULEVARD

LAKESIDE

PLAT MAP



[illegible]

JUN 14 1995

Edmund N. Bohlen

(Applicant)

Received by BS Date 4/3/95 Time 2:45 Preliminary check by BS
Fee \$ 140 as Receipted by BS # N-8751 Date 4/3/95
Publication prepared by _____ Date _____ Published in _____
Publication approved φ Date 5/11/95

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED
JUN 14 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

October 11, 2001

EDWIN H ROBBINS
1870 LAKESHORE DR
SAGLE ID 83860

RE: License No. 96-8858 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


OCT 19 2001

CERTIFICATE OF MAILING

I hereby certify that on October 11, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 96-8858

**EDWIN H ROBBINS
1870 LAKESHORE DR
SAGLE ID 83860**


**Kari Lynn Townsend
Secretary**

MICROFILMED
OCT 19 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 13 2001

Comment Report

96-8858

1. skeen 10/1/2001 License Review

Comment: Licensing review by S. Keen on 10/1/2001.

2. DBALL 4/10/1995 DIVERSION DESCRIPTION

Comment: Diesel powered pump, installation of dry fire hydrant in river.

3. SCURTIS 5/20/1996 Extension of Time Received

Comment: Extension of Time Received

MICROFILMED

OCT 13 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 18 1999
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08858

1. Owner: Edwin H Robbins Phone No. _____

Current Address: 1870 Lakeshore Dr. Eagle Id. 83860

2. Accompanied by: Edwin Robbins EXAM DATE: 9-23-99

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Pend Oreille River tributary to Columbia River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	02		SW	SE	34	57N	02W	Bonner	USGS 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	02W	34															F		

MICROFILMED

OCT 19 2001

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NISSAN (GAS)	69	?	monarch	wt 5m125 6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** _____

MICROFILMED

OCT 19 2001

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

MICROFILMED
JUN 19 2001

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Timed Pump
Filled a 3000 gal Tanker in 3.4 min
 $3000 \div 3.4 \text{ min} = 882 \text{ gpm}$
 $\frac{882 \times 1.33681}{60} = 1.96 \text{ cfs} = 2.00$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Fire Protection</i>	<i>06-01</i>	<i>10-31</i>	<i>2.0</i>	
Totals:			<i>2.0</i>	

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name *Wayne Selch* Date *10-14-99*

Reviewer _____ Date _____

SEAL

MICROFILMED

OCT 15 1999

Pump
AT
PD

Line to
shore



96-0885-8


End
TO
3" attach-
y for 2 3" line



UNCLASSIFIED
OCT 19 2001

SAGLE QUADRA
IDAHO-BONNER
7.5 MINUTE SERIES (TOP

BONNERS FERRY 36 MI.
SANDPOINT 2.3 MI.



96-08858
T57N R2W
Sec 34 Lot 2

MICROFILMED

001 13 2001

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08858 Reviewed by [Signature] Date 6-12-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

Fire protection
yes Correct Uses?

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
125- Amount Submitted
yes Correct?

no Required?
☐ Installed?
☐ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	- = + EX 18 107
Date proof due	_____	
No. of days late	_____	
Priority Date	_____	
New Priority Date	_____	

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address 665 Lakeshore Dr. Proof Made 5-30-97



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR
June 17, 1997

EDWIN H ROBBINS
665 LAKESHORE DR
SAGLE ID 83860

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08858

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

If you have questions concerning the field examination, contact the **NORTHERN** Regional Office in Coeur d'Alene, at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Region

MONOCLERED

JUL 18 1997

March 31, 1997

EDWIN H ROBBINS
1870 LAKESHORE DR
SAGLE ID 83860

PROOF DUE NOTICE

RE: PERMIT NO. 96-08858

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECORDED
JUL 18 1997



ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 96-08858 Reviewed by [Signature] Date 6-5-96

BASIC INFORMATION

5-15-96 Date stamp received
Yes Extension received timely
Yes Fee received and receipted
Yes Name and signature same as permit
No Address Change

BASIS FOR EXTENSION REQUEST

Yes Has adequate work been completed to demonstrate due diligence?

_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN *Recommend extend to June 1, 1997, on basis of due diligence.*

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address X _____

Change Proof Due Date 6-1-97

Change Priority Date X _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 6, 1996

Edwin Robbins
1870 Lakeshore Dr.
Sagle, ID 83860

RE: Permit No. 96-08858

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to **June 1, 1997**. Please note that the department has granted this extension based on **due diligence**. It is important that you work diligently toward the completion of this project during the construction period allowed since the department **will not** be able to grant additional extensions based on due diligence.

Please contact me at (208)327-7953 if you have any questions regarding this matter

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office

AUG 2 2 1996



Sagle Fire District

P.O. Box 385 • Sagle, Idaho 83860 • 208-263-9541

May 8, 1996

State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

Re: Permit to Appropriate Water
Permit # 96-08858
Mr. Edwin H. Robbins
1870 Lakeshore Drive
Sagle, Idaho 83860

The Sagle Fire District is currently working with Mr. Edwin Robbins in order to divert water under permit # 96-08858 for the purpose of fire suppression activities.

It is my understanding that Mr. Robbins must take action regarding this permit on or before June 1, 1996. The Sagle Fire District in the process of working with Mr. Robbins in setting a diversion system in place. However, due to Fire District activities, we will be unable to complete the project prior to June 1, 1996.

In order to continue working on the diversion system, we are requesting that the State Department of Water Resources grant Mr. Robbins an extension in order to complete the project.

If you have any questions, please feel free to contact me.

Thank you for your time.

Sincerely,

Mark Dennison, Fire Chief

cc: Mr. Edwin Robbins

AUG 22 1996

March 31, 1996

EDWIN H ROBBINS
1870 LAKESHORE DR
SAGLE ID 83860

PROOF DUE NOTICE

RE: PERMIT NO. 96-08858

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

AUG 22 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 25, 1995

EDWIN H ROBBINS
1870 LAKESHORE DR
SAGLE ID 83860

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08858

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED
JUN 14 1995

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 96-8858 Name: Robbins Date: 5/22/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: N8757 Priority: 4/3/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020 (Prehearing agreement) or W19 (See Order)

SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
- 0.2 cfs - No MD
+ 5 a. (POU cmp) - 01M, 803 (if GW use SW 1st)

Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink):
Water District (dem) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 01J-P08 or 01M
- 0.2 cfs - 01H-P01 or No MD
+ 5 a. irr. - 01M (POU cmp)
~~In WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
+ 5 a. irr. - 01M (POU cmp)

RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064 (consump. use), 047-P04 (Payette Lake), NA

USE:
Domestic (surface) - 021 (Boise R ↑ L Peak); 27A (Payette R); NA
Fish Propagation - 07A-042 (rq) - 010/06A/09E (WQ) - P10; 044 (N 1000 Spr)
Irr - 5 acres - 057 (0.03 cfs/A)
+ 5 acres - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F (P19) - 09E (P10);
+25 cfs-P18; 17G (FERC) or 17M (FERC); 18B-P09
Storage (✓ 3 compo.) - 18A (multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA
OWNERSHIP: Non-land owner - 004 (PD/PU)

OTHER CONDITIONS: _____

STANDARD REMARKS: ① WB ② P/u desc

BENEFICIAL USE DUE: 6-1-1996
COMMENTS: _____

No. a
4/87-06/92n

U.S. DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SUMMARY

RECEIVED
MAY 19 1995

APPLICATION # 96-8858

***** INITIAL REVIEW *****

Department of Water Resources

APPLICANT: ROBBINS BY: BJ DATE: 4/3/95

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other Water Rights
11. (x) Ownership
13. (x) Map
(x) Signature
(x) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
1 Field report attached
1 Analysis Supp. attached (>5cfs/500af)
1 Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 4/3/95

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: SB Thru sk Banner County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- X Groundwater management area
1 Critical ground water area
1 Well Drilling Permit required
1 Well Drilling Application and Fees received
X Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

5/10/95 Affidavit of publication received

5/11/95 Application published correctly, If not, record action taken: _____

4/12/95 Publication dates and paper recorded on application | Sr. Agent initial AB

1 Protests received. Final protest date: 5/18/95

1 Measuring device required

1 Measuring port required

1 Special conditions: _____

1 Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: BJ RYN

Date: 5/12/95

April 13, 1995

Edwin H. Robbins
1870 Lakeshore Drive
Sagle, ID 83860

Re: Water Appropriation Application No. 96-08858

Dear Mr. Robbins:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

RECEIVED
JUN 14 1995

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pamela D. Johnson being first duly sworn on oath

deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

NOTICE OF APPLICATION

FOR WATER RIGHT

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 20 day of April, 19 95

and ending on the 27 day of April, 19 95

and that said notice was published in said newspaper.

On this 1 day of May in the year

of 1995, before me, a Notary Public, personally

appeared Pamela D. Johnson,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me first

duly sworn, declared that the statements therein are true,

and acknowledged to me that he executed the same.

Claudia K. Dwyer
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 6/2000

FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

— 96-08857

NASH, ARNOLD EDMUND KEIR

NASH, MARGUERITE B.R.

P O BOX 492

SAGLE, ID 83860

Source: LAKE PEND OREILLE

Tributary: PEND OREILLE RIVER

Diversion Pt: LOT 2 (NWSW) Sec

8 T 55N R 01W in BONNER County.

Use: IRRIGATION (0.120 CFS)

DOMESTIC (0.120 CFS)

Total Diversion: (0.120 CFS)

Date Filed: 3/31/1995

In: BONNER County

T55N R01W S08 Lot 2 (NWSW)

4.0 ACRES TOTAL

— 96-08858

ROBBINS, EDWIN H.

1870 LAKESHORE DRIVE

SAGLE, ID 83860

Source: PEND OREILLE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 2 (SWSE) Sec

34 T 57N R 02W in BONNER County.

Use: FIRE PROTECTION (2.000 CFS)

Total Diversion: (2.000 CFS)

Date Filed: 4/3/1995

T R S00

Place of use is within Sagle Fire District.

— 96-08859

ROBBINS, EDWIN H.

1870 LAKESHORE DRIVE

SAGLE, ID 83860

Source: PEND OREILLE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 2 (SWSE) Sec

34 T 57N R 02W in BONNER County.

Use: IRRIGATION (0.040 CFS)

FIRE PROTECTION (0.040 CFS)

Total Diversion: (0.080 CFS)

Date Filed: 4/3/1995

In: BONNER County

T57N R02W S34 Lot 2 (SWSE)

1.0 ACRES TOTAL

— 96-08860

SUNRISE TERRACE HOME-OWNER'S ASSOC. INC

C/O DAVID TATE

8867 SUNRISE CIRCLE

SAGLE, ID 83860

Source: GROUNDWATER

Diversion Pt: SWSESE Sec 3 T

56N R 02W in BONNER County.

Use: DOMESTIC (0.058 CFS)

Total Diversion: (0.058 CFS)

Date Filed: 3/29/1995

In: BONNER County

T56N R02W S03 SESE

— 96-08861

VAN OUYEN, JERRY L

7370 HIGHWAY 95 S

SANDPOINT, ID 83864

Source: GROUNDWATER

Diversion Pt: SWSW Sec 2 T 56N

R 02W in BONNER County.

SESW Sec 2 T 56N R 02W in

BONNER County.

Use: IRRIGATION (0.060 CFS)

DOMESTIC (0.040 CFS)

Total Diversion: (0.100 CFS)

Date Filed: 4/7/1995

In: BONNER County

T56N R 02W S02 SWSW SESW

4.0 ACRES TOTAL


For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before MAY 8, 1995

R. KEITH HIGGINSON,

Director

SNP#6842 Apr 20, 27, 1995



JUN 14 1995

96-08858

ROBBINS, EDWIN H
1870 LAKESHORE DRIVE
SAGLE, ID 83860

Source: PEND ORIELLE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 2 (SWSE) Sec 34 T 57N R 02W in BONNER County.

Use: FIRE PROTECTION (2.000 CFS)

Total Diversion: (2.000 CFS)

Date Filed: 4/ 3/1995

T R S00

Place of use is within Sagle Fire District.

4/20 + 27/95