




Plot Plan
R.A. LANGRTER



NOTE: SECTION LINE EVIDENCED
BRUSHED LINE AND STAKES
SWORN TESTIMONY BY ADJ.
PROPERTY OWNERS. BEARING
BY OBSERVATION OF THE S.C.

SECTION 19

- 1. POINT OF WATER SOURCE
- 2. PUMP
- 3. STORAGE TANK


ROBERTSON

BARLOW



MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert A. Langesth
(Applicant)

MICROFILMED

ON

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8157

WATSON, ROCKY
STAR ROUTE, COEUR D
ALENE, ID 83814
Source: ROCKFORD CREEK
tributary to COEUR D ALENE
LAKE
Date Filed: 03/02/1982
Amount: 6.00 CFS
Diversion Point: NWSW Sec 07 T
48N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15; POWER (6.00
CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 07 T 48N
R 04W FOR 5 ACRES.
Diversion Means: DAM & GEN-
ERATOR.

95-8158

WASHINGTON STATE UNIVER-
SITY
PULLMAN, WA 99164
Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER
Date Filed: 02/10/1982
Amount: 0.20 CFS
Diversion Point: LOT 05 Sec 04 T
47N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.09 CFS)
from 05/01 to 09/30; FIRE PRO-
TECTION (0.20 CFS) from 01/01
to 12/31
Place of Use: LOT 05 Sec 04 T 47N
R 04 W FOR 3 ACRES
Diversion Means: PUMP &
PIPELINE.

95-8159

HEBENER, GARY L.
P. O. BOX 1883, COEUR D
ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 02/26/1982
Amount: 0.67 CFS

Diversion Point: NWNW Sec 29 T
50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 10/15; STOCK-
WATER (0.01 CFS) from 01/01 to
12/31; DOMESTIC (0.67 CFS)
from 01/01 to 12/31
Place of Use: SWSW Sec 21 T
50N R 04W FOR 9 ACRES
Source: GROUNDWATER
Date Filed: 02/26/1982
Amount: 0.10 CFS
Diversion Point: LOT 03 Sec 08 T
50N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31; DOMESTIC
(0.08 CFS) from 01/01 to 12/31
Place of Use: SENW LOT 03 Sec
08 T 50N R 05W
Diversion means: WELL &
PUMP.

95-8160

STANBURY, PATRICK H. &/or
ILENE
S. 700 MADISON ROAD, POST
FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 02/26/1982
Amount: 0.10 CFS
Diversion Point: LOT 03 Sec 08 T
50N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31; DOMESTIC
(0.08 CFS) from 01/01 to 12/31
Place of Use: SENW LOT 03 Sec
08 T 50N R 05W
Diversion means: WELL &
PUMP.

95-8161

HERBENER, GARY L.
STAR ROUTE, COEUR D
ALENE, ID 83814
Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER
Date Filed: 02/26/1982
Amount: 0.80 CFS
Diversion Point: SENE Sec 09 T
49N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.80 CFS)
from 04/01 to 11/15; STOCK-
WATER (0.01 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: NWSW Sec 09 T
49N R 04W FOR 40 ACRES
Diversion Means: PUMP &
PIPELINE.

95-8162

CAIRES, STEPHEN J.
1355 MEADOW BROOK ACRES
RD., COEUR D ALENE, ID 83814
Source: SPRING tributary to
SINKS
Date Filed: 03/04/1982
Amount: 0.20 CFS
Diversion Point: SWSW Sec 21 T
50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.18 CFS)
from 03/15 to 11/15; STOCK WA-
TER (0.02 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)

from 01/01 to 12/31
Place of Use: SWSW Sec 21 T 50N
R 04W FOR 9 ACRES
Diversion Means: DEVELOPED
SPRING WITH PUMP & PUMP-
LINE.

96-8038

THORNTON, DON N.
25682 E. LINCOLN, ORANGE
GROVE, CA.
Source: GROUNDWATER
Date filed: 03/03/1982
Amount: 0.06 CFS
Diversion Point: SWNE Sec 10 T
53N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.06 CFS) from
01/01 to 12/31
Place of Use: SWNE SENE Sec
10 T 53N R 03W
Diversion Means: WELL &
PUMP.

96-8039

BANGERTER, ROBERT A.
1207 VALEWOOD CT.,
SPOKANE, WA 99218
Source: SPIRIT LAKE tributary
to SINKS
Date Filed: 02/26/1982
Amount: 0.02 CFS
Diversion Point: LOT 01 Sec 24 T
53N R 05W, KOOTENAI Co.
Use: DOMESTIC (0.20 CFS) from
04/01 to 10/15
Place of Use: LOT 01 Sec 24 T 53N
R 05W
Diversion Means: PUMP &
PIPELINE.

96-8040

SILVER WATER SYSTEM
BOX 25, BAYVIEW, ID 83803
Source: GROUNDWATER
Date Filed: 03/03/1982
Amount: 0.20 CFS
Diversion Point: NESW Sec 34 T
54N R 02W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15; DOMESTIC
(0.20 CFS) from 01/01 to 12/31;
Place of Use: NESW NWSW Sec
34 T 54N R 02W FOR 5 ACRES
Diversion Means: WELL &
PUMP.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before MARCH 29, 1982.

A. KENNETH DUNN
Director

Legal 239
March 11, 18, 1982

being first duly sworn

inafter mentioned was a citizen of the United
over the age of twenty-one years and not a

inafter mentioned was the printer (principal
newspaper printed and published daily except
county, Idaho, and having a general circulation

was published in the regular

consecutive

day of

of

aid period as said

continuously and uninterruptedly published in

of more than seventy-eight consecutive weeks

ion of said notice

e this day of

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Yes No

PERMIT 96-8039

- (☒) () B/U Acknowledgement Letter Sent _____ (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
(☒) () GL Plat
() (☒) Copies of overlapping License Field Report
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

EXAM COMPLETED BY _____ DATE _____
SR AGENT REVIEW _____ DATE _____
REGIONAL MANAGER REVIEW RMA _____ DATE 6/10/90
ENTERED ON COMPUTER BY _____ DATE _____
PRELIMINARY OVERLAP REVIEW BY J King _____ DATE 1-88
(☒) NO OVERLAP FOUND

MICROFILMED

SEP 27 1990



96-8039

T 53N
R 5W

MICROFILMED

SEP 27 1981

96-8039



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 96-08039

Priority: February 26, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.02 CFS
0.6 AF

This is to certify, that ROBERT A. BANGERTER
1207 VALEWOOD COURT
SPOKANE, WA 99218

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 26, 1982; and
has submitted Proof of Beneficial Use on March 10, 1983. An examination indicates
that the works have a diversion capacity of .020 cfs of water from:

SPIRIT LAKE

tributary to **SPIRIT CREEK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	04/01 to 10/15	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 1(NENE), Sec. 24, Township 53N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

53N 05W 24 LOT 1(NENE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

SEP 27 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08039

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 24th
day of AUGUST, 1990

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant ROBERT A. DANGERTE Phone 509-466-8064
Post office address 1207 VALEWOOD CT. SPOKANE, WA. 99218
2. Source of water supply SPIRIT LAKE which is a tributary of (UNKNOWN)
3. Location of point of diversion is GL-1 ~~1/4~~ 1/2 of Section 24 Township 53N
Range 5W B.M. KOOTENAI COUNTY County, additional points of diversion if any:
(SEE ATTACHED COPY OF LEGAL DESCRIPTION)

4. Water will be used for the following purposes:

Amount 0.02 for DOMESTIC purposes from APRIL 1 to OCTOBER 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount N/A for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount N/A for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount N/A for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.02 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. 1/2 HORSEPOWER ELECTRIC PUMP AND PIPE
- b. Height of storage dam N/A feet, active reservoir capacity N/A acre-feet; total reservoir capacity 30 GAL. TANK ~~acre-feet~~, materials used in storage dam: N/A
Period of year when water will be diverted to storage APRIL 1 to OCTOBER 15 inclusive.
(Month/Day) (Month/Day)
- c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

- (1) Give the place of use of water: GL-1 ~~1/4~~ 1/2 of Section 24 Township 53N
Range 5W B.M.
- (2) Amount of power to be generated: N/A horsepower under N/A feet of head.
- (3) List number of each kind of livestock to be watered N/A
- (4) Name of municipality to be served N/A, or number of families to be supplied with domestic water N/A.
- (5) If water is to be used for other purposes describe: DOMESTIC USE

REPRODUCED

SMITH, SMITH & ASSOCIATES, P.A.

P. O. Box 1618
118 North 7th, Liberty National Building
Coeur d'Alene, Idaho 83814
(208) 664-3266

DESCRIPTION OF PARCEL #1


A parcel of land all lying in Sec. 24, T53N, R5W, B.M., Kootenai County, Idaho and bounded by the following line; beginning at the point of intersection of the east line of said Sec. 24 and the mean high water line of Spirit Lake; thence S 0° 03' E along said east line, 10 feet more or less to a chiseled 'X' on a rock; thence continuing S 0° 03' E along said east line, 300.00 feet to a 5/8" iron rod; thence S 89° 57' W, 75.00 feet to a 5/8" iron rod; thence N 32° 18' 20" W, 107.27 feet to a 5/8" iron rod; thence continuing N 32° 18' 20" W, 10 feet more or less to the mean high water line of Spirit Lake; thence northeasterly following said mean high water line to the point of beginning.

End of Description.

ROBERT A. SANBORTER
1207 VALLEWOOD CT.
SPOKANE, WA. 99218

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert A. Langester
(Applicant)

MICROFILMED

Proposed Priority 2/26/1982

Received by JK Date 2/26/82 Time 1:00pm

Preliminary check by JK Fee \$ 30.00

Receipted by JK Date 3-28-82/21157

Publication prepared by JK Date 3/4/82

Published in CD'A Press

Publication dates 3/11 - 3/18/82

Publication approved JK Date 3/22/82

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JK JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8039, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1983.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 13th day of April, 1982.

J. Glen Saylor
Chief, Operations Bureau

RECORDED

ON

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8157

WATSON, ROCKY
STAR ROUTE, COEUR D
ALENE, ID 83814
Source: ROCKFORD CREEK
tributary to COEUR D ALENE
LAKE
Date Filed: 03/02/1982
Amount: 6.00 CFS
Diversion Point: NWSW Sec 07 T
48N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15; POWER (6.00
CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 07 T 48N
R 04W FOR 5 ACRES.
Diversion Means: DAM & GEN-
ERATOR.

95-8158

WASHINGTON STATE UNIVER-
SITY
PULLMAN, WA 99164
Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER
Date Filed: 02/10/1982
Amount: 0.20 CFS
Diversion Point: LOT 05 Sec 04 T
47N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.09 CFS)
from 05/01 to 09/30; FIRE PRO-
TECTION (0.20 CFS) from 01/01
to 12/31
Place of Use: LOT 05 Sec 04 T 47N
R 04 W FOR 3 ACRES
Diversion Means: PUMP &
PIPELINE.

95-8159

HEBENER, GARY L.
P. O. BOX 1883, COEUR D
ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 02/26/1982
Amount: 0.87 CFS

Diversion Point: NWNW Sec 29 T
50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 10/15; STOCK-
WATER (0.01 CFS) from 01/01 to
12/31; DOMESTIC (0.87 CFS)
from 01/01 to 12/31
Place of Use: SWSW SESW Sec
20 T 50N R 04W NENW NWNW
Sec 29 T 50N R 04W FOR 12
ACRES
Diversion Means: WELL &
PUMP.

95-8160

STANBURY, PATRICK H. &/or
ILENE
S. 700 MADISON ROAD, POST
FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 02/26/1982
Amount: 0.10 CFS
Diversion Point: LOT 03 Sec 08 T
50N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31; DOMESTIC
(0.08 CFS) from 01/01 to 12/31
Place of Use: SENW LOT 03 Sec
08 T 50N R 05W
Diversion means: WELL &
PUMP.

95-8161

HERBENER, GARY L.
STAR ROUTE, COEUR D
ALENE, ID 83814
Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER
Date Filed: 02/26/1982
Amount: 0.80 CFS
Diversion Point: SENE Sec 09 T
49N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.80 CFS)
from 04/01 to 11/15; STOCK-
WATER (0.01 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: NWSW Sec 09 T
49N R 04W FOR 40 ACRES
Diversion Means: PUMP &
PIPELINE.

95-8162

CAIRES, STEPHEN J.
1355 MEADOW BROOK ACRES
RD., COEUR D ALENE, ID 83814
Source: SPRING tributary to
SINKS
Date Filed: 03/04/1982
Amount: 0.20 CFS
Diversion Point: SWSW Sec 21 T
50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.18 CFS)
from 03/15 to 11/15; STOCK WA-
TER (0.02 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)

from 01/01 to 12/31
Place of Use: SWSW Sec 21 T 50N
R 04W FOR 9 ACRES
Diversion Means: DEVELOPED
SPRING WITH PUMP & PUMP-
LINE.

95-8038

THORNTON, DON N.
25682 E. LINCOLN, ORANGE
GROVE, CA.
Source: GROUNDWATER
Date filed: 03/03/1982
Amount: 0.08 CFS
Diversion Point: SWNE Sec 10 T
53N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.08 CFS) from
01/01 to 12/31
Place of Use: SWNE SENE Sec
10 T 53N R 03W
Diversion Means: WELL &
PUMP.

95-8039

BANGERTER, ROBERT A.
1207 VALEWOOD CT.,
SPOKANE, WA 99218
Source: SPIRIT LAKE tributary
to SINKS
Date Filed: 02/26/1982
Amount: 0.02 CFS
Diversion Point: LOT 01 Sec 24 T
53N R 05W, KOOTENAI Co.
Use: DOMESTIC (0.20 CFS) from
04/01 to 10/15
Place of Use: LOT 01 Sec 24 T 53N
R 05W
Diversion Means: PUMP &
PIPELINE.

95-8040

SILVER WATER SYSTEM
BOX 25, BAYVIEW, ID 83803
Source: GROUNDWATER
Date Filed: 03/03/1982
Amount: 0.20 CFS
Diversion Point: NESW Sec 34 T
54N R 02W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15; DOMESTIC
(0.20 CFS) from 01/01 to 12/31;
Place of Use: NESW NWSW Sec
34 T 54N R 02W FOR 5 ACRES
Diversion Means: WELL &
PUMP.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before MARCH 29, 1982.

A. KENNETH DUNN
Director

Legal 239
March 11, 18, 1982

being first duly sworn

inafter mentioned was a citizen of the United
over the age of twenty-one years and not a

inafter mentioned was the printer (principal
newspaper printed and published daily except
county, Idaho, and having a general circulation

was published in the regular

consecutive

day of

of

aid period as said

continuously and uninterruptedly published in

of more than seventy-eight consecutive weeks

ion of said notice

e this day of

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MICROFILMED

August 27, 1990

ROBERT A. BANGERTER
1207 VALEWOOD COURT
SPOKANE, WA 99218

RE: PERMIT NO. 96-08039

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 27 1990

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 9609039

A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
✓ 6. Irrigation (Rule 5,1,8) method of determination

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

RECEIVED
JUN 27 1990

Department of Water Resources

Signature [Signature]

Date 12/8/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Yes No

PERMIT 96-8039

- (☒) () B/U Acknowledgement Letter Sent _____ (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
(☒) () GL Plat
() (☒) Copies of overlapping License Field Report
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

EXAM COMPLETED BY _____ DATE _____
SR AGENT REVIEW _____ DATE _____
REGIONAL MANAGER REVIEW RMA _____ DATE 6/10/90
ENTERED ON COMPUTER BY _____ DATE _____
PRELIMINARY OVERLAP REVIEW BY King _____ DATE 1-88
(☒) NO OVERLAP FOUND

MICROFILMED


SEP 27 1990

96

96-8039

T 53N
R 5W

D



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Robert A. Bangerter Permit No. 96-08039
Current Address: 1207 Valedwood Ct. Spokane WA 99218 Phone No. 509 466 8061
2. Accompanied by: _____ EXAM. DATE: _____
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Spirit Lake tributary to Spirit Cr.

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

SEP 27 1990

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

*SUBMERSIBLE PUMP IN LAKE, BLACK PORTABLE
BASE TO HOME WITH 36 GAL. HOLDING TANK
UNDER HOME (A LOW AIR TANK.)*

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>SUBMERSIBLE</i>					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<i>21</i>				<i>NE NE 24</i>	<i>53N</i>	<i>5W</i>	<i>FOOT HILL</i>	<i>MAP</i>

6. Place(s) of Use:


Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>53N</i>	<i>5W</i>	<i>24 D</i>																	

MICROFILMED

Do not use this space

SEP 27 1990



TWP. 53N N., RGE. 5W SEC. 24 MAP # _____ PERMIT # 96-8039
 DATE OF EXAM _____

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

.02 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED

SEP 27 1990

.6 AF domestic without lawn

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>4-1</u>	<u>10-15 TDK</u>	<u>.02</u>	<u>.4</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:				<u>.4</u>

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Charlotte Murray
Signature Charlotte Murray
Certification Date 2/17/89
Field Report Preparation Date 8/29/89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

8/21/90

MICROFILMED

SEP 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

MARCH 18, 1983

ROBERT A. BANGERTER
1207 VALEWOOD CT.
SPOKANE WA 99218

RE: Permit No. 96-8039

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

SEP 27 1990

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-8039.

Name(s) of Permit Holder: ROBERT A. DANGERTE

Post Office Address: 1207 VALWOOD COURT

SPOKANE, WA. 99218

Tel. No. 509-466-8046

Source of Water: SPIRIT LAKE, IDAHO (SHIELDS CAY)

Extent of Use:

☒ Domestic

☐ Stockwater

☐ Irrigation

☐ Other

(number of households)

(number and type of stock)

(acres)

Measuring Device:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


MAR 8 1983

Date

Robert A. Dangerter

Signature of Permit Holder

ROBERT D. ASSELTOR
1207 VAN BUREN ST
SPOKANE, WA 99218



RECEIVED
MAR 10 1983



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138339

BANGERTER, ROBERT A.
1207 VALEWOOD CT.
SPOKANE, WA 99218

PROOF DUE NOTICE

FEBRUARY 28, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-8039 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

NOTIFIED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BANGERTER, ROBERT A.
1207 VALEWOOD CT.
SPOKANE, WA 99218

APRIL 28, 1982

RE: PERMIT NO. 96-8039

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: SR

APPLICATION NUMBER: 96-8039

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 3/29/82 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/22/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
2/26/82 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: RSW Date: 4/1/82

STATE OFFICE REVIEW:

Return receipt w/ cover letter

SLW/o cond 26

- ☐ See attached sheet for more information.

By: Relig Date: 4-9-82

RECEIVED

APR 5 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

E-3
12/8

(NENE)
TRACT SEC TWP RGE gov't rediv. REACH
lot (R)
24 53N 06W 01 7.2
IDAHO STREAM CODE INDEX

0961.-----

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)
IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)
IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)
IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)
IDAHO STREAM CODE INDEX

MICROFILMED

96-8039

BANGERTER, ROBERT A.

1207 VALEWOOD CT., SPOKANE, WA 99218

Source: SPIRIT LAKE tributary to SINKS

Date Filed: 02/26/1982

Amount: 0.02 CFS

Diversion Point: LOT 01 Sec 24 T 53N R 05W, KOOTENAI Co.

Use: DOMESTIC (0.02 CFS) from 04/01 to 10/15

Place of Use: LOT 01 Sec 24 T 53N R 05W

Diversion Means: PUMP & PIPELINE.

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
DAVID H. LEROY
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUPT OF PUBLIC INSTRUCTION

March 22, 1982

Department of Water Resources
Northern Region
4055 Government Way
Coeur d'Alene, ID 83814

RE: 95-8158
Wash. State U.
96-8039
Bangerter, R.

Gentlemen:

Thank you for the copies of the above numbered applications. The applicants will be required to make application for a temporary permit and an encroachment permit, in addition to your permits.

The applicants are being notified.

Very truly yours,

WILLIAM A. SCRIBNER, Chief
Bureau of Navigable Waters

WAS:bv

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 9, 1982

Mr. William Scribner
Idaho Dept. of Lands
Statehouse
Boise, Id. 83720

RE: 86-8039

Dear Bill:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Department of Water Resources.

Very truly yours,

Robert G. Haynes, P.E.
Regional Supervisor

RGH/fms

Enclosure

MICROFILMED