



PD




RISER IN WOODS



HOME

JUL 16 1991

96-08031



NATIONAL FOREST

Gold Mtn.

K N F

KANIKSU

96-08031

FILMED
JUL 16 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08031

Priority: January 26, 1982

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:¹

1.2 AF

This is to certify, that DOYLE ALBERS
1019 GARFIELD BAY RD.

SAGLE, ID 838600000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated January 26, 1982; and
has submitted Proof of Beneficial Use on March 2, 1987. An examination indicates
that the works have a diversion capacity of .020 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENENE , Sec. 17, Township 56N, Range 01W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

56N 01W 17

SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MAILED

JUL 16 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08031

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27TH
day of JUNE, 1991.

Acting for


R. Keith Higginson, Director


JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Doyle Albers Phone none
Post office address HCR 66 Box 821 Sagle, ID 83860
2. Source of water supply Spring which is a tributary of Sinks
3. Location of point of diversion is NEX $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 56N
Range 1W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.02 for domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for Power ^{D.7A.} purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 ^{D.7A.} cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. water will be collected in a 300 gallon cistern located near the spring. This water will be carried to the residence by gravity flow in a 1 inch plastic pipe buried 4 feet below the surface.
b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 56N
Range 1W B.M. _____
(2) Amount of power to be generated: one horsepower under 300 feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water one.

(5) If water is to be used for other purposes describe: I would like to install a "Water Watts" 12-volt water turbine generator on my domestic water line. I have deeded access to the spring.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. Applicant holds the right to draw water by means of ¾ inch pipe for domestic purposes.

Recorded as document no. 123582 in Book 128 of Deeds, page 500, records of Bonner Co, Idaho.

9. a. Who owns the property at the point of diversion Leonard and Carolyn Hedrick
 b. Who owns the land to be irrigated or place of use Jack and June Young (being purchased by applicant)
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the


applicant to make this filing The applicant is purchasing the residence or proposed place of use for water from Jack and June Young, and included in this contract of purchase is deeded access to spring as described and written in above courthouse records.

10. Remarks

The applicant already holds the right to use water for domestic purposes, however, applicant would like to install a 12-volt water turbine generator on this domestic water line. The power generated would aid in recharging my 12-volt power supply for my home, but this will not be the sole source of power for the residence. Water from the spring will be collected in an underground cistern near the house for domestic use in the home. The applicant does not intend to ~~not~~ maintain continuous (24-hour) power production.

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Daryl F. Allen
(Applicant)

MICROFILMED

Proposed Priority 1/26/1982

Received by mm Date 2/1/82 Time 2:00pm
1/26/82 1:00pm

Preliminary check by JK Fee \$ 30%

Receipted by mm Date 2/3/82 (21105)

Publication prepared by mm Date 2/4/82

Published in Sandpoint Bee

Publication dates 2/10+18/82

Publication approved mm Date 3/9/82

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by mm

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8031, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Water shall not be diverted under this permit until an easement or right-of-way with the owner of the drain is filed with the Department of Water Resources.

Witness my hand this 26th day of March, 1982.

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
AFFIDAVIT FOR WATER RIGHTS TO BE USED
FOR POWER PURPOSESA. Establishment of Residency: (Complete either 1, or 2).

1. Individual Applicant or Individual Members of a Partnership:

I, Doyle F. Albers of Sagle,
(name) (city)county of Bonner, State of Idaho, being duly sworn, do
hereby certify that I am a bona fide resident of the State of Idaho.

2. Corporation:

I, _____ of _____,
(name) (city)County of _____, State of Idaho, being duly sworn, depose
and say: That I am the designated registered agent of the __________: that as such I am in charge of the registered
(name of corporation)

office of the said corporation as required by Section 30-1-12, Idaho Code, at

_____ Idaho, wherein are kept the corporate records required
(city)by Section 30-1-52, Idaho Code: and that _____
(name of corporation)is a corporation qualified to do business in the State of Idaho under the laws of
the State of Idaho.

B. Ownership of Facilities: (To be completed for hydropower projects only)

The hydropower facility to be developed pursuant to the attached Application for
Permit:

- (check one)
- ☒ Will not utilize existing man-made irrigation facilities such as a dam or a canal.
- ☐ Will utilize existing man-made irrigation facilities such as a dam or a canal, and permission of the owner is documented in an affidavit attached hereto.
- ☐ Will utilize existing man-made irrigation facilities such as a dam or a canal and the owner of the facilities is the signee of this affidavit.

State of Idaho)
County of Bonner) ss.Doyle F. Albers
ApplicantOn this 18th day of January, 19 82, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

seal

Alfred A. Field
Notary Public residing atSandpoint Idaho

My commission expires:

8-8-83

MICROFILMED

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of _____

Legal notice
as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 10 day of 2, 1982 and ending on the 17 day of 2, 1982 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 3 day of 3, 1982.

Adell M Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for per-

mit to appropriate the public waters of the State of Idaho:

Application No. 96-8031

ALBERS, DOYLE

HCR 66 BOX 821, SAGLE, ID 83860

Source: SPRING tributary to SINKS

Date Filed: 01/26/1982

Amount: 0.04 CFS

Diversion Point: NENE Sec 17 T 56N R 01W, BONNER Co.

Use: POWER (0.04 CFS) from 01/01 to 12/31

DOMESTIC (0.02 CFS) from 01/01 to 12/31

Place of Use: SENE Sec 17 T 56N R 01W

Diversion Means: CISTERN, PIPE AND TURBINE GENERATOR.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id., 83814 on or before MARCH 1, 1982.

A. Kenneth Dunn
Director

Publ. F10,17-21

RECEIVED
ME
Department of Water Resources
Northern Idaho Office

MICROFILMED

July 1, 1991

DOYLE ALBERS
1019 GARFIELD BAY RD.
SAGLE, ID 838600000

RE: WATER RIGHT NO. 96-08031

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

JUL 16 1991

June 13, 1991

DOYLE ALBERS
1019 GARFIELD BAY RD.
SAGLE, ID 838600000

RE: WATER RIGHT NO. 96-08031

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
MICHIGAN

JUL 16 1991

LICENSE REVIEW CHECKLIST

Permit No. 96-8031

Name/Address change? ok

Priority date Advance? yes no
Memo to advance n/a
Order to reinstate needed? yes no

Total cfs Limited by fee n/a
Limited by capacity n/a

Total volume Limited by flow n/a
Chart checked for AF rate/ac n/a

Capacity Actual measurement checked n/a
Theoretical checked n/a
If greater than permit, check for other rts ---

Source Changed? yes no
If so, is memo needed to clarify? n/a

P/D Verify with map ✓ permit ✓
More than one per 1/4? Remember remark n/a
Check p/d overlap n/a

Uses Check irrigation period of use w/ chart ---

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap ---

Remarks More than one p/d in 1/4 n/a
Description of non-irrig uses ---
Special overlap condition ---

Conditions -	Dates/Misc. -
Measuring device <u>---</u>	Water Dist <u>n/a</u>
W.Master control <u>---</u>	App Rec'd <u>---</u>
Overlap <u>---</u>	Proof Rec'd <u>✓</u>
Water quality <u>---</u>	
Other <u>---</u>	

CHECK FOR ADJ. CLAIM

Needed according to proof filed <u>---</u>
Filed - needs amended <u>---</u>
Add'l fee required <u>---</u>
Not filed - <u>---</u>
Not needed <u>---</u>

Comments/Changes to Examiner's Recommendations:

License --- 10-day ✓ 30-day ---

Back of field report signed? ---
Reviewer [Signature] Date 6/6/91 Review time 3:16 min.

SENIOR AGENT REVIEW

JUN 27 1990

Check List
for
Beneficial Use Field Report

Department of Water Resources

Permit 9608031

✓ A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

✓ B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

✓ C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
✓ 6. Irrigation (Rule 5,1,8) method of determination

✓ D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

✓ E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

✓ F. OPTIONAL

✓ G. VOLUME CALCULATIONS

✓ Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ H. REMARKS AND OVERLAP ANALYSES

✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

✓ J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

✓ WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

Signature


J. K. King

Date

9/11/21/89



PD



RISER IN WOODS

HOME

JUL 16 1991

9608031

Department of Water Resources

Permit No. 96-08031

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

WATER FROM SPRING COLLECTED IN CONCRETE CISTERN
WITH A 1" GRAVITY FLOW PIPE TO HOME

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
GRAVITY					

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NE	17	56N	1W	BONNER	RECORDER/ASSESSOR / ~~MAP~~

6. **Place(s) of Use:**

Indicate Method of Determination SAME

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
56N	1W	17				D													

MICROFILMED

JUL 16 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS


none

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

one home

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

one home

JUL 16 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

SPRING ALSO USED BY 96-04198 & 96-08579 USERS HAVE
NOT YET EXPERIENCED WATER SHORTAGE
NO POWER DEVELOPED

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Dam (1)	1-1	12-31	0.02	1.2
Totals:			0.02	1.2

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other


J. AUTHENTICATION

Field Examiner's Name Tom D. King
Signature Tom D. King
Certification Date 2/17/89
Field Report Preparation Date 4/13/89



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JUL 16 1991




NATIONAL FOREST

Gold Mtn.

K N F

KANIKSU

96-08031



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

APRIL 6, 1987

DOYLE ALBERS
1019 GARFIELD BAY RD
SAGLE, ID 83860

RE: Permit No. 96-8031

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-8031
Name(s) of Permit Holder(s): Doyle Albers
Post Office Address: HCR 66 Box 821
Sagle, ID 83860 Tel none

☒ I hereby certify that construction of diversion works for the above referenced permit began on MARCH 15, 1983 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.


2-1-83
Date

Doyle F. Albers
Signature of Permit Holder

D.F. AHlers

H2R 66 Box 821

Sagle, ID 83860



MICROFILMED
JUL 16 1991



RECEIVED
FEB 4 1983

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

MAR 02 1987

First
workday
of the
month

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received NA
Date NA
Receipt # NA
Receipt by NA
Reviewed by NA
Sent to region 3-5-87

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-8031

Name(s) of Permit Holder: Doyle Albers

Post Office Address: 1019 Garfield Bay Rd. Sagle, ID 83860

Telephone No. 208-263-9480

Source of Water: Spring, unnamed tributary of Garfield Bay

Extent of Use:

Domestic ONE (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark small scale hydro-electric

(12 volt) not developed; feasibility uncertain.

Total rate and/or volume for which proof is submitted 10/gals/min cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: May 15, 1982

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No Fee enclosed \$ 0
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Doyle Albers 208-263-9480
(Name) (Telephone Number)

1019 Garfield Bay Rd. Sagle, ID. 83860
(Address)

The above information is my true statement of the extent to which the above number of acres has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.


MICROFILMED

MAR 20 1987

2-24-87
Date

Doyle F. Allen
Signature of Permit Holder (and title, if appropriate)

1019 Garfield Bay Rd.
Sagle, ID. 83860



USA
22



Lightning Shell

Dept. of Water Resources
Statehouse
Boise, ID. 8372

RECEIVED
MAY 20 1981

Permit holder
called about submitting
proof of B/U. Wants
me to put a note
in file that if
proof is not
acceptable it is
because they are
new at this...

kw
2/18/87

96-8031

MICROFILMED

MAR 20 1987

Do Not Microfilm!

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
DECEMBER 31, 1986

ALBERS, DOYLE
HCR 66 BOX 821
SAGLE, ID 83860

138648

PROOF DUE NOTICE

RE: PERMIT NO. 96-8031

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

MAR 20 1987

December 2, 1982

RE: Water Right Permit No. 9608031

Doyle Albers
HCR 66, Box 821
Sagle, ID 83860

Dear Mr. Albers:

Our office acknowledges receipt of Easement Agreement. Pursuant to the condition of approval on your permit, you can start your diversion.

Enclosed is your copy of the permit and cover letter we sent you on April 7, 1982. Please keep these for your records.

On or before March 1, 1987, you must submit the enclosed white post card entitled "Making Proof of Beneficial Use". The instructions are also enclosed.

If you have any questions, please contact me at 334-4123.

Sincerely,

ROBYN CARLSON
Chief Clerk

RC:kw

Enclosure



Date

96-8031

11-16-82

RECEIVED

NOV 19 1982

Department of Water Resources

Enclosed is the ~~case~~ment
you requested. Please advise
on how to further expedite.
Thank you.

D. Albers.

RECEIVED

DOOR & WINDOW PARTS

261119

I Kenneth Crowell, owner of the property described here in, grant easements for a buried waterline to the owners of Lot 3, Block 3 in Baylen View Estates, Bonner County, Idaho. Easement route of said waterline will be within ten feet of property line between Lots 1 and 2, Block 7 from the spring, south to Valley View Road. Easement rights of said waterline are also granted within ten feet of the western most property line of Lot 1 Block 4, between Valley View Road and Bay View Road. All lot and block numbers and roads described here in are located in Baylen View Estates, Bonner County, Idaho.

K. E. Crowell

Kenneth Crowell

Betty L. Edmunds

NOTARY PUBLIC ~~Notary~~ for the State of Washington residing at Redmond



Don't mail

Doyle Albers
HCK 66, Box 821
Sage, Id. 83860

FILED FOR RECORD Oct. 18, 1982 AT 11:50 A.M. REQUEST OF Doyle Albers
CLIFFORD D. CLAPP, BONNER COUNTY RECORDER STATE OF IDAHO
fee \$2.00 By Betty L. Edmunds, deputy
BOOK NO. 999 Misc.
Page 225

(will call)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

ALBERS, DOYLE
HCR 66 BOX 821
SAGLE, ID 83860

APRIL 07, 1982

RE: PERMIT NO. 96-8031

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

STATE OF ID

Department of Water Resources

No 21105

Boise, Idaho, 2/3, 1982RECEIVED
FROMDoyle Albarr

of

Doyle, Ad.\$ 30.00

DOLLARS

FOR

<u>1 Cyp.</u>	\$	<u>30 00</u>
	\$	
	\$	
	\$	
	\$	
TOTAL - - -	\$	<u>30 00</u>

MICROFILMED

QF 92-27

[Signature]

POWER CALCULATIONS FOR APPLICATION NO. 96-8031

P = Kilowatts .74 X hp = .74 X 1 = .74 kW

proposed

Q = cfs .04

H = feet 300

e = efficiency = ?

$$e = \frac{P(11.8)}{QH} = \frac{.74(11.8)}{.04(300)} = \underline{\hspace{2cm}} = .727$$

Based on the above calculations the proposed project must have an 73 % efficiency.

reasonable

Jmi 3/26/82

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 96-8031

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No Platted by: _____ Map No. _____

☐ Yes ☐ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

Final date for protests: 3/1/82

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 3/8/82

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

1/26/82 Date of priority recommended.

Special conditions of approval or cover letter. _____

By: RyA

Date: 3/10/82

STATE OFFICE REVIEW:

Send Receipt, 04, 24

☐ See attached sheet for more information.

By: Ann

Date: 3/26/82

RECEIVED
MAR 16 1982

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

0.7

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
NENE	17	56N	01W	--	--	002.4

IDAHO STREAM CODE INDEX

4800.1018.-----

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----

IDAHO STREAM CODE INDEX

MICROFILMED

ALBERS, DOYLE

HCR 66 BOX 821, SAGLE, ID 83860

Source: SPRING tributary to SINKS

Date Filed: 01/26/1982

Amount: 0.04 CFS

Diversion Point: NENE Sec 17 T 56N R 01W, BONNER Co.

Use: POWER	(0.04 CFS)	from 01/01 to 12/31
DOMESTIC	(0.02 CFS)	from 01/01 to 12/31

Place of Use: SENE Sec 17 T 56N R 01W

Diversion Means: CISTERN, PIPE AND TURBINE GENERATOR.

MICROFILMED

HCR 66 Box 821
Sagle, ID 83860

January 29, 1982

Tom King
Water Resources
Coeur d'Alene, Idaho

Dear MR. King,

First of all, I would like to thank you for your response to my application and your thoughts on the amount of water needed for power generation. Our conversion tables must be slightly different as our calculations indicate. I have decided to increase my pipe diameter to one inch from the spring to the house. Although this may not carry a full 0.04 cfs, I believe it will suffice for our purposes. I approve of the changes you have proposed, and I appreciate your comments

RECEIVED

FEB 1 1982

Department of Water Resources
Northern District Office

MICROFILMED

Sincerely,

Douglas F. Allen



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor
A. Kenenth Dunn
~~Executive Director~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

January 26, 1982

Mr. Doyle Albers
HCR 66 Box 821
Sagle, Id. 83860

Dear Mr. Albers:

I am returning your Check No. 92-27 in the amount of \$30.00 and your Application for Permit for your approval of some additions and changes I have made to your Application.

In Item No. 4, I have changed the period of use to reflect year-round usage of the domestic water and added "Power Generation" in accordance with Item No. 8.a.5. I have recommended 0.04 cfs for power in Item Nos. 4 and 5.a. since that is the amount of water required to produce one h.p. under 300 head at 70 percent efficiency (0.02 cfs would require more than 100 percent efficiency).

If you approve of these changes, please initial them and return the application and check to this Department. If you do not agree with these changes or have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Check
Application

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Doyle Albers Phone none

Post office address HCR 66 Box 821 Sagle, ID 83860

2. Source of water supply Spring which is a tributary of _____

3. Location of point of diversion is NEX $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 56N

Range 1W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.02 for domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for Power purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. water will be collected in a 200 gallon cistern located near the spring. This water will be carried to the residence by gravity flow in a 3/4 inch plastic pipe buried 4 feet below the surface

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 56N

Range 1W B.M.

(2) Amount of power to be generated: one horsepower under 300 feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water one.

(5) If water is to be used for other purposes describe: I would like to install a "Water Watts" 12-volt water turbine generator on my domestic water line. I have deeded access to the spring.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. Applicant holds the right to draw water by means of ¾ inch pipe for domestic purposes.

Recorded as document no. 123582 in Book 128 of Deeds, page 500, records of Bonner Co. Idaho

9. a. Who owns the property at the point of diversion Leonard and Carolyn Hedrick
b. Who owns the land to be irrigated or place of use Tack and June Young (being purchased by applicant)
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the


applicant to make this filing The applicant is purchasing the residence or proposed place of use for water from Tack and June Young, and included in this contract of purchase is deeded access to spring as described and written in above courthouse records.

10. Remarks

The applicant already holds the right to use water for domestic purposes, however, applicant would like to install a 12-volt water turbine generator on this domestic water line. The power generated would aid in recharging my 12-volt power supply for my home, but this will not be the sole source of power for the residence. Water from the spring will be collected in an underground cistern near the house for domestic use in the home. The applicant does not intend to ~~not~~ maintain continuous (24-hour) power production.

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Doyle F. Albem
(Applicant)

Received by Mr. Date 1/26/82 Time 1:00pm

Preliminary check by _____ Fee \$ _____

Received by _____ Date _____

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

Publication approved _____ Date _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED