

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

RECEIVED
JUN 26 1989

PERMIT 96-8026

Yes No

(☒) () Quad Sheet

() () Photo PD/PU

() (☒) Aerial Photo Date Requested Department of Water Resources

by

() (☒) GL Plat

() () Copies of overlapping License Field Report Claim

() () Other (list)

EXAM COMPLETED BY

DATE

SR AGENT REVIEW

DATE 8/88

REGIONAL MANAGER REVIEW

DATE 6/89

ENTERED ON COMPUTER BY

DATE 6/1/89

PRELIMINARY OVERLAP REVIEW BY J King

DATE 7/87

96-8092 no overlap - 2



Point
of
Diversion

RECEIVED

NOV 24 1989

96-8026



PERMIT HOLDER KELLING - ALBERT - ET AL

PERMIT # 96-8026

P D TWP 54N RGE 1W SEC 15 NWSE

P/U TWP RGE SEC SAME

MICROFILMED

NOV 24 1989

SOURCE GW

TRIBUTARY TO

MAP PLOT 31


IRR. ACRES -

USGS QUAD D-7

SCALE 2" = 1 Mi

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by Louis Sukovate

Date 9/20/88

MILITARY FILMED

NOV 24 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08026

Priority: February 24, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that ALBERT KELLING
RONALD KELLING
KENNETH KELLING
CHARLES KELLING
MARJORIE DEWEY

S. 924 AZALEA DR.

SPOKANE, WA 992040000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 24, 1982; and has submitted Proof of Beneficial Use on April 6, 1987. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 15, Township 54N, Range 01W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

54N 01W 15 NWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this day of NOVEMBER, 1989.

Acting for R. Keith Higginson, Director

MICROFILMED

NOV 24 1989

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 96-8026 IN THE

NAME OF ALBERT OR RONALD OR CHARLES

OR KELLING AND/OR MARJORIE DEWEY

)
) ORDER OF REINSTATEMENT
)
)
)
)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before February 1, 1987; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on April 6, 1987;

MICROFILMED

MAY 13 1987

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 96-8026 be REINSTATED
and the priority advanced to February 24, 1982.

Dated this 4th day of May, 1987.

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED
MAY 13 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Albert or Ronald or Charles or Kenneth Phone _____
Kelling and Margorie Dewey
Post office address Cedar Creek Landing Bayview, Id
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 15 Township 54N
Range 1W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.11 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.11 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6" inches; proposed depth of well is 160 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 15 Township 54N
Range 1W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 5.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion CPD's


b. Who owns the land to be irrigated or place of use *2004*

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

MICROFILM

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Albert B. Belling
(Applicant)

MICROFILMED

Proposed Priority 12/22/1981

Received by ZLB Date 12/22/81 Time ^{AB} 2:45
Preliminary check by K Fee \$ 3000
Receipted by ZLB Date 12/22/81 (21046)
Publication prepared by pm Date 12/24/81
Published in Bozpoint Daily Bee
Publication dates 12/30/81 + 1/6/82
Publication approved pm Date 1/5/82
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by AKH Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8026, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 8th day of February, 1982.

A. Glen Saxton
Chief, Operations Bureau

MICROFILMED

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of _____

legal notice
as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 30 day of 12, 1981 and ending on the 6 day of 1, 1982 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 6 day of 1, 1982.

William Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

RECEIVED

JAN 12 1982

Department of Water Resources
Northern District Office

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

96-8025

FITZPATRICK, JAMES &/or KEVIN W.
P.O. BOX 873, COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 12/22/1981
Amount: 0.20 CFS
Diversion Point: NESW Sec 03 T 53N R 01W, BONNER Co.
Use: COMMERCIAL (0.04 CFS) from 01/01 to 12/31
DOMESTIC (0.20 CFS) from 01/01 to 12/31
Place of Use: SWSW SESW, NWSW NESW Sec 03 T 53N R 01W
Diversion Means: WELL AND PUMP.

96-8026

KELLING, ALBERT &/or RONALD &/or CHARLES &/or KENNETH DEWEY, MARJORIE
CEDAR CREEK LANDING, BAYVIEW, ID 83803
Source: GROUNDWATER
Date Filed: 12/22/1981
Amount: 0.11 CFS
Diversion Point: NWSE Sec 15 T 54N R 01W, BONNER Co.
Use: DOMESTIC (0.11 CFS) from 01/01 to 12/31
Place of Use: NWSE Sec 15 T 54N R 01W
Diversion Means: WELL, PUMP AND PIPELINE.

98-7399

HEINRICH, WILLIAM
2814 I STREET, SACRAMENTO, CA 95816
Source: GROUNDWATER
Date Filed: 11/30/1981
Amount: 0.20 CFS 6.0 AC-FT
Diversion Point: NENW Sec 16 T 59N R 01W, BONNER Co
Use: IRRIGATION (0.16 CFS) from 04/01 to 10/31
IRRIGATION STORAGE (6.0 AC-FT) from 03/01 to 11/15
IRRIGATION FROM STORAGE (6.0 AC-FT) from 03/01 to 11/15
DOMESTIC (0.04 CFS) from 01/01 to 12/31
DIVERSION TO STORAGE (0.20 CFS) from 03/01 to 09/30
Place of Use: NENW Sec 16 T 59N R 01W FOR 8 ACRES
Diversion Means: WELL, PUMPS AND ENGINE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JANUARY 18, 1982.

A. KENNETH DUNN
Director

Published 12/30 & 1/6/82.

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 96-8021 in the Name of Gordon S. Amas was advertised incorrectly on December 9 and December 16, 1981.

The Place of Use inadvertently left out a 40-acre tract. The correct Place of Use is the NENE and SENE Sec 25

MICROFILMED

November 16, 1989

ALBERT KELLING
RONALD KELLING
KENNETH KELLING
CHARLES KELLING
MARJORIE DEWEY
S. 924 AZALEA DR.
SPOKANE, WA 992040000

RE: PERMIT NO. 96-08026

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 24 1989



October 26, 1989

ALBERT KELLING
RONALD KELLING
KENNETH KELLING
CHARLES KELLING
MARJORIE DEWEY
S. 924 AZALEA DR.
SPOKANE, WA 992040000

RE: PERMIT NO. 96-08026

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED


NOV 24 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9608026	54N	01W	15	NW SE		GROUNDWATER	KELLING, ALBERT
9608092						CANYON CREEK	SISSON, HOWELL

MICROFILMED

NOV 24 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

RECEIVED
JUN 26 1989

PERMIT 96-8026

Yes No

- (X)() Quad Sheet
()() Photo PD/PU
()(X) Aerial Photo Date Requested Department of Water Resources by _____
()(X) GL Plat
()() Copies of overlapping License Field Report Claim
()() Other (list) _____

EXAM COMPLETED BY _____

SR AGENT REVIEW _____

REGIONAL MANAGER REVIEW _____

ENTERED ON COMPUTER BY _____

PRELIMINARY OVERLAP REVIEW BY Shing

96-8092 no overlap - 2

DATE _____

JK DATE 9/89

PAAT DATE 6/89

fn DATE 6/15/89

DATE 7/87

Point
of
Division

RECEIVED

NOV 24 1989

96-8026

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 96-8026
Phone No. ~~NONE~~ 455-9284
EXAM. DATE: 7/19/88
Phone No.

1. Owner: Albert and Ronald Kelling
Current Address: Cedar Cr. Landing, Bayview Idaho
2. Accompanied by: Kathy Sisson
Address: S. 924 Azalea Dr., Spokane Wa 99204
Relationship to Permit Holder: Spouse


3. Source: groundwater tributary to

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MONITORED

NOV 24 1989

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
(required for irrigation of 10 acres or more).

RECEIVED
JUN 26 1989
Department of Water Resources

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

6" diameter well with submersible pump and buried pvc line to trailer.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible					

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
✓			NW	SE	15	54N	1W	Bonner	MAP

6. **Place(s) of Use:**

Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
54N	1W	15																9	

MICROFILMED

NOV 24 1989

Do not use this space



PERMIT HOLDER KELLING - ALBERT - ET AL

PERMIT # 96-8026

P D TWP 54N RGE 1W SEC 15 NWSE

P/U TWP RGE SEC SAME

MICROFILMED

NOV 24 1984

SOURCE GW

TRIBUTARY TO

MAP PLOT 31

IRR. ACRES -

USGS QUAD D-7

SCALE 2" = 1 mi

Do not use this space

D. FLOW MEASUREMENTS


NONE

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

1 HOME DOMESTIC

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 HOME Domestic = 2.04 cfs
1.4 cfs

MICROFILMED

NOV 24 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.04 cfs	1.2 afa
Totals:			.04 cfs	1.2 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name LOUIS Sukoraty

Signature Louis Sukoraty

Certification Date 5/15/88

Field Report Preparation Date 7/20/88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JOM 7/21/89

NOTIFIED

NOV 24 1989

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 54N, Rge. 1W,
Sec. 15, Qtr./Qtr. NWSE or Lot _____
2. Owner Albert and Ronald Kelling
Address S. 924 Azalea Dr, City Spokane, State Wa
3. Approx. date of well construction 3 1973
Well Driller Siler Equipment Sales, Inc
4. Casing: Diameter 6" Condition good
5. Casing length above land surface 14"
6. Well depth (ft) 150 Flowing _____ Temp. _____
Access port _____
7. Condition of piping and valving good
8. Evidence of well seal yes
9. Shut in pressure or static water level 60'
10. Evidence of leakage around the casing no
11. Does well need repair no
12. Comments None

MICROFILMED


NOV 24 1989

(OVER)

JUN 26 1989

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by Louis Sukovata

Date 9/20/88

NOT FILMED

NOV 24 1989

AW requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

Owner's Permit No.

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

☐ Cable ☒ Rotary ☐ Dug ☐ Other

Surface seal? ☒ Yes ☐ No To what depth 18 feet
Material used in seal ☒ Cement grout ☐ Puddling clay

Sketch map location must agree with written location.

96
100

N
W
E
S

MICROFILM

NOV 24 1989

County Bonner

% % Sec. 15 T. 5 N. 5 R. 1 E

Static water level 60 feet below land surface
Flowing? ☒ Yes ☐ No G.P.M. flow 7
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

☒ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
7	total	2

[illegible]

Work started 9-29-73 finished 10-1-73

This well was drilled under my supervision and this report is true to the best of my knowledge.

Siler Equipment Sales, Inc.		244
Driller's or Firm's Name		Number
Box 565	Kellogg, Idaho	83837
Address		
East T. Siler		10-16-73
Shiner Rd		Date

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

JULY 22, 1987

ALBERT KELLING
S. 924 AZALEA DR.
SPOKANE, WA 99204

RE: Permit No. 96-8026

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

Permit No. 1Name(s) of Permit Holder(s): ALBERT & Roni KELLINGPost Office Address: 5.924 AZALEA DR.SPokane WA - 99204 Tel. No. 455-9284

☒ I hereby certify that construction of diversion works for the above referenced permit began on June 27, 1983 (date) and understand that I must

continue to develop the water system with due diligence to maintain a valid permit. Have started installing a pump & platform

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

Date

Signature of Permit Holder

R. Kelly
5.924 Ayden Dr.
Spokane, Wa. 99204

PLACE
STAMP
HERE

MICROFILMED

NOV 24 1989



RECEIVED
JUN 12 1983

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 96-8026

DATE: Apr. 29, 1987

Date proof received

Proof due

Number of day proof late

Priority date

New priority date

<u>96</u>	<u>Apr. 6, 1987</u>
<u>- 32</u>	<u>Feb. 1, 1987</u>
<u>64</u>	
<u>+356</u>	<u>Dec. 22, 1981</u>
<u>420</u>	
<u>-365</u>	<u>Feb. 24, 1981</u>
<u>55</u>	

Remarks:

MICROFILMED

MAY 13 1987

RECEIVED RECEIVED

FEB 11 1987

APR 06 1987

For Office Use Only

Fee Received

Date

Receipt #

Receipt by

Reviewed by

Sent to region

no / recd. 47
Department of Water Resources

Der. STATE OF IDAHO Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-8026

Name(s) of Permit Holder: KELLING, ALBERT & RONALD

Post Office Address: S. 924 AZALEA DR. SPOKANE, WA. 99204

Telephone No. 455-9284

Source of Water: _____

Extent of Use:

Domestic X 1 (number of households) Stockwater 0 (number and type of stock)

Irrigation X 0 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .05 cfs 37 acre-feet

Show the date water was first diverted and beneficially used under this permit: JAN. 1978

Measuring Device: Required? Yes X No
Installed? Yes Yes No

Fee enclosed \$ NONE REQ'D.
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes Yes No

Person to contact to accompany the Department representative during the field examination:

HOWEL Sisson
(Name)

MICROFILMED
MAY 13 1987
(Telephone Number)

CEDAR CREEK LANDING, BAYVIEW IDAHO 83803
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Feb. 5, 1987 Ronald L. Kelling dated Apr. 7, 1987
Date I received form late Signature of Permit Holder (and title, if appropriate)





Garco Construction

E 3820 Broadway • Spokane, WA 99202

Ron Kellin
5924 Apple Dr.
Spokane WA 99204

MAY 13 1987

UNDELIVERED



State of Idaho
Dept. of Water Resources
State office
450 W. State St.
Boise, Idaho

83720

March 2, 1987

Ronald and Albert Kelling, et al
S. 924 Azalea Dr.
Spokane, WA 98204

Gentlemen:

Re: Permit No. 96-8026

Returned is the proof of beneficial use form submitted to this office on February 11, 1987.

The water right permit is for a proposed project of domestic use for five households for a total diversion amount of 0.11 cfs of water. The proof indicates that 0.05 cfs is being used for "x" amount of houses. More information is needed to make the proof acceptable.

Please indicate the number of houses the well is serving. Also, if the irrigation is for lawns around the houses of one-half acre of irrigation or less for each house, then irrigation is included as part of the domestic use.

A fee is required for all uses except a single domestic use and/or stockwater. Where there are multiple uses (use of water for more than one house), a fee is required based on the amount of water diverted. It is very important to determine as closely as possible the amount of water being diverted. If more is diverted than shown on the proof, then before the department will issue a license, the department will request an additional fee (if necessary) and a penalty.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,


RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

MAY 13 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720



NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

1861 & T
13 1987

Return
12-23-86
Detached from
PS Form 3849-A,
Oct. 1985

2ND Notice

1ST Notice

Date


☐ Hold

Claim Check
No.


2843 9

RECEIVED
FEB 11 1987

Department of Water Resources



R. Kelling
5924 Ayden Dr.
Spokane, Wa 99204



MAILED
MAY 13 1981

State of Idaho
Dept. of Water Resources
Boise, Idaho 83720

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
FEBRUARY 13, 1987

KELLING, ALBERT & RONALD, ET AL
CEDAR CREEK LANDING
BAYVIEW, ID 83803

LAPSE NOTICE

RE: PERMIT NO. 96-8026

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A, IDAHO CODE, THE ABOVE REFERENCED WATER PERMIT HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED NOVEMBER 30, 1986.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT PROOF OF BENEFICIAL USE OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED PROOF OF BENEFICIAL USE SUBMITTAL (INCLUDING THE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT) OR THE EXTENSION REQUEST FORM TOGETHER WITH THE \$15 FEE MUST BE RECEIVED BY THIS DEPARTMENT WITHIN SIXTY DAYS OF THE DATE OF MAILING OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A PROOF OF BENEFICIAL USE FORM AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

MICROFILMED

MAY 13 1987

CERTIFICATION OF MAILING

Handwritten: 2-12-1987

A search of the Department's records was conducted and the following was found:
The permit was issued to the
Kelling, Albert & Ronald, et al.

[Signature]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
NOVEMBER 30, 1986

KELLING, ALBERT & RONALD ETAL
CEDAR CREEK LANDING
BAYVIEW, ID 83803

138555

PROOF DUE NOTICE

RE: PERMIT NO. 96-8026

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE FEBRUARY 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

MAY 13 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

KELLING, ALBERT & RONALD
CEDAR CREEK LANDING
BAYVIEW, ID 83803

FEBRUARY 17, 1982

RE: PERMIT NO. 96-8026

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 96-8026

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☐ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No

Field check required.

☐ Yes ☒ No

Critical groundwater area.

☐ Yes ☒ No

Request dam safety information. Sent by: _____ Date: _____

☐ Yes ☐ No*

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☒ No

Platted by: _____ Map No. _____

☐ Yes ☒ No

Other rights on same place of use. _____

☒ Yes ☐ No*

In form for advertising.

☐ Yes ☒ No

Final date for protests: 1/18/82

☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 1/12/82

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No

Measuring device required.

☐ Yes ☒ No

Access port required.

☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

12/22/81

Date of priority recommended.

Special conditions of approval or cover letter. _____

By: RMA

Date: 1/19/82

STATE OFFICE REVIEW:

☐ See attached sheet for more information.

By: Jim

Date: 2/3/82

RECEIVED
JAN 25 1982

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

96-8026-

KELLING, ALBERT &/or RONALD &/or CHARLES &/or KENNETH
DEWEY, MARJORIE

CEDAR CREEK LANDING, BAYVIEW, ID 83803

Source: GROUNDWATER

Date Filed: 12/22/1981

Amount: 0.11 CFS

Diversion Point: NWSE Sec 15 T 54N R 01W, BONNER Co.

Use: DOMESTIC (0.11 CFS) from 01/01 to 12/31

Place of Use: NWSE Sec 15 T 54N R 01W

Diversion Means: WELL, PUMP AND PIPELINE.

MICROFILMED