

42

REPORT OF ENGINEER

1. State name of applicant and number of permit: John B. Butler 5318
2. State source of water supply: Barker Creek
3. Location of point of diversion: 1/4 mi. south of NE corner of
NE 1/4 of Sec 20 Twp 53 R2 W. B. M.
4. State whether or not the works of diversion are fully completed and in accordance with terms of permit: Works of diversion completed
5. Describe works as they exist, giving dimensions and capacities of same: Dam six feet high in center twenty feet
wide made of wood and earth.
There is 52.00 ft of wood flume 12 in wide
10 in high with average fall of 4 in to 100 ft
1200 ft of 4 in wood pipe from end of flume
to buildings and tributary land in cultivation
6. State whether or not water has been turned into works of diversion: yes
7. Give exact location of lands to be irrigated. Give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if for other than irrigation): Fifteen acres in NE 1/4 of NE 1/4 and
40 in acres in NW 1/4 of NW 1/4 of Sec
20 Twp 53 R2 W. B. M.
Domestic use of said premises
8. Submit map on enclosed plat, showing location and details of above description.

Remarks: From point of diversion what was former
dry ditch is now flume 12 in by 10 in high
complete to pipe.

This examination was made on the 8th day of Oct 1915

(Signed)


J. H. Dubb

Examiner.

Name of Applicant *J. B. Shacter*

52-2-18

SCALE: 2 INCHES = 1 MILE. DRAW PLAN IN INK



5218

REPORT OF ENGINEER

1. State name of applicant and number of permit: J. B. Streeter, Permit No. 5318.
2. State source of water supply: Barker Creek
3. Location of point of diversion: NE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of sec. 20, T. 53 N., R. 2 W.
195 ft S. 15° 40' W from the NE corner of said sec. 20.
4. State whether or not the works of diversion are *fully* completed and in accordance with terms of permit: The works are fully completed and of sufficient capacity.
5. Describe works as they exist, giving dimensions of same as follows:
 - (a) Width of conduit at bottom: twenty inches
 - (b) Width at water line: twenty two inches
 - (c) Depth of water: from one to six inches
 - (d) Grade per mile: One hundred and fifty three.
 - (e) Capacity of ditch: two second feet. second feet.
6. State whether or not water has been turned into works of diversion and if so, to what extent:
At present seven inches of water is running thru the ditch and flume
while thirty inches more are still running thru the spillway of the dam.
When needed the entire creek is turned into the ditch.
7. Give exact location of lands to be irrigated. Give exact number of acres under cultivation in each forty acre tract: Six acres in the NE $\frac{1}{4}$ of the NE $\frac{1}{4}$; Eight acres in the NW $\frac{1}{4}$
of the NE $\frac{1}{4}$; 15 acres in the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$; and 35 acres in the NW $\frac{1}{4}$ of the
NW $\frac{1}{4}$ of section 20, Twp. 53 N., R. 2 W.
8. Submit map on enclosed plat, source of supply, point of diversion, route of ditch or ditches and cross hatch lands to be irrigated.

Remarks: Dam is well constructed. He has 2406 ft. of open ditch as above
described, 2558 ft. of flume 12 inches wide and 8 inches deep well con
structed built along a very rocky precipice and in some places 40 ft high.
and 1202 ft of 4 inch wooden pipe buried. The entire plant must have cost
in the neighborhood of \$1200. The dam is 42 ft wide on top, 5 ft. high
and is constructed of lumber and earth.

W. H. Edelblute

STATE OF IDAHO,

County of Kootenai

ss.

W. H. Edelblute

_____, being first duly sworn, deposes and says that the statements
contained in the within report are correct to the best of his knowledge and belief.

Subscribed and sworn to before me this 13th day of October 1911

My Commission Expires Nov 13th 1912


Notary Public.

RECEIVED

OFFICE OF STATE ENGINEER

5318


Name of Applicant *J. B. Streeter* Permit No. *5318*



SCALE: 2 INCHES=1 MILE. DRAW PLAN IN INK.

Printed and for sale by the Statesman Shop, Boise, Idaho.

P5318



Sec. 20
S

N 2 1/4 NW 1/4 of NE 1/4
NE 1/4 NW 1/4 of NW 1/4 Sec 20

T. 53 R. 2. NW 1/4 M

J. B. Sheeter

High Land indicated in Led Lines

County: Kootenai
Stream: Barker creek.
Amount: 1.1 sec. ft.
Use: Irrigation.
Priority: 10-13-11.

STATE OF IDAHO

Water License No. 5318.....

WHEREAS, On the 13th day of October, A. D. 1909, John B. Streeter,

of Belmont, County of Kootenai, State of Idaho, duly made application (No. 7698) to me for a permit to use two (2) cubic feet per second of the waters of Barker Creek

County of Kootenai, State of Idaho, for irrigation and domestic purposes, and,

WHEREAS, On the 13th day of October, A. D. 1909, Permit No. 5318 was issued to said applicant for the diversion of said water and providing for the completion of the works of diversion therein described on or before the 13th day of October, A. D. 1911, and for the application to beneficial use of said water on or before the 13th day of October, A. D. 1915, and,

WHEREAS, On the 13th day of October, A. D. 1911, John B. Streeter,

the holder of said permit, duly made proof of the completion of adequate works for the diversion of two (2) cubic feet per second of said waters, as evidenced by my Certificate No. 5318, dated October 20, 1911, confirming the completion of works of sufficient capacity for diverting and conveying to the place of intended use two (2) cubic feet per second of said water, with date of priority of October 13, 1909, and

WHEREAS, On the 9th day of October, A. D. 1915, John B. Streeter,

the holder of said permit, duly made proof of the application to beneficial use of 1.1 cubic feet per second of said water:

NOW, THEREFORE, By virtue of authority vested in me by the laws of the State of Idaho, I hereby grant and confirm to

John B. Streeter

of Belmont, County of Kootenai, State of Idaho, the holder and owner of said Permit No. 5318, a perpetual right, dating from October 13, 1911, to the use of 1.1 cubic feet per second of the waters of Barker Creek,

in the County of Kootenai and State of Idaho, or so much thereof as may be necessary for the purposes hereinbelow mentioned, to be diverted at a point near the N.E. Cor. of the NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Sec. 20, T. 53 N., R. 2 W.B.M.

and conducted to and upon 55 acres as follows: 15 acres in NW $\frac{1}{4}$ of NE $\frac{1}{4}$ and 40 acres in NW $\frac{1}{4}$ of NW $\frac{1}{4}$, Sec. 20, T. 53 N., R. 2 W.B.M.

for the purpose of irrigation and domestic use, subject, however, to the laws of the State of Idaho, applicable to a license for the use of the waters of the State, and subject, also, to the local or community customs, rules and regulations which have been or may be adopted from time to time by a majority of the users from a common source or supply, canal or lateral from which such water may be taken, when such rules and regulations have for their object the economical use of such water.

WITNESS, My hand and the seal of my office at Boise, Idaho, this 15th day of November, A. D. nineteen hundred and fifteen.

J. H. Smith,

(Seal)

State Engineer:

96 2132

No. 7698. 96-2032

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant: John B. Streeter.

Postoffice address: Athol.

County: Kootenai. State: Idaho.

2. The quantity of water claimed is (2) Two cubic feet per second.

3. Source of water supply: Barker Creek.

County of Kootenai.

4. Location of point of diversion: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ (Sec. 20) Twenty T. 53 N. R. 2 W.

5. To be used for:

I. Irrigation and domestic use:

(a) Amount of land to be irrigated: 100 acres.

(b) In the following legal subdivisions: NE $\frac{1}{4}$ and NW $\frac{1}{4}$ of NE $\frac{1}{4}$ and NE $\frac{1}{4}$ and NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Sec. 20 Tp. 53 N. R. 2 W. B. M.

6. Estimated cost of works: 500.00

7. Description of works for diversion:

I. Kind of works: Dam Ditch and Floom.

II. Dimensions of works;

(a) Height of dam 3 feet, length of dam at top 16 feet, length of dam at bottom 10 feet. Material used in construction: Wood.

(c) Size of headgate: Width 3 feet, height 3 feet.

(d) Length of conduit is miles and it crosses the following quarter sections:

NE $\frac{1}{4}$ and NW $\frac{1}{4}$ of Sec. 20 Tp. 53 N. R. 2 W. B. M. to land described in 5 I (b)

above which is the point of intended use.

8. The time required for the completion of the construction of such work is 2 years.

9. Time required for the complete application of the water to the proposed use is 4 additional years.

BE IT KNOWN That the undersigned hereby makes application for a permit to appropriate the public waters of the State of Idaho as herein set forth.

John B. Streeter,

Applicant.

Remarks: The reason two years time is required the ditch is difficult to construct and some rock to go through.

APPROVAL OF STATE ENGINEER.

The number of this permit is 5318.

Date of first receipt of application 9.00 a.m. October 13, 1909.

Recorded in Book 15 Page 5318. Approved October 13, 1909.

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho and hereby grant the same, subject to the following limitations and conditions:

Work to begin on or before December 12, 1909, and to continue diligently and uninterruptedly to completion, unless temporarily interrupted by circumstances over which permit holder has no control.

One-fifth of the work above specified to be completed on or before October 13, 1910.

The whole of said work to be completed on or before October 13, 1911.

The time for proof of beneficial use of water appropriated in accordance herewith, extended to October 13, 1915.

Witness my hand this thirteenth day of October, 1909.

Jas. Stephenson, Jr.,

State Engineer.

Notice of proof of completion of works received August 12, 1911, fixing October 13, 1911, as date, and Athol, Idaho, as place of proof.

Deposition blanks mailed September 11, 1911.

Publication Notice mailed September 11, 1911.

W. H. Edelblute authorized September 25, 1911, to make examination of works.

Depositions, Affidavit of Publication, Fees, and Report of Engineer received October 16, 1911.

License issued October 20, 1911

Permit No. 5318

CERTIFICATE OF COMPLETION OF WORKS.

To All Whom it May Concern:

This is to certify that JOHN B. STREETER, of Athol, County of Kootenai, and State of Idaho, the holder of Permit No. 5318, issued upon Application No. 7698, bearing date of priority of October 13th, 1909, authorizing the diversion of 2 second feet of the waters of Barker Creek, County of Kootenai, State of Idaho, for irrigation and domestic purposes, has fully complied with the provisions of the laws of the State of Idaho relating to the proof of completion of the works of diversion set out and described in said Permit; that said works are adequate for diverting and conveying to the place of intended use 2 second-feet of the waters of Barker Creek, that the point of diversion of said waters is at a point in the Northeast quarter of the Northeast quarter ($NE\frac{1}{4} NE\frac{1}{4}$), Section 20, Township 53 North, Range 2 West of the Boise Meridian, and that the lands proposed to be irrigated by the use of said water are described as follows, to-wit: North half of the Northwest quarter ($N\frac{1}{2} NW\frac{1}{4}$), and the North half of the Northeast quarter ($N\frac{1}{2} NE\frac{1}{4}$), Section 20, Township 53 North, Range 2 West of the Boise Meridian.

Witness my hand this 20th day of October, A. D. 1911.

A. E. Robinson,

State Engineer of the

State of Idaho

License issued for 1 1/2 second feet

Page 1912

November 24, 1915.

Re Permit No. 5318.

Mr. John B. Streeter,
Belmont, Idaho.

Sir:--

Am enclosing herewith water license issued
under the above permit.

Very truly yours,

J. H. SMITH,

State Engineer.

WL

By _____

5318

REPORT OF ENGINEER

1. State name of applicant and number of permit: John D. Johnston 53182. State source of water supply: Barker Creek3. Location of point of diversion: Ten rods south of N.E. corner of N.E. 1/4 of Sec 20 Twp 53 R2 W. B. M.4. State whether or not the works of diversion are fully completed and in accordance with terms of permit: Works of diversion completed.

5. Describe works as they exist, giving dimensions and capacities of same:

dam 14 feet high in center twenty feet wide made of wood and earth.
There is 520 ft of wood flume 12 in wide 10 in high with average fall of four to 10 ft
1200 ft of 4 in wood pipe from end of flume to buildings and tributary flume in cultivation

6. State whether or not water has been turned into works of diversion: Yes

7. Give exact location of lands to be irrigated. Give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if for other than irrigation):

Fifteen acres in N.E. 1/4 of N.E. 1/4 and
forty acres in N.W. 1/4 of N.W. 1/4 of Sec
20 Twp 53 R2 W. B. M.
Domestic use of said premises

8. Submit map on enclosed plat, showing location and details of above description.

Remarks: From point of diversion what was former
dry ditch is now flume 12 in by 10 in high
complete to pipe

This examination was made on the

8th

day of

Oct

(Signed)

J. D. Johnston

(This report must be sworn to when not made by an attache of the State Engineer's office)

STATE OF IDAHO

County of

Kootenai

ss.

F. W. Bubbs

being first duly sworn, deposes and says that the statements contained in the within report are correct to the best of his knowledge and belief.

Subscribed and sworn to before me this

29th

day of

Oct


191*3*


Carroll L. Skeel

Notary Public.

My Commission Expires

May 15, 1919.





Name of Applicant-

J. D. Shuster

5/2/81

REPORT OF ENGINEER

1. State name of applicant and number of permit: J. B. Streeter, Permit No. 5318.
2. State source of water supply: Barker Creek
3. Location of point of diversion: NE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of sec. 20, T. 53 N., R. 2 W.
195 ft S. 15° 40' W from the NE corner of said sec. 20.
4. State whether or not the works of diversion are fully completed and in accordance with terms of permit: The works are fully completed and of sufficient capacity.
5. Describe works as they exist, giving dimensions of same as follows:
 - (a) Width of conduit at bottom: twenty inches
 - (b) Width at water line: twenty two inches
 - (c) Depth of water: from one to six inches
 - (d) Grade per mile: One hundred and fifty three.
 - (e) Capacity of ditch: two second feet. second feet.
6. State whether or not water has been turned into works of diversion and if so, to what extent:
At present seven inches of water is running thru the ditch and flums
while thirty inches more are still running thru the spillway of the dam.
When needed the entire creek is turned into the ditch.
7. Give exact location of lands to be irrigated. Give exact number of acres under cultivation in each forty acre tract: Six acres in the NE $\frac{1}{4}$ of the NE $\frac{1}{4}$; Eight acres in the NW $\frac{1}{4}$
of the NE $\frac{1}{4}$; 15 acres in the NE $\frac{1}{4}$ of the NE $\frac{1}{4}$; and 35 acres in the NW $\frac{1}{4}$ of the
NW $\frac{1}{4}$ of section 26, Twp. 53 N., R. 2 W.
8. Submit map on enclosed plat, source of supply, point of diversion, route of ditch or ditches and cross hatch lands to be irrigated.

Remarks: Dam is well constructed. It has 2403 ft. of open ditch as above
described; 2353 ft. of flums 12 inches wide and 8 inches deep well con
structed built along a very rocky precipice and in some places 40 ft high.
and 1202 ft of 4 inch wooden pipe buried. The entire plant must have cost
in the neighborhood of \$1200. The dam is 42 ft wide on top, 5 ft. high
and is constructed of lumber and earth.

W. H. Edelblute

STATE OF IDAHO,

County of Kootenai

ss.

W. H. Edelblute

, being first duly sworn, deposes and says that the statements contained in the within report are correct to the best of his knowledge and belief.

Subscribed and sworn to before me this 13th day of October 1911

My Commission Expires Nov 13th 1912

Roscoe Young


Notary Public.

RECEIVED

OFFICE OF STATE ENGINEER

5318

Name of Applicant J. B. Streeten Permit No. 5318



P5318

Don't
N
S
E

E

W

Sec. 20

S

5318

N 2 1/4 NW 1/4 of N E 1/4
N E 1/4 NW 1/4 of NW 1/4 Sec 20

D. P. 6-3

R 2 NW 13 M

J B Wheeler

High Land - indicated in Sec 20