



RATHDRUM

CORPORATE BDY

U.S. Forest Service
Nursery

PLACE OF USE


POINT OF DIVERSION
SPOKANE

JACOT

T. SON., R. 4W.

MICROFILMED

JAN 18 2007























Ship-to: SAM
SAM OR DONNA JACKET
5725 OHIO MATCH AVE EAST
POST FALLS, ID 83854

Bill-to: 6417
WASATCH LANDSCAPING & EXCAV.
1429 EAST 3000 SOUTH
S.L.C. UT 84106

REFERENCE # : EXPIRES : (SLSP) TERMS : (WH) : (FREIGHT) : (SHIP VIA)

05/16/01 1314 (CASH PAYMENT) 102 (PREPAID) (NO)

QUOTED BY: GLJ QUOTED TO: DERRICK MYLER

ITEM DESCRIPTION	QUANTITY	UNIT	PRICE	EXTENSION
✓ 3996 1 EV 6/V W/FC TXT HU HPV-1016	17	EA	33.950	577.15
✓ 18921 1 1/2 SUPER FILTER 50M PE W/BV	1	EA	129.200	129.20
✓ 18861 7 STRAND 16GA 250' WIRE ROLL	1	RL	118.750	118.75
18887 13 STRAND 18GA 300' WIRE ROLL	1	RL	336.200	336.20
✓ 9178 4 STA MODULE 10M-400 FOR	1	EA	50.000	50.00
✓ 8211 1 1/2 FUNNY PIPE (FP)	200	LF	.350	70.00
✓ 9971 1 1/2 FUNNY EL	50	EA	.360	18.00
✓ 9972 3/4 FUNNY EL	30	EA	.360	10.80
3736 1 SRS-04 HUNTER 4" POP-UP	15	EA	2.600	39.00
14571 1 RB 6VAN 6' ADJ ANGLE NOZZ	11	EA	1.750	19.25
14572 1 RB 6VAN 6' ADJ ANGLE NOZZ	4	EA	1.750	7.00
✓ 3853 1 HU P504-SSS 5'X30' SST SPRAY	4	EA	3.650	14.60
✓ 3845 1 HU P504-12A 12' ADJ SPRAY HEAD	9	EA	3.650	32.85
✓ 3842 1 HU P504-10A 10' ADJ SPRAY HEAD	34	EA	3.650	124.10
✓ 3848 1 HU P504-15A 15' ADJ SPRAY HEAD	13	EA	3.650	47.45
✓ 3851 1 HU P504-17A 17' ADJ SPRAY HEAD	11	EA	3.650	40.15
✓ 3863 1 HU P504-24A 24' ADJ 4 ROTOR BODY	13	EA	18.950	246.35
✓ 3801 1 HU P504-ADJ ADJ W/FR ROTOR	44	EA	21.950	965.80
✓ 9671 1 1 300' POLY 100PSI GREEN 3/4" B	1200	LF	.260	312.00
✓ 4404 1 KEYSTONE CLAMP KS3316	250	EA	.303	75.75
✓ 1802 1 INSERT TEE 1401-010	30	EA	1.610	48.30
1852 1 INSERT ELBOW 1406-010	30	EA	1.400	42.00
2117 1 2 45DEG EL SS 417-020	5	EA	3.538	17.69
1950 1 2 TEE SSS 401-020	5	EA	3.727	18.64
✓ 1970 1 2X1 TEE SSS 401-249	17	EA	3.960	67.32
✓ 1819 1 INSERT TEE X FIPT 1402-010	24	EA	2.190	52.56
✓ 1826 1 1X1/2 INSERT TEE X IF 1402-130	40	EA	2.050	81.20

(MERCHANDISE)	MISC	TAX	FREIGHT	TOTAL
3569.45	.00	235.58	.00	3805.03

RECEIVED
JUL 02 2003
IDWR/North

— 250'

— 4x28"
— 29 Count
— 13 "

— 1 Extra

— 6 back changed for 17 only received 11
— 24 back

MICROFILMED
NOV 26 2003

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

by SCurtis

No.: 95-09024 Name: Jacot Date: 9/29/99 Ad OK? ☒ / Gvmt Lts: ☒

AREA OF CONCERN: - No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 26A-P17
- ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

- All wells (✓ WDQ3) - 046-P23
- In Basin 34? - 085
- Irr. within WD - P05 (new well location)

WMD (✓ MAP) - North / East / West

- > 0.24 cfs/5 acres - 067
- ≤ 0.24 cfs/5 acres - No MD

WMD

- Supp irr use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr source)
- Supp. irr + uses - 100-101
- > 0.24 cfs/5 acres - 01M (report when notified)
- ≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED: - YES / NO; WHEN: 9/27/99 RESPONSE: NONE

IN/ABOVE MSF (✓ MAP) - *WB9

IN-STREAM DEVELOPMENT - P52 (stream channel alteration)

WD (✓ MAP & LISTING) - R04 (WD # _____)

- > 0.20 cfs - 01J-P08 (MD & LD)
- ≤ 0.20 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water):

- Snake R (01) - *W22 -P04, NA
- (02/03-irr) - 007 (w/ remark *WB9 if above Weiser), NA
- Payette R(65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R (70's) - 029 (fish screens), NA
- Weiser R (67) - 086, 087

USE:

- STORAGE (✓ 3 compo.) - 18A (in & out MD for on-stream storage)-01H-P01 (LD)/01P, 18B-P09 (>10' dam), NA
- IRR ≤ 5 acres - R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- STOCKWATER - R37 (BLM/USFS); NA
- MINING - 054(req) -081-P10
- FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WQ)-P10
- HEATING/COOLING - R07 (injection well)
- POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use); 17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

MUNICIPAL

- In restricted area? - 022, 075, 004 (+memo?)
- Irr., GW supp. to SW? - 102

DOMESTIC

- Surface water - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- >1 in rest. area - 071-070

FIRE PROTECTION

- 077

LOCATION:

- BOISE FRONT LOGEO - 058 (<85° GW temp only)
- MITIGATION - 120
- 42-248 AREA - P84 (in 20/30/40/50/60/70/80 (87) basin)
- SWAN FALLS FLAG (✓ Code) - _____

- Trust - 051-052-053-P74 (Consumptive Uses), NA
- Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU)

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE: - 10 /1/ 2002

COMMENTS:

**BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO**

IN THE MATTER OF PERMIT NO.)	
95-9024 IN THE NAME OF THE)	REINSTATEMENT ORDER
SAM JACOT)	
_____)	

This matter having come before the Idaho Department of Water Resources ("Department"), the Department makes the following Findings of Fact, Conclusions of Law and Order:

FINDINGS OF FACT

1. On October 12, 1999, the Department issued Permit No. 95-9024 to Sam Jacot ("permit holder") authorizing the diversion of 0.06 cubic feet per second (cfs) of water from the Spokane River to be diverted for irrigation use within the Gov. Lot 1 (NE1/4NW1/4), Section 8, Township 50 North, Range 4 West, Kootenai County, B.M. A condition of permit approval required the permit holder to submit proof of beneficial use of water ("proof") to the Department on or before October 1, 2002.
2. On July 31, 2002, the Department notified the permit holder that proof was due and instructed the permit holder of the steps to be taken to submit Proof of Beneficial Use or a Request for Extension of Time ("extension request").
3. On October 8, 2002, the Department sent the permit holder a lapse notice, since the Department had not received an acceptable proof or extension request.
4. On July 2, 2003, the permit holder submitted Proof of Beneficial Use to the Department. The permit holder submitted evidence to show that water has been applied to the authorized beneficial use during the development period and has shown sufficient cause why the beneficial use was not timely submitted.

CONCLUSIONS OF LAW

1. Section 42-218a.2, Idaho Code, provides as follows:

That upon receipt of proof of beneficial use after sixty (60) days after such notice of lapsing, the director shall require sufficient evidence to be submitted by the permit holder to clearly establish the extent of beneficial use made during the time authorized by the permit and any extensions of time previously approved. Upon finding that beneficial use had

occurred during the authorized period and upon a showing of reasonable cause for filing a late proof of beneficial use, the director may reinstate the permit with the priority date advanced to the day that proof of beneficial use was received;

2. The permit holder has provided sufficient information and reasonable cause for the Department to reinstate the permit by submitting sufficient information to show construction of the system and the use of water during the authorized development period.

3. The Department should reinstate the permit with the priority advanced to the date that proof was received.

ORDER

IT IS HEREBY ORDERED, that Permit No. 95-9024 in the name of Sam Jacot is **REINSTATED** with the priority advanced to **July 2, 2003**.

Dated this 9th day of July, 2003.


L. GLEN SAXTON, P.E.
Chief, Water Allocation Bureau

JUL - 8 1963

FOR OFFICE USE ONLY

Amt. of Fee \$: \$50-

Receipt No. 1574

Receipt By: PMF
Date Received: 7/2/03

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED
JUL 02 2003
IDWR/North

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-09024 Telephone No. (208) 765-9222

2. Name of Permit Holder(s): SAM JALOT

3. Mailing Address: PO Box 2906

City POST FALLS State ID Zip 83854

4. Source of Water: SPOKANE RIVER If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____

Well Driller: _____ Drilling Permit Number: _____ - _____ - _____ - _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 1.6 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 1,076 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No X

Has the measuring device been installed?

Yes or No X

8. Fee Enclosed: \$ 50 - (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: SAME AS ABOVE Telephone Number: _____

Address: _____

10. *The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.*

Signature of permit holder: Samuel C. Post Date: 7/2/03
(include your title, if on behalf of company or organization)

MICROFILMED

MAY 26 2003

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-09024

Priority: August 9, 1999

Maximum Diversion Rate:

0.06 CFS

This is to certify, that **SAM JACOT**

11923 STENDALL DRIVE N

SEATTLE WA 98133

has applied for a permit to appropriate water from:

SPOKANE RIVER

tributary of **COLUMBIA RIVER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.06 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 1 (NENW), Sec. 8, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

50N 04W 8 Lot 1 (NENW) 2.0

2.0

Total number of acres irrigated:

2.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before **October 1, 2002**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
6. Water shall not be diverted under this right when flows in the Spokane River are below established minimum stream flows.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Witness the signature of the Director, affixed at Boise, this

12 day of October, 1999

MICROFILMED

[Signature]
for Karl J. Dreher, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. 95-09024

RECEIVED
SEP 29 1999

Department of Water Resources

1. Name of Applicant SAM JACOT Phone (206)367-5819
Mailing address 1923 STENDALL DR. N. SEATTLE, WA 98133
2. Source of water supply SPOKANE RIVER which is a tributary of COLUMBIA RIVER
3. Location of point of diversion is Township 50N Range 4W Sec. 8 in the NE 1/4, NW 1/4, Govt. Lot 1, B.M., KOOTENAI County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.06 for IRRIGATION purposes from 3/15 to 4/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.06 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source PUMP IN RIVER
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
 - d. Is ground water with a temperature of greater than 85° F being sought? ☒
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 3 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. _____
 - e. Other; describe fully. _____

MICROFILMED

JAN 18 2001

a. If water is for irrigation, indicate acreage in each subarea.

use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SE				SW				TOTALS
50N	4W	8																	2

2

11. a. Who owns the property at the point of diversion? APPLICANT / STATE OF IDAHO

b. Who owns the land to be irrigated or place of use? APRIL 1951

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make

៖ឆ្នាំរៀន ២០២២

12. Remarks:

BE IT KNOWN that the undersigned here
of the State of Idaho as herein set forth.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

MICROFILMED

100-8127

Signature of Applicant (and title, if applicable)

Received by

Publication prepared by

Received by _____
Date _____

Date 8/11/99


Date _____

8	30	00
---	----	----

Preliminary check by

Date 8/9/99

CDH Files 8/19 + 36/99



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
322 East Front Street, P.O. Box 83720
Boise, Idaho 83720-0098
Return Service Requested

MMRSP



03 44 00-06 05 54

03 44 54

03 44 54

Permit
WR 95-9024 - Mail, resent to

1150 W Swan Wy
Pocatello
w/ address change form
Keri Lynn
12.16.05



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

July 10, 2003

SAM JACOT
PO BOX 2906
POST FALLS ID 83854

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 95-9024

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form and examination fee submitted for the above referenced permit. Enclosed is an order reinstating the permit advancing the priority since proof was submitted after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. The regional office staff will contact you when that examination is to be conducted. At the time the examination is conducted the system must be in operation, otherwise this permit will be of no force nor effect.

I have changed the address on file for you to reflect the above address. Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **Northern** Regional Office of the department in Coeur d'Alene at (208) 769-1450.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Enclosure

c: IDWR - Region (w/encl.)

MICROFILMED

NOV 26 2003

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9024

Reviewed By: dgibson

Date: July 9, 2003

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?		X	Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N15749	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?		X	Measuring device installed?		X
Are the water uses correct?		X	Measure device waiver requested?		

Priority Calculation

Date proof received		07/02/2003
Date proof due	-	10/01/2002
Lapse notice sent	-	10/08/2002
No. of days late	=	267
Holiday allowance	+	
Priority date	+	08/09/1999
New priority date	=	07/02/2003

Deficiencies of Actions Items

Acknowledge proof, and issue Order Reinstating Permit. Update address.

IN THE MATTER OF:

Beneficial Water Usage

State of Idaho

County of Kootenai

AFFIDAVIT

RECEIVED

JUL 02 2003

IDWR/North

being first duly sworn,

deposes and says:

I received a permit (# 95-09024)
from the State of Idaho on August 9, 1999.

In March 15th, 2000 we commenced building
our home on our property. We started
irrigation work within the year, but were
unable to finish the first phase until the
following spring.

I personally contacted your local office
to explain the situation, and was assured,
that as I had commenced the work, the
permit was still valid.

We finished all phases of the work
in the summer of 2001, and have been
using this to irrigate lawns, trees, & flowers,
while thus controlling the noxious weed
population on our property. (See submitted
pictures showing eastern neighbors property
with noxious weed population - vs. our property)

Since we moved from Seattle to Post Falls, we
have had the same mailing address (P.O. Box 2906 Post Falls 83877)
This apparently prevented us from receiving any notification
from the Dept. of Water Resources. I also forgot about the
Oct. 2, 2002 deadline for proof of completion. Recently, in
going thru paperwork, I found this requirement.

I thus submit this deposition for the purpose of approving
our usage of the Spokane River water for beneficial use on our
property, located in Kootenai County.

Camille A. Stot
(signature)

Subscribed and sworn to before me this

2nd

day of

July

18 2003.

KIMBERLY HUGHES
Notary Public
State of Idaho

(notary public)

Residing at

Coeur d'Alene

My commission expires

3/14/09

NOV 26 2003

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720
Boise, Idaho 83720-0098

Return Service Requested

*Photos referred
to in Affidavit
of Sam Jacob.*


MICROFILMED

NOV 26 2003





















Ship-to: SAM
SAM OR DONNA JACKET
5725 ONTO MATCH AVE EAST
POST FALLS, ID 83854

8111-16: 6417
OWASATCH LANDSCAPING & EXCAV.
1429 EAST 3000 SOUTH
S.L.C. UT 84106

REFERENCE # 1 EXPIRES (GLSP) TERMS 1WH (FREIGHT) SHIP VIA

105/16/01 1314 CASH PAYMENT 102 PREPAID/NO

QUOTED BY: GLJ QUOTED TO: DERRICK MYLER

ITEM DESCRIPTION ORDERED QTY PRICE/UNIT EXTENSION

✓ 399611 EV 6/11 W/PC TXT HU HPV-1016	171EA	33.9501EA	577.151
✓ 13421111/2 SUPER FILTER 50M PE W/RY	11EA	129.2001EA	129.200
✓ 1886117 STRAND 18GA 2500 WIRE ROLL	11RL	118.7501RL	118.750
18887113 1/4THAND 18GA 3000 WIRE ROLL	11RL	335.0001RL	335.000
✓ 317014 SW MODULE 10N-400 FOR	11EA	50.0001EA	50.000
✓ 821111 FURRY PIPE (FP)	2001LF	1.3501LF	27.000
✓ 597111/2 FURRY EL	501EA	1.3601EA	68.000
✓ 997213/4 FURRY EL	301EA	1.3601EA	40.800
✓ 37361ERS-04 HUNTER 4" POP-UP	151EA	2.6001EA	39.000
145711RB 6VAN 6" ADJ ANGLE NOZZ	111EA	1.7501EA	19.250
145721RB 8VAN 8" ADJ ANGLE NOZZ	41EA	1.7501EA	7.000
✓ 33531HU PS04-335 5'X30" SST SPRAY	41EA	3.6501EA	14.620
✓ 35451HU PS04-12A 12" ADJ SPRAY HEAD	91EA	3.6501EA	33.050
✓ 38421HU PS04-10A 10" ADJ SPRAY HEAD	341EA	3.6501EA	124.100
✓ 38461HU PS04-15A 15" ADJ SPRAY HEAD	131EA	3.6501EA	47.450
✓ 38511HU PS04-17A 17" ADJ SPRAY HEAD	111EA	3.6501EA	40.150
✓ 39631HU 60N-04A ADJ 4ROTOR BODY	131EA	18.9501EA	246.350
✓ 38011HU 60P-ADJ ADJ W/FR ROTOR	441EA	21.9501EA	966.800
✓ 467111 300" POLY 100PSI GREEN 3400	12001LF	1.2601LF	151.200
✓ 440411 KEYSTONE CLAMP K33316	2501EA	1.3031EA	32.575
✓ 180211 INSERT TEE 1401-010	301EA	1.6101EA	48.300
185211 INSERT ELBOW 1405-010	301EA	1.4001EA	42.000
211712 43DEG EL SS 417-020	51EA	3.5381EA	17.690
195012 TEE SSS 401-020	51EA	3.7271EA	19.640
✓ 197012X1 TEE SSS 401-249	171EA	3.9801EA	67.660
✓ 181911 INSERT TEE X FIFT 1402-010	241EA	2.1901EA	52.560
✓ 182611X1/2 INSERT TEE X FIFT 1402-130	401EA	2.0301EA	81.200

MERCHANDISE	MISC	TAX	FREIGHT	TOTAL
3569.45	.00	235.58	.00	3805.03

RECEIVED
JUL 02 2003
IDWR/North

250

29 Count
13 "

1 Extra

6 back charged for 17 only received
24 back

ARCHIVED

IN THE MATTER OF:

Beneficial Water Use

State of Idaho

County of Kootenai

AFFIDAVIT

RECEIVED
JUL 02 2003
IDWR/North

I Darrell G. Sims

being first duly sworn,

deposes and says: attest to the fact our eastern neighbor Sam & Donna
Jacot, have been irrigating their property using Spokane River water
since mid 2001.

MICROFILMED


NOV 26 2007

Darrell Sims
(signature)

Subscribed and sworn to before me this 1 day of JULY 2003.

K. Reid
(notary public)

Residing at KOOTENAI
My commission expires 7-17-07



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720

Boise, Idaho 83720-0098

Return Service Requested

FD

RECEIVED

OCT 15 2002

Department of Water Resources

MICROFILMED

NOV 26 2002

SEVERAL
ADDRESSES

CTO 1284

NO TO SENDER

WA 01 02
MAY 14 2002 3 41 PM '02





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

October 8, 2002

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

SAM JACOT
11923 STENDALL DR N
SEATTLE, WA 98133

LAPSE NOTICE

RE: PERMIT NO. 95-9024

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in the proof due notice dated July 31, 2002. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

Sincerely,

L. Glen Saxton, Chief
Water Allocation Bureau

Enclosures

MICROFILMED
NOV 26 2003

October 8, 2002

SAM JACOT
11923 STENDALL DR N
SEATTLE, WA 98133

LAPSE NOTICE

RE: PERMIT NO. 95-9024

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in the proof due notice dated July 31, 2002. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

Sincerely,

L. Glen Saxton, Chief
Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 10/8/02
a copy of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

UNRECORDED
OCT 10 2002

[Signature]

CERTIFIED MAIL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720
Boise, Idaho 83720-0098

Post Office Service Requested



7000 1670 0013 9129 6576



RETURNED TO SENDER

- ☐ MOVED, LEFT NO ADDRESS
- ☐ FORWARDING ORDER EXPIRED
- ☐ UNCLAIMED ☐ NOT KNOWN
- ☐ NO SUCH STREET ☐ REFUSED
- ☐ NO SUCH NUMBER
- ☐ INSUFFICIENT ADDRESS



not here - F056 703332 Rm

RECEIVED

AUG 12 2002

Department of Water Resources

NOTIFIED

AUG 23 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 31, 2002

SAM JACOT
11923 STENDALL DR N
SEATTLE, WA 98133

PROOF DUE NOTICE

RE: PERMIT NO. 95-9024

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 01, 2002. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

Deborah J. Gibson, Admin. Assistant
Water Allocation Bureau

Enclosures

MICROFILMED

NOV 26 2003

July 31, 2002

SAM JACOT
11923 STENDALL DR N
SEATTLE, WA 98133

PROOF DUE NOTICE

RE: PERMIT NO. 95-9024

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 01, 2002. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

Deborah J. Gibson, Admin. Assistant
Water Allocation Bureau

Enclosures

MICROFILMED
NOV 26 2003





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

October 12, 1999

DIRK KEMPTHORNE
GOVERNOR

SAM JACOT
11923 STENDALL DRIVE N
SEATTLE WA 98133

KARL J. DREHER
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-09024

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt
Enclosures

MICROFILMED

JAN 18 2001

CERTIFICATE OF MAILING

I hereby certify that on the 12th day of October, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 95-09024

SAM JACOT
11923 STENDALL DRIVE N
SEATTLE WA 98133


Kari Lynn Townsend
Secretary

MICROFILMED

JAN 18 2001

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
JAN 18 2001

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
JAN 18 2001

Keen, Shelley

From: Graham, Bill
Sent: Friday, October 01, 1999 1:42 PM
To: Keen, Shelley
Subject: RE: Applications if MSF reaches

Shelley - Thanks for the quick review opportunity. Whereas these draft permits contain the standard minimum streamflow condition, we have no further comments.

Bill G.

-----Original Message-----

From: Keen, Shelley
Sent: Friday, October 01, 1999 8:20 AM
To: Graham, Bill
Cc: Beardslee, Allen; Curtis, Sharla; Peppersack, Jeff
Subject: Applications if MSF reaches

Bill,

The attached file shows four draft permits for applications made in minimum streamflow reaches or on tributaries to minimum streamflow reaches. I do not see documentation in the files that your unit has reviewed them yet, so I am forwarding them to you for comment as directed in Norm's 8/16/99 memo.

Unless you see problems with these, they are ready to be approved. Therefore, I would appreciate quick turnaround. I apologize for the late notice. It looks like they were already being processed as we were working out the mechanics of implementing the memo. In the future you should be notified by the regional office so you can comment before the end of the protest period.

Shelley Keen

<< File: NORTHAPPS.LIS >>

MICROFILMED

JAN 18 2001

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

No.: 95-09024 Name: Jacob Date: 9/29/99 Ad OK? / / Gvmt Lts: by SCurtis

AREA OF CONCERN: - No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

> 1 year - 26 P17
≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

All wells (✓ WDQ3) - 046-P23

In Basin 34? - 085

Irr. within WD - P05 (new well location)

WMD (✓ MAP) - North / East / West

> 0.24 cfs/5 acres - 067

≤ 0.24 cfs/5 acres - No MD

WMD

Supp irr use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr source)

Supp. irr + uses - 100-101

> 0.24 cfs/5 acres - 01M (report when notified)

≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED: - YES / NO; WHEN: 9/27/99 RESPONSE: NONE

IN/ABOVE MSF (✓ MAP) - *WB9

IN-STREAM DEVELOPMENT - P02 (stream channel alteration)

WD (✓ MAP & LISTING) - P02 (WD #)

> 0.20 cfs - 01J-P08 (MD & LD)

≤ 0.20 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

> 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water):

Snake R (01) - *W22 -P04, NA

(02/03-irr) - 007 (w/ remark *WB9 if above Weiser), NA

Payette R(65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA

Salmon R (70's) - 029 (fish screens), NA

Weiser R (67) - 086, 087

USE:

STORAGE (✓ 3 compo.) - 18A (in & out MD for on-stream storage)-01H-P01 (LD)/01P, 18B-P09 (>10' dam), NA

IRR ≤ 5 acres - R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)

> 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)

STOCKWATER - R37 (BLM/USFS); NA

MINING - 054(req)-081-P10

FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WQ)-P10

HEATING/COOLING - R07 (injection well)

POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);
17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

MUNICIPAL

In restricted area? - 022, 075, 004 (+memo?)

Irr., GW supp. to SW? - 102

DOMESTIC

Surface water - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

>1 in rest. area - 071-070

FIRE PROTECTION - 077

LOCATION:

BOISE FRONT LOGEO - 058 (<85° GW temp only)

MITIGATION - 120

42-248 AREA - P84 (in 20/30/40/50/60/70/80 (87) basin)

SWAN FALLS FLAG (✓ Code) -

Trust - 051-052-053-P74 (Consumptive Uses), NA

Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU)

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

- 10/11/2002

COMMENTS:

IDA DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED WRI WRA BCA
SEP 29 1999

APPLICATION # 95-09024

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW

APPLICANT: JACOT

BY: [Signature]

DATE: 8/9/99

ITEM REQUIRED INFORMATION

PROCESSING

(Yes) (No)

PRIORITY DATE: 8/9/99

X (Include Moratorium Remark)

X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

CA/Thurs/ok

ADVERTISE IN: KOOTENAI County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

ADDITIONAL INFORMATION

(Yes) (No)

X Field check: by _____
+ Field report attached
+ Analysis Supp. attached (>5cfs/500af)
+ Water delivered by water master?
Water District # _____

GROUNDWATER SECTION

WD Permit No.'s:	TAG #	Type:	Fees	Receipt No.	Upgrade Needed?
<u>+</u>		Dom. Non-Dom.	Paid \$		Y () N ()
<u>+</u>		Dom. Non-Dom.	Paid \$		Y () N ()
<u>+</u>		Dom. Non-Dom.	Paid \$		Y () N ()

+ Groundwater management area
+ Critical ground water area
+ Well Drilling Permit required
+ Well Drilling Application and Fees received
+ Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

Affidavit of publication received

Application published correctly. If not, record action taken: _____

Publication dates and paper recorded on application | Sr. Agent initial

Protests received, Final protest date: 9/7/99

Measuring device required

Measuring port required

Special conditions:

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: _____

Date: ____/____/____

RECEIVED

SEP 29 1999

Department of Water Resources

Memorandum

Date: September 27, 1999

To: File 95-09024

From: Al Beardslee

RE: Surface water approval from Idaho Fish and Game Dept.

~~~~~

Northern Region received no negative reply from the Panhandle Office of Idaho Fish and Game. A Point of Diversion Index was faxed to Mr. Chip Corsi of this filing on September 21, 1999. No negative reply was received.

MICROFILMED

SEP 18 2000

# **AFFIDAVIT OF PUBLICATION**

STATE OF IDAHO, } ss.  
County of Kootenai, }

**AUG 30 1999**

**IDWR/North**

STACIE WALKER being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.
2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The LEGAL NOTICE

Of which the annexed is a printed copy, was published in the regular THURSDAY issue of said newspaper for 2 consecutive WEEKS commencing on the 19 day of AUGUST, 1999, and ending on the 26 day of AUGUST, 1999, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 30 day of AUGUST, 1999.

Regina Mason  
Notary Public for the State of Idaho,  
residing at Coeur d'Alene, Idaho.

MY COMMISSION EXPIRES 6/18/03

## **NOTICE OF APPLICATION FOR WATER RIGHT**

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

**95-09023**

BUECHEL, ANGELA  
1711 N VAL VISTA DR  
MESA, AZ 85213  
Tributary: SPOKANE RIVER  
Sec 17 T 48N R 04W in KOOTENAI County.  
Division Pt: LOT 2 (NWNW)  
Use: IRRIGATION (0.030 CFS)  
Total Diversion: (0.030 CFS)  
Date Filed: 8/6/1999  
In: KOOTENAI County  
T48N R04W S17 Lot 2 (NWNW)  
1.0 ACRES TOTAL

**95-09024**

JACOT, SAM  
11923 STENDALL DRIVE N  
SEATTLE, WA 98133  
Tributary: COLUMBIA RIVER  
Sec 8 T 50N R 04W in KOOTENAI County.  
Division Pt: LOT 1 (NENW)  
Use: IRRIGATION (0.060 CFS)  
Total Diversion: (0.060 CFS)  
Date Filed: 8/9/1999  
In: KOOTENAI County  
T50N R04W S08 LOT 1 (NENW)  
2.0 ACRES TOTAL

**95-09025**

CALTON, KATE  
4500 W RIVERVIEW DR  
POST FALLS, ID 83854  
Source: SKALAN CREEK  
Division Pt: SWSE  
Use: IRRIGATION  
Total Diversion:  
Date Filed: 8/11/1999  
In: KOOTENAI County  
T50N R05W S07 SWSE  
1.0 ACRES TOTAL  
For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.  
The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before SEPTEMBER 7, 1999.

## **NOTICE OF CLAIMS TO WATER RIGHT**

The Following claim(s) have been filed on water rights created by diversion and beneficial use:

**95-04736**

JAMES, GORDON I  
4300 W RIVERVIEW DRIVE  
POST FALLS, ID 83854  
Source: GROUNDWATER  
Division Pt: NESE  
Use: DOMESTIC  
Total Diversion:  
Claimed Priority: 8/9/1999  
In: KOOTENAI County  
T50N R05W S07 NESE  
Sec 7 T 50N R 05W in KOOTENAI County.  
(0.010 CFS)  
(0.010 CFS)  
Should be 6/15/1999

**95-04737**

CALTON, KATE  
4500 W RIVERVIEW DRIVE  
POST FALLS, ID 83854  
Source: GROUNDWATER  
Division Pt: SWSE  
Use: DOMESTIC  
Total Diversion:  
Claimed Priority: 8/11/1999  
In: KOOTENAI County  
T50N R05W S07 SWSE  
Sec 7 T 50N R 05W in KOOTENAI County.  
(0.020 CFS)  
(0.020 CFS)  
Should be 5/6/1999

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.  
Exceptions to a claim may be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814.  
KARL J. DREHER, Director

Legal 646  
August 19, 26, 1999

95-09024

JACOT, SAM  
11923 STENDALL DRIVE N  
SEATTLE, WA 98133

Source: SPOKANE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 1 (NENW) Sec 8 T 50N R 04W in KOOTENAI County.

|                  |   |            |
|------------------|---|------------|
| Use: IRRIGATION  | ( | 0.060 CFS) |
| Total Diversion: | ( | 0.060 CFS) |

Date Filed: 8/ 9/1999

In: KOOTENAI County  
T50N R04W S08 Lot 1(NENW)

2.0 ACRES TOTAL

MICROFILMED

JAN 18 2001

August 11, 1999

Sam Jacot  
11923 Stendall Drive N  
seattle WA 98133

Re: Water Appropriation Application No. 95-09024

Dear Mr. Jacot::

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE  
Senior Water Resources Agent

AB:db

MICROFILMED

SEP 18 2000

WR0749NP  
No. 95-09024

IDAHO DEPARTMENT OF WATER RESOURCES  
WATER RIGHT PROFILE REPORT

DATE: 08/10/99  
PAGE: 1

| OWNER<br>CODE    | NAME & ADDRESS                                                            | PRIORITY<br>DATE | WATER USE  | USE PERIOD<br>FROM TO | DIVERSION<br>RATE | DIVERSION<br>VOLUME |
|------------------|---------------------------------------------------------------------------|------------------|------------|-----------------------|-------------------|---------------------|
| C                | SAM JACOT<br>11923 STENDALL DRIVE N<br>SEATTLE WA 98133<br>(206) 367-5819 | 08/09/1999       | IRRIGATION | 03/15 11/15           | 0.060 CFS         |                     |
| TOTAL DIVERSION: |                                                                           |                  |            |                       | 0.060 CFS         |                     |

Water Source: SPOKANE RIVER

Tributary to: COLUMBIA RIVER

Stage: APPLICATION

Point(s) of Diversion: T50N R04W S08 Lot 01( NENW)

KOOTENAI County

Place of use Legal Description for: IRRIGATION

| NE   |     |      |      | NW   |     |      |     | SW   |    |       |     | SE   |     |      |    |      |      |      |     |      |     |      |    |      |      |      |     |             |     |      |       |     |
|------|-----|------|------|------|-----|------|-----|------|----|-------|-----|------|-----|------|----|------|------|------|-----|------|-----|------|----|------|------|------|-----|-------------|-----|------|-------|-----|
| NENE |     | NWNE |      | SWNE |     | SENE |     | NENW |    | NWNW  |     | SWNW |     | SENW |    | NESW |      | NWSW |     | SWSW |     | SESW |    | NESE |      | NWSE |     | SWSE        |     | SESE |       |     |
| T    | R   | S    | : Lt | Ac   | Lt  | Ac   | Lt  | Ac   | Lt | Ac    | Lt  | Ac   | Lt  | Ac   | Lt | Ac   | : Lt | Ac   | Lt  | Ac   | Lt  | Ac   | Lt | Ac   | : Lt | Ac   | Lt  | Ac          | Lt  | Ac   | : SUM |     |
| ---  | --- | ---  | :    | ---  | --- | ---  | --- | ---  | :  | ---   | --- | ---  | --- | ---  | :  | ---  | ---  | :    | --- | ---  | --- | ---  | :  | ---  | ---  | :    | --- | ---         | --- | ---  | :     | --- |
| 50N  | 04W | 8    | :    |      |     |      |     |      | :  | 01-02 |     |      |     |      | :  |      |      | :    |     |      |     |      |    |      | :    |      |     |             |     |      | 2.0   |     |
|      |     |      |      |      |     |      |     |      |    |       |     |      |     |      |    |      |      |      |     |      |     |      |    |      |      |      |     | TOTAL ACRES | 2.0 |      |       |     |

Pou County: KOOTENAI

Dates: App. Received: 08/09/1999 Priority Date: 08/09/1999  
Proof Due Date: Proof Made Date:  
Exam Made Date: Exam Sent to S.O.:  
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 08/10/1999 User-ID: DBALL Subject: Examiners notes.  
Pump in river.  
POD owned by applicant and State of Idaho.  
Time required 3 years.

Audit: 08/10/99 DBALL