

MICROFILMED  
JAN 18 2001




QUADRANGLE LOCATION

**BUGCHER**  
**T. 48N., R. 4W.**

ROAD CLASSIFICATION  
Primary highway \_\_\_\_\_  
Light-duty road, hard or hard surface \_\_\_\_\_  
Secondary highway, hard surface \_\_\_\_\_  
Unimproved road \_\_\_\_\_  
State Route \_\_\_\_\_  
State Route \_\_\_\_\_

ROCKFORD BAY, IDAHO  
SW/4 COEUR D'ALENE 15' QUADRANGLE

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = \_\_\_\_\_

\_\_\_\_ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

\_\_\_\_ Aerial Photo Attached (required for irrigation of 10+ acres)

\_\_\_\_ Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|------------|----|------------------|-----------|-----------------------------------|
|                                       | Franklin   | 2  | 2823018110       | Sok       | 1.5"                              |
|                                       |            |    |                  |           |                                   |
|                                       |            |    |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo

#### D. FLOW MEASUREMENTS


1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements: \_\_\_\_\_

MICROFILMED

MAR 24 2003



95-09023

PLACE OF USE

POINT OF DIVERSION

SCALE 1:24 000

0 1 MILE

0 1 KILOMETER

MICROFILMED

OUR INTERVAL 40 FEET

ODETIC VERTICAL DATUM OF 1929

MAR 24 2003

ROAD CLASSIFICATION

Primary highway, light duty road, hard or hard surface

Secondary highway, hard surface

Unimproved road

State Route

**BUCHNER**

**T. 48N., R. 4W.**

95-09023



PD



PV



PV



PV

MICROFILMED  
MAR 24 2003



PC



PC

MICROFILMED  
MAY 24 2003

APPLICATION FOR PERMIT  
STATE OFFICE ANALYSIS

by SCurtis

No.: 95-09023 Name: Buechel Date: \_\_\_\_\_ Ad OK? \_\_\_\_\_ / Gvmt Lts: \_\_\_\_\_

AREA OF CONCERN: - No/Yes: \_\_\_\_\_ Mor / \_\_\_\_\_ GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or \*W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 26A-P17
- ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

- All wells (✓ WDQ3) - 046-P23
- In Basin 34? - 085
- Irr. within WD - P05 (new well location)
- WMD (✓ MAP) - North / East / West
- > 0.24 cfs/5 acres - 067
- ≤ 0.24 cfs/5 acres - No MD

WMD

- Supp irr use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr source)
- Supp. irr + uses - 100-101
- > 0.24 cfs/5 acres - 01M (report when notified)
- ≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED: - YES / NO; WHEN: 9/27/99 RESPONSE: NONE

IN/ABOVE MSF (✓ MAP) - \*WB9

IN-STREAM DEVELOPMENT - P52 (stream channel alteration)

WD (✓ MAP & LISTING) - R04 (WD # \_\_\_\_\_)

- > 0.20 cfs - 01J-P08 (MD & LD)
- ≤ 0.20 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (\*Surface water):

- Snake R (01) - \*W22 -P04, NA
- (02/03-irr) - 007 (w/ remark \*WB9 if above Weiser), NA
- Payette R(65) - \*W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R (70's) - 029 (fish screens), NA
- Weiser R (67) - 086, 087

USE:

- STORAGE (✓ 3 compo.) - 18A (in & out MD for on-stream storage)-01H-P01 (LD)/01P, 18B-P09 (>10' dam), NA
- IRR ≤ 5 acres - R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- STOCKWATER - R37 (BLM/USFS); NA
- MINING - 054(req) -081-P10
- FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WQ)-P10
- HEATING/COOLING - R07 (injection well)
- POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use); 17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

MUNICIPAL

- In restricted area? - 022, 075, 004 (+memo?)
- Irr., GW supp. to SW? - 102

DOMESTIC

- Surface water - \*WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- >1 in rest. area - 071-070

FIRE PROTECTION

- 077

LOCATION:

- BOISE FRONT LOGEO - 058 (<85° GW temp only)
- MITIGATION - 120
- 42-248 AREA - P84 (in 20/30/40/50/60/70/80 (87) basin)
- SWAN FALLS FLAG (✓ Code) - \_\_\_\_\_

- Trust - 051-052-053-P74 (Consumptive Uses), NA
- Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU) \_\_\_\_\_

OTHER CONDITIONS:

- \_\_\_\_\_

STANDARD REMARKS:

- \_\_\_\_\_

BENEFICIAL USE DUE:

- 10 /1/ 2001

COMMENTS:

- \_\_\_\_\_

State of Idaho  
Department of Water Resources  
**Water Right License**

WATER RIGHT NO. 95-09023

Priority: August 6, 1999

Maximum Diversion Rate: 0.03 CFS  
Maximum Diversion Volume: 3.0 AF

It is hereby certified that ANGELA BUECHEL  
1711 N VAL VISTA DR  
MESA AZ 85213 has complied with the terms and  
conditions of the permit, issued pursuant to Application for Permit dated August 06, 1999; and has  
submitted Proof of Beneficial Use on August 29, 2001. An examination indicates that the works have a  
diversion capacity of 0.06 cfs of water from:

**SOURCE**

COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>DIVERSION RATE</u> | <u>ANNUAL<br/>DIVERSION VOLUME</u> |
|-----------------------|----------------------|-----------------------|------------------------------------|
| IRRIGATION            | 03/15 to 11/15       | 0.03 CFS              | 3.0 AF                             |

**LOCATION OF POINT(S) OF DIVERSION:**

COEUR D ALENE LAKE L2 (NW¼NW¼) Sec. 17, Twp 48N, Rge 04W, B.M. KOOTENAI County

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE |    |    |    | NW |     |    |    | SW |    |    |    | SE |    |    |    | Totals |
|-------------|----|----|----|----|----|-----|----|----|----|----|----|----|----|----|----|----|--------|
|             | NE | NW | SW | SE | NE | NW  | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 48N 04W 17  |    |    |    |    |    | 1.0 |    |    |    |    |    |    |    |    |    |    | 1.0    |
|             |    |    |    |    |    | L2  |    |    |    |    |    |    |    |    |    |    |        |

Total Acres: 1

**CONDITIONS OF APPROVAL**


1. The issuance of this right does not grant any right-of-way or easement across the land of another.
2. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 25<sup>th</sup> day of NOVEMBER, 2002.

MICROFILMED

MAR 2 2003

  
KARL J. DREHER  
Director

WWW.IDWR.State.ID.US  
SPDA WR Searches  
"Text"

FOR OFFICE USE ONLY  
Amt. of Fee \$ 50.00  
Receipt No. 2055865  
Receipt By: [Signature]  
Date Received: 8-29-01

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF BENEFICIAL USE

AUG 29 2001

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-9023 Telephone No. 480-830-8800
2. Name of Permit Holder(s): Angela D. Buechel
3. Mailing Address: 1711 N. Val Vista Dr.  
City Mesa State AZ Zip 85213
4. Source of Water: Lake Coeur d'Alene ☒ GROUNDWATER (well), Date Drilled: mo. \_\_\_\_\_ / yr. \_\_\_\_\_  
Well Driller: \_\_\_\_\_ Drilling Permit Number: \_\_\_\_\_

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): \_\_\_\_\_ Stockwater (No. and type of stock): \_\_\_\_\_  
Irrigation (No. of acres): 1 Other: \_\_\_\_\_

6. Total rate of diversion and/or volume for which proof is submitted: 0.03 cfs OR \_\_\_\_\_ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)  
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes \_\_\_\_\_ or No X  
Has the measuring device been installed? Yes \_\_\_\_\_ or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Angela Buechel Telephone Number: 602-321-9000  
Address: 1711 N. Val Vista, Mesa, AZ 85213

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Angela Buechel Date: 8-20-01  
(include your title, if on behalf of company or organization)

MICROFILMED

OCT 12 2001

State of Idaho  
Department of Water Resources  
**Permit To Appropriate Water**

NO. 95-09023

Priority: August 6, 1999

Maximum Diversion Rate:

0.03 CFS

This is to certify, that **ANGELA BUECHEL**

1711 N VAL VISTA DR

MESA AZ 85213

has applied for a permit to appropriate water from:

**COEUR D ALENE LAKE**

tributary of **SPOKANE RIVER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 2( NWNW), Sec. 17, Township 48N, Range 04W  
KOOTENAI County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

48N 04W 17 Lot 2(NWNW) 1.0

1.0

Total number of acres irrigated:

1.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before **October 1, 2001**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.


This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Witness the signature of the Director, affixed at Boise, this

1<sup>st</sup> day of October, 1999.

MICROFILMED

JAN 9 11 2001

  
Karl J. Dreher, Director

Ident. No. 95-09023

RECEIVED

SEP 29 1999

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

## APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

SEP 29 1999

Department of Water Resources

Department of Water Resources

1. Name of Applicant Angela Boechel Phone 602-321-9000  
Mailing address 1711 N. Val Vista Dr., Mesa AZ 85213
2. Source of water supply LAKE COEUR D'ALEN which is a tributary of SPOKANE RIVER
3. Location of point of diversion is Township 48N. Range 4W Sec. 17, in the NW 1/4, NW 1/4, Govt. Lot 2, B.M., KOOTENAI County;  
additional points of diversion if any: \_\_\_\_\_
4. Water will be used for the following purposes:  
Amount 0.03 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)  
(cfs or acre-feet per annum) DOMESTIC  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) \_\_\_\_\_ and/or (b) \_\_\_\_\_  
cubic feet per second acre feet per annum
6. Proposed diverting works:  
a. Describe type and size of devices used to divert water from the source PUMP IN LAKE  
b. Height of storage dam \_\_\_\_\_ feet; active reservoir capacity \_\_\_\_\_ acre-feet; total reservoir capacity \_\_\_\_\_ acre-feet  
c. Proposed well diameter is \_\_\_\_\_ inches; proposed depth of well is \_\_\_\_\_ feet  
d. Is ground water with a temperature of greater than 85°F being sought? \_\_\_\_\_  
e. If well is already drilled, when? \_\_\_\_\_; Drilling firm \_\_\_\_\_  
Well was drilled for (well owner) \_\_\_\_\_; Drilling Permit No. \_\_\_\_\_
7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):  
a. Hydropower; show total feet of head and proposed capacity in KW. \_\_\_\_\_  
b. Stockwatering; list number and kind of livestock. \_\_\_\_\_  
c. Municipal; show name of municipality. \_\_\_\_\_  
d. Domestic; show number of households. LAWN + GARDEN IRRIGATION  
e. Other; describe fully. \_\_\_\_\_

MICROFILMED

JAN 14 2000

a. If water is for irrigation, indicate acreage in each subarea.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? Applicant / STATE OF ARIZONA  
b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:



**12. Remarks:**

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

of the State of Idaho as herein set forth.

Signature of Applicant (and title, if applicable)

|                         |        |      |        |      |                      |        |      |        |      |
|-------------------------|--------|------|--------|------|----------------------|--------|------|--------|------|
| Received by             | 8-6-99 | Date | 10:00  | Time | Preliminary check by | 8-6-99 | Date | 8-6-99 | Date |
| Fee \$                  | 50-    |      |        |      |                      |        |      |        |      |
| Publication prepared by | 8-6-99 | Date | 8-6-99 | Date | Published in         | 8-6-99 | Date | 8-6-99 | Date |
| Publication approved by | 8-6-99 | Date | 8-6-99 | Date | Published in         | 8-6-99 | Date | 8-6-99 | Date |



FOUR INTERVAL 40 FEET  
EODETIC VERTICAL DATUM OF 1929

MICROFILMED

JAN 18 1961

ROAD CLASSIFICATION

Primary highway, hard surface  
Secondary highway, hard surface  
Unimproved road  
State Route



QUADRANGLE LOCATION

ROCKFORD BAY IDAHO

QUADRANGLE



State of Idaho

**DEPARTMENT OF WATER RESOURCES**

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098  
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: [www.idwr.state.id.us](http://www.idwr.state.id.us)

DIRK KEMPTHORNE  
Governor

KARL J. DREHER  
Director

November 25, 2002

ANGELA BUECHEL  
1711 N VAL VISTA DR  
MESA AZ 85213

RE: License No. 95-9023 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

MAR 24 2003


# **CERTIFICATE OF SERVICE**

I hereby certify that on November 25, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

**RE: WATER RIGHT NO.**

**95-9023**

**ANGELA BUECHEL  
1711 N VAL VISTA DR  
MESA AZ 85213**



**Kar Lynn Townsend  
Secretary**

**MICROFILMED**

**MAR 24 2003**

**EXPLANATORY INFORMATION  
TO ACCOMPANY A  
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

**PETITION FOR RECONSIDERATION**

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

**EXCEPTIONS AND BRIEFS**

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

**REQUEST FOR HEARING**

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

**ORAL ARGUMENT**

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

**CERTIFICATE OF SERVICE**

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED  
MAR 24 2003

### FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

### APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED  
MAR 24 2003

## MEMORANDUM

**Date:** November 22, 2002  
**To:** Water Right File 95-9023  
**From:** S. Keen  
**Re:** License Review

---

Licensing review and data entry by S. Keen on 11/22/2002.

MICROFILMED

MAR 24 2003

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

RECEIVED

SEP 30 2002

Department of Water Resources

**A. GENERAL INFORMATION**

Permit No. 95-09023

1. Owner: Angela Buechel Phone No. (602) 321-9000

Current Address: 1711 N. Val Vista Dr. Mesa AZ 85213

2. Accompanied by: Unaccompanied EXAM DATE: 8-10-02

Address: \_\_\_\_\_ Phone No. \_\_\_\_\_

Relationship to Permit Holder: \_\_\_\_\_

3. Source: Coeur D'Alene Lake tributary to Spokane River

**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: \_\_\_\_\_

2. Other water rights with the same point of diversion: \_\_\_\_\_

**C. DIVERSION AND DELIVERY SYSTEM**

**1. Point(s) of Diversion:**

| Ident No. | Gov't Lot | 1/4 | 1/4 | 1/4 | Sec. | Twp. | Rge. | County     | Method of Determination/Remarks |
|-----------|-----------|-----|-----|-----|------|------|------|------------|---------------------------------|
|           | 02        |     | NW  | NW  | 17   | 48N  | 04   | Boothwaite | USGS 7.5 min Quad               |
|           |           |     |     |     |      |      |      |            |                                 |
|           |           |     |     |     |      |      |      |            |                                 |
|           |           |     |     |     |      |      |      |            |                                 |

**2. Place(s) of Use:**


Indicate Method of Determination

| TWP | RGE | SEC | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | Totals |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 48N | 04W | 17  |    |    |    |    | 1  |    |    |    |    |    |    |    |    |    |    | 1  |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |

MICROFILMED

MAR 24 2003

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = \_\_\_\_\_  
 \_\_\_\_\_ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).  
 \_\_\_\_\_ Aerial Photo Attached (required for irrigation of 10+ acres)  
 \_\_\_\_\_ Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|------------|----|------------------|-----------|-----------------------------------|
|                                       | Franklin   | 2  | 2823018111       | Scb       | 1.5"                              |
|                                       |            |    |                  |           |                                   |
|                                       |            |    |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo

## D. FLOW MEASUREMENTS


1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |


## 2. Measurements:

MICROFILMED

MAR 24 2003



SCALE 1:24 000




FOOT INTERVAL 40 FEET  
DATUM VERTICAL DATUM OF 1929

ROAD CLASSIFICATION

- Primary highway, light-duty road, hard or hard surface
- Secondary highway, hard surface
- Unimproved road
- State Route

**BUCHER**  
**T. 48N., R. 4W.**

95-09023




PD

PV

PV

PV

MICROFILMED  
MAR 24 2003



PV

PV

MICROFILMED

1997 4 2003

E. NARRATIVE/REMARKS/COMMENTS

This entire system is buried. There are 8 zones all pop up type sprinklers. Really no way to get an accurate measurement. I ran 1 zone with Rainbird 1800 pop ups & 1 zone with Toro 570 series pop ups. I estimated 25-30 gpm. A theoretical calculation came up with 0.06 cfs. As I was leaving the man who put the system in showed up to work on a leak. I spoke with him, he told me it ran 28 gpm at 60 PSI.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

MAR 24 2003

# F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

$$\frac{12.32}{8.1(1.7)(0.5)} = 188.6$$

$$50 + (2.31 \times 60) = 188.6$$

$$188.6 = 1.06 \text{ cfs}$$

# G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

*Border Amount Date*

2. Volume Calculations for Other Uses:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3 = 3$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 103 \times 245 \times 1.9835 = 14.1$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} = 3$$

# H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

*100%*

Period of Use

From 03-15 To 11-15

Rate of Diversion

Q (cfs) 103

Annual Volume

V (ata) 3

# 2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

Other

# I. AUTHENTICATION

Field Examiner's Name

*Wayne Baldwin*

Date

*9-19-02*

Reviewer

Date

SEAL

MAR 24 2003

MICROFILMED



State of Idaho

## DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098  
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: [www.idwr.state.id.us](http://www.idwr.state.id.us)

DIRK KEMPTHORNE  
Governor

KARL J. DREHER  
Director

September 10, 2001

ANGELA BUECHEL  
1711 N VAL VISTA DR  
MESA AZ 85213

### PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-09023

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions, please contact the **Northern** Regional Office of the department in Coeur d'Alene at (208) 769-1450.

Sincerely,

Deborah J. Gibson  
Administrative Assistant  
Water Allocation Bureau

Encl.

c: IDWR - Regional Office

MICROFILMED

SEP 12 2001

## ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9023

Reviewed By: dgibson

Date: September 13, 2001

|                                   | <u>Yes</u> | <u>No</u> |                                  | <u>Yes</u> | <u>No</u> |
|-----------------------------------|------------|-----------|----------------------------------|------------|-----------|
| Proof received timely?            | X          |           | Drilling permit required?        |            | X         |
| License examination fee required? | X          |           | Drilling permit No.:             |            |           |
| Appropriate fee submitted?        | X          |           | Drilling permit upgrade needed?  |            |           |
| Receipt No.:                      |            | C055865   | Well driller's report filed?     |            | X         |
| Additional Amount Due:            |            |           | Measuring device required?       |            | X         |
| Name and address same as permit?  | X          |           | Measuring device installed?      |            |           |
| Are the water uses correct?       | X          |           | Measure device waiver requested? |            |           |

### Priority Calculation

|                     |   |            |
|---------------------|---|------------|
| Date proof received |   | 08/29/2001 |
| Date proof due      | - | 10/01/2001 |
| Lapse notice sent   | - |            |
| No. of days late    | = | 0          |
| Holiday allowance   | + |            |
| Priority date       | + | 08/06/1999 |
| New priority date   | = | 08/06/1999 |

### Deficiencies of Actions Items

Acknowledge proof.

July 31, 2001

ANGELA BUECHEL  
1711 N VAL VISTA DR  
MESA, AZ 85213

PROOF DUE NOTICE

RE: PERMIT NO. 95-9023

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 01, 2001. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


Sincerely,

Deborah J. Gibson, Admin. Asst.  
Water Allocation Bureau

Enclosures

MICROFILMED

AUG 12 2001





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

October 4, 1999

DIRK KEMPTHORNE  
GOVERNOR

ANGELA BUECHEL  
1711 N VAL VISTA DR  
MESA AZ 85213

KARL J. DREHER  
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-09023

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen  
Water Rights Supervisor

SK:klt  
Enclosures


MICROFILMED  
JAN 18 2000

CERTIFICATE OF MAILING

I hereby certify that on the 4th day of October, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 95-09023

ANGELA BUECHEL  
1711 N VAL VISTA DR  
MESA AZ 85213

  
Kari Lynn Townsend  
Secretary

MICROFILMED  
JAN 18 2001

## Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

### PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

### EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

### ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

JAN 18 2001

### CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

### FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

### APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

JAN 18 2001

APPLICATION FOR PERMIT  
STATE OFFICE ANALYSIS

No.: 95-09023 Name: Buechel Date: \_\_\_\_\_ Ad OK? \_\_\_\_\_ / Gvmt Lts: \_\_\_\_\_ by SCurtis

AREA OF CONCERN: - No/Yes: \_\_\_\_\_ Mor / \_\_\_\_\_ GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or \*W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 26A P17
- ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

- All wells (✓ WDQ3) - 046-P23
- In Basin 34? - 085
- Irr. within WD - P06 (new well location)
- WMD (✓ MAP) - North / East / West
- > 0.24 cfs/5 acres - 067
- ≤ 0.24 cfs/5 acres - No MD

WMD

- Supp irr use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr source)
- Supp. irr + uses - 100-101
- > 0.24 cfs/5 acres - 01M (report when notified)
- ≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED: - YES / NO; WHEN: 9/27/99 RESPONSE: NONE

IN-ABOVE MSE (✓ MAP) - WB9

IN-STREAM DEVELOPMENT - 067 (stream channel alteration)

WD (✓ MAP & LISTING) - R04 (WD # \_\_\_\_\_)

- > 0.20 cfs - 01J-P08 (MD & LD)
- ≤ 0.20 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (\*Surface water):

- Snake R (01) - \*W22-P04, NA
- (02/03-irr) - 007 (w/ remark \*WB9 if above Weiser), NA
- Payette R (65) - \*W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R (70's) - 029 (fish screens), NA
- Weiser R (67) - 086, 087

USE:

- STORAGE (✓ 3 compo.) - 18A (in & out MD for on-stream storage)-01H-P01 (LD)/01P, 18B-P09 (>10' dam), NA
- IRR ≤ 5 acres - R68/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- STOCKWATER - R37 (BLM/USFS); NA
- MINING - 054(req)-081-P10
- FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WQ)-P10
- HEATING/COOLING - R07 (injection well)
- POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use); 17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

MUNICIPAL

- In restricted area? - 022, 075, 004 (+memo?)
- Irr., GW supp. to SW? - 102

DOMESTIC

- Surface water - \*WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- >1 in rest. area - 071-070

FIRE PROTECTION

- 077

LOCATION:

- BOISE FRONT LOGEO - 058 (<85° GW temp only)
- MITIGATION - 120
- 42-248 AREA - P84 (in 20/30/40/50/60/70/80 (87) basin)
- SWAN FALLS FLAG (✓ Code) - \_\_\_\_\_

- Trust - 051-052-053-P74 (Consumptive Uses), NA
- Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU) \_\_\_\_\_

OTHER CONDITIONS:

- \_\_\_\_\_

STANDARD REMARKS:

- \_\_\_\_\_

BENEFICIAL USE DUE:

- 10/11/2001

COMMENTS:

- \_\_\_\_\_

**IDA DEPARTMENT OF WATER RESOURCES  
APPROPRIATION APPLICATION ANALYSIS SHEET**

**RECEIVED**

**SEP 29 1999**

WR1  
WRA  
BCA

APPLICATION # 95-09023

DEPARTMENT OF WATER RESOURCES

..... INITIAL REVIEW .....

APPLICANT: BUECAEL, ANGEA BY: B DATE: 8/6/99

**ITEM REQUIRED INFORMATION**

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity  
(x) Nature of Proposed Use  
(x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other water Rights
11. (x) Ownership
12. (x) Map  
(x) Signature  
(x) Fee (Amt, receipt, acknowledgement)

\*\*\* Send info sheet Y( ) N( )

**ADDITIONAL INFORMATION**

(Yes) (No)

- ✓ Field check: by \_\_\_\_\_
- ✓ Field report attached
- ✓ Analysis Supp. attached(>5cfs/500af)
- ✓ Water delivered by water master?
- Water District # \_\_\_\_\_

**PROCESSING**

(Yes) (No)

PRIORITY DATE: 8/6/99

✓ (Include Moratorium Remark)

✓ Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

*CA/Thurs/ok*

ADVERTISE IN: KOOTENAI County

**LETTERS SENT REQUESTING:**

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: N/A

**INFORMATION RECEIVED:**

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: N/A

**GROUNDWATER SECTION**

| WD Permit No.'s: | TAG # | Type:         | Fees    | Receipt No. | Upgrade Needed? |
|------------------|-------|---------------|---------|-------------|-----------------|
| <u>✓</u>         |       | Dom. Non-Dom. | Paid \$ |             | Y ( ) N ( )     |
| <u>✓</u>         |       | Dom. Non-Dom. | Paid \$ |             | Y ( ) N ( )     |
| <u>✓</u>         |       | Dom. Non-Dom. | Paid \$ |             | Y ( ) N ( )     |

Groundwater management area

Remarks: \_\_\_\_\_

Critical ground water area

Well Drilling Permit required

Well Drilling Application and Fees received

Well Drilling Application approved?

**FINAL REGIONAL PROCESSING/REVIEW**

(Yes) (No)

Notice of pending void order issued. Final order response date: \_\_\_\_/\_\_\_\_/\_\_\_\_

Further information required from applicant

Affidavit of publication received

Application published correctly. If not, record action taken: \_\_\_\_\_

Publication dates and paper recorded on application | Sr. Agent initial

Protests received, Final protest date: 9/7/99

Measuring device required

Measuring port required

Special conditions:

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

RECEIVED

SEP 29 1999

Department of Water Resources

## Memorandum

Date: September 27, 1999

To: File 95-09023

From: Al Beardslee

RE: Surface water approval from Idaho Fish and Game Dept.

~~~~~

Northern Region received no negative reply from the Panhandle Office of Idaho Fish and Game. A Point of Diversion Index was faxed to Mr. Chip Corsi of this filing on September 21, 1999. No negative reply was received.

MICROFILMED

JAN 18 2001

# AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,  
County of Kootenai, } ss.

AUG 30 1999

*Steve Walker* IDWR/North  
being first duly sworn  
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *LEGAL NOTICE*

of which the annexed is a printed copy, was published in the regular *THURSDAY* issue of said newspaper for *2* consecutive *WEEKS* commencing on the *19* day of *AUGUST*, 19*99*, and ending on the *26* day of *AUGUST*, 19*99*, and such publication was made as often during said period as said *DAILY* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *20* day of *AUGUST*, 19*99*.

*Regina Mason*  
Notary Public for the State of Idaho,  
residing at Coeur d'Alene, Idaho.  
MICROFILMED COMMISSION EXPIRES 6/18/03

**NOTICE OF APPLICATION FOR WATER RIGHT**  
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

BUECHEL, ANGELA  
1711 N VAL VISTA DR  
MESA, AZ 85213  
Source: COEUR D'ALENE LAKE  
Division Pt. LOT 2 (NWNW)  
Use: IRRIGATION  
Total Division:  
Date Filed: 8/6/1999  
In: KOOTENAI County  
T48N R04W S17T02 (NWNW)  
1.0 ACRES TOTAL  
95-09023

TRIBUTARY: SPOKANE RIVER  
Sec 17 T 48N R 04W in KOOTENAI County.  
(0.030 CFS)  
(0.030 CFS)

JACOT, SAM  
11923 STENDALL DRIVE N  
SEATTLE, WA 98133  
Source: SPOKANE RIVER  
Division Pt. LOT 1 (NENW)  
Use: IRRIGATION  
Total Division:  
Date Filed: 8/9/1999  
In: KOOTENAI County  
T50N R04W S08  
2.0 ACRES TOTAL  
95-09025

TRIBUTARY: COLUMBIA RIVER  
Sec 8 T 50N R 04W in KOOTENAI County.  
(0.060 CFS)  
(0.060 CFS)

CALTON, KATE  
4500 W RIVERVIEW DR  
POST FALLS, ID 83854  
Source: SKALAN CREEK  
Division Pt. SWSE  
Use: IRRIGATION  
Total Division:  
Date Filed: 8/11/1999  
In: KOOTENAI County  
T50N R05W S07  
SWSE  
1.0 ACRES TOTAL  
95-04736

TRIBUTARY: SPOKANE RIVER  
Sec 7 T 50N R 05W in KOOTENAI County.  
(0.030 CFS)  
(0.030 CFS)

**NOTICE OF CLAIMS TO WATER RIGHT**  
KARL J. DREHER, Director  
The following claim(s) have been filed on water rights created by diversion and beneficial use:  
JAMES, GORDON I  
4300 W. RIVERVIEW DRIVE  
POST FALLS, ID 83854  
Source: GROUNDWATER  
Division Pt. NESE  
Use: DOMESTIC  
Total Division:  
Date Filed: 8/9/1999  
In: KOOTENAI County  
T50N R05W S07  
NESE  
95-04737

Sec 7 T 50N R 05W in KOOTENAI County.  
(0.010 CFS)  
(0.010 CFS)  
*Shawed to 6/15/1999*

CALTON, KATE  
4500 W. RIVERVIEW DRIVE  
POST FALLS, ID 83854  
Source: GROUNDWATER  
Division Pt. SWSE  
Use: DOMESTIC  
Total Division:  
Date Filed: 8/11/1999  
In: KOOTENAI County  
T50N R05W S07  
SWSE  
1.0 ACRES TOTAL  
95-04737

Sec 7 T 50N R 05W in KOOTENAI County.  
(0.020 CFS)  
(0.020 CFS)  
*Shawed to 5/6/1999*  
For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.  
Exceptions to a claim may be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814.  
Legal 646  
August 19, 26, 1999

95-09023

BUECHEL, ANGELA  
1711 N VAL VISTA DR  
MESA, AZ 85213

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: LOT 2 (NWNW) Sec 17 T 48N R 04W in KOOTENAI County.

|                  |   |            |
|------------------|---|------------|
| Use: IRRIGATION  | ( | 0.030 CFS) |
| Total Diversion: | ( | 0.030 CFS) |

Date Filed: 8/ 6/1999

In: KOOTENAI County  
T48N R04W S17 Lot 2(NWNW)

1.0 ACRES TOTAL

MICROFILMED

JAN 18 2001

August 11, 1999

Angela Buechel  
1711 N Val Vista  
Mesa AZ 85213

Re: Water Appropriation Application No. 95-09123

Dear Ms. Buechel:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE  
Senior Water Resources Agent

AB:db

MICROFILMED

JAN 18 2001

WR0749NP  
No. 95-09023

IDAHO DEPARTMENT OF WATER RESOURCES  
WATER RIGHT PROFILE REPORT

DATE: 08/10/99  
PAGE: 1

| OWNER<br>CODE    | NAME & ADDRESS                                                           | PRIORITY<br>DATE | WATER USE  | USE PERIOD<br>FROM TO | DIVERSION<br>RATE | DIVERSION<br>VOLUME |
|------------------|--------------------------------------------------------------------------|------------------|------------|-----------------------|-------------------|---------------------|
| C                | ANGELA BUECHEL<br>1711 N VAL VISTA DR<br>MESA AZ 85213<br>(602) 321-9000 | 08/06/1999       | IRRIGATION | 03/15 11/15           | 0.030 CFS         |                     |
| TOTAL DIVERSION: |                                                                          |                  |            |                       | 0.030 CFS         |                     |

Water Source: COEUR D ALENE LAKE

Tributary to: SPOKANE RIVER

Stage: APPLICATION

Point(s) of Diversion: T48N R04W S17 Lot 02( NWNW)

KOOTENAI County

Place of use Legal Description for: IRRIGATION

| NE          |     |    |   | NW |    |    |    | SW |    |    |    | SE |    |    |    |    |    |    |     |     |
|-------------|-----|----|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|
| T           | R   | S  |   | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac  | SUM |
| 48N         | 04W | 17 | : |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     | 1.0 |
| TOTAL ACRES |     |    |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | 1.0 |     |

Pou County: KOOTENAI

Dates: App. Received: 08/06/1999 Priority Date: 08/06/1999  
Proof Due Date: Proof Made Date:  
Exam Made Date: Exam Sent to S.O.:  
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 08/09/1999 User-ID: DBALL Subject: Examiner's notes.  
Pump in lake.  
POD owned by applicant and State of Idaho.  
Time required 2 years.

Audit: 08/09/99 DBALL