




THIS IS NOT A SURVEY. THIS PLAN IS SUPPLIED BY PIONEER TITLE COMPANY FOR INFORMATION PURPOSES ONLY AND THE COMPANY ASSUMES NO LIABILITY AS TO ITS ACCURACY.




95-09000

MICROFILMED
NOV 26 2003

Dept. LANDS
SHOW DIVERSION Pt.

(X)



Maped, edited, and published by the Geological Survey

Control by USGS and NOSNOAA

Topography by photogrammetric methods from aerial photographs taken 1958. Field checked 1961


Polyconic projection. 1927 North American Datum. 10,000-foot grid based on Idaho coordinate system, west zone 1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue

To place on the predicted North American Datum 1983, move the projection lines 14 meters north and 77 meters east as shown by dashed corner ticks

Fine red dashed lines indicate selected fence lines


Map photoinspected 1976

No major culture or drainage changes observed




FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

95-09000



PD



Pump House
with controls



PV



PV

MICROFILMED
NOV 26 2003



Pu




Pu

MICROFILMED
NOV 26 2003

FLOW RANGE: 18-118 GPM

OUTLET SIZE: 3" NPT

NOMINAL DIA. 6"



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
4" MOTOR STANDARD, 1.5-5 HP/3450 RPM
6" MOTOR STANDARD, 7.5-50 HP/3450 RPM.
Alternate motor sizes available.

Performance conforms to ISO 2548 Annex B
@ 5 ft. min. submergence.

MICROFILMED

APR 11 2001

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09000

Priority: October 28, 1998

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 10.5 AF

It is hereby certified that C R WEAVER And DONNA L WEAVER
6316 S HELENA ST
SPOKANE WA 99223 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated October 28, 1998; and have
submitted Proof of Beneficial Use on January 23, 2001. An examination indicates that the works have a
diversion capacity of 0.26 cfs of water from:

SOURCE

HAYDEN LAKE

Tributary: SINKS

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
FIRE PROTECTION	01/01 to 12/31	0.20 CFS	
IRRIGATION	03/15 to 11/15	0.10 CFS	10.5 AF

LOCATION OF POINT OF DIVERSION:

HAYDEN LAKE	NE $\frac{1}{4}$ SE $\frac{1}{4}$	Sec. 18, Twp 51N, Rge 03W, B.M., KOOTENAI County
HAYDEN LAKE	L9 (SE $\frac{1}{4}$ NE $\frac{1}{4}$)	Sec. 18, Twp 51N, Rge 03W, B.M., KOOTENAI County

PLACE OF USE: FIRE PROTECTION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N 03W 18				X													
				L9													

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N 03W 18				3.5													3.5
				L9													

Total Acres: 3.5

CONDITIONS OF APPROVAL

1. This right authorizes a single point of diversion.
2. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.

MICROFILMED

NOV 25 2003


State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09000

4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 25th day of April, 2003.


for KARL J. DREHER
Director

MICROFILMED

MAY 26 2003

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE)
MEASURING DEVICE CONDITION OF)
APPROVAL FOR PERMIT NO. 95-9000)
IN THE NAME OF C. R. WEAVER &)
DONNA L. WEAVER)
_____)

ORDER

WHEREAS, the Department of Water Resources (department) has issued the above captioned water right permit with a condition of approval requiring the permit holder to install/maintain a measuring device and lockable controlling works as part of the diverting works; and


WHEREAS, the department has determined that the measuring device is not presently needed to measure the water in question;

ORDER

IT IS THEREFORE HEREBY ORDERED that the condition of approval requiring the installation of a measuring device for the above captioned permit is **WAIVED**.

IT IS FURTHER ORDERED that the department retains jurisdiction to reinstate the condition in the future upon a finding of need by the department.

Dated this 25th of January, 2001.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

APR 11 2001

Charles R. and Donna L. Weaver

6316 S. Helena St.
Spokane, WA 99223
Tel: 509-448-6666 Fax: 8686
Email: weavermail@qwest.net

RECEIVED

JAN 23 2001

Department of Water Resources

January 16, 2001

State of Idaho
Department of Water Resources
1301 North Orchard Street
P.O. Box 83720
Boise, ID 83720-0098

Enclosed please find our "Proof of Beneficial Use" form along with a check for the license exam fee. Please note that we have a new mailing address for correspondence only. The physical location of 2999 Ponderosa Lane is the same. Please send any correspondence to the following address or fax number:

MAILING ADDRESS :

Charles R. and Donna L. Weaver
6316 S. Helena St.
Spokane, WA 99223
Tel: 509-448-6666 Fax: 509-448-8686
Email: weavermail@qwest.net

Thank you for your help with this.

Sincerely,



MICROFILMED

JAN 11 2001

RECEIVED

JAN 23 2001

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-090000 Telephone No. 208 667-4006

2. Name of Permit Holder(s): CR WEAVER & DONNA L. WEAVER

3. Mailing Address: 2999 PONDEROSA LANE

City HAYDEN LAKE State ID Zip 83835

4. Source of Water: HAYDEN LAKE If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
Pump
Well Driller: R.C. WORST Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): EMERGENCY
Irrigation (No. of acres): 3.5 (1.00 CFS) Other: FIRE PROTECTION (0.20 CFS)

6. Total rate of diversion and/or volume for which proof is submitted: 0.200 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is **not** optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Pump CURVE Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: CHARLES E. OAKLAND Telephone Number: 208 667-4006

Address: P.O. Bx. 5205 ODAL ID. 83814-1953

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: X R R Weaver Date: 1/12/01
(include your title, if on behalf of company or organization)

MICROFILMED

APR 11 2001

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-09000

Proposed Priority: October 28, 1998

Maximum Diversion Rate:

0.20 CFS

This is to certify, that C R WEAVER

DONNA L WEAVER

2999 PONDEROSA LN

HAYDEN LAKE ID 83835

has applied for a permit to appropriate water from:

HAYDEN LAKE

tributary of SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.10 CFS
FIRE PROTECTION	01/01 to 12/31	0.20 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 9 (SENE), Sec. 18, Township 51N, Range 03W
NESE , Sec. 18, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	03W	18	Lot 9 (SENE)	3.5		3.5

Total number of acres irrigated: 3.5

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 2001.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. This right authorizes a single point of diversion.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 95A.
6. Prior to diversion of water under this right, the right holder shall install and maintain a measuring device and lockable controlling works of a type acceptable to the Department as part of the diverting works.

MICROFILMED

APR 15 1999

State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 95-09000

CONDITIONS OF APPROVAL AND REMARKS

7. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
8. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
9. The issuance of this right does not grant any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

29th day of January, 1999.


Karl J. Dreher, Director
for

MICROFILMED

APR 15 1999

Ident. No. 95-09000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

JAN 13 1999

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant CR & Donna L. Weaver Phone 208-772-7782
Mailing address 2999 Ponderosa Lane Hayden Lake Id 83835
2. Source of water supply Hayden Lake which is a tributary of SINKS
3. Location of point of diversion is Township Hayden Lake Range 3 North Section 18 in the SE 1/4, NE 1/4, 1/4, Govt. Lot Lot 09, B.M., Block 1 - Kootenai Co County; additional points of diversion if any: P.O.D. on line between NESE and SENE

4. Water will be used for the following purposes:

- Amount 0.2 for FIRE PROTECTION purposes from Y1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 0.10 for IRRIGATION purposes from 3/15 to 1/15 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.2 0.10 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source PUMP - LINE IN LAKE
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
- d. Is ground water with a temperature of greater than 85°F being sought? ☒
- e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1 home
- e. Other; describe fully. FIRE PROTECTION

MICROFILMED

APR 15 1999

Receipt
NO 12500
\$ 50.00

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC					
NE	NW	SW	SE				
				NE	NW	SW	SE



Sec. 9

16.


Sec. 21.

Sec. 8.



APR 5 1999

THIS IS NOT A SURVEY. THIS PLAT IS SUPPLIED
BY PIONEER TITLE COMPANY FOR INFORMATION
PURPOSES ONLY AND THE COMPANY ASSUMES
NO LIABILITY AS TO ITS ACCURACY.





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 28, 2003

C R WEAVER
DONNA L WEAVER
6316 S HELENA ST
SPOKANE WA 99223

RE: License No. 95-9000 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

NOV 26 2003


CERTIFICATE OF SERVICE

I hereby certify that on April 28, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

95-9000

**C R WEAVER
DONNA L WEAVER
6316 S HELENA ST
SPOKANE WA 99223**

A handwritten signature in black ink, reading "Kari Lynn Townsend", is written over a horizontal line. The signature is cursive and fluid.

**Kari Lynn Townsend
Secretary**

MICROFILMED

NOV 28 2003

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Comment Report

95-9000

1. kwalker 4/21/2003 System Capacity

Comment: Permit holder submitted a pump curve with his proof of beneficial use. The pump curve shows the system capable of producing between 18 and 118 gpm. Since examiner only conducted a theoretical calc which came up to 0.05 cfs and then a bucket measurement which came up to 0.06 cfs, I recommend using the pump curve for licensing this permit. Allow 0.20 cfs for fire protection and 0.10 cfs for irrigation purposes as permitted.

2. DBALL 10/29/1998 DIVERSION DESCRIPTION

Comment: POD owned by Idaho Dept. of Lands/applicant. POD on line between NESE and SENE. Encroachment permit from IDL. Gov't lot 9, subdivision lot 17 in block 1. Pump and line in lake.

MICROFILMED

NOV 26 2003

LICENSE REVIEW CHECKLIST

Permit No. 95-9000 Date: 4-21-03 Reviewer: Kay Walker

Change/OK

Name/Address ok

Source ok
Point of Diversion: ok

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use ok

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): none
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.20 cfs
Fee Limit 0.20 cfs
Measured _____ cfs
Theoretical 0.20 cfs

Recommended Total Diversion Rate 0.20

Water Uses

ok Change (P46)

Season of Use per new Standards

3-15 11-15

Irrigation 0.09 cfs 10.5 af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
Fire 0.20 cfs _____ af
Total 0.20 cfs 10.5 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)
overlap spec combined rts (W35)
<1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (106/R07)
Payette - (W22/047/27A)
Stockwater for US (R37)

Volume Determination

0.09 cfs x 1.9835 x 246 days = 43.9 af (vs) 3.5 acres x 3.0 (FHR) = 10.5 af
2.0(con)

Remarks: _____

Additional Conditions _____ Watermaster Control
_____ GW Measurement/Measuring Device
_____ Other
Trust R56 - remove 051)
Non-trust (048)

GW Dist? _____
Water Msmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? yes If yes, explain why below.
no

SRBA Claim?

Not req'd

Adjust memo

yes -

Amend Letters _____ P87, S06

Second Amendment Notice _____ S06

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 26 2001

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-09000

1. Owner: C.R. & Donna L. Weaver Phone No. (208) 667-4006

Current Address: 2999 Ponderosa Lane, Hayden Lake Id. 83835

2. Accompanied by: Charles Oakland EXAM DATE: 07-24-01

Address: P.O. Box 5205 Coeur d'Alene Id 83814-19 Phone No. (208) 667-4006

Relationship to Permit Holder: Installed system

3. Source: Hayden Lake tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NE	18	51N	03W	Kootenai	USGS	Quand
Single Point on the Line		NE	SE	18	51N	03W	Kootenai	USGS	

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	03W	18				3.5													3.5

MICROFILMED

NOV 26 2003

2

3.5

Thyden

100' 1 1/2" 100'

王

1000

100-100000



Account Control
Private Storage

Scalar: $T =$

Photo Attached
Required for irrigation of

Photo of Division and System Attached

Well or Diversion
Identification No.*

Motor Make

 d_1

Motor Serial No.	
------------------	--

Jump Make

Pump Serial No. or Discharge Size

1

*Code to correspond with No. on map and aerial photo

Well or Diversion No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

1964 3 2 1011
MICROFILMED

E. NARRATIVE/REMARKS/COMMENTS

Irrigation is for bushes, shrubs, trees, and to keep green zone

There is a 150 vertical difference from pump to most of irrigated area.

I did a theoretical calculation $\frac{8.8(2)(.075)}{150 + (2.31 \times 41)} = \frac{12.32}{258.57} = .05$

Then I did a 5 gal bucket measurement near garage, that's about $\frac{1}{4}$ of the way to top of irrigated area. I got 5 gal in 12 sec 25 gpm

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

NOV 26 2003

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached
 5 gal bucket 5 gal in 12 sec = 25 gpm
 $25 \times 1.133681 = 10.55 = 10.6 \text{ cfs}$
 60

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 30.5 \times 3 = 10.5$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \times 245 \times 1.9835 = 2.9$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 10.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Wagner Borker
Wagner Borker

Period of Use
 From To

03-15 11-15
 01-01 12-31

Rate of Diversion
 Q (cfs)

1.06
 1.06

Annual Volume
 V (afa)
 10.5

2. Recommended Amendments

Change P.D. as reflected above
 Change P.U. as reflected above

Add P.D. as reflected above
 Add P.U. as reflected above
 None
 Other

I. AUTHENTICATION

Field Examiner's Name

Date


Wagner Borker
 Date 01-17-01

Reviewer

SEAL

MICROFILMED
 NOV 8 2003

THIS IS NOT A SURVEY. THIS PLAN IS SUPPLIED BY PIONEER TITLE COMPANY FOR INFORMATION PURPOSES ONLY AND THE COMPANY ASSUMES NO LIABILITY AS TO ITS ACCURACY.




Dept. LANDS

SHOW DIVERSION Pt.

~~MICROFILMED~~

~~NOV 28 2003~~



95-09000

MICROFILMED
NOV 26 2003

Maped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial photographs taken 1958. Field checked 1961


Polyconic projection. 1927 North American Datum 10,000-foot grid based on Idaho coordinate system, west zone 1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue

To place on the predicted North American Datum 1983, move the projection lines 14 meters north and 77 meters east, as shown by dashed corner ticks


Fine red dashed lines indicate selected fence lines

Map photoinspected 1976

No major culture or drainage changes observed



UTM GRID AND 1961 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET



CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
NATIONAL GEODETIC DATUM OF 1929



QUADRANGLE LOCATION


FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

95-09000



pu


Pump House
with controls



pu

pu

MICROFILMED
NOV 2 5 2003



pu

pu

MICROFILMED

938 2 6 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

January 25, 2001

C R WEAVER
DONNA L WEAVER
6316 S HELENA ST
SPOKANE WA 99223

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-09000

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Enclosed is an Order waiving the measuring device requirement for this right. You will be notified if this order is revoked in the future, if the department determines that a measuring device is necessary for equitable distribution of water from Hayden Lake.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **Northern** Regional Office of the department in Coeur d'Alene, Idaho at (208)769-1450.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office

MICROFILMED

APR 11 2001


FLOW RANGE: 18-118 GPM

OUTLET SIZE: 3" NPT

NOMINAL DIA. 6"

MAX. FOR FIRE

41 gpm USE FOR IRRIGATION



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
4" MOTOR STANDARD, 1.5-5 HP/3450 RPM
6" MOTOR STANDARD, 7.5-50 HP/3450 RPM.
Alternate motor sizes available.

Performance conforms to ISO 2548 Annex B
@ 5 ft. min. submergence.

MICROFILMED

APR 1 1 1981

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9000

Reviewed By: dgibson

Date: January 25, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		C051980	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?	X	
Name and address same as permit?		X	Measuring device installed?		X
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		01/23/2001
Date proof due	-	02/01/2001
No. of days late	=	0
Holiday allowance	+	
Priority date	+	10/28/1998
New priority date	=	10/28/1998

Deficiencies of Actions Items

Acknowledge proof. Find out if a pump curve is a measuring device. *Issue an Order waiving measurement device at this time.*

Idaho Department of Water Resources Receipt


Receipt ID C051980

Payment Amount	\$50.00	Date Received	1/23/01 9:58:13 AM	Region	State	Status
Payment Type	Check	Check Number	1213			

Payer WEAVER CRComment WATER RIGHT # 95-09000

Fee Detail

Amount	Description	Fund	FD	PCA	SO
\$50.00	BENEFICIAL USE	0229	21	56104	1155



Signature Line (Dept. Representative)

MICROFILMED

APR 11 2001

November 30, 2000

C R WEAVER
DONNA L WEAVER
2999 PONDEROSA LN
HAYDEN LAKE ID 83835

PROOF DUE NOTICE

RE: PERMIT NO. 95-09000

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 2001. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

DEBORAH GIBSON
Administrative Assistant

Enclosures

MICROFILMED

APR 1 2001





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

February 2, 1999

C R WEAVER
DONNA L WEAVER
2999 PONDEROSA LN
HAYDEN LAKE ID 83835

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-09000

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control the rate of diversion.


Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

1/23/99 FILMED

FEB 15 1999

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

MICROFILMED
APR 15 1999

CERTIFICATE OF MAILING

I hereby certify that on the 2nd day of February, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 95-09000

C R WEAVER
DONNA L WEAVER
2999 PONDEROSA LN
HAYDEN LAKE ID 83835


Kari Lynn Townsend
Secretary

MICROFILMED

APR 15 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

APR 15 1998

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 15 1999

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by Cindy LouNo.: 95-09000 Name: Weaver Date: 1/27/99 Ad OK? ☒ ☒ Gvmt Lts: _____

AREA OF CONCERN:

- No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED:

- 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

> 1 year

- 26A-P17

≤ 1 year/no proof

- P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT:

All wells (✓ WDQ3)

- 046-P23

In Basin 34?

- 085

Irr. within WD

- P05 (new well location)

WMD (✓ MAP)

- North / East / West

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

WMD Supplemental use

- 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

> 0.24 cfs/5 acres

- 01M (report when notified)

≤ 0.24 cfs/5 acres

- No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED:

- Yes / No; WHEN: _____ ? RESPONSE: None

IN/ABOVE MIN. STR. FLOW (✓ MAP)

- *WB9

WD (✓ MAP & LISTING)

- R04 (WD # 95)

> 0.10 cfs

- 01J-P08 (MD & LD)

≤ 0.10 cfs

- 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

In-stream dev.

- P52 (stream channel alteration)

RIVER BASINS: (*Surface water):

Snake R (01)

- *W22-P04, NA

(02/03-irr)

- 007 (w/ remark *WB9 if above Weiser), NA

Payette R(65)

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

Salmon R (70's)

- 029 (fish screens), NA

Weiser R (67)

- 086, 087

USE:

Storage (✓ 3 compo.)

- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

Irr ≤ 5 acres

- R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)

> 5 acres

- R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)

Stockwater

- R37 (BLM/USFS); NA

Mining

- 054(req)-081-P10

Fish Propagation

- 029(70's only)-007-042(req)-081 (WQ)-P10

Heating/Cooling

- R07 (injection well)

Power

- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);

17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

Municipal

- 022, 075, 004 (+memo?), NA (not in restricted area)

Domestic surface

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

>1 in rest. area

- 071-070

Fire Protection

- 077

LOCATION:

Boise Front LoGeo

- 058 (<85° GW temp only)

Mitigation

- 120

42-248 area

- P84 (in 20/30/40/50/60/70/80 (87) basin)

SWAN FALLS FLAG (See Code Chart)

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust (1)

- 048-049 (Consumptive Uses), NA

OWNERSHIP:

OTHER CONDITIONS:

- 004 (PD/PU) Dept. of Lands

STANDARD REMARKS:

- 076

BENEFICIAL USE DUE:

- 2 / 1 / 2001

COMMENTS:

IDAHO DEPARTMENT OF WATER RESOURCES
APPLICATION ANALYSIS SHEET

RECEIVED

JAN 13 1999

WRI
WRA
DCA

APPLICATION # 95-09000

INITIAL REVIEW

DEPARTMENT OF WATER RESOURCES

APPLICANT: WEAVER

BY: AB

DATE: 10/28/98

ITEM REQUIRED INFORMATION

1. (✓) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
 - (X) Nature of Proposed Use
 - (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
 - (X) Signature
 - (X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes) (No)

- ✓ Field check: by _____
- ✓ Field report attached
- ✓ Analysis Supp. attached (>5cfs/500af)
- ✓ Water delivered by water master?
- Water District # 95-A

PROCESSING

(Yes) (No) PRIORITY DATE: 10/28/98

X (Include Moratorium Remark)

X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: ROOTENAI County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()

- ✓ Groundwater management area
- ✓ Critical ground water area
- ✓ Well Drilling Permit required
- ✓ Well Drilling Application and Fees received
- ✓ Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- ✓ Notice of pending void order issued. Final order response date: 12/1/98
- ✓ Further information required from applicant
- ✓ Affidavit of publication received
- ✓ Application published correctly. If not, record action taken: _____

Publication dates and paper recorded on application | Sr. Agent initial AB

Protests received, Final protest date: 12/7/98

Measuring device required

Measuring port required

Special conditions:

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB

Date: 12/28/98

Memorandum to File

Date: December 28, 1998

From: Beardslee

File: 95-09000

RE: Fish and Game review of surface water Application for Permit

~~~~~  
The Idaho State Fish and Game Department was given the opportunity to review this filing, in addition to our notification of new water right filings list.

Northern Region was given no negative response to the approval of this filing.

MICROFILMED

APR 13 1999

# AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,  
County of Kootenai,

} ss.

STACIE WALKER

being first duly sworn  
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The LEGAL NOTICE

of which the annexed is a printed copy, was published in the regular THURSDAY issue of said newspaper for 2 consecutive WEEKS commencing on the 19 day of NOVEMBER, 19 98 and ending on the 26 day of NOVEMBER, 19 98, and such publication was made as often during said period as said DAILY newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Stacie Walker

Subscribed and sworn to before me this 26 day of NOVEMBER, 19 98.

Regina Mason

Notary Public for the State of Idaho,  
residing at Coeur d'Alene, Idaho.

MY COMMISSION EXPIRES 6/18/03

MICROFILMED

APR 1 1999

## NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-09000

WEAVER, C R  
WEAVER, DONNA L  
2999 PONDEROSA LANE  
HAYDEN LAKE, ID 83835  
Source: HAYDEN LAKE

ok

Diversion Pt: LOT 9 (SENE)  
NESE

Tributary: SINKS  
Sec 18 T 51N R 03W in KOOTENAI County.  
Sec 18 T 51N R 03W in KOOTENAI County.

Use: IRRIGATION  
FIRE PROTECTION  
Total Diversion:

(0.100 CFS)  
(0.200 CFS)  
(0.200 CFS)

Date Filed: 10/28/1998

In: KOOTENAI County  
T51N R03W S18 Lot 9 (SENE)  
3.5 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before DECEMBER 7, 1998.

KARL J. DREHER, Director.

Legal 236  
November 19, 26, 1998

RECEIVED

DEC 04 1998

IDWR/North

95-09000

WEAVER, C R  
WEAVER, DONNA L  
2999 PONDEROSA LANE  
HAYDEN LAKE, ID 83835

Source: HAYDEN LAKE

Tributary: SINKS

Diversion Pt: LOT 9 (SENE) Sec 18 T 51N R 03W in KOOTENAI County.  
NESE Sec 18 T 51N R 03W in KOOTENAI County.

|                  |   |            |
|------------------|---|------------|
| Use: IRRIGATION  | ( | 0.100 CFS) |
| FIRE PROTECTION  | ( | 0.200 CFS) |
| Total Diversion: | ( | 0.200 CFS) |

Date Filed: 10/28/1998

In: KOOTENAI County  
T51N R03W S18 Lot 9(SENE)

3.5 ACRES TOTAL

MICROFILMED

APR 15 1999

November 10, 1998

C R & Donna L Weaver  
2999 Ponderosa Lane  
Hayden Lake ID 83835

Re: Water Appropriation Application No. 95-09000

Dear Mr. and Mrs. Weaver:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE  
Senior Water Resources Agent

AB:db

MICROFILMED  
APR 15 1999