


Portions of

Kootenai County, Idaho



SUPERVISOR'S CERTIFICATION


1. J. CHRIS PRAHL P.L.S. ASSE STATE OF CALIF
DO HEREBY CERTIFY THAT THIS PLAN REPRESENTS
A SURVEY DONE BY ME OR UNDER MY SUPERVISION
AND THAT REQUIREMENTS OF CHAPTER 13, TITLE
53, IDARIO CODE HAVE BEEN MET.

BASIS OF BEARING

COLLOCATED LINE FROM THE WEATHER CARRIER ON THE SOUTH SIDE OF LOWER FOX LAKE. THE LINE OF SECTION B TO THE SOUTHWEST CORNER OF BLOCK 8 OF EXHIBITOR EACH WHICH IS 38105.17 FT.

(NOT IN SUBDIVISION)

SCALE 1" = 150'




MICROFILMED
SEP 16 1997

07/26/94 08:49

208 664 6

CPIL CDA DIV.

003




10, SEC 6

SEC 5

LOWER TWIN LAKES

EX. 1/2" x 5" PIPE ARC
S 53° 10' W - 26.2' - 18" CEDAR
S 10° E - 42.76' - 14" CEDAR



PLAT OF SURVEY OF A PORTION OF CONT LOT 9, SEC. 5;
T. 52N. R. 4W., B.M., KOOTENAI COUNTY, IDAHO

DRAWN	CHECKED	SCALE 1" = 100'	REVISIONS	DATE
LEC				

MICROFILMED
SEP 16 1997

EX. 1/2" x 5" PIPE ARC

TOWNSHIP 52 N., RANGE 4 W. B. M.
KOOTENAI COUNTY IDAHO

KOOTENAI COUNTY, IDAHO

(b)

P-4.

95-08963



POWER PUMP & ELECTRIC SUPPLY
 WHOLESALE DISTRIBUTOR
 4101 EAST BROADWAY
 SPOKANE, WA. 99202
 (509) 534-5616
 FAX (509) 535-6539



INVOICE

Invoice #: 0071495
 Order #: 0087026

2-99999
 CASH SALE - SPOKANE

SHIP
TO

99
 HEARTHSTONE HOMES
 C/O JAMES DAVIS
 SPOKANE WA.

Order Date: 04/08/96

ACCOUNT NO.	SALES MAN NO.	PURCHASE ORDER NO.	SHIP VIA	COL. PPD	DATE SHIPPED	TERMS	INVOICE DATE	PAGE
299999	By: AES		RL/COLL		04/08/96	CASH	04/08/96	1
QTY. ORDERED	QTY. SHIPPED	QTY. BACK ORDERED	ITEM NO.	DESCRIPTION	UNIT PRICE	DISC. %	EXTENDED PRICE	
				GNFX 16S10-10 1HP 230/1 F3W				
				GNF10394510				
				** 3 COMPONENTS BELOW **				
1	1		S GNF10010010	GRNDFS PE 4" 16S10-10 1HP	EA 360.000	35.0	234.00	
1	1		S GNF024104F	GRNDFS MTR 4" 1HP 230/1 F3W	EA 284.000	35.0	184.60	
1	1		S GNF02F441	GRNDFS MTR LEAD 14/3 W/G 48" F	EA 18.000	35.0	11.70	
1	1		S GNF02456904	GRNDFS CNTRL BOX 1HP 230V B	EA 74.000	35.0	48.10	
1	1		S WXT302	WELL-X-TROL TK V86 26X48 1.25"	EA 515.000	40.0	309.00	
1	1		S GLVN12120	GALV NIPPLE SCH 40 1-1/4"X12"	EA 12.840	70.0	3.85	
1	1		S TKT125A	TANK TEE GALV 1-1/4"	EA 11.500	25.0	8.63	
1	1		S S0DF502	S0D SW PRES 1-1/2HP 20-65 PSI	EA 17.000	40.0	10.20	
1	1		S GLVN02040	GALV NIPPLE SCH 40 1/4"X4"	EA 1.990	70.0	.60	
1	1		S CBLPG1T	CAMPBELL GAUGE 2"X100PSI 1/4"	EA 4.750	40.0	2.85	
1	1		S WKNP100007	WILKENS RLF VLV P1000 750 3/4"	EA 9.000	40.0	5.40	
1	1		S CBLHB3T	CAMPBELL HOSE BIB BRGS 3/4"	EA 3.680	30.0	2.58	

Continued

MICROFILMED
 AUG 25 1998

SALE AMOUNT
 MISC. CHARGES
 SALES TAX
 FREIGHT

TOTAL ►

THANK YOU

20% Restocking charge on return goods. Returns must be accompanied by original invoice. A service charge of 1-1/2% per month, with a minimum charge of 50 cents, is made on all past due account balances. This is an annual rate of 18% and is correspondingly larger if the minimum charge is used.

PERMIT # 95-08963


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Place of USE

Pressure/
Filter
System



Point of
diversion

RECEIVED
AUG 25 1998

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 95-08963

Priority: May 12, 1997

Maximum Diversion Rate:
Maximum Diversion Volume:

0.02 CFS
0.6 AF

This is to certify, that ROBERT KUHN
2118 2ND ST

BAKERSFIELD CA 93304 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 12, 1997; and
has submitted Proof of Beneficial Use on August 18, 1997. An examination indicates
that the works have a diversion capacity of 0.030 cfs of water from:

TWIN LAKES

tributary to RATHDRUM CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 9(NWSW), Sec. 5, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 04W 5 Lot 9(NWSW)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 95C.
6. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.


MICROFILMED
AUG 25 1998

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 95-08963

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 10th
day of August, 1998.


Acting for KARL J. DREHER, Director

RECEIVED
AUG 23 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

AUG 18 1997

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08963 Telephone No. 805 324-3223
2. Name(s) of Permit Holder(s): ROBERT KUHN
3. Mailing Address: 2118 2ND ST. BAKERSFIELD, CA 93304
4. Source of Water: SURFACE (LAKES) ^{TWIN PATTERSON CREEK} If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
 - a. Well Driller: _____ Drilling Permit Number: _____
 - b. **OPTIONAL:**
Pump Horsepower: 1 Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): 0
Irrigation (No. of acres): 0 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .04 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____	or	No <u>✓</u>
	Has the measuring device been installed?	Yes _____	or	No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No <u>✓</u>
	Has the measurement port been installed?	Yes _____	or	No <u>✓</u>
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: ROBERT KUHN Telephone Number: 805 324-3223
Address: 2118 2ND ST, BAKERSFIELD CA

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature]
(include your title, if on behalf of company of organization)

Date: 8/13/97

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08963

Proposed Priority: May 12, 1997

Maximum Diversion Rate:

0.04 CFS

This is to certify, that ROBERT KUHN

2118 2ND ST

BAKERSFIELD CA 93304

has applied for a permit to appropriate water from:

TWIN LAKES

tributary of RATHDRUM CREEK

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 9(NWSW), Sec. 5, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 04W 5 Lot 9(NWSW)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1998.
2. Subject to all prior water rights.
3. Use of water under this water right will be regulated by the watermaster of State Water District No. 95C.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

25th day of July, 1997.

Karl J. Dreher

Karl J. Dreher, Director

for

Ident. No. 95-08963

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED

JUL 14 1997

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant ROBERT KUHN Phone 805 324-3223
Mailing address 2118 2ND ST, BAKERSFIELD CA 93304
2. Source of water supply Lower Twin Lake which is a tributary of RATHDRUM CREEK
3. Location of point of diversion is Township S2 NORTH Range 4 WEST Sec. 5, in the SW 1/4, NW 1/4, SW 1/4, Govt. Lot 9, B.M., KOOTENAI COUNTY County;
additional points of diversion if any: 300 FT EAST OF
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source 1 HP SUBMERSIBLE PUMP + PIPE TO HOUSE
 - b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total reservoir capacity NA acre-feet
 - c. Proposed well diameter is NA inches; proposed depth of well is NA feet
 - d. Is ground water with a temperature of greater than 85° F being sought? NO
 - e. If well is already drilled, when? NA; Drilling firm NA;
Well was drilled for (well owner) NA; Drilling Permit No. NA
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. 1
 - e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N	4W	5										D							2085

Total number of acres to be irrigated D10. Describe any other water rights used for the same purposes as described above. RIPARIAN?

11. a. Who owns the property at the point of diversion? ROBERT + MICHAEL Kuhn APPLICANT
- b. Who owns the land to be irrigated or place of use? SAME APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: WATER IS FOR DOMESTIC USE IN A VACATION CABIN. IT IS SITUATED ON ROCK AND THERE WILL BE NO LAWN OR LANDSCAPING.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.




Signature of Applicant (and title, if applicable)

Received by db Date 5/12/97 Time 3:00 P Preliminary check by _____
 Fee \$ 50.00 Receipted by db # N011177 Date 5/12/97
 Publication prepared by db Date 5/23/97 Published in CAA Press 6/5 + 1/2/97
 Publication approved db Date 6/11/97

SEP 16 1997

RECORD OF SURVEY (SHEET 1 OF 2)

Excelsior Beach, Springwater Addn to Excelsior Beach & East 1/2
 Section 6, Township 52 North, Range 4 West B.M.
 Kootenai County, Idaho



LINE TABLE

LINE	BEARING	DISTANCE
1	S 87° 24' 00" W	10.00
2	S 87° 24' 00" W	10.00
3	S 87° 24' 00" W	10.00
4	S 87° 24' 00" W	10.00
5	S 87° 24' 00" W	10.00
6	S 87° 24' 00" W	10.00
7	S 87° 24' 00" W	10.00
8	S 87° 24' 00" W	10.00
9	S 87° 24' 00" W	10.00
10	S 87° 24' 00" W	10.00
11	S 87° 24' 00" W	10.00
12	S 87° 24' 00" W	10.00
13	S 87° 24' 00" W	10.00
14	S 87° 24' 00" W	10.00
15	S 87° 24' 00" W	10.00
16	S 87° 24' 00" W	10.00
17	S 87° 24' 00" W	10.00
18	S 87° 24' 00" W	10.00
19	S 87° 24' 00" W	10.00
20	S 87° 24' 00" W	10.00
21	S 87° 24' 00" W	10.00
22	S 87° 24' 00" W	10.00
23	S 87° 24' 00" W	10.00
24	S 87° 24' 00" W	10.00
25	S 87° 24' 00" W	10.00
26	S 87° 24' 00" W	10.00
27	S 87° 24' 00" W	10.00
28	S 87° 24' 00" W	10.00
29	S 87° 24' 00" W	10.00
30	S 87° 24' 00" W	10.00

LEGEND

- 1. 3/4" x 1/2" BEAK WITH PLASTIC CAP
- 2. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 3. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 4. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 5. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 6. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 7. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 8. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 9. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 10. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 11. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 12. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 13. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 14. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 15. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 16. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 17. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 18. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 19. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 20. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 21. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 22. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 23. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 24. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 25. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 26. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 27. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 28. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 29. 1/4" PLASTIC CAP ALIGNED WITH 2415
- 30. 1/4" PLASTIC CAP ALIGNED WITH 2415

NOTES

1. 3/4" x 1/2" BEAK WITH PLASTIC CAP
 2. 1/4" PLASTIC CAP ALIGNED WITH 2415
 3. 1/4" PLASTIC CAP ALIGNED WITH 2415
 4. 1/4" PLASTIC CAP ALIGNED WITH 2415
 5. 1/4" PLASTIC CAP ALIGNED WITH 2415
 6. 1/4" PLASTIC CAP ALIGNED WITH 2415
 7. 1/4" PLASTIC CAP ALIGNED WITH 2415
 8. 1/4" PLASTIC CAP ALIGNED WITH 2415
 9. 1/4" PLASTIC CAP ALIGNED WITH 2415
 10. 1/4" PLASTIC CAP ALIGNED WITH 2415
 11. 1/4" PLASTIC CAP ALIGNED WITH 2415
 12. 1/4" PLASTIC CAP ALIGNED WITH 2415
 13. 1/4" PLASTIC CAP ALIGNED WITH 2415
 14. 1/4" PLASTIC CAP ALIGNED WITH 2415
 15. 1/4" PLASTIC CAP ALIGNED WITH 2415
 16. 1/4" PLASTIC CAP ALIGNED WITH 2415
 17. 1/4" PLASTIC CAP ALIGNED WITH 2415
 18. 1/4" PLASTIC CAP ALIGNED WITH 2415
 19. 1/4" PLASTIC CAP ALIGNED WITH 2415
 20. 1/4" PLASTIC CAP ALIGNED WITH 2415
 21. 1/4" PLASTIC CAP ALIGNED WITH 2415
 22. 1/4" PLASTIC CAP ALIGNED WITH 2415
 23. 1/4" PLASTIC CAP ALIGNED WITH 2415
 24. 1/4" PLASTIC CAP ALIGNED WITH 2415
 25. 1/4" PLASTIC CAP ALIGNED WITH 2415
 26. 1/4" PLASTIC CAP ALIGNED WITH 2415
 27. 1/4" PLASTIC CAP ALIGNED WITH 2415
 28. 1/4" PLASTIC CAP ALIGNED WITH 2415
 29. 1/4" PLASTIC CAP ALIGNED WITH 2415
 30. 1/4" PLASTIC CAP ALIGNED WITH 2415

BASIS OF BEARING

1. 3/4" x 1/2" BEAK WITH PLASTIC CAP
 2. 1/4" PLASTIC CAP ALIGNED WITH 2415
 3. 1/4" PLASTIC CAP ALIGNED WITH 2415
 4. 1/4" PLASTIC CAP ALIGNED WITH 2415
 5. 1/4" PLASTIC CAP ALIGNED WITH 2415
 6. 1/4" PLASTIC CAP ALIGNED WITH 2415
 7. 1/4" PLASTIC CAP ALIGNED WITH 2415
 8. 1/4" PLASTIC CAP ALIGNED WITH 2415
 9. 1/4" PLASTIC CAP ALIGNED WITH 2415
 10. 1/4" PLASTIC CAP ALIGNED WITH 2415
 11. 1/4" PLASTIC CAP ALIGNED WITH 2415
 12. 1/4" PLASTIC CAP ALIGNED WITH 2415
 13. 1/4" PLASTIC CAP ALIGNED WITH 2415
 14. 1/4" PLASTIC CAP ALIGNED WITH 2415
 15. 1/4" PLASTIC CAP ALIGNED WITH 2415
 16. 1/4" PLASTIC CAP ALIGNED WITH 2415
 17. 1/4" PLASTIC CAP ALIGNED WITH 2415
 18. 1/4" PLASTIC CAP ALIGNED WITH 2415
 19. 1/4" PLASTIC CAP ALIGNED WITH 2415
 20. 1/4" PLASTIC CAP ALIGNED WITH 2415
 21. 1/4" PLASTIC CAP ALIGNED WITH 2415
 22. 1/4" PLASTIC CAP ALIGNED WITH 2415
 23. 1/4" PLASTIC CAP ALIGNED WITH 2415
 24. 1/4" PLASTIC CAP ALIGNED WITH 2415
 25. 1/4" PLASTIC CAP ALIGNED WITH 2415
 26. 1/4" PLASTIC CAP ALIGNED WITH 2415
 27. 1/4" PLASTIC CAP ALIGNED WITH 2415
 28. 1/4" PLASTIC CAP ALIGNED WITH 2415
 29. 1/4" PLASTIC CAP ALIGNED WITH 2415
 30. 1/4" PLASTIC CAP ALIGNED WITH 2415

SURVEYOR'S CERTIFICATION

I, J. CHRIS PEARL, PLS. ASSE STATE OF IDAHO
 DO HEREBY CERTIFY THAT THIS PLAT REPRESENTS
 A SURVEY DONE BY ME OR UNDER MY SUPERVISION
 AND THAT THE ELEMENTS OF THE SURVEY ARE
 53. IDAHO CODE HAVE BEEN MET




07/26/94 08:49

208 664 6

CPIL CDA DIV.

003



5775

LOWER TWIN LAKES



PLAT OF SURVEY OF A PORTION OF GOV'T LOT 9, SEC. 5,
T52N R4W BM KOOTENAI COUNTY, IDAHO

DATE				
REVISIONS				
SCALE 1" = 100'				
DRAWN <i>EC</i>				
CHECKED				
APPROVED				

CC-1 NC-1 X-1



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 11, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ROBERT KUHN
2118 2ND ST
BAKERSFIELD CA 93304

RE: WATER RIGHT NO. 95-08963

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

AUG 25 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 11th day of August, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 95-08963

ROBERT KUHN
2118 2ND ST
BAKERSFIELD CA 93304


Kari Lynn Townsend
Secretary

NOTED/ALL

888 2 5 888

MEMORANDUM

TO: File 95-08963

FROM: Sharla

DATE: July 31, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit No. 95-08963 are as follows:

H. RECOMMENDATIONS

Domestic	1/1 - 12/31	0.02 cfs	0.6 afa
----------	-------------	----------	---------

The use is in-house only; the rate has been adjusted accordingly.

Exam Date: July 6, 1998

Examiner: David David Pagel

REC'D 12/1/98
AUG 25 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08963 DATE 8/3/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK ☐ Change (P39 /P47) ☐ Add (P45/P42) Feds - P40
 W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK ☐ Change (P41/P47) ☐ Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .04 cfs
 Fee limit .20 cfs \$50⁰⁰
 Measured .03 cfs
 Theoretical .03 cfs @ 100' lift and 40 psi
 Recommended Total Div Rate .02 cfs

WATER USES	Change (P46)		
<u>Dom</u>	<u>.02</u> cfs	<u>.6</u> af	Irrig - overlap (R58-R61, R62-R65, R66-R69)
_____	_____ cfs	_____ af	supp. gw (WB7/065/079)
_____	_____ cfs	_____ af	overlap spec. combined rts (W35)
_____	_____ cfs	_____ af	<1acre (W31)
_____	_____ cfs	_____ af	Domestic (W01/WB5/070/071/075)
TOTALS	<u>.02</u> cfs	<u>.6</u> af	Power (W42 or W43/025/027/R22 or R23)
			Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .02 cfs X 365 days X 1.98 = 14.5 af

REMARKS _____

ADD'L CONDITIONS P04 Watermaster Control WD# 951
☐ GW Measurement/Measuring Device
☐ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority ☒ yes ☐ no SRBA Claim _____ Adjust Memo date
 Amend letters _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 13 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08963

1. Owner: Robert Kuhn Phone No. (805) 324-3223

Current Address: 2118 2nd St. Bakersfield CA 93304

2. Accompanied by: Robert Kuhn EXAM DATE: July 6, 1998

Address: Same Phone No. _____

Relationship to Permit Holder: Self

3. Source: Twin Lakes tributary to Rathdrum Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	09		NW	SW	5	52N	4W	Kootenai	USGS 7.5' Quad., Metsker, Gov't. Lot Index

2. Place(s) of Use:


Indicate Method of Determination USGS 7.5' Quad., Metsker

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N	4W	5																	

MICROFILMED

AUG 25 1998

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale 1" = 1/4"
☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Aerial Photo Attached (required for irrigation of 10+ acres)
☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1		Grundfos	16510-10

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket/stopwatch					4 gal.	

2. Measurements:

4 gal / 40 sec, Taken from 1/2" hose

Aug 25 1998

MICROFILM

E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted from Twin Lakes for domestic use, using a 1-horsepower pump. Water is being pumped through approximately 100 ft. x 2" (i.d.) pvc pipe into a in-house filter system at a rate of .03 cfs (13.46 gpm). = Theoretical Calculation

I recommend .03 cfs as the diversion rate based on the Theoretical Pump Efficiency Calculation and the annual volume of .6 afa due to the domestic use only with no irrigation of lawn or landscaping.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

AUG 25 1998

F. FLOW CALCULATIONS

Measured Method:

$$4 \text{ gal.} = \frac{40 \text{ sec.}}{60 \text{ sec.}} \times \frac{240}{40} = 240 \text{ } \cancel{\text{sec.}} \text{ } \cancel{\text{sec.}} = 6 \text{ gal./min.}$$

See Theoretical Calculation

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: V_A

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

From

01/01

Period of Use

To

12/31

Rate of Diversion

Q (cfs)

.03

Annual Volume

V (afa)

.6

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Other

I. AUTHENTICATION

Field Examiner's Name

David A. Regel

Date

July 7, 1998


Reviewer

Date

SEAL

AUG 25 1998

MICROFILM





Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial
photographs taken 1958 and planetable surveys 1961

Polyconic projection. 1927 North American datum



**METSKER
MAPS**

KOOTENAI COUNTY, IDAHO

P.D.



25 199

26

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08963, R. KUHN
DATE: 7-JUL-98
COMPLETE BY: PAGEL

HORSEPOWER = 1

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 60 FEET


SYSTEM PRESSURE = 50 PSI

QUANTITY = 0.03 CFS

RECEIVED
ADA 25 1998

POWER PUMP & ELECTRIC SUPPLY

WHOLESALE DISTRIBUTOR
4101 EAST BROADWAY
SPOKANE, WA. 99202
(509) 534-5616
FAX (509) 535-6539



INVOICE

Invoice #: 0071495
Order #: 0087026

2-99999
CASH SALE - SPOKANE

SHIP
TO

99
HEARTHSTONE HOMES
C/O JAMES DAVIS
SPOKANE WA.

Order Date: 04/08/96

ACCOUNT NO.	SALES ORDER NO.	PURCHASE ORDER NO.	SHIP VIA	COL.	PPD	DATE SHIPPED	TERMS	INVOICE DATE	PAGE
299999	By: AES		RL/COLL			04/08/96	CASH	04/08/96	1
QTY. ORDERED	QTY. SHIPPED	QTY. BACK ORDERED	ITEM NO.	DESCRIPTION			UNIT PRICE	DISC. %	EXTENDED PRICE
				GNFX 16S10-10 1HP 230/1 F3W					
				GNF10394510					
				** 3 COMPONENTS BELOW **					
1	1		S GNF10010010	GRNDFS PE 4" 16S10-10 1HP			EA	360.000	35.0 234.00
1	1		S GNF824104F	GRNDFS MTR 4" 1HP 230/1 F3W			EA	284.000	35.0 184.60
1	1		S GNF82F441	GRNDFS MTR LEAD 14/3 W/G 40" F			EA	18.000	35.0 11.70
1	1		S GNF82456904	GRNDFS CNTRL BOX 1HP 230V 0			EA	74.000	35.0 48.10
1	1		S WXT302	WELL-X-TROL TK V86 26X48 1.25"			EA	515.000	40.0 309.00
1	1		S GLVN12120	GALV NIPPLE SCH 40 1-1/4"x12"			EA	12.840	70.0 3.85
1	1		S TKT125A	TANK TEE GALV 1-1/4"			EA	11.500	25.0 0.63
1	1		S SQDF502	SQD SW PREB 1-1/2HP 20-65 PSI			EA	17.000	40.0 10.20
1	1		S GLVN02040	GALV NIPPLE SCH 40 1/4"x4"			EA	1.990	70.0 .60
1	1		S CBLP61T	CAMPBELL GAUGE 2"x100PSI 1/4"			EA	4.750	40.0 2.85
1	1		S WKNP100007	WILKENS RLF VLV P1000 750 3/4"			EA	9.000	40.0 3.40
1	1		S CBLHR3T	CAMPBELL HOSE BID BRSS 3/4"			EA	3.600	30.0 2.58

Continued

SALE AMOUNT
MISC. CHARGES
SALES TAX
FREIGHT

TOTAL ►


THANK YOU

20% Restocking charge on return goods. Returns must be accompanied by original invoice.
A service charge of 1-1/2% per month, with a minimum charge of 50 cents, is made on all past due account balances. This is an annual rate of 18% and is correspondingly larger if the minimum charge is used.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 95-08963

P H O T O G R A P H S



Place of Use

Pressure/
Filter
System

WELL

08963

Point of
diversion

95-08963



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 19, 1997

Robert Kuhn
2118 2nd St.
Bakersfield CA 93304

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08963

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's **NORTHERN** Regional Office in Coeur d'Alene at (208) 769-1450.

Sincerely,

A handwritten signature in cursive script, reading "Julie L. Yarbrough".

JULIE L. YARBROUGH
Water Allocation Bureau

C: IDWR - N. Region



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 25, 1997

ROBERT KUHN
2118 2ND ST
BAKERSFIELD CA 93304

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08963

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

I PLAN ON
BRING IN THE
RATHORUM AREA SOME
TIME DURING THE FIRST
PART OF NOVEMBER AND
WOULD LIKE TO MAKE AN
APPOINTMENT WITH YOUR
INSPECTOR. Bob Kuhn

CERTIFICATE OF MAILING

I hereby certify that on the 25th day of July, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 95-08963

ROBERT KUHN
2118 2ND ST
BAKERSFIELD CA 93304


Kari Lynn Townsend
Secretary

SEP 18 1997

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-0 8963 Reviewed by Jy Date 8-19-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

dom.

yes Address same as permit?

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☒ Drilling permit required?

☒ Copy in the file? Drilling Permit No. _____

☒ Amount paid for permit

_____ Correct?

☒ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

no Required?

50- Amount Submitted

1 Installed?

yes Correct?

_____ Waiver requested?

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 8-19-97

APPLICATION FOR PERMIT STATE OFFICE REVIEW

by Cindy Lee

No.: 95-8963 Name: Kuhn Date: 7/23/97 Ad OK? ☒ / Gvmt Lts: 9

AREA OF CONCERN?**PROTESTED:****SYSTEM COMPLETED:**

Yes/proof filed
1 year/no proof
+1 year

GROUNDWATER: <✓ FLO-CH>

+ 0.24 cfs
=/- 0.24 cfs
+ 5 a.

DRILLING PERMIT:

Existing well
Included w/permit
No WD permit?
irr. in WD

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):

Source in/below Min. Str. Flow?

Water District (dom. inc.)

> 0.20 cfs
≤ 0.20 cfs

Water Measurement District

> 0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

Springs/sink, inactive WD, & Rest of State

> 0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

RIVER BASINS (*Surface water):

Snake R (01)
(02/03-irr)
Boise River (63)
Payette River (65)

USE:

Domestic (surface)
Domestic (multi in concern area)
Fish Propagation
Irr <POU> ≤ 5 acres
> 5 acres
Mining
Municipal (in restricted areas)
Power
Storage (✓ 3 compo.)

LOCATION:

42-248 area
Boise Front LoGeo
In-stream dev.
Irr Dist/Canal Co.
Swan Falls Flag
Trust
Non-Trust <1>

OWNERSHIP: Non-owner**OTHER CONDITIONS:****STANDARD REMARKS:****BENEFICIAL USE DUE:****COMMENTS:**

- No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust
- 020 (Protest Agreement) or *W19 (Order)

- NA
- P18
- 28A-P17

- 01M (report when notified) or _____ (if in MD, must report)
- No MD
- 01M; 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

- NA (pre 7/1/87; ✓ WDQ3)
- Permit No. _____, P99
- 048-46B-P23 (post 7/1/87)
- P05 (new well location)

- <SEE MAP & LISTING> (modify remark *WB9)
- R04 (req) WD # 95C <SEE MAP & LISTING>
- 01J (MD)-P08
- 01H (ILD & MD)-P01 or No MD (in-stream stock)

- _____ or No MD (in-stream stock or power)
- No MD

- 01M or No MD (in-stream stock or power)
- No MD

- 11A-P04, NA
- 007-P07 (w/ remark *WB9 if above Weiser), NA
- 05A (if WD), 11E (not 42-111 use), NA
- *W22 (regulated uses), 047-P04 (Payette Lake), NA

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- 070-071
- 07A-042 (req)-09E (WQ)-P10; 044 (North of 1000 Springs)
- 057 (0.03 cfs/acre)
- 03A (0.02 cfs/acre)
- 054 (req) & 09E-P10
- 022, 075, 004 (+memo?)
- 17K-08A-025-01F(P19)-028-09E(P10); 027 (if no other cons. use);
17G (FERC) or 17M (FERG); 18B-P09; +25 cfs-P18
- 080 (req); 18A (multiple MD within district), 18B-P09 (+10' dam),

- P84 (if in 20/30/40/50/60/70/80 (87) basin)
- 058 (-85° GW temp only)
- P52 (stream channel alteration)
- 023 (Twin Falls area)
- <SEE CODE CHART>
- 051-052-053-P74 (Consumptive Uses), NA
- 048-049 (Consumptive Uses), NA
- 004 (PD/PU) Ads

- ① woi/1

- 8/1/1998

No. a
4/87-06/92n

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

JUL 14 1997

WRJ
WRA
BC

APPLICATION # 95-08963

DEPARTMENT OF WATER RESOURCES

***** INITIAL REVIEW *****

APPLICANT: KUHN BY: AB DATE: 5/12/97

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
12. (X) Map
(X) Signature
13. (X) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y () N ()

PROCESSING

Yes No PRIORITY DATE: 5/12/97
X (Include Moratorium Remark)
X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

CA/zhw/ah

LETTERS SENT REQUESTING:

() Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information
() Power Information () Other: N/A

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
J Field report attached
J Analysis Supp. attached(>5cfs/500af)
J Water delivered by water master?
Water District # 95-C

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- ____ Groundwater management area
____ Critical ground water area
____ Well Drilling Permit required
____ Well Drilling Application and Fees received
____ Well Drilling Application approved?
____ Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

____ Notice of pending void order issued. Final order response date: ____/____/____

____ Further information required from applicant

6/10 ____ Affidavit of publication received

6/11 ____ Application published correctly, If not, record action taken: _____

5/16 ____ Publication dates and paper recorded on application

____ Protests received. Final protest date: 6/23/97

____ Measuring device required

____ Measuring port required

____ Special conditions: _____

____ Special conditions of approval supplement and/or cover letter attached:

Sr. Agent initial AB

Approval Recommended by: AB RAO Date: 6/30/97

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Michelle Price being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Legal Notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 5th day of June, 1997, and ending on the 12th day of June, 1997, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Michelle Price

Subscribed and sworn to before me this 12th day of June, 1997.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires 2-5-99

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08963

ok
KUHN, ROBERT
2118 2ND STREET
BAKERSFIELD, CA 93304
Source: TWIN LAKES
Tributary: RATHDRUM CREEK
Diversion Pt: LOT 9 (SWNWSW) Sec 5 T
52N R 04W in KOOTENAI County.
Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)

Date Filed: 5/12/1997
In: KOOTENAI County
T52N R04W S05 Lot 9 (NWSW)
95-08964

COEUR D ALENE SCHOOL DISTRICT
NO 271
311 N 10TH STREET
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: NWSE Sec 34 T 51N R 04W
in KOOTENAI County.
Use: HEATING (1.000 CFS)
COOLING (1.000 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 5/21/1997
In: KOOTENAI County
T51N R04W S34 NWSE

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before JUNE 23, 1997.

KARL J. DREHER, Director

Legal 406
June 5, 12, 1997

RECEIVED

JUN 10 1997

NORTHERN REGION
IDWR

SEP 16 1997

May 28, 1997

Robert Kuhn
2118 2nd Street
Bakersfield CA 93304

Re: Water Appropriation Application No. 95-08963

Dear Mr. Kuhn:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application. Enclosed for your file is Receipt Number N011177.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

95-08963

KUHN, ROBERT
2118 2ND STREET
BAKERSFIELD, CA 93304

Source: TWIN LAKES

Tributary: RATHDRUM CREEK

Diversion Pt: LOT 9 (SWNWSW) Sec 5 T 52N R 04W in KOOTENAI County.

Use: DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.040 CFS)

Date Filed: 5/12/1997

In: KOOTENAI County
T52N R04W S05 Lot 9(NWSW)

Water Right Number - 95-08963

Prefix Translation: WATER RIGHT

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***

KUHN ROBERT
1 - 2118 2ND STREET
2 -
3 -
City- BAKERSFIELD
Phone - 805-324-3223

State- CA Zip- 93304

+ - - Priority Date - - + + - - - Region - - - + + - - - Stage - - - + + - - - Status - - - +
05/12/1997 18 NORTHERN A - APPLICATION

+ - - - - Source - - - - - + + - - - - - Tributary - - - - - +
TWIN LAKES RATHDRUM CREEK

+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County Diversion Name Diversion Rate Diversion No.

52N 04W 5 SW NW SW 9 (55) KOOTENAI

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume

43 - DOMESTIC 01/01 12/31 0.040

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - +
0.040

+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County

52N 04W 5 NW SW 9 43 DOMESTIC (55) KOOTENAI

+ - - Diversion Means -

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use -

+ - - - - Remarks - - - - - +
Domestic use is for 1 home.

+ - - - - Old Water Right Numbers - - - - - +
No Old Water Right Numbers found.

+ - - - - Conditions of Approval - - - - - +
No Conditions of Approval found.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - Decree Date - +

00/00/0000

Prefix Translation: WATER RIGHT

1 HP submersible pump and pipe to house (vacation cabin) with no lawn or landscaping.
Time required 1 year.

+ Water Rights Dates and Flags Area +

Proof Due Date - 00/00/0000	Field Exam Made - 00/00/0000	Field Exam Fee -
Approved/Denied - 00/00/0000	Protested Date - 00/00/0000	Swan Falls -
Proof Made Date - 00/00/0000	Hearing Date - 00/00/0000	Temporary Right - P
Exam to S.O. Date- 00/00/0000	Verified Date - 00/00/0000	DLE/Carey Act -
Order Show Cause - 00/00/0000	Receipt Number - N011177	Water District -
Licensed Date - 00/00/0000	Appl Received - 05/12/1997	Transfer/Amended -
Decree Date - 00/00/0000	Name Connector -	POU Ownership Flag- Y
Presumption Flag -		