


STEPPING STONES SUBDIVISION

SECTION 34, T 52 N, R 4 W, B.M.

KOOTENAI COUNTY, IDAHO



CURVE	DELTA ANGLE	RADIUS	ARC LENGTH	CHORD	TANGENT
C4	89°45'48"	20.00	31.33	28.23	19.92
C5	90°14'11"	20.00	31.50	28.34	20.08
C6	89°31'34"	20.00	31.26	28.17	19.84
C7	90°28'26"	20.00	31.58	28.40	20.17
C8	89°31'34"	20.00	31.26	28.17	19.84
C9	90°28'26"	20.00	31.58	28.40	20.17
C10	89°02'50"	20.00	31.08	28.05	19.67
C11	90°57'10"	20.00	31.75	28.52	20.34
C12	89°44'58"	20.00	31.33	28.22	19.91

LINE	BEARING	DISTANCE
L3	S 89°31'18" E	40.00
L4	N 0°38'17" E	140.00
L5	S 89°31'25" E	70.00
L6	S 89°31'25" E	70.00
L7	N 0°38'17" E	140.00
L8	S 89°31'25" E	40.00
L9	N 0°24'08" E	100.00
L10	S 89°35'54" E	49.38
L11	S 89°35'54" E	50.62
L12	N 0°24'08" E	100.00

LEGEND

- FD. AN IRON ROD, 5/8 INCH DIAM, WITH AN ALUMINUM CAP MKD. PE/LS 3451.
- FD. AN IRON ROD, 24 INS. LONG, 1/2 INS. DIAM, WITH PLASTIC CAP MKD. RCE 3451.
- FD. MARKER AS NOTED.
- FD. STATE HWY. R/W MONUMENT
- SET AN IRON ROD, 30 INS. LONG, 5/8 INS. DIAM, WITH PLASTIC CAP MKD. PLS/PE 3451.

0 300 600 900

MECKEL ENGINEERING AND SURVEYING		
402 IDAHO AVENUE		
COEUR D'ALENE, IDAHO, 83814		
STEPPING STONES SUBDIVISION		
SEC. 34, T 52 N, R 4 W, B.M.,		
KOOTENAI COUNTY, IDAHO		
SCALE: 1"=300'	DRAWN: CF	JOB NO: 890.35
DATE: JULY 25, 1990	CHECKED: JPM	CREW: VC & DH

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO.)
95-08941 IN THE NAME OF) **REINSTATEMENT ORDER**
STEPPING STONE HOME)
OWNERS ASSN)
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted to the Department on or before June 1, 2000; and,

WHEREAS, the Department notified the permit holder on March 31, 2000, by certified mail that proof of beneficial use was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use or an extension of time request; and,

WHEREAS, on June 1, 2000, the permit lapsed since the Department had not received an acceptable proof of beneficial use statement or extension of time from the permit holder; and

WHEREAS, Section 42-218a, Idaho Code, provides that the Department may reinstate a permit upon a showing of reasonable cause by the permit holder within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on June 2, 2000;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-08941 is **REINSTATED** with an advance in priority to **April 16, 1996**.

DATED this 20th day of June, 2000.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

JAN 18 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF BENEFICIAL USE

JUN 2 2000

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-08941 Telephone No. _____
2. Name of Permit Holder(s): Stepping Stone Homeowners Association
3. Mailing Address: P.O. box 2943
City Blayden Lake State ID Zip 83835
4. Source of Water: Well If GROUNDWATER (well), Date Drilled: mo. Apr / yr. 96
- a. Well Driller: United Drilling Inc Drilling Permit Number: 95-96-N-0031-000
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 42 total Stockwater (No. and type of stock): _____
38 in use 6 stubbed off to be connected
Irrigation (No. of acres): 44 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .78 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X
8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Michael Dole Telephone Number: 208-687-2123
Address: 14505 N Batchelder St Rathfrim, ID 83858
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Michael P Dole Director
(include your title, if on behalf of company or organization)

Date: May 31/00

MICROFILMED

JAN 18 2001

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 95-08941

Proposed Priority: April 15, 1996

Maximum Diversion Rate:

1.20 CFS

This is to certify, that **STEPPING STONE HOME OWNERS ASSN**
PO BOX 2943

HAYDEN LAKE ID 83835-2943

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.88 CFS
DOMESTIC	01/01 to 12/31	0.32 CFS
Totals		1.20 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 34, Township 52N, Range 04W
NWSE , Sec. 34, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N 04W 34	NENE 2.0	SWNE 2.0	SENE 2.0	
	NESW 2.0	NWSW 2.0	SESW 14.0	
	NESE 7.0	NWSE 2.0	SWSE 9.0	
	SESE 2.0			44.0

Total number of acres irrigated:

44.0

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **June 1, 2000**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

AUG 22 1995

State of Idaho
Department of Water Resources**Permit To Appropriate Water**


NO. 95-08941

CONDITIONS OF APPROVAL AND REMARKS

6. Points of diversion are located within Lot 13, Blk. 1 and Lot 2, Blk. 3; Stepping Stone Subdivision.
7. Places of use include Lots 1-16, Blk. 1; Lots 1-2, Blk. 2; Lots 1-3, Blk. 3; Lots 1-4, Blk. 4; and Lots 1-7, Blk. 5; Stepping Stone Subdivision.
8. Domestic use is for 42 homes.
9. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

11 th day of June, 1996


Karl J. Dreher, Director
for

RECEIVED
JUN 12 1996
11-21238

RECEIVED
JUN 05 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8941

Department of Water Resources To appropriate the public waters of the State of Idaho

ASSOCIATED 687-2707 (work)
687-2193 (Kens)

1. Name of applicant STEPPING STONE HOME OWNERS Phone 687-2193
Post office address P.O. Box 2943 HAYDEN LAKE ID 83835
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NW 1/4 of SE 1/4, Govt. Lot _____
Sec. 34 Township S2N. Range 4W. B.M. KOOTENAI County; additional
points of diversion if any: NE 1/4 SE 1/4 SEC. 34, T. 52N., R. 4W.

4. Water will be used for the following purposes:

Amount 0.32 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.88 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.2 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 WELLS + STORAGE +
DELIVERY SYSTEM.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive
EXISTING WELL IS 8" DIA

c. Proposed well diameter is 8" inches; proposed depth of well is 320 feet.

d. Is ground water with a temperature of greater than 85°F being sought? NO

#1 well
→ e. If well is already drilled, when? 83?; Drilling firm #2 UNITED DRILLING
PONDOKA DRILLING

Well was drilled for (well owner) YES, STEPPING STONES INVESTORS

7. Time required for the completion of the works and application of the water to be proposed beneficial use is
5 years (minimum 1 year).

AUG 22 1996

12. Remarks: ROGER LEWIS - PRES., E. TERRY JOHNSON VICE PRES.
RUTH LEWIS SEC./TREAS.

A full-page sheet of white graph paper featuring a uniform grid of thin black lines. The grid consists of 20 columns and 20 rows, creating a total of 400 small squares. The lines are evenly spaced and extend across the entire page, leaving no margins or additional markings.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

application for permit to appropriate the public waters of

 (Applicant)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by AS Date 4/15/96 Time 5:00
 Fee \$ 120.00 Received by AS Date 4/15/96
 Publication prepared by AS Date 4/24/96 Published in Idaho News 5/2+9/96
 Publication approved AS Date 5/14/96

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. _____, and said application is hereby

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

STEPPING STONES SUBDIVISION


SECTION 34, T 52 N, R 4 W, B.M.

KOOTENAI COUNTY, IDAHO

1990

PANHANDLE

VILLAGE



CURVE	DELTA ANGLE	RADIUS	ARC LENGTH	CHORD	TANGENT
C4	89°45'48"	20.00	31.33	28.23	19.92
C5	90°14'11"	20.00	31.50	28.34	20.08
C6	89°31'34"	20.00	31.26	28.17	19.84
C7	90°28'26"	20.00	31.58	28.40	20.17
C8	89°31'34"	20.00	31.26	28.17	19.84
C9	90°28'26"	20.00	31.58	28.40	20.17
C10	89°02'50"	20.00	31.08	28.05	19.87
C11	90°37'10"	20.00	31.75	28.52	20.34
C12	89°44'58"	20.00	31.33	28.22	19.91

LINE	BEARING	DISTANCE
L3	S 89°31'18" E	40.00
L4	N 0°38'17" E	140.00
L5	S 89°31'25" E	70.00
L6	S 89°31'25" E	70.00
L7	N 0°38'17" E	140.00
L8	S 89°31'25" E	40.00
L9	N 0°38'17" E	100.00
L10	S 89°35'54" E	49.38
L11	S 89°35'54" E	50.62
L12	N 0°24'06" E	100.00

LEGEND

- FD. AN IRON ROD, 5/8 INCH DIAM. WITH AN ALUMINUM CAP W/ID. PE/LS 3451.
- FD. AN IRON ROD, 24 INS. LONG, 1/2 INS. DIAM., WITH PLASTIC CAP W/ID. RCE 3451.
- FD. MARKER AS NOTED.
- FD. STATE HWY. R/W MONUMENT
- SET AN IRON ROD, 30 INS. LONG, 5/8 INS. DIAM., WITH PLASTIC CAP W/ID. PE/LS 3451.

0 300 600 900 1200

MECKEL ENGINEERING AND SURVEYING		
402 IDAHO AVENUE		
COEUR D'ALENE, IDAHO, 83814		
STEPPING STONES SUBDIVISION		
SEC. 34, T 52 N, R 4 W, B.M., KOOTENAI COUNTY, IDAHO		
SCALE: 1"=300'	DRAWN: CF	JOB NO: 890.35
DATE: JULY 25, 1990	CHECKED: JPM	CREW: VC & DH



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 20, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

STEPPING STONE HOME OWNERS ASSN
PO BOX 2943
HAYDEN LAKE ID 83835-2943

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 95-08941

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order reinstating the permit since proof was submitted after the proof due date.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have questions concerning the field examination, please contact the **Northern** Regional Office of the department in Coeur d'Alene at (208) 769-1450.

Sincerely,

Deborah Drew-Ellis
Administrative Assistant
Water Allocation Bureau

Enclosure

c: IDWR - Region

MICROFILMED

JAN 18 2001

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08941 Reviewed by D. Elin Date 6/15/00

GENERAL CONSIDERATIONS

TYPES OF USE

Yes Name same as permit?
Yes Address same as permit?
No Proof timely received?
If not, complete calculation below.

Correct Uses? Yes

Domestic Irrigation

SOURCE OF WATER

No Surface water source

Yes Ground water source

Yes Drilling permit required?

No Copy in the file? Drilling Permit No. 95-96-N-0031-000

? Amount paid for permit

No Well log in the file?

Correct?

LICENSE EXAMINATION FEE

Yes Required?
\$100 Amount Submitted
Yes Correct?

MEASURING DEVICE

No Required?
Installed?
Waiver requested?

PRIORITY CALCULATION

Date proof received 6/2/00
Date proof due 6/1/00
No. of days late 1
Priority Date 4/15/96
New Priority Date 4/16/96

DEFICIENCIES OR ACTION ITEMS

Acknowledge proof, reinstate and adjust priority.

MICROFILMED

JAN 18 2001

DATA ENTRY

New Address No Proof Made 6/2/00

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: 0049347

Date:
Time: 6/ 2/2000
10:58:13

Received
From: STEPPINGSTONES HOMEOWNERS

Type of Payment	Program A cct	Amount
BENEFICIAL USE (LIC.# 95-089410 56104	229 21 1155	100.00
Total \$		100.00

CHECK 554

Region: STATE

Signature: apv Koel

MICROFILMED

JAN 18 2001

March 31, 2000

STEPPING STONE HOME OWNERS ASSN
PO BOX 2943
HAYDEN LAKE ID 838352943

PROOF DUE NOTICE

RE: PERMIT NO. 95-08941

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 2000.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

DEBORAH DREW-ELLIS
Administrative Assistant

Enclosures

MAILED

JAN 18 2001





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 11, 1996

STEPPING STONE HOME OWNERS ASSN
PO BOX 2943
HAYDEN LAKE ID 83835-2943

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08941

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "Conditions of Approval and Remarks" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures



AUG 22 1996

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW**
by Cindy Zimmerman

No.: 95-8941 Name: Stepping Stone HOA Date: 6/10/96 Ad OK? ✓
Correct Fee? ✓ Receipt #: N010083 Priority: 4/15/96 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)
SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17
GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, ~~W08~~ (if GW use SW 1st)
Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)
SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):
Water District (~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 01J (meas dev) - P08
=/- 0.2 cfs - 01H (lock dev) - P01 or No MD
In-WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M
RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-† Weiser), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064 (regulated uses), 047-P04 (Payette Lake), NA
USE:
Domestic (surface) - 021 (Boise R † Star Bridge); 27A (Payette R); NA
Fish Propagation - 07A-042 (rq) - 010/06A/09E (WQ) - P10; 044 (N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F (P19) - 09E (P10);
+25 cfs-P18; 17G (FERC) or 17M (FERE); 18B-P09
Storage (✓ 3 compo.) - 18A (multi MD in WD), 18B-P09 (+10' dam), NA
LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - _____ <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA
OWNERSHIP: Non-land owner - 004 (PD/PU)
OTHER CONDITIONS: _____
STANDARD REMARKS: - ① PD/L10, B1; L18 B3 ② WB5/42 ③ PU/
BENEFICIAL USE DUE: - 6-1-2000
COMMENTS: _____

No. a
4/87-06/92n

I. 3 DEPARTMENT OF WATER RESOURCE
APPLICATION APPLICATION ANALYSIS S

WR1
WRA
BC

APPLICATION # 95-8941

***** INITIAL REVIEW *****

OWNER'S ASSN.

APPLICANT: STEPPING STONE HOME

BY: AS

DATE: 4/15/96

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
12. (X) Map
13. (X) Signature
(X) Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ___ Field check: by _____
___ Field report attached
___ Analysis Supp. attached(>5cfs/500af)
___ Water delivered by water master?
___ Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 4/15/96

___ X (Include Moratorium Remark)

___ X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

CA/Phum/ore

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

- ___ X Groundwater management area
___ X Critical ground water area
___ Well Drilling Permit required
___ Well Drilling Application and Fees received
___ Well Drilling Application approved?
___ Well Drilling Application Number 95-96-N-31 & 95-85-N-23

Checked by: _____ Date: ___/___/___

Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ___ Notice of pending void order issued. Final order response date: ___/___/___
___ Further information required from applicant
5/13 ___ Affidavit of publication received
5/14 ___ Application published correctly, If not, record action taken: _____
4/24 ___ Publication dates and paper recorded on application | Sr. Agent initial AS
___ ✓ Protests received. Final protest date: 5/20/96
___ ✓ Measuring device required
___ ✓ Measuring port required
___ ✓ Special conditions: _____
___ ✓ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AS

RECEIVED
JUN 05 1996

Date: 5/21/96

Department of Water Resources

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Keri Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Legal Notice
of which the annexed is a printed copy, was published in the regular THURS
issue of said newspaper for 2 consecutive weeks
commencing on the 2nd day of May, 1996, and
ending on the 9th day of May, 1996, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander
Subscribed and sworn to before me this 9th day of May, 1996.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires 2-5-99

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

95-08940

HENSLEY, LARRY
HENSLEY, MARIE
CMR 438 BOX 1601
APO AE, // 09111
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: LOT 1 (NENE) Sec 11 T
49N R 03W in KOOTENAI County.
Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)

Date Filed: 4/17/1996

In: KOOTENAI County

T49N R03W S12 NWNW

95-08941

STEPPING STONE
HOME OWNERS ASSOCIATION OK
P O BOX 2943
HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversion Pt: NESE Sec 34 T 52N R 04W -
in KOOTENAI County.
NWSE Sec 34 T 52N R 04W -
in KOOTENAI County.
Use: IRRIGATION (0.880 CFS) -
DOMESTIC (0.320 CFS) -
Total Diversion: (1.200 CFS) -

Date Filed: 4/15/1996

In: KOOTENAI County

T52N R04W S34

NENE SWNE SENE NESW
NWSW SESW NESE NWSE
SWSE SESE OK

44.0 ACRES TOTAL

For additional information concerning
the property location, call the Northern
Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the applicant and with the Director, Dept.
of Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210, Coeur
d'Alene, Idaho 83814, together with a
protest fee of \$25.00 on or before MAY
20, 1996.

KARL J. DREHER, Director

Legal 556
May 2, 9, 1996

RECEIVED

MAY 13 1996

INDIAN RESERVATION
IDWR

AUG 22 1996

95-08941

STEPPING STONE HOME OWNERS ASSOCIATION
P O BOX 2943
HAYDEN LAKE, ID 83835

Source: GROUNDWATER

Diversion Pt: NESE Sec 34 T 52N R 04W in KOOTENAI County.
 NWSE Sec 34 T 52N R 04W in KOOTENAI County.

Use: IRRIGATION (0.880 CFS)
 DOMESTIC (0.320 CFS)
 Total Diversion: (1.200 CFS)

Date Filed: 4/15/1996

In: KOOTENAI County
 T52N R04W S34

NENE
NWSW
SWSE

SWNE
SESW
SESE

SENE
NESE

NESW
NWSE

44.0 ACRES TOTAL

APR 22 1996

April 24, 1996

Stepping Stone Home Owners Association
P O Box 2943
Hayden Lake ID 83835

Re: Water Appropriation Application No. 91-07135

Dear Stepping Stone Home Owners Association

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If your source is groundwater, a Well Drilling Permit is required for all wells constructed after July 1, 1987.

A "Domestic" well drilling permit should be obtained for a rate of diversion of up to 18 gallons per minute (0.04 CFS) and a daily volume of up to 2,500 gallons per day. The cost for this permit is \$35.00. For any other use, including multiple homes, or municipal, etc., the Drilling Permit fee is \$200. It is possible to upgrade a Domestic Drilling Permit by submitting an additional \$165.00. These Permits can be obtained by your driller, also.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

179938