




2679 I SW
(HAYDEN LAKE)

⁶17 R 4 W | 250 000 FEET R 3 W



2239 MICROFILMED
PIPELINE
NOV 09 1998

95-08938
51N-04W-36

PERMIT # **95-08938**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



250 HP Pump

95-08938

Point of diversion



95-08938

MICROFILMED
NOV 09 1998



CITY OF COEUR D'ALENE

JIM MARKLEY, P.E.

WATER SUPERINTENDENT

(208) 769-2210

CITY HALL - 710 E. MULLAN AVE.
COEUR D'ALENE, ID 83814-3964

208/769-2338 FAX

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 95-08938

Priority: February 8, 1996

Maximum Diversion Rate:

4.57 CFS

This is to certify, that CITY OF COEUR D ALENE
W 1000 HUBBARD AVE #130

COEUR D ALENE ID 83814 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 8, 1996; and has submitted Proof of Beneficial Use on February 23, 1998. An examination indicates that the works have a diversion capacity of 4.570 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	4.57 CFS	

LOCATION OF POINT(S) OF DIVERSION:


SESW , Sec. 36, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. Place of use is within the city limits of Coeur d Alene and those areas outside the city limits that share a common water distribution system with lands located within the city limits.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 25TH day of SEPTEMBER, 1998.


Acting for KARL J. DRUEHER, Director

MICROFILMED

NOV 19 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

FEB 23 1998

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08938 Telephone No. (208) 769-2210
2. Name(s) of Permit Holder(s): CITY OF COEUR d'ALENE WATER DEPARTMENT
3. Mailing Address: WEST 1000 HUBBARD AVE, SUITE 130 COEUR d'ALENE, IDAHO 83814
4. Source of Water: GROUNDWATER If GROUNDWATER (well), Date Drilled: mo. FEB / yr. 97
- a. Well Driller: SKIP HOLMAN DRILLING Drilling Permit Number: - - -
- b. OPTIONAL:
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): Stockwater (No. and type of stock):

Irrigation (No. of acres): Other: MUNICIPAL

- 7.8 6. Total rate of diversion and/or volume for which proof is submitted: 4.7 cfs ^{*} OR acre feet ^{* 2100 gpm.}
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No X
Has the measuring device been installed? Yes or No

Flow Measurement Port: Is a flow measurement port required? Yes or No X
Has the measurement port been installed? Yes or No

8. Fee Enclosed: \$ 200.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
- Name: TOM HOWARD Telephone Number: 769-2358 OR 769-2210
- Address: SAME AS ABOVE

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho. MICROFILMED

Signature of permit holder: JIM MARKLEY Date: APR 28 1998
(include your title, if on behalf of company or organization)
JIM MARKLEY, WATER DEPT. SUPT.

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 95-08938

Proposed Priority: February 8, 1996

Maximum Diversion Rate:

7.80 CFS

This is to certify, that CITY OF COEUR D ALENE
710 E MULLAN AVE
COEUR D ALENE ID 83814

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	01/01 to 12/31	7.80 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 36, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1998.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Construction of the well must comply with Idaho well construction standards.
7. The issuance of this right does not grant any right-of-way or easement across the land of another.
8. Place of use is within the city limits of Coeur d Alene and those areas outside the city limits that share a common water distribution system with lands located within the city limits.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

10th day of April, 1996

RECEIVED
APR 30 1996

Karl J. Dreher
for Karl J. Dreher, Director



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95 - 08938

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant City of Coeur d'Alene Water Dept. Phone (208) 769-2210
Post office address 710 E. Mullan Avenue, Coeur d'Alene, Idaho 83814
2. Source of water supply groundwater which is a tributary of N/A
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 36 Township 51 N Range 4 W B.M. Kootenai County; additional
points of diversion if any: None
4. Water will be used for the following purposes:
Amount 7.8cfs for Municipal purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 7.8cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Wells, pump & pipeline
 - b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is up to 24" inches; proposed depth of well is 300 feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? No
 - e. If well is already drilled, when? N/A; Drilling firm N/A;
Well was drilled for (well owner) N/A
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
~~18 months~~ 2 YEARS years (minimum 1 year).

APR 30 1996

12. Remarks: On # 9 above the following comments apply: (1) Sections 10, 14, 15, 72 customers X .33 = 27 acres irrigation assumed. (2) Section 6: 54 customers X .33 = 18 acres irrigation assumed. (3) Sections 7 & 18 = 282 customers X .33 = 94 acres irrigation assumed. (4) Section 1: 60 customers X .33 = 20 acres irrigation assumed.

11. a. Who owns the property at the point of diversion? City of Coeur d'Alene
b. Who owns the land to be irrigated or place of use?
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

10. Describe any other water rights used for the same purposes as described above. System includes 5 wells: 3 drilled by Idaho Water (4th & Best, Linden & Locust) & 2 drilled by the city, (Atlas & Hanley)

*Calculated as No. of customers times .33 acres per customer = number of acres.
Total number of acres to be irrigated *159


TWP	RANGE	SEC.	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	TOTALS
50 N	4 W	10												X	9 AC
50 N	4 W	15	X												9 AC
50 N	4 W	14													9 AC
50 N	3 W	6												X	18 AC
50 N	3 W	7												X	47 AC
50 N	3 W	18	X	X										X	47 AC
50 N	4 W	1	X												20 AC

9. Description of place of use: Property within city limits plus areas listed below.
a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in KW.
b. Stockwatering; list number and kind of livestock.
c. Municipal; show name of municipality. City of Coeur d'Alene Water System (10,424 accounts)
d. Domestic; show number of households.
e. Other; describe fully.

ALL OF PLACE OF USE IS LOCATED WITHIN CITY LIMITS OF COEUR D'ALENE.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

APPROVED

2/8/96

Jim Markley

(Applicant)

APR 30 1996

JIM MARKLEY, P.E.

WATER SUPERINTENDENT

APR 26 1996

APR 26 1996

e. Other:

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by DB Date 2/7/96 Time 10:50a
Fee \$ 24000
Received by DB Date 2/28/96 # N 9878
Publication prepared by DB Date 2/28/96 Published in Idaho Falls 3/7/96
Publication approved by DB Date 3/15/96





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 30, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF COEUR D ALENE
W 1000 HUBBARD AVE #130
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08938

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

NOV 09 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

NOV 09 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of **September, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 95-08938

CITY OF COEUR D ALENE
W 1000 HUBBARD AVE #130
COEUR D ALENE ID 83814


Kari Lynn Townsend
Secretary

MICROFILMED

NOV 09 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08938 DATE 9/23/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate 7.80 cfs
 Fee limit 5.00 cfs \$20000
 Measured 4.57 cfs
 Theoretical 3.5 cfs @ 300' lift and 60 psi
 Recommended Total Div Rate 4.57 cfs

WATER USES	Change (P46)		
<u>Muni</u>	<u>OK</u>	<u>4.57</u> cfs	<u>af</u>
		<u>7</u> cfs	<u>af</u>
		<u>7</u> cfs	<u>af</u>
		<u>7</u> cfs	<u>af</u>
		<u>7</u> cfs	<u>af</u>
TOTALS		<u>7</u> cfs	<u>af</u>

Irrig - overlap (R58-R61, R62-R65, R66-R69)
 supp. gw (WB7/065/079)
 overlap spec. combined rts (W35)
 <1acre (W31)
 Domestic (W01/WB5/070/071/075)
 Power (W42 or W43/025/027/R22 or R23)
 Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate cfs X days X 1.98 = af

REMARKS Plu City limits & outside sharing common wtr
dist. system

ADD'L CONDITIONS Watermaster Control WD# _____
01M GW Measurement/Measuring Device
Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes no SRBA Claim Adjust Memo
Amend letters

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 28 1998
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08938

1. Owner: City of ~~Coeur~~ Coeur d'Alene Phone No. (208) 769-2210

Current Address: W. 1000 Hubbard Ave. Coeur d'Alene, ID 83814

2. Accompanied by: Tom Howard EXAM DATE: Aug 6, 1998

Address: Same Phone No. (208) 769-2337

Relationship to Permit Holder: Water Maintenance Supervisor

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-08565, 95-08672, 95-08647, 95-07142

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	36	51N	4W	Kootenai	USGS 7.5' Quad.

2. Place(s) of Use: Coeur d'Alene area

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

MICROFILMED

NOV 09 1998

NOV 09 1998

UNCLASSIFIED

2. Measurements:

1000 gal / 29.28 sec.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
flow meter		Sparkling	6-05024			


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Motor - RUS	250	H16083-40540800 9478-1		Model # 14 RINC

4.

Scale: 1" = NA
Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres)
Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable. 12" mains provide water to city of Coeur d'Alene

E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted at a maximum rate of 2049 gpm (4.57 cfs) to provide water for the City of Coeur d'Alene I.D.

Municipal use from this well is in conjunction with 4 additional wells, and water rights. All wells supply water throughout city area through inter-connecting 12" water mains.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

NOV 09 1998

F. FLOW CALCULATIONS

Measured Method:

$$1000 \text{ gpm} = 29.28 \text{ sec} \times \frac{60 \text{ sec}}{60000} = \frac{29.28}{29.28} \times 29.28 \times X = 2049 \text{ gpm}$$

$$2049 \text{ gpm} = 4.57 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{or} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{or} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Municipal

Period of Use

From 01/01 To 12/31

Rate of Diversion

Q (cfs) 4.57

Annual Volume V (afa)

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Other

I. AUTHENTICATION

Field Examiner's Name

David A. Rye

Date

Aug 26, 1998

Reviewer

Date

MICROFILMED

NOV 09 1998

SEAL

Additional Computation Sheets Attached

2679 1 SW
HAYDEN LAKE

NE/4 COEUR D'ALENE 15' QUADRANGLE




PERMIT # 95-08938

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



250 HP PUMP

Point of diversion



MICROFILM

NOV 09 1998

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08938 Reviewed by Gay Date 3-12-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

municipal

NO Address same as permit?

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

NO Copy in the file? Drilling Permit No. 95-96-N-0071

200- Amount paid for permit

yes Correct?

NO Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

NO Required?

200- Amount Submitted

 Installed?

yes Correct?

 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address W. 1000 Hubbard ave STE 130 Proof Made 2-23-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 16, 1998

CITY OF COEUR D ALENE
W 1000 HUBBARD AVE STE 130
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08938

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's NORTHERN Regional Office in Coeur d'Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

APR 28 1998

January 31, 1998

CITY OF COEUR D ALENE
710 E MULLAN AVE
COEUR D ALENE ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08938

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1998.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

APR 28 1998





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 11, 1996

CITY OF COEUR D ALENE
710 E MULLAN AVE
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08938

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED
APR 11 1996

APR 30 1996

MEMORANDUM

DATE: March 29, 1996
TO: File No. 95-08938
FROM: Cindy Zimmerman *C3.*
SUBJECT: Telephone Conversation

=====

Per telecon today with Jim Markley, Water Superintendent for the City of Coeur d'Alene, the places of use identified in Item 9 of the application are lands outside the corporate boundaries of the city. Service to those 468 customers and 159 acres located outside the city limits is in addition to service to places of use inside the city limits.

RECEIVED

APR 30 1996

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW**
by Cindy Zimmerman

No.: 95-8938 Name: City of CdA Date: 3/20/96 Ad OK? ☒
Correct Fee? ☒ Receipt #: 89878 Priority: 27/96 ☒ Gvmt Lts: ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020 (Protest Agr) or W19 (See Final/Prelim Order)
SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17
GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065 (if GW use SW 1st)
Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)
SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):
Water District (dem) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 01J (meas dev) - P08
=/- 0.2 cfs - 01H (lock dev) - P01 or No MD
In WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M
RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-↑ Weiser), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064 (regulated uses), 047-P04 (Payette Lake), NA
USE:
Domestic (surface) - 021 (Boise R ↑ Star Bridge); 27A (Payette R); NA
Fish Propagation - 07A-042 (rq) - 010/06A/09E (WQ) - P10; 044 (N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F (P19) - 09E (P10);
+25 cfs-P18; 17G (FERC) or 17M (FERC); 18B-P09
Storage (✓ 3 compo.) - 18A (multi MD in WD), 18B-P09 (+10' dam), NA
LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - 314 <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA
OWNERSHIP: Non-land owner - 004 (PD/PU) residents
OTHER CONDITIONS: -
STANDARD REMARKS: - 0 within CdA city limits
BENEFICIAL USE DUE: - 4-1-1998
COMMENTS: -

RECEIVED AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

MAR 08 1996

KOOTENAI REGION
IDWR

Keri Alexander

being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Legal Notice*

of which the annexed is a printed copy, was published in the regular *Thurs* issue of said newspaper for *2* consecutive *weeks* commencing on the *7th* day of *March*, 19*96*, and ending on the *14th* day of *March*, 19*96*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this *14th* day of *March*, 19*96*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY

APR 30 1996

Notary Commission Expires *9-5-99*

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08938
CITY OF COEUR D ALENE *sk*
710 E MULLAN AVENUE
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversión Pt: SESESW Sec 36 T 51N R 04W in KOOTENAI County.
Use: MUNICIPAL (7.800 CFS)
Total Diversión: (7.800 CFS)

Date Filed: 2/8/1996
PLACE OF USE IS LOCATED WITHIN
CITY LIMITS OF COEUR D ALENE, ID

95-08939
VAUDREUIL, RAYMOND R
P O BOX 2092
COEUR D ALENE, ID 83816
Source: GROUNDWATER
Diversión Pt: SWSW Sec 14 T 52N R 04W in KOOTENAI County.
Use: IRRIGATION (0.120 CFS)
DOMESTIC (0.160 CFS)
Total Diversión: (0.280 CFS)

Date Filed: 2/13/1996
In: KOOTENAI County
T52N R04W S14 SWSW SESW
6.0 ACRES TOTAL
96-08916

RICKEL, ROBERT R
P O BOX 319
BAYVIEW, ID 838030319
Source: UNNAMED STREAMS
Tributary: LAKE PEND OREILLE
Diversión Pt: LOT 2 (NWSE) Sec 36 T 54N R 02W in KOOTENAI County.
Use: IRRIGATION STORAGE (0.11 AF)
IRRIGATION FROM STORAGE (0.11 AF)
RECREATION STORAGE (0.11 AF)
AESTHETIC STORAGE (0.11 AF)
Total Diversión: (0.11 AF)

Date Filed: 2/20/1996
In: KOOTENAI County
T54N R02W S36 LOT 2 (NWSE)
For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before MARCH 25, 1996.

KARL J. DREHER, Director
Legal 278
March 7, 14, 1996

95-08938

CITY OF COEUR D ALENE
710 E MULLAN AVENUE
COEUR D ALENE, ID 83814

Source: GROUNDWATER

Diversion Pt: SESESW Sec 36 T 51N R 04W in KOOTENAI County.

Use: MUNICIPAL	(	7.800 CFS)
Total Diversion:	(	7.800 CFS)

Date Filed: 2/ 8/1996

PLACE OF USE IS LOCATED WITHIN CITY LIMITS OF COEUR D ALENE, ID

February 28, 1996

Mr. Jim Markley, P.E., Water Superintendent
City of Coeur d Alene Water Department
710 E Mullan Avenue
Coeur d Alene ID 83814

Re: Water Appropriation Application No. 95-08938

Dear Mr. Markley:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N009878. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If your source is groundwater, a separate well drilling permit is required for all wells constructed after July 1, 1987.

IF, FROM THAT WELL, YOU WILL BE DIVERTING WATER FOR MORE THAN ONE HOME AND AT A RATE OF MORE THAN 0.04 CFS AND MORE THAN 2500 GALLONS PER DAY, YOU WILL NEED TO OBTAIN A PERMIT FOR OTHER THAN DOMESTIC USAGE. THE TOTAL FEE FOR SUCH A PERMIT IS \$200.00. IF YOU HAVE ALREADY OBTAINED A DOMESTIC PERMIT, YOU WILL NEED TO UPGRADE YOUR PERMIT AND THE FEE FOR UPGRADING IS \$165.00.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

APR 30 1996

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

DATE		DESCRIPTION			INVOICE NO.		CODE		AMOUNT	
02/05/96		APPRO PUBLIC WORKERS PERM APPL			021-43477509				240.00	
RECEIVED FEB 07 1996 NORTHWEST REGION IDWR										
PERIOD ENDING	EMPLOYEE NO.	RATE	HOURS		EARNINGS			GROSS EARNINGS		
			REGULAR	OVERTIME	REGULAR	OVERTIME	OTHER			
		GROSS EARNINGS		DEDUCTIONS				NET EARNINGS		
				FEDERAL W/H	STATE W/H	FICA	MISC.			
CURRENT →										
YEAR TO DATE →										

• PLEASE DETACH BEFORE CASHING

CITY OF COEUR d'ALENE
COEUR d'ALENE, IDAHO

30 1996

137279

\$240.00