


THE TOBLER MARINA, Inc.



ROAD CLASSIFICATION

- Heavy-duty
- Medium-duty
- Light-duty
- Unimproved dirt

- U.S. Route
- State Route

KULINK
T. SM., R. 30.




SEC 18 - T51N - R3W BM

SEC COR
FND 8" REBAR

MAR 29 1996


DETAIL OF CABIN ON N LINE



HAYDEN
LAKE


4435 OF HEARING-SEC LINE BETWEEN
SEC 18 T51N - R3W BM - WRIGHT'S
PARK PLAT

- LEGEND
- SET 1/2" REBAR
 - FND 8" REBAR UNLESS
OTHERWISE SPECIFIED



TITLE		NO	
SURVEY OF PARCELS 1, 2 & 3, LOT 37, WRIGHT'S PARK SEC 18 - T51N - R3W BM - KOTENAI COUNTY ID-440		SH 1 OF 1	
DATE	SCALE	REVISIONS	BY DATE
5-22-78	1" = 100'		
DR. JPM	CHK		
APPROVED			
MCKEL ENGINEERING & SURVEYING 402 Idaho Avenue Coeur d'Alene, Idaho 83814			

KUUK



Berven Bay Pump

WRIGHTS PARK
LOTS 36, 37, 38
V-9600-

CABIN

Block 31

BERVEN BAY TERRACE II
COMMON AREA
V-1050-050-
REGULATED - 2010'

SEE SE 1/4 T-51-3W

T.C. 11190

MICROFILMED
MAR 29 1996

#10854
LESS F/LW 4649 AC
(000-036A)

#10853
LESS F/LW 4602 AC
(000-036B)

#1189
LESS F/LW 4932 AC
(00-037D)

#13059
LESS F/LW 4932 AC
(00-037E)

#12776
LESS F/LW 4932 AC
(00-037F)

#12775
LESS F/LW 4932 AC
(00-037G)

#11187
LESS F/LW 4932 AC
(00-037H)

#11190
LESS F/LW 4932 AC
(00-038A)

#11186
LESS F/LW 4932 AC
(00-037A)

#11185
LESS F/LW 4932 AC
(00-037B)

#11184
LESS F/LW 4932 AC
(00-037C)

#11183
LESS F/LW 4932 AC
(00-037D)

#11182
LESS F/LW 4932 AC
(00-037E)


#11181
LESS F/LW 4932 AC
(00-037F)

#11180
LESS F/LW 4932 AC
(00-037G)

#11179
LESS F/LW 4932 AC
(00-037H)

#11178
LESS F/LW 4932 AC
(00-037I)

T514
R3W
C



Hayden Lake
T.51N, R.3W.

MICROFILMED
MAR 8 9 1998



95-08937

1 hp pump



95-08937


Point of diversion



95-08937

Place of use

MICROFILMED
APR 09 1998



T.51N.

P.U.
P.O.

95-08937

T.51N., R.03W., Sec.18

KULINK, BEVERLY

2679 III
(COEUR D'ALENE)
1:62,500

Mapped, edited, and published by the Geological Survey
Control by USGS and NOS/NOAA


Topography by photogrammetric methods from aerial
photographs taken 1958. Field checked 1961

Polyconic projection. 1927 North American Datum
10,000-foot grid based on Idaho coordinate system, west zone

GN
MN
0°14'
20 1/2°
364 MILS

1000 0 1000
1 5
CON

T51N
R3W



T51N. R03W. S08
95-08937
KULINK, BEVERLY

MICROFILMED
APR 09 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08937

Priority: January 12, 1996

Maximum Diversion Rate:
Maximum Diversion Volume:

0.04 CFS
1.2 AF

This is to certify, that BEVERLY S KULINK
1413 E 15TH
SPOKANE WA 99203

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated January 12, 1996; and
has submitted Proof of Beneficial Use on January 13, 1997. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

HAYDEN LAKE tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 10(NENE), Sec. 18, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC
51N 03W 18 Lot 10(NENE)

CONDITIONS OF APPROVAL AND REMARKS


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 95A.
6. Domestic use is for 1 home.

MICROFILMED
APR 0 8 1998

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 95-08937

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23RD
day of FEBRUARY, 1978.


Acting for KARL J. DREHER, Director

MICROFILMED

JAN 1978

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08937 Telephone No. 509-533-1895

2. Name(s) of Permit Holder(s): Beverly S. Kulink

3. Mailing Address: P.O. ~~Box~~ 8101 E. 1413 15th Spokane, WA. 99203

4. Source of Water: Hayden Lake If **GROUNDWATER** (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - -

b. **OPTIONAL:**
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock):

Irrigation (No. of acres): Other:

6. Total rate of diversion and/or volume for which proof is submitted: cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?	Yes <u> </u> or No <u>X</u>
Has the measuring device been installed?	Yes <u> </u> or No <u> </u>
Flow Measurement Port: Is a flow measurement port required?	Yes <u> </u> or No <u>X</u>
Has the measurement port been installed?	Yes <u> </u> or No <u> </u>

8. Fee Enclosed: \$ 50⁰⁰ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Beverly Kulink Telephone Number: 509-533-1895

Address: 1413 E. 15th Spokane WA 99203

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Beverly S. Kulink Date: 1-9-97
(include your title, if on behalf of company or organization)

RECEIVED
MAR 11 1997

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 95-08937

Proposed Priority: January 12, 1996

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **BEVERLY S KULINK**
1413 E 15TH
SPOKANE WA 99203
has applied for a permit to appropriate water from:
HAYDEN LAKE tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 10(NENE), Sec. 18, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC
51N 03W 18 Lot 10(NENE)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1997**.
2. Subject to all prior water rights.
3. Use of water under this right is subject to control by the watermaster of State Water District No. 95A.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

11 day of March, 1996

Karl J. Dreher
for Karl J. Dreher, Director

MAR 29 1996

RECEIVED
MAR 01 1996

Ident. No. 95-8937

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant Beverly S. Kulink Phone 509-533-1895
Post office address 1413 E. 15th, Spokane WA 99203
2. Source of water supply Hayden Lake which is a tributary of SINKS
3. Location of point of diversion is _____ 1/4 of NE 1/4 of NE 1/4, Govt. Lot 10
Sec. 18 Township 51N Range 03W B.M. KOOTENAI County; additional

- * points of diversion if any: _____
* Berven Bay - Lot 37B.

4. Water will be used for the following purposes:

Amount 0.04 for Domestic household purposes from Summer 12/31 to 7/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

- (a) Description of ditches, flumes, pumps, headgates, etc. PUMP & PIPELINE

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____;


Well was drilled for (well owner) _____

7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

* per Telecom, 3/6/96 c.z.

MAR 29 1996

- Since our cabin is sale only in summer so we felt pumping from the lake is a better alternative.



SEC. CAP 5 16 17
FIND & REPAIR

HAYDEN
LAKE

DETAIL OF CABIN ON JUNE


PROF LINE

CADIN

BASIS OF HEARING-SEC LINE BETWEEN
 SEC 14 17-T-51N-R34W RM-WRIGHT'S
 PARK PLAT

LEGENDE

- SET 1/2 REAR
- FIND A REAR UNLESS OTHERWISE SPECIFIED



SCALE	INCHES	FEET	BY	DATE
1" = 100'				
DATE	5-22-74			
DR. BY	ES			
CD BY				
TITLE	MICHEL ENGINEERING & SURVEYING 402 Idaho Avenue SEATTLE, WASH. 98104			
	SHEET 1			

下

X Beverly S. Kulenk
(Applicant)

98051 6 2 2771

6-27-96

e. Other:

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before a. SUBJECT TO ALL PRIOR WATER RIGHTS.


1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	_____	Date	1/12/96	Time	10:15	Preliminary check by	_____
Fee \$	50.00	Received by	_____	#	N-9805	Date	1/12/96
Publication prepared by	_____	Date	1/27/96	Published in	_____	Date	2/9/96
Publication approved	_____	Date	2/9/96				



T514
R34



T. 51 N., R. 3 W.

RULICK

HAND IN

MEMORANDUM

DATE: March 11, 1998

TO: File 95-08937

FROM: Kari Lynn Townsend

RE: Returned Mail

=====

The water right license mailed in February 1998 was returned by the postoffice with a yellow sticker showing the following current address.

KULINK
PO BOX 8101
SPOKANE WA 99203-0101

I remailed the license to the above address today, *and went to the office.*
date 3/11/98

MICROFILMED

APR 09 1998

IDAHO DEPARTMENT OF WATER RESOURCES

1301 N. Orchard St.

P.O. Box 83720

Boise, ID 83720-0098

(208) 327-7900

TO

L95-08937

BEVERLY S KULINK

1413 E 15TH

SPOKANE


WA 99203

KULI413
FORWARD
KULINK
PO BOX 8101
SPOKANE WA

992032003 1A96 10 03/09/98
TIME EXP RTN TO SEND

99203-0101

RETURN TO SENDER





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 23, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

BEVERLY S KULINK
1413 E 15TH
SPOKANE WA 99203

RE: WATER RIGHT NO. 95-08937

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 03 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED


APR 09 1988

MICROFILMED

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 23rd day of **February, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 95-08937

BEVERLY S KULINK
1413 E 15TH
SPOKANE WA 99203


Kari Lynn Townsend
Secretary

1000

MICROFILMED

APR 8 8 1998

MEMORANDUM

TO: File 95-08937

FROM: Sharla

DATE: February 17, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 95-08937 are as follows:

H. RECOMMENDATIONS

Domestic	1/1 - 12/31	0.04 cfs	1.2 afa
----------	-------------	----------	---------

The standard volume for domestic use of 1 home is 1.2 afa.

Examiner: David Pagel
Exam Date: July 14, 1997

MICROFILMED
APR 03 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08937

DATE 2/13/98

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>—</u>	Address Change <u>use P.O. Box 8101</u>
SOURCE	—	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	—	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	—	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? — yes — no

OVERLAPS — P/D — P/U
Overlap file pulled & reviewed —

ck govt. plat looks like lot 8 to me

RATE OF DIV

Permitted Rate	<u>.04</u> cfs
Fee limit	<u>.20</u> cfs <u>\$5000</u>
Measured	<u>—</u> cfs
Theoretical	<u>.04</u> cfs

Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/ NATURE OF USES

Use	cfs	Volume Calc	
<u>dom</u>	<u>.04</u>	<u>1.2</u>	af
<u>—</u>	<u>—</u>	<u>—</u>	af
<u>—</u>	<u>—</u>	<u>—</u>	af
<u>—</u>	<u>—</u>	<u>—</u>	af
SUBTOTAL	<u>.04</u>	<u>1.2</u>	af

Flow rate .04 cfs X 365 days X 1.98 = 29.0 af

Total volume recommended 1.2 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

D/I home.

CONDITIONS R04 Watermaster Control WD# 95A

— GW Measurement/Measuring Device
— Overlap
— Use-specific conditions

Advancement of Priority Date Required — yes — no

SRBA Claim Filed NA
Adjustment Memo std dom.

1st Amend Letter NA
2nd Amend Letter NA

no house vol

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1998

Department of Water Resources

95-08937

A. GENERAL INFORMATION

Permit No.

1. Owner: Beverly S. Kulink Phone No. (509) 533-1895

Current Address: 1413 E. 15th Spokane WA 99203

2. Accompanied by: Beverly S. Kulink EXAM DATE: 7-14-97

Address: _____ Phone No. _____

Relationship to Permit Holder: Same

3. Source: Hayden Lake tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-00008

2. Other water rights with the same point of diversion: 95-00008

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	10D		NE	NE	18	51N	3W	Kootenai	USGS 7.5 min. Quad. / Gov't. lot map


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	2W	18	D																

MICROFILMED
APR 11 9 1000

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ Aerial Photo Attached _____
 _____ (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1		Star	94J110

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

APR 09 1958

02-08524

E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted from Hayden Lake, for domestic use,
through a 1.5" plastic pipe approx. 100 ft. in length. The water is lifted
approximately 75 feet by a 1 Hp pump.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 09 1998

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08937

DATE: 23-JUL-97

COMPLETE BY: D. PAGEL

HORSEPOWER = 1

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 75 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.04 CFS

MICROFILMED
APR 09 1998

STATE OF IDAHO

PERMIT #

95-08937

FORCES
NT
S

1 hp pump

95-08937

Point of diversion

95-08937

Place of use

95-08937

MICROFILMED
APR 09 1998

T. 52 N.

T. 51 N.

T. 51 N.

ROAD

ROCKAWAY

BEACH

ROAD

Rockaway Beach

Harris Landing

Evermade Point

English Point

Yellowstone Point 16

Clark Point

Clarksville

Coopers Bay

Windy Bay

Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial photographs taken 1958. Field checked 1961

Polyconic projection. 1927 North American Datum
10 000-foot grid based on Idaho coordinate system, west zone

2675 III
(COEUR D'ALENE)
1:62 500


MICROFILMED

APR 09 1998

95-08937


T. 51 N., R. 03 W., Sec. 18

KULINK, BEVERLY



CON

T514 C
R34



T514 R03W S08
95-08937
KULINK, BEVERLY

MICROFILMED
APR 09 1988

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08937 Reviewed by [Signature] Date 1-23-97

GENERAL CONSIDERATIONS

yes Name same as permit?

yes Address same as permit?

yes Proof timely received?

If not, complete calculation below.

TYPES OF USE

dom.

Correct Uses? yes

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☐ Drilling permit required?

☐ Copy in the file? Drilling Permit No. _____

☐ Amount paid for permit

☐ Well log in the file?

Correct? _____

LICENSE EXAMINATION FEE

yes Required?

50 Amount Submitted

yes Correct?

MEASURING DEVICE

no Required?

☐ Installed?

☐ Waiver requested?

PRIORITY CALCULATION

Date proof received _____

Date proof due _____

No. of days late _____

Priority Date _____

New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____

Proof Made 1-13-97

January 24, 1997

BEVERLY S KULINK
1413 E 15TH
SPOKANE WA 99203

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08937

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED

MAR 11 1997

December 31, 1996

BEVERLY S KULINK
1413 E 15TH
SPOKANE WA 99203

PROOF DUE NOTICE

RE: PERMIT NO. 95-08937

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,


JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

MAR 11 1997





MAR 29 1996

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW**
by Cindy Zimmerman

No.: 95-8937 Name: Kulink Date: 3/5/96 Ad OK? ✓
Correct Fee? ✓ Receipt #: N9805 Priority: 1/12/96 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)
SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - **P16**
+1 year - 26A-P17
GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)
Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, **P99**
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - **P05** (new well)
SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):
Water District(~~dem~~) - 005 (req) WD # 95A <SEE MAP & LISTING>
+ 0.2 cfs - 01J(meas dev)-**P08**
=/- 0.2 cfs - 01H(lock dev)-**P01** or No MD
In-WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M
RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-† Weiser), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA
USE:
Domestic (surface) - 021(Boise R † Star Bridge); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-**P10**; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(**P19**)-09E(**P10**);
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - **P52** (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - Blank <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA
OWNERSHIP: Non-land owner - 004 (PD/PU) Dept of Lands.
OTHER CONDITIONS: _____
STANDARD REMARKS: - ① woi/1 ② Pu = Lt 378, Berven Bay Subd.
BENEFICIAL USE DUE: - 3-1-1997
COMMENTS: _____

No. a
4/87-06/92n

I 3 DEPARTMENT OF WATER RESOURCE
APPLICATION APPLICATION ANALYSIS S

APPLICATION # 95-8937

***** INITIAL REVIEW *****

APPLICANT: KULINK BY: JB DATE: 1/12/96

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
X Field report attached
X Analysis Supp. attached (>5cfs/500af)
X Water delivered by water master?
Water District # 95A 2/26/96

PROCESSING

Yes No

PRIORITY DATE: 1/12/96

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

CA (Shuns) cl

ADVERTISE IN: KOSTENAL County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

- X Groundwater management area
X Critical ground water area
X Well Drilling Permit required
X Well Drilling Application and Fees received
X Well Drilling Application approved?
Well Drilling Application Number _____

Checked by: _____ Date: ____/____/____

Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ____ Notice of pending void order issued. Final order response date: ____/____/____
____ Further information required from applicant
2/9/96 Affidavit of publication received
2/9 Application published correctly, If not, record action taken: _____

1/24/96 Publication dates and paper recorded on application | Sr. Agent initial JB

____ Protests received. Final protest date: 2/12/1996

____ Measuring device required

____ Measuring port required 2/26

____ Special conditions: Done

____ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: JB RWA

Date: 2/20/96

RECEIVED

MAR 01 1996

Department of Water Resources

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Ken Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Legal Notice

of which the annexed is a printed copy, was published in the regular Thurs.
issue of said newspaper for 2 consecutive weeks
commencing on the 1st day of February, 1996, and
ending on the 8th day of February, 1996, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 8th day of February, 1996.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires 2-5-99

MAR 2 1996

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

95-08937
KULINK, BEVERLY S
1413 E 15TH
SPOKANE, WA 99203
Source: HAYDEN LAKE
Tributary: SINKS
Diversion Pt: LOT 10 (NENE) Sec 18 T
51N R 03W in KOOTENAI County.
Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 1/12/1996
In: KOOTENAI County
T51N R03W S18 Lot 10 (NENE)
96-08912

SCOTT, MICHAEL
SCOTT, HEIDI
12410 WAGNER ROAD
MONROE, WA 98272
Source: SPIRIT LAKE
Tributary: SPIRIT CREEK
Diversion Pt: LOT 4 (NWNW) Sec 13 T
53N R 05W in KOOTENAI County.
Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 1/16/1996
In: KOOTENAI County
T53N R05W S13 Lot 4 (NWNW)
96-08913

HACKNEY WATER & SEWER DISTRICT
P O BOX 356
ATHOL, ID 838010356
Source: GROUNDWATER
Diversion Pt: NWNW Sec 11 T 53N R 03W
in KOOTENAI County.
Use: IRRIGATION (0.070 CFS)
DOMESTIC (0.070 CFS)
FIRE PROTECTION (0.070 CFS)
Total Diversion: (0.070 CFS)
Date Filed: 1/23/1996
In: KOOTENAI County
T53N R03W S11 NENW SWNW
SENW
7.5 ACRES TOTAL

For additional information concerning
the property location, call the Northern
Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the applicant and with the Director, Dept.
of Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210, Coeur
d'Alene, Idaho 83814, together with a
protest fee of \$25.00 on or before FEBRU-
ARY 20, 1996.

KARL J. DREHER, Director

Legal 124
Feb. 1, 8, 1996

FEB 09 1996

NORTHERN REGION
IDWR

95-08937

KULINK, BEVERLY S
1413 E 15TH
SPOKANE, WA 99203

Source: HAYDEN LAKE

Tributary: SINKS

Diversion Pt: LOT 10 (NENE) Sec 18 T 51N R 03W in KOOTENAI County.

Use: DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.040 CFS)

Date Filed: 1/12/1996

In: KOOTENAI County
T51N R03W S18 Lot 10(NENE)

MAR 29 1996

January 24, 1996

Beverly S. Kulink
1413 E. 15th
Spokane WA 99203

Re: Water Appropriation Application No. 95-08937

Dear Ms. Kulink:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If your source is groundwater, a separate well drilling permit is required for all wells constructed after July 1, 1987.

IF, FROM THAT WELL, YOU WILL BE DIVERTING WATER FOR MORE THAN ONE HOME AND AT A RATE OF MORE THAN 0.04 CFS AND MORE THAN 2500 GALLONS PER DAY, YOU WILL NEED TO OBTAIN A PERMIT FOR OTHER THAN DOMESTIC USAGE. THE TOTAL FEE FOR SUCH A PERMIT IS \$200.00. IF YOU HAVE ALREADY OBTAINED A DOMESTIC PERMIT, YOU WILL NEED TO UPGRADE YOUR PERMIT AND THE FEE FOR UPGRADING IS \$165.00.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db