

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

B. P. Ullrich

(Applicant)

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

B. P. Uhl
(Applicant)

PERMIT # 95-08935

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Place of use



Point of diversion

MICROFILMED

JAN 24 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08935

Priority: December 5, 1995

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that BRIAN P ULLRICH
E 19708 32ND

GREENACRES WA 99016 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated December 5, 1995; and
has submitted Proof of Beneficial Use on May 8, 1996. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3 (SWNW), Sec. 23, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

48N 04W 23 Lot 3(SWNW)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use known as Lot 17, Jensen Powderhorn Bay Addition.
6. Domestic use is for 1 home.
7. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

MICROFILMED

JAN 24 1997


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08935


This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 7th
day of November, 1996


Acting for KARL J. DREHER, Director



RECORDED

JAN 2 1997



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
MAY 13 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08935 Telephone No. (509) 928-5925

2. Name(s) of Permit Holder(s): BRIAN P. ULLRICH

3. Mailing Address: E. 18708 - 32ND GREENACRES, WA. 99016

4. Source of Water: LAKE COEURALENE GROUNDWATER (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - -

b. **OPTIONAL:**
Pump Horsepower: 3/4 Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock):

Irrigation (No. of acres): Other:

6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No ✓
Has the measuring device been installed? Yes or No ✓

Flow Measurement Port: Is a flow measurement port required? Yes or No ✓
Has the measurement port been installed? Yes or No ✓

8. Fee Enclosed: \$ 5000 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: GLEN ULLRICH Telephone Number: (509) 927-0655

Address: E. 18708 - 32ND GREENACRES, WA. 99016

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Glen Ullrich for B.P. Ullrich Date: 5/18/96
(include your title, if on behalf of company or organization)

AUG 22 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 95-08935

Proposed Priority: December 5, 1995

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **BRIAN P ULLRICH**
1920 11TH AVE W
SEATTLE WA 98119

has applied for a permit to appropriate water from:
COEUR D ALENE LAKE tributary of **SPOKANE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

DOMESTIC	01/01 to 12/31	0.04 CFS
----------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: Lot 3(SWNW), Sec. 23, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC


48N 04W 23 Lot 3(SWNW)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1997**.
2. Subject to all prior water rights.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.
4. Place of use is located within Lot 17, Jensen Powderhorn Bay Addition.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

26th day of January, 1996.


for
Karl J. Dreher, Director

JAN 31 1996

RECEIVED
JAN 18 1996

Ident. No. 95-08935

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant BRIAN P. ULLRICH Phone (206) 283-3497
Post office address 1920 11th AVE WEST SEATTLE, WA. 98119
2. Source of water supply LAKE COEUR D'ALENE which is a tributary of SPOKANE RIVER
3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot 3
Sec. 23 Township 48N Range 4W B.M. Kootenai County; additional
points of diversion if any: LOT 17 JENSEN POWDERHORN BAY ADDITION
4. Water will be used for the following purposes:
Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pump - to lake to the filtration system and the house
b. Height of storage dam NA feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
c. Proposed well diameter is NA inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 85°F being sought? NO
e. If well is already drilled, when? NO; Drilling firm _____; Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is 1 years (minimum 1 year).

7916-10
JAN 21 1996

9661 13 NOV

2679 IR SE (MICA BAY)

23 MI. TO INTERSTATE 90

50' 47'

12 13 15

Ponderhorn

2879

2894

2842

EAST

POINT

26 ROAD

Campground

Bell Bay

ULL RICH
T. 48 N.
R. 46 W.

JAN 87

B. P. Ullal
(Applicant)

JAN 21 1995

WATER DIVISION
BOISE, IDAHO

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by Date 12/5/95 Time 10:30am Preliminary check by

Fee \$ \$50 Received by # 09718 Date 12/5/95

Publication prepared by Date 12/13/95 Published in GAZETTE 12/21/95

Publication approved Date 1/2/95



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 7, 1996

BRIAN P ULLRICH
E 18708 32ND
GREENACRES WA 99016

RE: WATER RIGHT NO. 95-08935

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
JAN 24 1997

MEMORANDUM

TO: File 95-08935

FROM: Sharla

DATE: October 30, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 95-08935 are based on the following:

H. RECOMMENDATIONS

1. Recommended Amounts

Domestic	1/1 - 12/31	0.02 cfs	0.6 af
----------	-------------	----------	--------

The examiner recommends a volume of 0.6 af (in-house use only). The rate of diversion has been adjusted accordingly.

Examiner: D. Pagel
Exam date: August 15, 1996

FILED

JAN 24 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08935

DATE 10/30/96

REVIEWER: SHARLA

NAME	Change <u>OK</u>	Address Change <u>NO</u>
SOURCE	<u>✓</u>	Is change clarification of originally intended source? <u>✓</u> If not, prepare Notice of Intent to Void <u> </u>
POINT OF DIV	<u>✓</u>	Amendment required <u>NO</u>
PLACE OF USE	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate	<u>.04</u> cfs
Fee limit	<u>.20</u> cfs \$5000
Measured	<u> </u> cfs
Theoretical	<u>.04</u> cfs

$30 + (2.31 \times 40) = .04$
 $.75 \times 8.8 \times .7 / 42 + (2.31 \times 50) = .03$.02
 Recommended Total Div Rate .02 cfs

ANNUAL VOLUME/ NATURE OF USES	Use <u>Dom .02</u>	Volume Calculation <u>.6 in house</u> af
	<u> </u>	<u> </u> af
	<u> </u>	<u> </u> af
	<u> </u>	<u> </u> af
	<u> </u>	<u> </u> af
SUBTOTAL		<u>.6</u> af

Flow rate .02 cfs X 365 days X 1.98 af = 14.5 af

Total volume recommended .6 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS 1 home orig not incl
Plu aka lot 17, Jason Penderhorn Addn.

CONDITIONS Watermaster Control WD#

 GW Measurement/Measuring Device

 Overlap

 Use-specific conditions

Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed N/A

Adjustment Memo rate

1st Amend Letter N/A

2nd Amend Letter N/A

JAN 24 1957

JAN 24 1957

UNRECORDED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

1.
D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

4.

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
____ Aerial Photo Attached (required for irrigation of 10+ acres)
____ Photo of Diversion and System Attached

Scale: 1" = 175'



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

Barried 1 in. line extends from the point of use, downhill 30 ft. into Coeur d'Alene Lake. From there it extends 200 ft. out into the lake to a depth of 42 ft. There water is diverted from the lake through a $3/4$ h.p. Submersible pump.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JAN 24 1987

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = \frac{[\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835}{V} = \text{Smaller of } V \text{ and } V_{DR}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

From

Period of Use	From	To
	1-1	12-31

Rate of Diversion

60
(cts) 0

Annual Volume

91 24
(BIB) A

2. Recommended Amendments

— Change P.D. as reflected above

— Change P.U. as reflected above

— Add P.D. as reflected above

— Add P.U. as reflected above

Other _____
None _____

I. AUTHENTICATION

Field Examiner's Name _____

1. Page 1

Date _____

Date _____

Reviewer

SEAL

8-14-96
Left message

TELEPHONE CONVERSATION MEMORANDUM

Permit No. 95-08935 Name of Contact Glenn ULL Rich

Employee _____

1-509-927-0655

999-3409 mobil

Date set for examination: _____

Time _____

Directions Hwy 97 mile marker 73 (toward Harrison) green gate
across from mile marker - Ponderosa Homestead Y w/ sign 19720 (to right)
new house on roof w/ electrical fence

Are all the uses on the permit developed? _____

Are there existing water rights used for the same purpose? yes
95-08319 95-08386 95-08711

How many points of diversion are used? _____

What is the estimated flow at each point of diversion? _____

Number of Acres irrigated by each P/D _____

Size of Motor used for each P/D 3/4 hp Submersible

Estimate of depth to water 42' 30' From water to P.U.

How many laterals are used? _____

Length and size of mainline 1"

Pressure at well 60/40

Pressure at sprinkler head _____

Have conditions of approval been complied with? _____

Is land under CRP? yes _____ no _____ (Review Permit Processing Administrative Memorandum #11 for conducting exams for CRP land)

MICROFILMED
JAN 24 1967

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: BRIAN P.ULLRICH 95-08935

DATE: 16-AUG-96

COMPLETE BY: PAGEL

HORSEPOWER = .75

PUMP EFFICIENCY = 75%


DYNAMIC LIFT = 20 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.04 CFS

RECEIVED
AUG 24 1996

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

B. P. Ullrich
(Applicant)

1/11/54

42



95 0893
4720

48 M
R

FARMINGTON
Aberdeen
Lodge

28

22

29

32

34

35

36

27

28

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

26

27

28

29

35

PERMIT # 95-08935

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Place of use



Point of diversion

REPRODUCTION

JAN 24 1957

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08935 Reviewed by [Signature] Date 5-31-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

dom.

no Address same as permit?

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source

/ Ground water source

/ Drilling permit required?

/ Copy in the file? Drilling Permit No. _____

/ Amount paid for permit

/ Well log in the file?

_____ Correct?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

no Required?

50 Amount Submitted

/ Installed?

yes Correct?

/ Waiver requested?

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address E.18708 32nd

Greenacres, WA 99016

Proof Made 5/8/96



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 7, 1996

BRIAN P ULLRICH
E 18708 32ND
GREENACRES WA 99016

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 95-08935

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning the field examination, contact the NORTHERN Regional Office in Coeur d'Alene, at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
AUG 22 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 29, 1996

BRIAN P ULLRICH
1920 11TH AVE W
SEATTLE WA 98119

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08935

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

JAN 31 1996

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 95-8935 Name: Ulrich Date: 1/24/96 Ad OK? ✓
Correct Fee? ✓ Receipt #: N9718 Priority: 12/5/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes Mor GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. , P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):
Water District(~~dem~~) - 005 (req) WD # <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
In WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-↑ Weiser), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA

USE:
Domestic (surface) - 021(Boise R ↑ L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10;044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU) Dept Lands / Permit # L-95-S-4148

OTHER CONDITIONS: -
STANDARD REMARKS: - ① woi/1 ② Pu = LT 17 Jensen Powderhorn Bay Add.

BENEFICIAL USE DUE: - 2-1-1997
COMMENTS: -

No. a
4/87-06/92n

INFORMATION DEPARTMENT OF WATER RESOURCE
APPLICATION ANALYSIS SHEET

RECEIVED
JAN 18 1996

APPLICATION # 95-08935

***** INITIAL REVIEW *****

APPLICANT: OURICH

BY: AB

DATE: 12/5/95

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached(>5cfs/500af)
☒ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 12/5/95

☒

(Include Moratorium Remark)

☒

Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

CA/Thurs/ok
ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- ☒ Groundwater management area
☒ Critical ground water area
☒ Well Drilling Permit required
☒ Well Drilling Application and Fees received
☒ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

12/29 Affidavit of publication received

1/2 Application published correctly, If not, record action taken: _____

12/13 Publication dates and paper recorded on application | Sr. Agent initial AB

☒ Protests received. Final protest date: 1/8/96

☒ Measuring device required

☒ Measuring port required

☒ Special conditions: _____

☒ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB PJA

Date: 1/10/96

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Keri Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Legal Notice

of which the annexed is a printed copy, was published in the regular THURS. issue of said newspaper for 2 consecutive weeks commencing on the 21st day of December, 1995, and ending on the 28th day of December, 1995, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this 28th day of December, 1995.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires 2-5-99

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08935 ok
ULLRICH, BRIAN P
1920 11TH AVENUE WEST
SEATTLE, WA 98119
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: (LOT 3 (SWNW) Sec 23 T 48N R 04W in KOOTENAI County.
Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 12/5/1995
In: KOOTENAI County
T48N R04W S23 Lot 3 (SWNW)
96-08908

BURDETTE, RICHARD
13900 NUNN RD
ATHOL, ID 83801
Source: SPRINGS
Tributary: UNNAMED STREAM
Source: UNNAMED STREAM
Tributary: SINKS
Diversion Pt: SENWNE Sec 32 T 53N R 02W in KOOTENAI County.
Use: RECREATION (0.130 CFS)
RECREATION
STORAGE (1.40 AF)
AESTHETIC (0.130CFS)
AESTHETIC
STORAGE (1.40AF)
Total Diversion: (0.130 CFS)

Date Filed: 12/8/1995
In: KOOTENAI County
T53N R02W S32 NWNE
For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.
The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before JANUARY 8, 1996.

KARL J. DREHER, Director

Legal 926
Dec. 21. 28. 1995

RECEIVED

DEC 29 1995

NOTICE
IDWR

95-08935

ULLRICH, BRIAN P
1920 11TH AVENUE WEST
SEATTLE, WA 98119

Source: COEUR D'ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: LOT 3 (SWNW) Sec 23 T 48N R 04W in KOOTENAI County.

Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)

Date Filed: 12/ 5/1995

In: KOOTENAI County
T48N R04W S23 Lot 3 (SWNW)

JAN 31 1996

December 13, 1995

Brian P Ullrich
1920 11th Ave West
Seattle WA 98119

Re: Water Appropriation Application No. 95-08935

Dear Mr. Ullrich:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If your source is groundwater, a separate well drilling permit is required for all wells constructed after July 1, 1987.

IF, FROM THAT WELL, YOU WILL BE DIVERTING WATER FOR MORE THAN ONE HOME AND AT A RATE OF MORE THAN 0.04 CFS AND MORE THAN 2500 GALLONS PER DAY, YOU WILL NEED TO OBTAIN A PERMIT FOR OTHER THAN DOMESTIC USAGE. THE TOTAL FEE FOR SUCH A PERMIT IS \$200.00. IF YOU HAVE ALREADY OBTAINED A DOMESTIC PERMIT, YOU WILL NEED TO UPGRADE YOUR PERMIT AND THE FEE FOR UPGRADING IS \$165.00.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

JAN 31 1996