




PERMIT # 95-08934

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Place of use - home



Point of diversion -
pump house

Place of use - irrigated lawn

MICROFILMED
NOV 08 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 95-08934

P H O T O G R A P H S



Place of use -
irrigated lawn



Point of diversion -
pump house

MICROFILMED
NOV 08 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08934

Priority: November 17, 1995

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:

6.6 AF

This is to certify, that ABRAHAM W DALE
5300 N RAMSEY RD
RATHDRUM ID 83858

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 17, 1995; and has submitted Proof of Beneficial Use on February 9, 1996. An examination indicates that the works have a diversion capacity of 0.080 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.08 CFS	6.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 11, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N	04W	11	NWSW	2		2

Total number of acres irrigated: 2

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

MICROFILMED
OCT 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 95-08934

CONDITIONS OF APPROVAL AND REMARKS

6. Domestic use is for 1 home.
7. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 1ST
day of NOVEMBER, 1976.


Acting for KARL J. DREHER, Director



MICROFILMED
NOV 8 1986

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

FEB 12 1996

Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08934 Telephone No. (208) 687-2654
2. Name(s) of Permit Holder(s): Abraham W. Dale or Janet D. Dale
3. Mailing Address: 21300 N. Ramsey Rd. Rathdrum ID 83858
4. Source of Water: Groundwater If GROUNDWATER (well), Date Drilled: mo. 04 / yr. 84
- a. Well Driller: United Drilling, Inc. Drilling Permit Number: 95-84N-0067-000

b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 2.0 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.08 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No X
Has the measurement port been installed? Yes _____ or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Abe or Janet Dale Telephone Number: 687-2654

Address: Same as above - note new address per county restructure

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Abraham W. Dale Date: 02/09/96
(include your title, if on behalf of company or organization)

FEB 26 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 95-08934

Proposed Priority: November 17, 1995 Maximum Diversion Rate: 0.08 CFS

This is to certify, that **ABRAHAM W DALE**
5300 N RAMSEY RD
RATHDRUM ID 83858
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.06 CFS
DOMESTIC	01/01 to 12/31	0.02 CFS
	Totals	0.08 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 11, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N 04W 11	NWSW 2.0			2.0

Total number of acres irrigated: 2.0


PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS


1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1997**.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
4. Domestic use is for 1 home.
5. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

26th day of January, 1996.


for Karl J. Dreher, Director

JAN 31 1996



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8934


Department of Water Resources appropriate the public waters of the State of Idaho

1. Name of applicant Abraham W. Dale Phone 687-2654
mailing address 5300 N. Ramsey Rd. Rathdrum ID 83858
2. Source of water supply groundwater which is a tributary of N/A
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of _____ $\frac{1}{4}$ Govt. Lot _____
Sec. 11 Township 52N Range 4W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount * 0.02 for DOMESTIC purposes from Y1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.06 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum) 0.08
5. Total quantity to be appropriated is (a) 0.10 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL + PUMP
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 350 feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? NO
 - e. If well is already drilled, when? 84; Drilling firm UNITED
Well was drilled for (well owner) YES (KURICH) 95-84-N-0067-000
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

* per dept standard 1 hr in house use etc. 1/23/96

JUN 3 1996

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Abraham W. Dale
(Applicant)

RECEIVED
JAN 31 1936

JAN 31 1998

1. Approval of said application is subject to the following limitations and conditions:
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
 - e. Other: _____

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	AS	Date	11/17/95	Time	10:39	Preliminary check by	AS
Fee \$	50.00/100	Received by	AS	#	10-009698	Date	11/17/95
Publication prepared by	AS	Date	11/29/95	Published in	Idaho News 12/14/95		
Publication approved	AS	Date	11/2/96				



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 5, 1996

ABRAHAM W DALE
5300 N RAMSEY RD
RATHDRUM ID 83858

RE: WATER RIGHT NO. 95-08934

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
NOV 08 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08934

DATE 10/30/96

REVIEWER: SHARLA

NAME Change OK Address Change NO
 SOURCE ✓ Is change clarification of originally intended source? ✓
 If not, prepare Notice of Intent to Void
 POINT OF DIV ✓ Amendment required NO
 PLACE OF USE ✓ Amendment required NO
 Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .08 cfs

Fee limit .20 cfs \$50⁰⁰

Measured cfs

Theoretical .08 cfs

95-84-N-0067-000
 80 gpm = .18 (well log info)

Recommended Total Div Rate .08 cfs

ANNUAL VOLUME/ NATURE OF USES

property is about 5 acres
 total

Use W. .06
Dom. .02

Volume Calculation
2 x 3.0 = 6.0 af
.6 in house af
 af
 af

SUBTOTAL 6.6 af

Flow rate .06 cfs X 245 days X 1.98^{af} = 29.1 af
 Total volume recommended 6.6 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1 home - irrig not incl.

CONDITIONS Watermaster Control WD#

 GW Measurement/Measuring Device

R49 Overlap

 Use-specific conditions

Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo

1st Amend Letter N/A
 2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 19 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08934

1. Owner: Abraham W. Dale

Phone No. (208) 687-2654

Current Address: 5300 N. Ramsey Rd. Rathdrum Id. 83858

2. Accompanied by: Abraham Dale

EXAM DATE: 8-15-96

Address: Same

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground water

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: 95-04720

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	NA		NW	SW	11	52N	4W	Kootenai	U.S.G.S. Topo. map


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N	4W	11										D							

MICROFILMED
NOV 08 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 ____ Aerial Photo Attached (required for irrigation of 10+ acres)
 ____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

NOV 0 8 1996

E. NARRATIVE/REMARKS/COMMENTS

6 in. x 350 FE. well using a 3 h.p. submersible pump supplies domestic uses as well as 2.0 acres of lawns, and including a small orchard that is irrigated

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 08 1996

F. FLOW CALCULATIONS

Measured Method:

See Theoretical Calculations

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (2)(3) = 6$$

$$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.06)(245)(1.9835) = 29.16$$

2. Volume Calculations for Other Uses:

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} = 6$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Beneficial Use	From	To	Period of Use	Rate of Diversion Q (cfs)	Annual Volume V (ata)
Domestic	1-1	12-31		.02	0.6
Irrigation	3-15	11-15		.06	6.0
			Totals:	.08	6.6

2. Recommended Amendments

Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None ☐
Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other ☐

I. AUTHENTICATION

Field Examiner's Name D. Fayed

Date 8-16-96

Reviewer _____

Date _____

SEAL

MICROFILMED

NOV 0 8 1996

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: ABRAHAM DALE 95-08934

DATE: 16-AUG-96

COMPLETE BY: PAGEL

HORSEPOWER = 3


PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 125 FEET

SYSTEM PRESSURE = 50 PSI

QUANTITY = 0.08 CFS


MICROFILMED
NOV 08 1996




PERMIT # 95-08934

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Place of use - home



Point of diversion -
pump house

Place of use - irrigated lawn


MICROFILMED

NOV 0 8 1996


PERMIT # 95-08934

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Place of use -
irrigated lawn



Point of diversion -
pump house

95-08934

MICROFILMED

NOV 08 1996

TELEPHONE CONVERSATION MEMORANDUM

Permit No. 95-08934 Name of Contact ~~Dale~~ or Abraham or Janet Dale

Employee _____

687-2654

Date set for examination: 8-15-96

Time _____

Directions Scarcello Rd to Ramsey - Rt. 100 before RR Xing
21,300 - steel gate -construction sign - mailbox
Are all the uses on the permit developed? _____Are there existing water rights used for the same purpose? yes✓ How many points of diversion are used? 1What is the estimated flow at each point of diversion? 80 gals/min well report✓ Number of Acres irrigated by each P/D 2 acres lawn✓ Size of Motor used for each P/D 3 H.P.✓ Estimate of depth to water 315'

How many laterals are used? _____


✓ Length and size of mainline 1.5"✓ Pressure at well 50-60 lbs.

Pressure at sprinkler head _____

Have conditions of approval been complied with? _____

Is land under CRP? yes _____ no _____ (Review Permit Processing Administrative Memorandum #11 for conducting exams for CRP land)

MICROFILMED
NOV 08 1996



$$650.24'$$

$$\approx 728.68'$$

$$473,816.88 \text{ sq ft}$$

$$\approx 236,908 \text{ ft}^2$$

2

$$236,908 \text{ ft}^2$$

$$650.24^2 + 728.68^2 = 976.62^2$$

$$422812 + 530974.5 = 953786.5$$

$$976.62^2 = 953786.6$$

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08934 Reviewed by [Signature] Date 2-22-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
no Drilling permit required?
no Copy in the file? Drilling Permit No. 95-84-N-0067-000
? Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>
Date proof due	<u> </u>
No. of days late	<u> </u>
Priority Date	<u> </u>
New Priority Date	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address Proof Made 2-9-96

February 22, 1996

ABRAHAM W DALE
5300 N RAMSEY RD
RATHDRUM ID 83858

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08934

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

FEB 26 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 29, 1996

ABRAHAM W DALE
5300 N RAMSEY RD
RATHDRUM ID 83858

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08934

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

MAILED 150

JAN 31 1996

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 95-8934 Name: Date Date: 1/23/96 Ad OK? ☒
Correct Fee? ☒ Receipt #: N9698 Priority: 11/17/95 ☒ Gvmt Lts: NO

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)
SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17
GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)
Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. 95-84-N-0067-000, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)
SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):
Water District(~~dom~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - ~~028(may report)-01J(meas dev)-P08~~
=/- 0.2 cfs - ~~028(may report)-01H(lock dev)-P01~~ or No MD
=/+ 5 a. irr. - ~~028(may report)~~
In WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M
RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-† Weiser), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA
USE:
Domestic (surface) - 021(Boise R † L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA
OWNERSHIP: Non-land owner - 004 (PD/PU) _____
OTHER CONDITIONS: _____
STANDARD REMARKS: - 0 was/1
BENEFICIAL USE DUE: - 2-1-1997
COMMENTS: _____

No. a
4/87-06/92n

DEPARTMENT OF WATER RESOURCES
APPLICATION ANALYSIS SHEET

RECEIVED
JAN 18 1996

APPLICATION # 95-8934

***** INITIAL REVIEW ***** Department of Water Resources

APPLICANT: DALE BY: AB DATE: 11/17/95

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached(>5cfs/500af)
☒ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 11/17/95

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

- ☒ Groundwater management area
☒ Critical ground water area
☒ Well Drilling Permit required
☒ Well Drilling Application and Fees received
☒ Well Drilling Application approved?
Well Drilling Application Number _____

Checked by: _____ Date: ____/____/____

Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ____ Notice of pending void order issued. Final order response date: ____/____/____
____ Further information required from applicant
12/29, 12/15 ☒ Affidavit of publication received
11/29, 12/18 ☒ Application published correctly, If not, record action taken: Readvertised to correct POD paper error N/C
11/29 ☒ Publication dates and paper recorded on application | Sr. Agent initial AB
☒ Protests received. Final protest date: 12/26/95
☒ Measuring device required
☒ Measuring port required
☒ Special conditions: _____
☒ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB

Date: 1/10/96

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Keri Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Legal Notice

of which the annexed is a printed copy, was published in the regular THURS
issue of said newspaper for 2 consecutive weeks
commencing on the 21st day of December, 1995, and
ending on the 28th day of December, 1995, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander


Subscribed and sworn to before me this 28th day of December, 1995.


Rolanta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROLANTA MANLEY
My commission expires 2-5-99

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-08934 in the name of ABRAHAM W. DALE, 5300 N RAMSEY ROAD, RATH-DRUM, ID 83858, was incorrectly advertised on DECEMBER 7 AND 14, 1995. The POINT OF DIVERSION was incorrectly advertised as NWSE Sec 11 T52N R04W in Kootenai County, whereas correctly it should read the NWSW Sec. 11 T52N R04W in Kootenai County. (For additional information concerning the property location, call the Northern Regional Office at 769-1450.) Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before January 8, 1996. KARL J. DREHER, Dir.
Legal 941
Dec. 21, 28, 1995

ok





**COEUR D'ALENE
PRESS**

COEUR D'ALENE, IDAHO 83816-1929

ID Dept. of Water Resources
1910 NW Blvd, Ste 210
CDA, ID 83814-2615

[illegible]

MIDPOLL MED

MESSAGE CONFIRMATION
TRANSMISSION

JAN 31 1996

DEC-18-'95 MON 11:29

TERM ID: IDUF NORTHERN
TEL NO.: 288-763-1454

P-9839

NO.	DATE	ST. TIME	TOTAL TIME	AEBR/SPD	ID	DEPT CODE	#PGS
139	12-18	11:27	00°01'16		288 664 0212		OK- 2 NG- 0



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

PHILIP E. BATT
Governor

KARL J. DREHER
Director

Post-it® Fax Note	7671	Date	# of pages ▶ 2
To	Roberta - Legal Notices	From	Dianne Ball
Co./Dept.	CDA Press	Co.	IDWR
Phone #	664-8176	Phone #	769-1450
Fax #	664-0212	Fax #	769-1454

December 18, 1995

Coeur d'Alene Press
Second and Lakeside
Coeur d'Alene, ID 83814

Re: Water Right No. 95-08934 - ABRAHAM W. DALE

Gentlemen:

Enclosed you will find a legal Notice of Correction which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send the Affidavit of Publication to this office before January 8, 1996.

{ There should be NO CHARGE for this publication because it was correct as originally submitted for publication. }

Thank you.

Sincerely,

Dianne Ball

Dianne Ball
Senior Secretary

Enclosure

*Roberta says it
will run 12/21 + 28*

{ P.S. Please call me at 769-1450 to advise if there is any problem getting this printed beginning with the Thursday edition, 12/21/95 and also running 12/28/95. Thank you. Dianne }

JAN 31 1996

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-08934 in the name of ABRAHAM W. DALE, 5300 N RAMSEY ROAD, RATHDRUM, ID 83858, was incorrectly advertised on DECEMBER 7 AND 14, 1995.

The POINT OF DIVERSION was incorrectly advertised as NWSE Sec 11 T52N R04W in Kootenai County, whereas correctly it should read the NWSW Sec 11 T52N R04W in Kootenai County.

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before January 8, 1996.

KARL J. DREHER, Dir.

Published in the Coeur d'Alene Press on 12/21 & 28/1995.

RECEIVED
JAN 8 1996

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

Ken Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.


2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Legal Notice
of which the annexed is a printed copy, was published in the regular THURS
issue of said newspaper for 2 consecutive weeks
commencing on the 7th day of December, 1995, and
ending on the 14th day of December, 1995, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Ken Alexander
Subscribed and sworn to before me this 14th day of December
1995.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.



ROBERTA MANLEY
commission expires 2-5-99

*Resubmitted
NWSW
paper error*

JAN 31 1996

NOTICE OF APPLICATION
FOR WATER RIGHT
The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

95-08932
POWDERHORN RIDGE RANCH INC
1322 N MONROE STREET
SPOKANE, WA 99201
Source: GROUNDWATER
Diversion Pt: LOT 3 (NWSW) Sec 15 T
48N R 04W in KOOTENAI County.
LOT 1 (NENW) Sec 22 T
48N R 04W in KOOTENAI County.
LOT 1 (NWNW) Sec 22 T
48N R 04W in KOOTENAI County.
LOT 2 (SWNW) Sec 22 T
48N R 04W in KOOTENAI County.
Use: COMMERCIAL (0.530 CFS)
DOMESTIC (0.530 CFS)
FIRE PROTECTION (0.530 CFS)
Total Diversion: (0.530 CFS)

Date Filed: 10/30/1995
In: KOOTENAI County
T48N R04W S15 Lot 3 (SESW)
S22 NWNE SWNE
Lot 1 (NENW) Lot 1 (NWNW)
Lot 2 (SWNW) SENW
SWSW SESW
NWSE SWSE

95-08934
DALE, ABRAHAM W
5300 N RAMSEY ROAD
RATHDRUM, ID 83858
Source: GROUNDWATER
Diversion Pt: NWSW Sec 11 T 52N R 04W
in KOOTENAI County.
Use: IRRIGATION (0.060 CFS)
DOMESTIC (0.040 CFS)
Total Diversion: (0.100 CFS)
Date Filed: 11/17/1995
In: KOOTENAI County
T52N R04W S11 NWSW
2.0 ACRES TOTAL

95-08907
HESTER, J HANK
RT 1 BOX 142
PRIEST RIVER, ID 83856
Source: GROUNDWATER
Diversion Pt: SENWSE Sec 32 T 53N R
03W in KOOTENAI County.
Use: IRRIGATION (0.180 CFS)
DOMESTIC (0.140 CFS)
Total Diversion: (0.180 CFS)

Date Filed: 11/24/1995
In: KOOTENAI County
T53N R03W S32 SWNE NWSE SWSE
9.0 ACRES TOTAL
For additional information concerning
the property location, call the Northern
Regional Office at (208) 769-1450.
The permit(s) will be subject to all prior
water rights. Protests must be filed with
the applicant and with the Director, Dept.
of Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210, Coeur
d'Alene, Idaho 83814, together with a
protest fee of \$25.00 on or before
DECEMBER 26, 1995.

KARL J. DREHER, Director
Legal 872
Dec. 7, 14, 1995

95-08934

DALE, ABRAHAM W
5300 N RAMSEY ROAD
RATHDRUM, ID 83858

Source: GROUNDWATER

Diversion Pt: NWSW) Sec 11 T 52N R 04W in KOOTENAI County.

Use: IRRIGATION	(	0.060 CFS)
DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.100 CFS)

Date Filed: 11/17/1995

In: KOOTENAI County
T52N R04W S11 NWSW)

2.0 ACRES TOTAL

NOV 21 1996

November 29, 1995

Abraham W. Dale
5300 N. Ramsey Road
Rathdrum ID 83858

Re: Water Appropriation Application No. 95-08934

Dear Mr. Dale:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If your source is groundwater, a separate well drilling permit is required for all wells constructed after July 1, 1987.

IF, FROM THAT WELL, YOU WILL BE DIVERTING WATER FOR MORE THAN ONE HOME AND AT A RATE OF MORE THAN 0.04 CFS AND MORE THAN 2500 GALLONS PER DAY, YOU WILL NEED TO OBTAIN A PERMIT FOR OTHER THAN DOMESTIC USAGE. THE TOTAL FEE FOR SUCH A PERMIT IS \$200.00. IF YOU HAVE ALREADY OBTAINED A DOMESTIC PERMIT, YOU WILL NEED TO UPGRADE YOUR PERMIT AND THE FEE FOR UPGRADING IS \$165.00.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db