


SCALE 2 IN. = 1 MILE


FOR SALE BY

METSKER MAPS

111 SOUTH 10TH ST., TACOMA, WASHINGTON
1020 THIRD AVE., SEATTLE, WASHINGTON

TOWNSHIP 48 N., RANGE
KOOTENAI COUNTY, IDAHO





T.49N.

T.48N.



95-08931

T.48N. R.04W., Sec 8

MARTIN, RONALD

Primary highway,
hard surface

ROAD CLASSIFICATION

Light-duty road, hard or

Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA


Topography by photogrammetric methods from aerial
photographs taken 1975. Field checked 1976. Map edited 1981

Projection and 10,000-foot grid ticks: Idaho coordinate
system, west zone (transverse Mercator)

1000-meter Universal Transverse Mercator grid, zone 11

1927 North American Datum

To place on the predicted North American Datum 1983



SEP 16 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REPORT SUPP.

PERMIT #

95-08931



O G R A

PRESSURE TANK & CHORINATOR
PLACE OF USE: HOME



WELL HEAD



MICROFILMED
SEP 16 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08931

Priority: November 3, 1995

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that RONALD MARTIN
16425 GRAYSONS WAY

COEUR D'ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 3, 1995; and has submitted Proof of Beneficial Use on November 5, 1996. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 6 (SENW), Sec. 8, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

48N 04W 8 Lot 6 (SENW)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 26TH day of JUNE, 1997.


Acting for KARL J. DREHER, Director

RECEIVED

NOV 05 1996

NOV 05 1996
IDWR

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

NOV 08 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08931 Telephone No. 667-3536

2. Name(s) of Permit Holder(s): RONALD R MARTIN

3. Mailing Address: 16425 GRAYSONS WAY CDA 83814

4. Source of Water: Ground water If **GROUNDWATER** (well), Date Drilled: mo. MAY / yr. 1996

a. Well Driller: UNITED DRILLING INC. Drilling Permit Number: 95-96 N-033-000

b. **OPTIONAL:**
Pump Horsepower: 1 HP Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): ONE Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No ✓

Has the measuring device been installed? Yes _____ or No ✓

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No ✓

Has the measurement port been installed? Yes _____ or No ✓

8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: RONALD R MARTIN Telephone Number: 667-3536

Address: 16425 GRAYSONS WAY CDA

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Ronald R Martin Date: 11-3-96
(include your title, if on behalf of company or organization)

DEC 02 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08931

Proposed Priority: November 3, 1995 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **RONALD MARTIN**
16425 GRAYSONS WAY
COEUR D ALENE ID 83814
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 6(SENW), Sec. 8, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC


48N 04W 8 Lot 6(SENW)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1997.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Construction of the well must comply with Idaho well construction standards.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

19th day of December, 1995.


Karl J. Dreher, Director
for

JAN 31 1996

RECEIVED
DEC 13 1995

Ident. No. 95-8931

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant RONALD MARTIN Phone 667-3536
Post office address 16425 GRAYSONS WAY CO'A ID 83814
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot 6
Sec. 8 Township 48N Range 4W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from 7/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL + PUMP
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
2 years (minimum 1 year).

[illegible]

12. Remarks:

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? Applicant

11. a. Who owns the property at the point of diversion? HPPL (457)

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other, describe fully.

d. Domestic; show number of households.

c. Municipal; show name of municipality.


b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

READ & APPROVED

AFTER RECORDING, MAIL TO GRANTEE.
FATCO #18775/



WARRANTY DEED

For Value Received **MICHAEL J. NEWELL and LINDA MARIE NEWELL, husband and wife**

Hereinafter called the Grantor, hereby grants, bargains, sells and conveys unto
RONALD R. MARTIN and JOLINE F. MARTIN, husband and wife
whose address is: _____

Hereinafter called the Grantee, the following described premises situated in Kootenai County, Idaho, to-wit:

A portion of Government Lots 5 and 6, Section 8, Township 48 North, Range 4 West, Kootenai County, Idaho, described as follows:

BEGINNING at the Northeast corner of said Government Lot 6; thence,

North 86°54'39" West along the North line of said Government Lot 6 a distance of 664.93 feet to the Northwest corner of that parcel described in Warranty Deed recorded May 20, 1993 as Instrument 1305106, Kootenai County, Idaho, records and being the TRUE POINT OF BEGINNING; thence,

CONTINUING along the North line of Lot 6, North 86°54'39" West, a distance of 664.92 feet to the Northeast corner of that parcel described in Warranty Deed recorded August 20, 1992, as Instrument 1271063, Kootenai County, Idaho, records; thence,

South 3°21'51" West 671.00 feet to a point; thence,

South 86°59'39" East along the common line of Parcels 24, 23 & 19 as set forth on Record of Survey recorded October 31, 1985 as Instrument 1026907, Kootenai County, Idaho records, a distance of 664.27 feet to the Southwest corner of that parcel described in said Instrument 1305106; thence,

North 3°25'11" East 671.00 feet to the POINT OF BEGINNING,

Said above described parcel shown as Parcel 19 on Record of Survey recorded October 31, 1985 as Instrument 1026907.

Exhibit A
TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantee and to the Grantee's heirs and assigns forever. And the said Grantor does hereby covenant to and with the said Grantee, that the Grantor is the owner in fee simple of said premises; that said premises are free from all encumbrances except current years taxes, levies, and assessments, and except U. S. Patent reservations, restrictions, easements of record, and easements visible upon the premises, and that Grantor will warrant and defend the same from all claims whatsoever.

Dated: JULY 7, 1993

MICHAEL J. NEWELL

LINDA MARIE NEWELL

T48N R 4W B

SCALE 2 IN. = 1 MILE


FOR SALE BY

METSKER MAPS


111 SOUTH 10TH ST., TACOMA, WASHINGTON
1020 THIRD AVE., SEATTLE, WASHINGTON

TOWNSHIP 48 N., RANGE 4W KOOTENAI COUNTY, IDAHO

30



36



[illegible]

JAN 31 1995

Donald Martin
(Applicant)

JAN 21 1996
IDAHO DEPARTMENT OF WATER RESOURCES

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by AS Date 11/3/95 Time 8:30
Fee \$ 50.00/1.00 Received by AS # W-9662 Date 11/3/95
Publication prepared by AS Date 11/8/95 Published in Idaho News 11/16 + 25/95
Publication approved AS Date 11/27/95

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 30, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RONALD MARTIN
16425 GRAYSONS WAY
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08931

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.


APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of June, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 95-08931

RONALD MARTIN
16425 GRAYSONS WAY
COEUR D ALENE ID 83814


Kari Lynn Townsend
Secretary

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08931

DATE 6/23/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.04</u> cfs	<u>NO FEE REQ'D</u>
Fee limit	<u>.04</u> cfs	
Measured	<u>—</u> cfs	
Theoretical	<u>.03</u> cfs	

Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use Dom

Volume Calculation

<u>1.2</u>	af
<u>—</u>	af
<u>—</u>	af
<u>—</u>	af
<u>—</u>	af
SUBTOTAL	<u>—</u> af

Flow rate .04 cfs X 365 days X 1.98 af = 29.0 af
Total volume recommended 1.2 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

D/I home.

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

— Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
Adjustment Memo —

1st Amend Letter N/A
2nd Amend Letter —

RECEIVED

JUN 12 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No.

95-08931

1. Owner: RONALD MARTIN

Phone No. (208)-667-3536

Current Address: 16425 GRAYSONS WAY COEUR D'AIENE, ID. 83814

2. Accompanied by: Ronald Martin

EXAM DATE: 5-19-97

Address: 16425 Graysons Way

Phone No. Same as Above

Relationship to Permit Holder: Permit Holder

3. Source: Groundwater

tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: —

2. Other water rights with the same point of diversion: —

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
RD.#1	#6		SE	NW	08	48N	04W	Kootenai	USGS 7.5' QUAD; Site Visit

2. Place(s) of Use:


Indicate Method of Determination Site Visit

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	04W	08								D									Domestic

MICROFILMED

SEP 16 1997

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached of (required for irrigation of 10+ acres)
 X Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
P.D. #4	Submersible	1.0		Juicuzzi	109706

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: * See theoretical

E. NARRATIVE/REMARKS/COMMENTS

System consist of 1 H.P. Submersible Jacuzzi Pump that pumps water through a 2" pvc line to a pressure Tank and Chlorinator that is located in the Garage. From here the water service line which is 1" runs approximately 40' to the home.

Have conditions of permit approval been met? ☒ yes ☐ no

10/09/2010
SEP 10 2010

F. FLOW CALCULATIONS

Measured Method:

* Additional Computation Sheets Attached

* See theoretical calculations

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

1 Sample Domestic Home .04 @ 1.2 acft

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

Period of Use

From 1-01 To 12-31

Rate of Diversion

Q (cfs) .04

Annual Volume

V (afa) 1.2

2. Recommended Amendments

☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

☐ Add P.D. as reflected above
☒ Add P.U. as reflected above
☐ Other
☒ None

I. AUTHENTICATION

Field Examiner's Name


Date

5-19-97

Reviewer

Date

SEAL



THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08931

DATE: 19-MAY-97

COMPLETE BY: HERM

HORSEPOWER = 1.0

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 40 FEET

SYSTEM PRESSURE = 60 PSI

QUANTITY = 0.03 CFS

LDRC - 11120

SEP 13 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PORT SUPP.

PERMIT #

95-08931

O G R A

PRESSURE TANK & CHORINATOR
PLACE OF USE 10000



WELL HEAD



**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08931 Reviewed by Jef Date 11-14-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 95-96-N-0033-000
35- Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

no Required?
1 Amount Submitted
1 Correct?
no Required?
1 Installed?
1 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 11-5-96

November 15, 1996

RONALD MARTIN
16425 GRAYSONS WAY
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08931

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECORDED

DEC 12 1996

October 31, 1996

RONALD MARTIN
16425 GRAYSONS WAY
COEUR D ALENE ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08931

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

DEC 02 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 19, 1995

RONALD MARTIN
16425 GRAYSONS WAY
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08931

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

MICROFILMED

JAN 31 1996

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 95-8931 Name: Martin Date: 12/18/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: N9662 Priority: 11/3/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)
SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17
GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)
Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)
SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):
Water District (dem) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
In-WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M
RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-† Weiser), NA
Boise R (63) - 05A (if WB), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA
USE:
Domestic (surface) - 021(Boise R † L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - 3 <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA
OWNERSHIP: Non-land owner - 004 (PD/PU)
OTHER CONDITIONS: _____
STANDARD REMARKS: ① WOI
BENEFICIAL USE DUE: _____
COMMENTS: _____

No. a
4/87-06/92n

INDIAN DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
DEC 13 1995

APPLICATION # 95-8931

***** INITIAL REVIEW *****

APPLICANT: MARTIN BY: B Department of Water Resources
DATE: 11/3/95

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
5. ☒ Nature of Proposed Use
6. ☒ Period of Use
7. ☒ Total Quantity
8. ☒ Description of diverting works
9. ☒ Time required for b/u
10. ☒ Proposed use
11. ☒ Place of use or acres irrigated
12. ☒ Other Water Rights
13. ☒ Ownership
14. ☒ Map
15. ☒ Signature
16. ☒ Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

- Yes No
- ☒ Field check: by _____
- ☒ Field report attached
- ☒ Analysis Supp. attached(>5cfs/500af)
- ☒ Water delivered by water master?
- Water District # _____

PROCESSING

Yes No PRIORITY DATE: 11/3/93

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

CA Chapman/Churs/oh
ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

***** GROUNDWATER SECTION *****

- (Yes) (No)
- ☒ Groundwater management area
- ☒ Critical ground water area
- ☒ Well Drilling Permit required
- ☒ Well Drilling Application and Fees received
- ☒ Well Drilling Application approved?
- Well Drilling Application Number _____
- Checked by: _____ Date: ____/____/____
- Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

- (Yes) (No)
- Notice of pending void order issued. Final order response date: ____/____/____
- Further information required from applicant
- 11/27/95 Affidavit of publication received
- 11/27 Application published correctly, If not, record action taken: _____
- 11/8 Publication dates and paper recorded on application
- Protests received. Final protest date: 12/4/95 | Sr. Agent initial B
- ☒ Measuring device required
- ☒ Measuring port required
- ☒ Special conditions: _____
- ☒ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: B. C. A. Date: 12/4/95

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Keri Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Legal Notice

of which the annexed is a printed copy, was published in the regular THURS. issue of said newspaper for 2 consecutive WEEKS commencing on the 11th day of November, 1995, and ending on the 23rd day of November, 1995, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this 23rd day of November, 1995.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires 2-5-99

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08930

MARINE CO INC
DBA HARRISON DOCK BUILDERS
PO BOX 8
HARRISON, ID 83833
Source: COEUR D ALENE RIVER
Tributary: SPOKANE RIVER
Diversion Pt: LOT 2 (NWNE) Sec 31 T
48N R 03W in KOOTENAI County.
Use: DOMESTIC (0.040 CFS)
FIRE PROTECTION (0.200 CFS)
Total Diversion: (0.200 CFS)
Date Filed: 11/6/1995
In: KOOTENAI County
T48N R03W S31 Lot 2 (NWNE)
95-08931



MARTIN, RONALD
16425 GRAYSONS WAY
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: LOT 6 (SENE) Sec 8 T 48N
R 04W in KOOTENAI County.
Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 11/3/1995
In: KOOTENAI County
T48N R04W S08 Lot 6 (SENE)

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before DECEMBER 4, 1995.

KARL J. DREHER, Director

Legal 810
Nov. 16, 23, 1995



JAN 31 1996

November 8, 1995

Ronald Martin
16425 Graysons way
Coeur d Alene, ID 83814

Re: Water Appropriation Application No. 954-08931

Dear Mr. Martin:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your source is groundwater, a separate well drilling permit is required for all wells constructed after July 1, 1987.

IF, FROM THAT WELL, YOU WILL BE DIVERTING WATER FOR MORE THAN ONE HOME AND AT A RATE OF MORE THAN 0.04 CFS AND MORE THAN 2500 GALLONS PER DAY, YOU WILL NEED TO OBTAIN A PERMIT FOR OTHER THAN DOMESTIC USAGE. THE TOTAL FEE FOR SUCH A PERMIT IS \$200.00. IF YOU HAVE ALREADY OBTAINED A DOMESTIC PERMIT, YOU WILL NEED TO UPGRADE YOUR PERMIT AND THE FEE FOR UPGRADING IS \$165.00.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

95-08931

MARTIN, RONALD
16425 GRAYSONS WAY
COEUR D ALENE, ID 83814

Source: GROUNDWATER

Diversion Pt: LOT 6 (SENW) Sec 8 T 48N R 04W in KOOTENAI County.

Use: DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.040 CFS)

Date Filed: 11/ 3/1995

In: KOOTENAI County
T48N R04W S08 Lot 6(SENW)

10000