




T. SON., R. 5 W.

APR 25 1995





PD



500 gal
Storage + Pump.
Pump delivers from
storage to house



MANCHESTER
AUG 28 1995

95-08897

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Keri Alexander

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Legal Notice*

of which the annexed is a printed copy, was published in the regular *Thurs.* issue of said newspaper for *2* consecutive *weeks*, commencing on the *16th* day of *February*, 19*95*, and ending on the *23rd* day of *February*, 19*95*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this *23rd* day of *February*, 19*95*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
my commission expires *2-5-99*

APR 25 1995

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08897 *ok*

BUNN, STANLEY E
W 10800 BUNN RD
COEUR D ALENE, ID 83814

Source: SPRING

Tributary: SINKS

Diversion Pt: NWSWSE Sec 23 T 50N R 05W in KOOTENAI County.

Use: DOMESTIC (0.040 CFS)

Total Diversion: (0.040 CFS)

Date Filed: 2/2/1995

In: KOOTENAI County

T50N R05W S23 SWSE

96-08842

CHAUTAUQUA RESORT

2911 E NEBRASKA

SPOKANE, WA 99207

Source: GROUNDWATER

Diversion Pt: NWNE Sec 7 T 53N R 04W in KOOTENAI County.

Use: DOMESTIC (0.050 CFS)

Total Diversion: (0.050 CFS)

Date Filed: 1/25/1995

In: KOOTENAI County

T53N R04W S07 NWNE

96-08843

CITY OF ATHOL

P O BOX 249

ATHOL, ID 838010249

Source: GROUNDWATER

Diversion Pt: SESW Sec 9 T 53N R 03W in KOOTENAI County.

NWNE Sec 16 T 53N R 03W in KOOTENAI County.

Use: MUNICIPAL (1.600 CFS)

FIRE PROTECTION (1.600 CFS)

Total Diversion: (1.600 CFS)

Date Filed: 1/26/1995

PLACE OF USE IS WITHIN CITY LIMITS AND SERVICE AREA OF THE CITY OF ATHOL.

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before MARCH 6, 1995.

R. KEITH HIGGINSON, Director

Legal 412

Feb. 16, 23, 1995

RECEIVED

FEB 24 1995

NORTHERN REGION
IDWR

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08897

Priority: February 2, 1995

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that STANLEY E BUNN
W 10355 NORTHERN LIGHTS BLVD
COEUR D ALENE ID 83814

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 2, 1995; and
has submitted Proof of Beneficial Use on April 4, 1995. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NWSWSE , Sec. 23, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 05W 23


SWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.

Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of AUGUST, 1995.

Acting for  KARL J. DREHER, Director

AUG 28 1995

RECEIVED

APR 10 1995

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08897 Telephone No. 667-1130
2. Name(s) of Permit Holder(s): STANLEY E BUNN
3. Mailing Address: W. 10355 NORTHERN LIGHTS BLVD, COA ^{ID} ₈₃₈₄
4. Source of Water: SPRING If **GROUNDWATER** (well), Date Drilled: mo. / yr.
- a. Well Driller: Drilling Permit Number: - - -
- b. **OPTIONAL:**
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): Stockwater (No. and type of stock):
Irrigation (No. of acres): Other: GRAVITY FLOW
6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | | | |
|-------------------------------|--|-----------------|----|----------------|
| Measuring Device: | Is a measuring device required? | Yes <u> </u> | or | No <u> </u> |
| | Has the measuring device been installed? | Yes <u> </u> | or | No <u> </u> |
| Flow Measurement Port: | Is a flow measurement port required? | Yes <u> </u> | or | No <u> </u> |
| | Has the measurement port been installed? | Yes <u> </u> | or | No <u> </u> |
8. Fee Enclosed: \$ (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: SAME AS ABOVE Telephone Number:
Address:
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: X Mrs Stanley E Bunn
(include your title, if on behalf of company or organization)

Date: APR 25 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08897

Proposed Priority: February 2, 1995 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **STANLEY E BUNN**
W 10800 BUNN RD
COEUR D ALENE ID 83814
has applied for a permit to appropriate water from:
SPRING tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSWSE , Sec. 23, Township 50N, Range 05W
KOOTENAI County


PLACE OF USE: DOMESTIC
TWN RGE SEC
50N 05W 23 SWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 1, 1996**.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

30th day of March, 1995.


for R. Keith Higginson, Director


APR 25 1995

RECEIVED
MAR 16 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-08897

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant STANLEY E. BUNN Phone 208-667-1130
Post office address W10800 BUNN RD CLA ID 83814

2. Source of water supply SPRING which is a tributary of SINKS

3. Location of point of diversion is 1 NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 23 Township SON. Range SW B.M. KOOTENAI County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from Y. to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. SPRING & TANK, GRAVITY
SYSTEM

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____

7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

APR 25 1995

12. Remarks:

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? APPLICANT

11. a. Who owns the property at the point of diversion? **APPLICANT**

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other, describe fully.

d. Domestic; show number of households.


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

Domestic use is for 1 home



T. 50 N., R. 5 W.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A blank sheet of graph paper with a grid pattern. A small black dot is located near the center of the grid. In the bottom right corner, there is a faint stamp that reads "APR 25 1985".

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Leatrice N. Bunn
(Applicant)

APR 8 5 1995

RECEIVED

e. Other:

permit.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Publication approved by _____ Date _____

Publication prepared by _____ Date _____

Fee \$ 50

Received by _____

N-8593

Date 2/2/95

Preliminary check by _____

Time 1:10

Date 2/2/95

2/2/95
2/16/95
2/2/95
2/2/95



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 24, 1995

STANLEY E BUNN
W 10355 NORTHERN LIGHTS BLVD
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08897

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

AUG 28 1995

LICENSE REVIEW
Cindy Zimmerman

Permit #: 95-8897 Name: Bunn Date: 8/9/95
App Rcd 2/2/95 Priority 2/2/95 Examined 6/9/95 ✓ Lots ✓

NAME Chng OK Or Address Change? w 10855 Northern Lights Blvd Cda

SOURCE ✓ Clarify source _____
_____ Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? _____ -P39, P38
_____ Overlap(s) _____

P/U ✓ Amendment Needed? (per entoguard) -P41, P38
_____ Overlap(s) _____
_____ *P/D & P/U Amend? P37, P38
_____ (See paragraph list for governmental agencies)

RATE ✓ Permit/fee limits: 0.04 / 0.04
✓ Measured Q= _____ cfs Theoretical Q= 0.04 cfs
dom 1hm = 0.04 cfs
(HP) 8.8 x 0.80 x .5 = 3.52 = 0.038 ≈ 0.04 cfs
0 + (2.31 x 40) 92.4
Recommended capacity 0.04 cfs
Recommended rate 0.04 cfs

VOLUME ✓ Season of Use: () 1/1 - 12/31 = 365 days
Calculations: dom 1hm = 1.2 AF
Flow limit: 0.04 x 365 x 1.9835 = 29.0 AF
Recommended volume 1.2 AF

USES ✓ Same Nature of Use? _____ -P46
_____ Amendment Needed? _____

REMARKS ✓ Multiple p/d's in 1/4? _____
✓ ① woi/1

CONDITIONS ✓ Measuring (R01)/Locking (R02) Devices _____
✓ Watermaster Control (R04) - WD # _____
✓ Irrigation rate/volume overlap _____
✓ Irrigation water overlap (065) (If gw use sw) _____
✓ Water Quality/Other _____

PRIORITY Due 4/1/96 Rc'd 4/4/95 Receipt# 10758 Fee OK? (Yes)/No
Order to Reinstate Needed? Yes/No Done? _____
If Yes, Advanced? Yes/No to: _____

COMMENTS: license as permitted

USE	CFS	DIV VOL	Adjustment Memo
<u>Dom / 1</u>	<u>0.04</u>	<u>1.2</u>	<u>✓</u>
<u>_____</u>	<u>_____</u>	<u>_____</u>	<u>_____</u>
<u>TOTAL</u>	<u>0.04</u>	<u>1.2</u>	<u>_____</u>

LICENSE: P49
#1 AMEND LTR: P46 or P39/P41/P37 & P38
#2 AMEND LTR: P42/P47

MEMORANDUM

DATE: August 9, 1995
TO: File No. 95-08897
FROM: Cindy Zimmerman
SUBJECT: Review of Beneficial Use Field Report

=====

The following adjustments were made on the field report:

1. Point of diversion, per othroquad, is located within the SWSE, S23, T50N, R05W.

RECEIVED
AUG 28 1995

AUG 28 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 13 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08897

1. Owner: STANLEY E. Bunn Phone No. 208-667-1130

Current Address: W 10355 Northern Lights Blvd Coeur D'Alene Id 83814

2. Accompanied by: STANLEY E. Bunn EXAM DATE: 6-9-95

Address: SAME AS ABOVE Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SW	SE	23	50N	05W	Kootenai	U.S.G.S 7.5 min Quad

*** 2. Place(s) of Use:**

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	05W	23																D	

AUG 28 1995

2. Measurements:

Theoretical Pump Efficiency Calculations

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	SEARS	1/2		SEARS	25215

4.

Copy of USGS Quadrangle Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres)
Photo of Diversion and System Attached

Scale: 1" = 175'



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08897

DATE: 13-JUN-95

COMPLETE BY: WAYNE BALDWIN

HORSEPOWER = .5

PUMP EFFICIENCY = 80%

DYNAMIC LIFT = 0 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.04 CFS

RECEIVED
AUG 28 1995

E. NARRATIVE/REMARKS/COMMENTS

This system is spring fed, gravity flow to storage. Insufficient head to supply pressure to house. Therefore a pump is used from storage to house.

Have conditions of permit approval been met? ☒ yes ☐ no

UNRECORDED

AUG 28 1995

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cts)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

From

01-01

Period of Use

To

12-31

Rate of Diversion

Q (cts)

.04

Annual Volume

V (afa)

1.2

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

Other

I. AUTHENTICATION

Field Examiner's Name

Wayne A. Blum

Date


6-13-95

Reviewer

* Adjustments made during review of this report for basis approval. See memo for additional information 8/9/95

AUG 28 1995


14-ED




SCALE 1:24 000

AUG 28 1995

95-08199) ROAD
Primary highway,
hard surface



PD



500 gal
Storage + Pump.
Pump delivers from
storage to house

RECEIVED
AUG 28 1995

6 9'95

95-08897



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 24, 1995

STANLEY E BUNN
W 10355 NORTHERN LIGHTS BLVD
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 95-08897

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur d'Alene, at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

APR 25 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 30, 1995

STANLEY E BUNN
W 10800 BUNN RD
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08897

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

APR 25 1995

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Keri Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Legal Notice

of which the annexed is a printed copy, was published in the regular THURS. issue of said newspaper for 2 consecutive WEEKS commencing on the 16th day of February, 1995, and ending on the 23rd day of February, 1995, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this 23rd day of February, 1995.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
commission expires 2-5-99

APR 25 1995

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08897 OK
BUNN, STANLEY E
W 10800 BUNN RD
COEUR D'ALENE, ID 83814
Source: SPRING
Tributary: SINKS
Diversion Pt: NWSWSE Sec 23 T 50N R 05W in KOOTENAI County.

Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)

Date Filed: 2/2/1995

In: KOOTENAI County

T50N R05W S23 SWSE

95-08842

CHAUTAUQUA RESORT

2911 E NEBRASKA

SPOKANE, WA 99207

Source: GROUNDWATER

Diversion Pt: NWNE Sec 7 T 53N R 04W in KOOTENAI County.

Use: DOMESTIC (0.050 CFS)
Total Diversion: (0.050 CFS)

Date Filed: 1/25/1995

In: KOOTENAI County

T53N R04W S07 NWNE

95-08843

CITY OF ATHOL

P O BOX 249

ATHOL, ID 838010249

Source: GROUNDWATER

Diversion Pt: SESW Sec 9 T 53N R 03W in KOOTENAI County.

NWNE Sec 16 T 53N R 03W in KOOTENAI County.

Use: MUNICIPAL (1.600 CFS)
FIRE PROTECTION (1.600 CFS)
Total Diversion: (1.600 CFS)

Date Filed: 1/26/1995

PLACE OF USE IS WITHIN CITY LIMITS AND SERVICE AREA OF THE CITY OF ATHOL.

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before MARCH 6, 1995.

R. KEITH HIGGINSON, Director
Legal 412
Feb. 16, 23, 1995

RECEIVED

FEB 24 1995

NORTHERN REGION
IDWR

February 8, 1995

Stanley E. Bunn
W 10800 Bunn Rd.
Coeur d'Alene ID 83814

Re: Water Appropriation Application No. 95-08897

Dear Mr. Bunn:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

APR 25 1995

95-08897

BUNN, STANLEY E
W 10800 BUNN RD
COEUR D ALENE, ID 83814

Source: SPRING

Tributary: SINKS

Diversion Pt: NWSWSE Sec 23 T 50N R 05W in KOOTENAI County.

Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)

Date Filed: 2/ 2/1995

In: KOOTENAI County
T50N R05W S23 SWSE

APR 25 1995