




(ROCKFORD BAY)
2679 III SW

Mapped, edited, and published by the Geological Survey
Control by USGS and NOS/NOAA


Topography by photogrammetric methods from aerial photographs
taken 1975. Field checked 1977. Map edited 1981

Projection and 10,000-foot grid ticks: Idaho coordinate
system, west zone (transverse Mercator)
1000-meter Universal Transverse Mercator grid, zone 11
1927 North American Datum

To place on the predicted North American Datum 1983
move the projection lines 14 meters north and
78 meters east as shown by dashed corner ticks

Red tint indicates areas in which only landmark buildings are shown

Fine red dashed lines indicate selected fence and field lines



UTM GRID AND 1981 MAGNETIC N
DECLINATION AT CENTER OF SH

MAR 30 1995

2. Measurements:

unable to obtain measurement, see theoretical calculation

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo


Well or Diversion No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sears	1/2		Jet pump	

4.

Scale: 1" = _____
Copy of USGS Quadrangle Attached Showing location(s) of _____
point(s) of diversion and place(s) of use (required).
Aerial Photo Attached of _____
(required for irrigation of 10+ acres)
Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



ROCKFORD BAY.
2679 M SW

Control by USGS and INGS/NOAA

Topography by photogrammetric methods from aerial photographs taken 1975. Field checked 1977. Map edited 1981

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (transverse Mercator)
1000-meter Universal Transverse Mercator grid, zone 11
1927 North American Datum

To place on the predicted North American Datum 1983
move the projection lines 14 meters north and
78 meters east as shown by dashed corner ticks

Red tint indicates areas in which only landmark buildings are shown

Fine red dashed lines indicate selected fence and field lines
where generally visible on aerial photographs

This information is unchecked

95-08892

T. 50N. R. 04W, Sec. 32

DUTOIT, TRISH

MICROFILMED

SEP 29 1998

UTM GRID AND 1981 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

TH-
FOR SALE BY U. S. GE
A FOLDER DE

SOURCES
ENT
SInstream
Storage
PondINFLOW
(intermittent
Stream)

95-08892



95-08892

Outflow

MICROFILMED
SEP 29 1998

PERMIT # 95-08892

STATE OF IDAHO

SOURCES
NT
S

Pump
for
irrigation

95-08892

Place of Use ...
irrigation for
lawn / garden



95-08892

Place of Use

95-08892

MICROFILMED
SEP 29 1998

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Keri Alexander

..... being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Legal Notice*

of which the annexed is a printed copy, was published in the regular *Thursday*
issue of said newspaper for *2* consecutive *weeks*
commencing on the *15th* day of *December*, 19*94*, and
ending on the *22nd* day of *December*, 19*94*, and such
publication was made as often during said period as said *daily*
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this *22nd* day of *December*, 19*94*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY *2-5-99*
My commission expires

NOTICE OF CORRECTION *OK*
NOTICE IS HEREBY GIVEN THAT
APPLICATION FOR PERMIT NO. 95-
08892 in the name of TRISH DUTOIT,
5551 Presley Rd., Coeur d'Alene, ID 83814
was incorrectly advertised on 12/01 &
08/94.

The Total Diversion was incorrectly listed
as .200 CFS and .200 CFS, whereas, cor-
rectly it should read .200 CFS and 4.0 AF.
(For additional information concerning
the property location, call the Northern
Regional Office at 769-1450.)

Any protests against the approval of the
above-referenced correction must be filed
with the applicant and with the Director,
Dept. of Water Resources, 1910 North-
west Blvd., Suite 210, Coeur d'Alene, Id.
83814, together with a protest fee of
\$25.00 on or before January 03, 1995

R. KEITH HIGGINSON, Dir.

Legal 143

Dec. 15, 22, 1994

RECEIVED

DEC 23 1994

IDENTIFICATION REGION
IDWR

MICROFILMED

MAR 30 1995

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-08892

Priority: November 10, 1994

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

6.8 AF

This is to certify, that TRISH DUTOIT

5551 PRESLEY RD

COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 10, 1994; and has submitted Proof of Beneficial Use on January 10, 1997. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

UNNAMED STREAM

tributary to MICA CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	3.0 AF
IRRIGATION STORAGE	01/01 to 12/31		3.8 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		3.8 AF
WILDLIFE STORAGE	01/01 to 12/31		3.8 AF
	Totals	0.02 CFS	6.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 32, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	04W	32	SWNE 0.5	SENW 0.5		1

Total number of acres irrigated: 1

PLACE OF USE:

IRRIGATION FROM STORAGE, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED
SEP 29 1998


State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-08892

CONDITIONS OF APPROVAL AND REMARKS

5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of SEPTEMBER, 1998.


KARL J. DREHER, Director

MICROFILMED

SEP 29 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JAN 10 1997

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08892 Telephone No. 208-664-9094

2. Name(s) of Permit Holder(s): TRISH DUTOIT

3. Mailing Address: 5551 PRESLEY RD., CDA, ID. 83814

4. Source of Water: drainage If GROUNDWATER (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - -

b. OPTIONAL:
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): Stockwater (No. and type of stock):

Irrigation (No. of acres): 5 Other: veg. garden

6. Total rate of diversion and/or volume for which proof is submitted: 0.20 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u>	or	No <u>✓</u>
	Has the measuring device been installed?	Yes <u> </u>	or	No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u>	or	No <u>✓</u>
	Has the measurement port been installed?	Yes <u> </u>	or	No <u>✓</u>

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: John Saffells 1-7-97 to 6-30-97
or Patricia Dutoit 7/15-12/31/97 Telephone Number: 765-9355

Address: 5551 Presley Rd. CDA, Ida. 83814

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Patricia (Trish) Dutoit Date: 1-5-97
(include your title, if on behalf of company or organization)

UNRECORDED

JAN 14 1997

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08892

Proposed Priority: November 10, 1994 Maximum Diversion Rate: 0.20 CFS

This is to certify, that **TRISH DUTOIT**
5551 PRESLEY RD
COEUR D ALENE ID 83814
has applied for a permit to appropriate water from:
UNNAMED STREAM tributary of **MICA CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	
IRRIGATION STORAGE	01/01 to 12/31		4.0 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		4.0 AF
WILDLIFE	01/01 to 12/31	0.20 CFS	
WILDLIFE STORAGE	01/01 to 12/31		4.0 AF
WILDLIFE FROM STORAGE	01/01 to 12/31		4.0 AF
	Totals	0.20 CFS	

LOCATION OF POINT(S) OF DIVERSION: SENW , Sec. 32, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	04W	32	SWNE 0.5	SENW 0.5		1.0

Total number of acres irrigated: 1.0

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION use

PLACE OF USE: WILDLIFE, same as IRRIGATION use

PLACE OF USE: WILDLIFE FROM STORAGE, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1997**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.

MAY 20 1995

State of Idaho
Department of Water Resources**Permit To Appropriate Water**


NO. 95-08892

CONDITIONS/REMARKS:


4. A separate stream alteration permit from the IDWR is required for any activity in the stream channel other than construction and/or maintenance of the diversion structure. If the proposed construction or operation involves construction of an outfall or any other work in the stream channel other than a water diversion, the right holder shall contact the Department and obtain a Stream Channel Alteration permit prior to the start of construction.
5. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

24th day of February, 1995


K. Keith Higginson, Director
for

RECEIVED
FEB 24 1995



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95 08892

To appropriate the public waters of the State of Idaho
Department of Water Resources

1. Name of applicant TRISH DUTOIT Phone 664-9094

Post office address 5551 PRESLEY RD COLA, ID 83814
UNNAMED STREAM

2. Source of water supply RUNOFF WATER which is a tributary of MICA CREEK

3. Location of point of diversion is _____ 1/4 of SE 1/4 of NW 1/4, Govt. Lot _____

Sec. 32 Township 50N Range 4W B.M. KOOTENAI County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 4AF for STORAGE FOR IRRIGATION & WILDLIFE purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 4AF for IRRIGATION & WILDLIFE FROM STORAGE purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.20 for IRRIGATION purposes from 3/15 to 1/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.20 for WILDLIFE purposes from Y. to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.20 cubic feet per second and/or (b) 4AF acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. STORAGE DAM & POND

b. Height of storage dam 7'9" feet; active reservoir capacity 4AF acre-feet; total reservoir capacity 4AF acre-feet; period of year when water will be diverted to storage: JAN 1 to DEC 31 inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____

Well was drilled for (well owner) _____

7. Time required for the completion of the works and application of the water to be proposed beneficial use is

2 years (minimum 1 year).

Remarks:

12. Remarks:

applicant to make this filing.

c. if the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion?

10. Describe any other water rights used for the same purposes as described above.

total number of acres to be irrigated

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully. WILLIE - 12H BOMME HIT PROB RAM


d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower, show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):



(ROCKFORD BAY)
2679 III SW

Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA


Topography by photogrammetric methods from aerial photographs taken 1975. Field checked 1977. Map edited 1981

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (transverse Mercator)
1000-meter Universal Transverse Mercator grid, zone 11
1927 North American Datum

To place on the predicted North American Datum 1983
move the projection lines 14 meters north and
78 meters east as shown by dashed corner ticks

Red tint indicates areas in which only landmark buildings are shown

Fine red dashed lines indicate selected fence and field lines



MAR 30 1995

[illegible]

Patricia Quait
(Applicant)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

448 8 0 1995

12/15/94

Received by Lee Date 11/19/94 Time 10:10 Preliminary check by _____
Fee \$ 50.00 Received by N. 8434 # Lee Date 11/18/94
Publication prepared by Lee Date 11/22/94 Published in Idaho Falls 12/1 & 8/94
Publication approved Lee Date 12/23/94 12/15 & 22/94



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 15, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

TRISH DUTOIT
5551 PRESLEY RD
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08892

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

SEP 29 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

SEP 29 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

SEP 2 9 31 1998

CERTIFICATE OF MAILING

I hereby certify that on the 15th day of **September, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 95-08892

TRISH DUTOIT
5551 PRESLEY RD
COEUR D ALENE ID 83814


Kari Lynn Townsend
Secretary

MICROFILMED

SEP 29 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 24, 1998

IDAHO DEPT OF FISH & GAME
2750 KATHLEEN AVENUE
COEUR D'ALENE ID 83814

RE: Surface Water Appropriations

To Whom It May Concern:

The Department of Water Resources (IDWR) is preparing to issue a license for diversion from a small stream tributary to Mica Creek. Before proceeding, IDWR would appreciate receiving your comments, if any, on the draft license. I have enclosed a printout of the draft. Please respond by September 10, 1998. If I have not heard from you by then, I will assume you have no comment. If you prefer, you may reach me by electronic mail at scurtis@idwr.state.id.us.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Sharla Curtis
Water Resource Agent

Enclosure

MICROFILMED

SEP 29 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08892 DATE 8/3/98

REVIEWER: SHARLA

NAME Change/OK
Address OK

SOURCE OK Does change clarify orig. intended source? If no, Void permit

POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40

W32 (multiple in 1/4)
W36 (overlap)
W59 (subd. desc)

Overlaps: Right(s): _____
File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)
W27 (ppu acre limit)

Overlaps: Right(s): _____
File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate 20 cfs
Fee limit .20 cfs \$5000
Measured ✓ cfs
Theoretical .02 cfs

Recommended Total Div Rate .02 cfs

WATER USES	Change (P46)	
100X150 = 3 ac <u>OK</u>	<u>.02</u> cfs	1X3.0 = af
100X250 = 6 ac <u>OK</u>	<u>3.8</u> cfs	<u>3.8</u> af
<u>.9</u> " from stor	<u>3.8</u> cfs	<u>3.8</u> af
<u>Wild stor</u>	<u>3.8</u> cfs	<u>3.8</u> af
TOTALS	<u>.02</u> cfs	<u>6.8</u> af

Irrig - overlap (R58-R61, R62-R65, R66-R69)
supp. gw (WB7/065/079)
overlap spec. combined rts (W35)
<1 acre (W31)
Domestic (W01/WB5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .02 cfs X 246 days X 1.98 = 9.7 af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
_____ GW Measurement/Measuring Device

Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes ✓ no SRBA Claim N/A

Adjust Memo No wild from stor
Amend letters 3.0 af ac area req'd

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 16 1998

Department of Water Resources

95-08892

A. GENERAL INFORMATION

Permit No. _____

1. Owner: Trish Dutoit

Phone No. ⁽²⁰⁸⁾ 664-9094

Current Address: 5551 Presley Rd. Coeur d'Alene Id. 85814

2. Accompanied by: Judy Seawald

EXAM DATE: 7-11-98

Address: 5551 Presley Rd. Coeur d'Alene Id.

Phone No. ⁽²⁰⁸⁾ 773-6319 x-303

Relationship to Permit Holder: Friend/caretaker

3. Source: unnamed stream tributary to Mica Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	32	50N	4W	Kootenai	USGS 7.5' Quad.

2. Place(s) of Use:

Indicate Method of Determination USGS 7.5' Quad.

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	4W	32			.5				.5										1.0

FILED
SEP 29 1998

MICROFILMED

2. Measurements:

unable to obtain measurement, see theoretical calculation

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sears	1/2		Jet pump	


4.

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached of 10+ acres (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

Scale: 1" =



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

Instream storage of water is being used to irrigate approximately 1 acre of lawn and garden area. The pump house is located on the southern end (downhill) of the storage pond, 20 ft. from the bank of the pond.

A 6 ft. diameter x 6 ft. deep cement sump has been constructed in the pump house. This is where the point of diversion for the irrigation exists.

It appears to me that this sump is supplied by seepage from the pond during the period of time that the intermittent stream does not maintain a flow.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 29 1998

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached
See Theoretical Calculation

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.0 \text{ acre} \times 3.5 \text{ ft/acre/season} = 3.5 \text{ afa}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \text{ cfs} \times 245 \text{ days} \times 1.9835 = 9.7 \text{ afa}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3.5 \text{ afa}$$

2. Volume Calculations for Other Uses: Road dimensions: 280' x 165' x 6' Slope factor = .6

$$280 \text{ ft} \times 165 \text{ ft} \times 6 \text{ ft} \times .6 = 166320 \text{ ft}^3$$

$$166320 \text{ ft}^3 / 43560 \text{ ft}^2 = 3.82 \text{ af}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	From	To	Period of Use	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Irrigation	3/15	11/15	11/15	.02	3.50
Irrigation Storage	01/01	12/31	12/31		3.82
Irrigation from Storage	3/15	11/15	11/15		3.82
Wildlife Storage	1/1	12/31	12/31		3.82
Wildlife from Storage	1/1	12/31	12/31		3.82
Totals:				.02 cfs	7.32 afa

2. Recommended Amendments

Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None ☐
Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other ☐

I. AUTHENTICATION

Field Examiner's Name

David A. Doyle


Date

July 13, 1998

Reviewer

Date

MICROFILMED
Serial 29 1998



ROCKFORD BAY.
2679 M SW

Control by USGS and INDIAN

Topography by photogrammetric methods from aerial photographs taken 1975. Field checked 1977. Map edited 1981

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (transverse Mercator)
1000-meter Universal Transverse Mercator grid, zone 11
1927 North American Datum

To place on the predicted North American Datum 1983
move the projection lines 14 meters north and
78 meters east as shown by dashed corner ticks

Red tint indicates areas in which only landmark buildings are shown

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs

This information is unchecked

95-08892

T.50N. R.04W, Sec. 32


DUTOIT, TRISH

SEP 29 1998

UTM GRID AND 1981 MAGNETIC NORTH
DECLINATION AT CENTER

MICROFILMED

TH-
FOR SALE BY U.S. GE
A FOLDER DE



THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08892, TRISH DUTOIT

DATE: 13-JUL-98

COMPLETE BY: PAGEL

HORSEPOWER = .5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 20 FEET

SYSTEM PRESSURE = 45 PSI

QUANTITY = 0.02 CFS

MICROFILMED

SEP 29 1998



Instream
Storage
Pond

INFLOW
(intermittent
stream)



OUTFLOW

MICROFILMED

SEP 29 1998

PERMIT # 95-08892

STATE OF IDAHO

SOURCES

NT

S

Pump
for
irrigation

95-08892

Place of Use...
irrigation for
lawn/garden

95-08892

Place of Use

95-08892

MICROFILMED
SEP 29 1998

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08892 Reviewed by [Signature] Date 1-14-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 1-10-97

January 14, 1997

TRISH DUTOIT
5551 PRESLEY RD
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08892

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECORDED
JAN 24 1997

December 31, 1996

TRISH DUTOIT
5551 PRESLEY RD
COEUR D ALENE ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08892

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

JAN 3 4 1997





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 24, 1995

TRISH DUTOIT
5551 PRESLEY RD
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08892

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED
FEB 28 1995

MAR 8 0 1995

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW**
by Cindy Zimmerman

No.: 95-8892 Name: Dutoit Date: 11/12/95 Ad OK? ☒
Correct Fee? ☒ Receipt #: N008434 Priority: 11/10/94

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020 (Prehearing agreement) or W19 (See Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - **P16**
+1 year - **26A-P17**

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - 01G(new) or 01K(existing) or No MD
- 0.2 cfs <FLO-CH> - No MD

Drilling Permit:

Included w/permit - Permit No. _____, **P99**
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-**P23** (post 7/1/87)

SURFACE WATER (Surface water doesn't sink):

Water District (~~dam~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
- 0.2 cfs - 01J-**P08** <FLOW CHART> or No MD
+ 0.2 cfs - 01H-**P01** <FLOW CHART> or No MD
GW irr. in WD - **P05** (new well)
~~In-WD~~ +.2 w/pump - -01K, No MD <FLOW CHART>

RIVER BASINS (*Surface water):

Snake R(01/02/03) - 11A-**P04** (01), 061-**P07** (02/03 No WD Cond.), NA
Boise R(63) - 05A (if ~~WD~~), 11E (non-domestic use), NA
Payette R(65) - 064 (consump. use), 047-**P04** (Payette Lake), NA

USE:

Domestic (surface) - 021 (Boise R ↑ L Peak), 064 (Payette R), NA
Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ) - **P10**
044 (N 1000 Spr)
Irrigation /A - 03A/057, (+5A PU comp) 803 (if GW use SW 1st)
Mining - 054 (req) & 06A/010/09E-**P10**
Power - 08A-17K-025-027 (req); 01F(MD) - **P19**; 09E(WQ) - **P10**;
+25 cfs-**P18**; 17G(FERC) or 17M(FERC); 18B-**P09**
Storage (✓ 3 compo.) - 18A (multi MD in WD), 18B-**P09** (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
Drainage Dist. - 024 (region recommend)
Flood Control Dist. - 063 (region recommend)
In-stream dev. - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - **B** <SEE CONDITION CODE CHART>
Trust - 051-052-053-**P74** (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP:

Non land owner - 004 (PD/PU) _____

OTHER CONDITIONS:

REMARKS:

BENEFICIAL USE DUE: - 1-1-1997
COMMENTS: - _____

No. a
4/87-06/92n

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 95-08892

***** INITIAL REVIEW *****

APPLICANT: DUTOIT BY: AS DATE: 11/16/94

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
5. ☒ Nature of Proposed Use
6. ☒ Period of Use
7. ☒ Total Quantity
8. ☒ Description of diverting works
9. ☒ Time required for b/u
10. ☒ Proposed use
11. ☒ Place of use or acres irrigated
12. ☒ Other Water Rights
13. ☒ Ownership
14. ☒ Map
15. ☒ Signature
16. ☒ Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

PROCESSING

Yes No PRIORITY DATE: 11/10/94
☒ (Include Moratorium Remark)
☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: CA Thus KOOTENAI County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information
() Power Information () Other: N/A

ADDITIONAL INFORMATION

Yes No
☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached(>5cfs/500af)
☒ Water delivered by water master?
Water District # _____

INFORMATION RECEIVED:

() Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)
☒ Groundwater management area
☒ Critical ground water area
☒ Well Drilling Permit required
☒ Well Drilling Application and Fees received
☒ Well Drilling Application approved?
Well Drilling Application Number _____

Checked by: _____ Date: ____/____/____
Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)
Notice of pending void order issued. Final order response date: ____/____/____
Further information required from applicant
Affidavit of publication received
Application published correctly, If not, record action taken: total diversion entered
wrong by paper - Readvertise 12/15/94
Publication dates and paper recorded on application | Sr. Agent initial AS
☒ Protests received. Final protest date: 12/14/94
☒ Measuring device required
☒ Measuring port required
☒ Special conditions:
Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AS RYA

RECEIVED
JAN 5 1995
Department of Water Resources

Date: 1/4/95



COEUR D'ALENE, IDAHO 83816-1929

ID Dept. of Water Resources
1910 NW Blvd, Suite 210
CDA, ID 83814-2615

[illegible]

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Keri Alexander

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Thursday*
issue of said newspaper for *2* consecutive *weeks*
commencing on the *15th* day of *December*, 19*94*, and
ending on the *22nd* day of *December*, 19*94*, and such
publication was made as often during said period as said *daily*
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this *22nd* day of *December*,
19*94*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY 2-5-99
Commission expires

NOTICE OF CORRECTION *OK*
NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-08892 in the name of TRISH DUTOIT, 5551 Presley Rd., Coeur d'Alene, ID 83814 was incorrectly advertised on 12/01 & 08/94.


The Total Diversion was incorrectly listed as .200 CFS and .200 CFS, whereas, correctly it should read .200 CFS and 4.0 AF. (For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before January 03, 1995

R. KEITH HIGGINSON, Dir.

Legal 143

Dec. 15, 22, 1994





State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 9, 1994

Coeur d'Alene Press
2nd and Lakeside
Coeur d'Alene, ID 83814

Re: 95-08890 and 95-08892

Gentlemen:

Enclosed you will find a legal Notice of Correction which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send the Affidavit of Publication to this office before January 3, 1995. We assume there will be no charge since both legals were submitted correctly for original advertising.

Thank you.

Sincerely,

Dianne Ball
Senior Secretary

Enclosure

MAR 30 1995

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-08892, in the name of TRISH DUTOIT, 5551 Presley Rd., Coeur d'Alene, ID 83814, was incorrectly advertised on 12/01 & 08/94.

The Total Diversion was incorrectly listed as .200 CFS and .200 CFS, whereas, correctly it should read .200 CFS and 4.0 AF.

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before January 03, 1995.

R. KEITH HIGGINSON, Dir.

Published in the Coeur d'Alene Press on 12/15 & 22/1994.

*2/17/1995
R. Keith Higginson
1/15/1995*

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

DEC 09 1994

NORTHERN REGION
being first duly sworn

Ken Alexander

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular THURS. issue of said newspaper for 2 consecutive weeks commencing on the 1st day of December, 1994, and ending on the 8th day of December, 1994, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Ken Alexander

Subscribed and sworn to before me this 8th day of December, 1994.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY

My commission expires 2-5-99

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08890 OK
SYRINGA PROPERTIES
PO BOX 1242
COEUR D ALENE, ID 83814
Source: COEUR D ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: SSWNW Sec 29 T 50N R 03W in KOOTENAI County.
Use: IRRIGATION (1.500 CFS)
COMMERICAL (1.000 CFS)
DOMESTIC (.170 CFS)
FIRE PROTECTION (2.000 CFS)
Total Diversion: (2.000 CFS)

Date Filed: 11/16/1994
In: KOOTENAI County
T50N R03W S20 SWSW SESE
S29 NE1/4 N1/2NW
SESW NESW N1/2SE
75.0 ACRES TOTAL
95-08894 OK

FIRST UNITED METHODIST CHURCH
416 N 6TH
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: NWNWNW Sec 35T 51N R 04W in KOOTENAI County.
Use: IRRIGATION (200 CFS)
Total Diversion: (200 CFS)

Date Filed: 11/22/1994
In: KOOTENAI County
T51N R04W S35 NWNW
8.0 ACRES TOTAL
95-08891 OK
COEUR D ALENE PUBLIC GOLF CLUB
INC.
PO BOX 5098
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: NWNWSE Sec 3T 50N R 04W in KOOTENAI County.
Use: IRRIGATION (900 CFS)
Total Diversion: (900 CFS)

Date Filed: 11/18/1994
In: KOOTENAI County
T50N R04W S03 NESW SESW NWSE
SWSE
75.0 ACRES TOTAL
95-08892

DUTIOT, TRISH
5551 PRESLEY RD
COEUR D ALENE, ID 83814
Source: UNNAMED STREAM
Tributary: MIC A CREEK
Diversion Pt: SENW Sec 32T 50N R 04W in KOOTENAI County.
Use: IRRIGATION (0.020 CFS)
IRRIGATION STORAGE (4.00 AF)
IRRIGATION FROM STORAGE (4.00 AF)
WILDLIFE (0.20 CFS)
WILDLIFE STORAGE (4.00 AF)
WILDLIFE FROM STORAGE (4.00 AF)
Total Diversion: (200 CFS) (200 CFS)

Date Filed: 11/10/1994
In: KOOTENAI County
T50N R04W S32 SWNE SENW
1.0 ACRES TOTAL
95-08893 OK

BROUSE, KENNETH W.
RT 1 BOX 64
WORLEY, ID 83876
Source: GROUNDWATER
Diversion Pt: NENE Sec 28T 47N R 04W in KOOTENAI County.
Use: IRRIGATION (0.045 CFS)
DOMESTIC (0.045 CFS)
Total Diversion: (0.045 CFS)

Date Filed: 11/2/1994
In: KOOTENAI County
T47N R04W S28 NENE
5.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before DECEMBER 19, 1994.

R. KEITH HIGGINSON, Director

Legal 89
Dec. 1, 8, 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 22, 1994

Trish Dutoit
5551 Presley Rd.
Coeur d'Alene, ID 83814

Re: Water Appropriation Application No. 95-08892

Dear Ms. Dutoit:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

95-08892

DUTOIT, TRISH
5551 PRESLEY RD
COEUR D ALENE, ID 83814

Source: UNNAMED STREAM

Tributary: MICA CREEK

Diversion Pt: SENW Sec 32 T 50N R 04W in KOOTENAI County.

Use: IRRIGATION	(.020 CFS)	
IRRIGATION STORAGE		(4.00 AF)
IRRIGATION FROM STORAGE		(4.00 AF)
WILDLIFE	(.020 CFS)	
WILDLIFE STORAGE		(4.00 AF)
WILDLIFE FROM STORAGE		(4.00 AF)
Total Diversion:	(.200 CFS) <i>ek</i>	(4.00 AF) <i>ek</i>

Date Filed: 11/10/1994

In: KOOTENAI County
T50N R04W S32 SWNE SENW

1.0 ACRES TOTAL