


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George T. Rountree
(Applicant)

Previous Survey

by

W. Clayton

Miller

in


189

Sec. 6.


Sec. 7.

Sec. 8.

Sec. 9.



MICROFILMED
1988



Rockford Bay, Idaho

Map edited 1981
Idaho coordinate
U.S. Datum 1983

UTM GRID AND 1981 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

SCALE 1:24 000



ROAD CLASSIFICATION

Primary highway, hard surface
Secondary highway, hard surface
Unimproved road
Interstate Route
U.S. Route
State Route

Rockford Bay, Idaho

95-08883

LAKE COEUR D'ALENE



GKP 7-29-89

PERMIT # 95-08883

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPP



SUBMERSIBLE PUMP ON
DOCK WATER SPIGOT



WATER OPERATION
FROM PUMP, WATER PUSHED
UP DOCK





LANDSCAPE
FRUIT BUSHES

MAINTAINED
8/30/1996



LAWN AROUND HOUSE
GARDEN GREENHOUSE




PERMIT # 95-08883

4W

T49N R4W

C



MICROFILMED

NOV 08 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08883

Priority: August 30, 1994

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.3 AF

This is to certify, that GEORGE K PRENTISS

18150 S WOODLAND SHORES DR

COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 30, 1994; and has submitted Proof of Beneficial Use on September 14, 1995. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	0.3 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(SWNE), Sec. 18, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	04W	18	Lot 3(SWNE)	0.1		0.1

Total number of acres irrigated: 0.1

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs nor more than 0.3 afa for the land described above.


MICROFILMED
JUN 8 1995


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08883

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29TH
day of OCTOBER, 1996.


Acting for KARL J. DREHER, Director



MICROFILMED

NOV 08 1996

RECEIVED

SEP 18 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08883 Telephone No. 664-1996

2. Name(s) of Permit Holder(s): George K. Prentiss

3. Mailing Address: 18150 S. Woodland Shores Dr. CDA 83814

4. Source of Water: Coeur d'Alene Lake If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____

a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____

b. **OPTIONAL:**

Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 0.1 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.02 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No ☒
Has the measuring device been installed? Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No ☒
Has the measurement port been installed? Yes _____ or No _____

8. Fee Enclosed: \$ 50. (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: George K. Prentiss Telephone Number: 664-1996

Address: 18150 S. Woodland Shores Dr.

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: George K. Prentiss Date: Sept. 12, 1995
(include your title, if on behalf of company of organization)

OCT 16 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08883

Proposed Priority: August 30, 1994 Maximum Diversion Rate: 0.02 CFS

This is to certify, that **GEORGE K PRENTISS**
18150 S WOODLAND SHORES DR
COEUR D ALENE ID 83814
has applied for a permit to appropriate water from:

COEUR D ALENE LAKE tributary of **SPOKANE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 18, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	04W	18	SWNE	0.1		0.1


Total number of acres irrigated: 0.1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1995.**
2. Subject to all prior water rights.
3. The issuance of this right in no way grants any right-of-way or easement across the land of another.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

21st day of November, 1994.


R. Keith Higginson, Director

for

DEC 21 1994

RECEIVED
OCT 19 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8883

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant George K. Prentiss Phone 664-1996
Post office address 18150 S. Woodland Shores Drive, Coeur d'Alene, ID 83814
2. Source of water supply Lake Coeur d'Alene which is a tributary of SPOKANE RIVER
3. Location of point of diversion is _____ 1/4 of SW 1/4 of NE 1/4, Govt. Lot _____
Sec. 18 Township 48N Range 4W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.02 for irrigation purposes from June 1 to Sept 30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.02 cubic feet per second and/or (b) 0.5 acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Submersible electric pump at lake and 300 ft - 400 ft of 1" polyethylene pipe feeding drip and ~~spr~~ spray system.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? No
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is 1 year years (minimum 1 year).

DEC 8 1994

187 12 030

George T. Rountree
(Applicant)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

DEC 21 1994

DEC 21 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 30, 1996

GEORGE K PRENTISS
18150 S WOODLAND SHORES DR
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08883

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
NOV 8 1996

Previous Survey

by W. Clayton


Miller in

1894

Sec. 6.

Sec. 7.

Sec. 8.



LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08883

DATE 10/28/96

REVIEWER: S H A R L A

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	Change <u>—</u>	OK <u>✓</u>	Is change clarification of originally intended source? <u>—</u> If not, prepare Notice of Intent to Void <u>—</u>
POINT OF DIV	Change <u>—</u>	OK <u>✓</u>	Amendment required <u>NO</u>
PLACE OF USE	Change <u>—</u>	OK <u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.02</u>	cfs	
Fee limit	<u>.20</u>	cfs	<u>\$5000</u>
Measured	<u>—</u>	cfs	
Theoretical	<u>.03</u>	cfs	$548.8 \times .7 / 35 + (2.31 \times 25) = .03$
			Recommended Total Div Rate <u>.02</u> cfs

ANNUAL VOLUME/ NATURE OF USES

Use <u>Dom.</u>	<u>.01</u>		Volume Calculation
			<u>.3</u> af
			af
			af
			af
SUBTOTAL			<u>.3</u> af

Flow rate .01 cfs X 243 days X 1.98 ~~af~~ = 4.8 af

Total volume recommended .3 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W31 (.01, .3)

CONDITIONS

— Watermaster Control WD# —
— GW Measurement/Measuring Device
— Overlap
— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo amt rate

1st Amend Letter N/A
 2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 19 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08883

1. Owner: George K. Prentiss Phone No. 664-1996
Current Address: 18150 S. Woodland Shores Coeur d'Alene, Id. 83814
2. Accompanied by: George K. Prentiss EXAM DATE: 8-30-96
Address: Same as Above Phone No. Same
Relationship to Permit Holder: Permit Holder
3. Source: Coeur d'Alene LAKE tributary to SPOKANE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None
2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	18	48N	04W	Kootenai	U.S.G.S. TOPO; Site Visit


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	04W	18			0.1														0.1

MICROFILMED
NOV 8 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = 1' _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Division # 1	Sears	1/2		Sears	390, 285510

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

NOV 8 8 1968

E. NARRATIVE/REMARKS/COMMENTS

The System consist of a Sears Submersible pump mounted on a boat dock. $\frac{3}{4}$ " Black P.V.C Pipe carries water up approx. 35' ft. to the level ground. From a Spigot, Garden hoses are used to irrigate Lawn & garden.



Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 8 8 1986

Wm. J. Long


95-08883

LAKE COEUR D'ALENE



PERMIT # 95-08883

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPP



OGRA
SUBMERGIBLE PUMP ON
DOCK WATER SPIGOT

WATER OPERATION
FROM PUMP, WATER PUSHED
UP DOCK

95-08883

PERMIT #

STATE OF MA
ENT OF MA
D REPORT OF



LAWN AROUND HOUSE
GARDEN HOUSE




LANDSCAPE
FRUIT BUSHES



T49N R4W

4W



MICROFILM

NOV 08 1956

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08883 Reviewed by [Signature] Date 9-25-95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
Ground water source
Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50.00 Amount Submitted
yes Correct?
no Required?
✓ Installed?
✓ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 9-14-95

September 25, 1995

GEORGE K PRENTISS
18150 S WOODLAND SHORES DR
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08883

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
OCT 16 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 21, 1994

GEORGE K PRENTISS
18150 S WOODLAND SHORES DR
COEUR D ALENE ID 83814-

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08883

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures

RECEIVED
DEC 21 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 95-8883 Name: Prentiss Date: 4/15/94 Correct Fee? ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - T17 (new), 01K (existing), No MD
- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. _____, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(dem) - WD No. _____
*Surface water - 005 (req) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD
Groundwater - P05 (new irrigation well)
In stream channel - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (-85° GW temp only)
Swan Falls Flag - P2 <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)
Irrigation - 03A/057, 803(if GW use SW 1st)(+5A PU comp), NA
Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Mining - 054 (req) & 06A/010/09E-P10
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R + L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner

PROTESTED:

OTHER CONDITIONS:

REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

12-1-1995

WR0749NP
No. P95-08883

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/15/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GEORGE K PRENTISS 18150 S WOODLAND SHORES DR COEUR D ALENE ID 83814 (208) 664-1996	08/30/1994	IRRIGATION	03-15 11-15	0.02 CFS	
TOTAL DIVERSION:					0.02 CFS	

Water Source: COEUR D ALENE LAKE

Tributary to: SPOKANE RIVER

Stage: PERMIT

Point(s) of Diversion: T48N R04W S18

SWNE

KOOTENAI County

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE				
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
			:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	
48N	04W	18	:			.1		:					:					:					:	0.1
																							TOTAL ACRES	0.1

Pou County: KOOTENAI

Other Water Rights with Same Point(s) of Diversion and Source:
95-08883

Other Water Rights Listing Overlapping Place(s) of use:
95-08883

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.
03A - The rate of diversion of water for irrigation under this right
- and all other water rights on the same land shall not exceed 0.02
- cubic feet per second for each acre of land.

Dates: App. Received: 08/30/1994 Priority Date: 08/30/1994
Proof Due Date: 12/01/1995 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 09/02/1994 User-ID: RCHILDER Subject: DIVERSION DESCRIPTION
Pump in lake with 300-400' of 1" polyethylene pipe feeding drip
and spray system.

Date: 11/15/1994 User-ID: CZIMMERM Subject: P/D OWNERSHIP
The point of diversion is located on land owned by Idaho Dept. of
Lands.

Audit: 11/15/94 CZIMMERM

APPLICATION # 95-8883

***** INITIAL REVIEW *****

APPLICANT: PRENTISS BY: AB DATE: 8/30/94

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

- Yes No
- ☒ Field check: by _____
- ☒ Field report attached
- ☒ Analysis Supp. attached(>5cfs/500af)
- ☒ Water delivered by water master?
- Water District # _____

PROCESSING

Yes No PRIORITY DATE: 8/30/94

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No) Checked by: _____ Date: ____/____/____

☒ Groundwater management area Remarks: _____

☒ Critical ground water area

☒ Well Drilling Permit required

☒ Well Drilling Application and Fees received

☒ Well Drilling Application approved?

Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

☒ Notice of pending void order issued. Final order response date: ____/____/____

☒ Further information required from applicant

☒ Affidavit of publication received

☒ Application published correctly, If not, record action taken: _____

☒ Publication dates and paper recorded on application | Sr. Agent initial AB

☒ Protests received. Final protest date: 10/3/94

☒ Measuring device required

☒ Measuring port required

☒ Special conditions: _____

☒ Special conditions of approval _____ per letter attached:

Approval Recommended by: AB **RECEIVED** OCT 19 1994 Date: 10/14/94

AFFIDAVIT OF PUBLICATION

RECEIVED

SEP 26 1994

IDWR

STATE OF IDAHO,
County of Kootenai,

ss.

Melanie Doersch

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Legal Notice*

of which the annexed is a printed copy, was published in the regular *Thurs.* issue of said newspaper for *2* consecutive *weeks* commencing on the *15th* day of *Sept*, 19*94* and ending on the *22nd* day of *Sept*, 19*94*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *22nd* day of *Sept*, 19*94*.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires *2-5-99*

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08880
IDAHO VENEER CO
PO BOX 339
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: SENW Sec 2 T 50N R 05W
in KOOTENAI County.
Use: IRRIGATION (.673 CFS)
COMMERCIAL (6.700 CFS)
Total Diversion: (7.370 CFS)
Date Filed: 8/26/1994
In: KOOTENAI County
T50N R05W S02 SWNW SENW
43.0 ACRES TOTAL
95-08881
US DEPT OF INTERIOR
BUREAU OF RECLAMATION

1150 N CURTIS RD
BOISE, ID 837061234
Source: GROUNDWATER
Diversion Pt: NWNW Sec 22 T 51N R 05W
in KOOTENAI County.
NESW SEC 28 T 51N R 05W
in KOOTENAI County.
SWSW Sec 28 T51N R 05W
in KOOTENAI County.
Use: INDUSTRIAL (4.900 CFS)
COMMERCIAL (4.900 CFS)
DOMESTIC (4.900 CFS)
Total Diversion: (4.900 CFS)

Date Filed: 8/30/1994
In: KOOTENAI County
T50N R05W S04 W1/2
S05 ALL OF
S06 N1/2 & SE1/4
T51N R05W S09 E1/2 & NESW SWSW
SESW
S10 SE1/4 & NENE
SWNE SENE SWNW SENW NWSW
SWSW SESW
S11 W 1/2
S14 W1/2
S15 ALL OF
S16 ALL OF
S17 SE1/4
S20 NENE SENE SESE
S21 ALL OF
S22 ALL OF
S23 W 1/2
S27 W1/2 & SWNE NWSE
S28 ALL OF
S29 E1/2 & NESW NWSW
S32 E1/2, SW1/4 &
NENW SENW
S33 ALL OF
S34 NWNW SWNW
95-08882

IRVINE, MIKE
WEST 7950 COUGAR GULCH
COEUR D ALENE, ID 83814
Source: SPRING
Tributary: COUGAR CREEK
Diversion Pt: SWSWSW Sec 30 T 50N R
04W in KOOTENAI County.
Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.070 CFS)

Date Filed: 8/31/1994
In: KOOTENAI County
T50N R04W S30 SWSW
10.0 ACRES TOTAL
95-08883
PRENTISS, GEORGE K
18150 SOUTH WOODLAND SHORES DR
COEUR D ALENE, ID 83814
Source: COEUR D ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: SWNE Sec 18 T 48N R 04W
in KOOTENAI County.
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 8/30/1994
In: KOOTENAI County
T48N R04W S18 SWNE

0.1 ACRES TOTAL

95-08884
BEAUTY BAY HOMEOWNERS WATER
SUERS ASSN
P O BOX 2047
HAYDEN, ID 838352047
Source: COEUR D ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: NENE Sec 11 T 49N R 03W
in KOOTENAI County.
Use: IRRIGATION (.090 CFS)
DOMESTIC (.160 CFS)
Total Diversion: (.160 CFS)

Date Filed: 8/29/1994
In: KOOTENAI County
T49N R03W S12 NENW NWNW
1.8 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before OCTOBER 3, 1994.

R. KEITH HIGGINSON, Director
Legal 723
Sept 15, 22, 1994

SEP 21 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

(208) 769-1450 Fax (208) 769-1454

CECIL D. ANDRUS

Governor

September 8, 1994

R. KEITH HIGGINSON

Director

George K. Prentiss
18150 S. Woodland Shores Dr.
Coeur d'Alene, ID 83814

Re: Water Appropriation Application No. 95-08883.

Dear Mr. Prentiss:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE

Senior Water Resources Agent

AB/rjc

SEP 21 1994

95-08883

PRENTISS, GEORGE K
18150 SOUTH WOODLAND SHORES DR
COEUR D ALENE, ID 83814

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: SWNE Sec 18 T 48N R 04W in KOOTENAI County.

Use: IRRIGATION (.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 8/30/1994

In: KOOTENAI County

T48N R04W S18

SWNE

0.1 ACRES TOTAL

RECEIVED
DEC 21 1994