




R 4 W

INTERIOR—GEOLOGICAL SURVEY, RESTON, VIRGINIA—1982  
508000mE 509 116°52'30"

### ROAD CLASSIFICATION

- Primary highway, hard surface
- Light-duty road, hard or improved surface
- Secondary highway, hard surface
- Unimproved road
- Interstate Route
- U. S. Route
- State Route




QUADRANGLE LOCATION

POST FALLS, IDAHO  
NW/4 COEUR D'ALENE 15' QUADRANGLE  
N4737.5-W11652.5/7.5

DEC 21 1994

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



Scale: 1" = 115'

X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

\_\_\_\_ Aerial Photo Attached (required for irrigation of 10+ acres)

X Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make        | Hp  | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|-------------------|-----|------------------|-----------|-----------------------------------|
| POD #1                                | Briggs & Stratton | 5.0 | 16643DL          |           | (1) one inch                      |
|                                       |                   |     |                  |           |                                   |
|                                       |                   |     |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo

## D. FLOW MEASUREMENTS


1.

## 2. Measurements:

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

RECORDED

SEP 16 1997



T. 50N  
T. 49N.

95-08882  
T. 50N, R. 04W, Sec. 30

IRVINE, MIKE

R 4 W

INTERIOR GEOLOGICAL SURVEY, RESTON, VIRGINIA—1982  
508900mE 509

116°52'30"

ROAD CLASSIFICATION

Primary highway, hard surface  
Secondary highway,  
Light-duty road, hard or improved surface

SEP 16 1997

(MCA BAY)  
2079 III SE

PERMIT # 95-08882

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
REPORT SUPPLEMENT

T O G R A



5 HP Briggs & Stratton  
Place of use.



Spring location  
Place of use



State of Idaho  
Department of Water Resources

# WATER RIGHT LICENSE

WATER RIGHT NO. 95-08882

Priority: August 31, 1994

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

3.0 AF

This is to certify, that MIKE IRVINE  
W 7950 COUGAR GULCH

COEUR D ALENE ID 83814

has complied with the terms and conditions  
of the permit, issued pursuant to Application for Permit dated August 31, 1994; and  
has submitted Proof of Beneficial Use on November 20, 1996. An examination indicates  
that the works have a diversion capacity of 0.130 cfs of water from:

SPRING

tributary to COUGAR CREEK

source, and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|--------------------------|----------------------|
| IRRIGATION            | 03/15 to 11/15       | 0.03 CFS                 | 3.0 AF               |

LOCATION OF POINT(S) OF DIVERSION:

SWSWSW , Sec. 30, Township 50N, Range 04W  
KOOTENAI County

PLACE OF USE: IRRIGATION

TWN RGE SEC

50N 04W 30

ACRES

SWSW

1

ACRES

ACRES

TOTAL

1

Total number of acres irrigated:

1

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 95B.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.



State of Idaho  
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 95-08882

CONDITIONS OF APPROVAL AND REMARKS

7. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30<sup>TH</sup> day of JUNE, 1997.

  
Acting for KARL J. DREHER, Director

RECEIVED

OCT 15 1996

Department of Water Resources

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

FOR OFFICE USE ONLY

Amt. of Fee \$: 50.00

Receipt No. 037025

Receipt By: KL

Date Received: 11-20-96

JDW3

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08882 Telephone No. 208-667-0128
2. Name(s) of Permit Holder(s): Mike Irvine
3. Mailing Address: W. 7950 Cougar Gulch CPA ID 83814
4. Source of Water: Irrigation pond If **GROUNDWATER** (well), Date Drilled: mo. 6 yr. 1
  - a. Well Driller: 6 Drilling Permit Number: 6
  - b. **OPTIONAL:**  
Pump Horsepower: \_\_\_\_\_ Pressure (psi): \_\_\_\_\_ Dynamic pumping level (ft): \_\_\_\_\_
5. Use(s) (as authorized by the water right permit):  
Domestic (No. of households): 1 Stockwater (No. and type of stock): 6  
Irrigation (No. of acres): 1 Other: 0
6. Total rate of diversion and/or volume for which proof is submitted: 0.07 cfs OR 1 acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)  
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

|                               |                                          |           |    |             |
|-------------------------------|------------------------------------------|-----------|----|-------------|
| <b>Measuring Device:</b>      | Is a measuring device required?          | Yes _____ | or | No <u>X</u> |
|                               | Has the measuring device been installed? | Yes _____ | or | No <u>X</u> |
| <b>Flow Measurement Port:</b> | Is a flow measurement port required?     | Yes _____ | or | No <u>X</u> |
|                               | Has the measurement port been installed? | Yes _____ | or | No <u>X</u> |
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.  
Name: Mike OR Bette Irvine Telephone Number: 208-667-0128  
Address: W. 7950 Cougar Gulch CPA ID
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.  
Signature of permit holder: [Signature] Date: 10-11-96  
(include your title, if on behalf of company of organization)

MAILED  
DEC 12 1996

State of Idaho  
Department of Water Resources  
**Permit To Appropriate Water**

NO. 95-08882

Proposed Priority: August 31, 1994      Maximum Diversion Rate: 0.07 CFS

This is to certify, that **MIKE IRVINE**  
W 7950 COUGAR GULCH  
COEUR D ALENE ID 83814  
has applied for a permit to appropriate water from:

**SPRING**      tributary of **COUGAR CREEK**

and a permit is **APPROVED** for development of water as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> |
|-----------------------|----------------------|--------------------------|
| IRRIGATION            | 03/15 to 11/15       | 0.03 CFS                 |
| DOMESTIC              | 01/01 to 12/31       | 0.04 CFS                 |
|                       | Totals               | 0.07 CFS                 |

LOCATION OF POINT(S) OF DIVERSION:      SWSWSW , Sec. 30, Township 50N, Range 04W  
KOOTENAI County

PLACE OF USE: IRRIGATION

| <u>TWN</u> | <u>RGE</u> | <u>SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|------------|------------|------------|--------------|--------------|--------------|--------------|
| 50N        | 04W        | 30         | SWSW         | 1            |              | 1            |

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1996**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Use of water under this right is subject to control by the watermaster of State Water District No. 95B.
5. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
7. Domestic use is for 1 home.

DEC 21 1994


State of Idaho  
Department of Water Resources

# Permit To Appropriate Water

NO. 95-08882

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.  
Witness the signature of the Director, affixed at Boise, this

28 day of November, 1994.

  
R. Keith Higginson, Director

for

RECEIVED  
OCT 11 1994

RECEIVED  
Form 202  
10/92  
NOV 01 1994

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR PERMIT

Ident. No. 95-8882

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Mike Irvine Phone 667-0128  
Post office address W. 7950 Cougar Gulch CDA ID 83814  
COUGAR CREEK
2. Source of water supply NATURAL SPRING which is a tributary of ~~THE CREEK~~
3. Location of point of diversion is SW  $\frac{1}{4}$  of SW  $\frac{1}{4}$  of SW  $\frac{1}{4}$ , Govt. Lot \_\_\_\_\_  
Sec. 30 Township 50N Range 04W B.M. ROOTENAL County; additional  
points of diversion if any: \_\_\_\_\_
4. Water will be used for the following purposes:  
Amount 0.03 for IRRIGATION purposes from 3/5 to 11/5 (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount 0.04 for DOMESTIC purposes from Y1 to 12/31 (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.07 and/or (b) \_\_\_\_\_  
cubic feet per second acre feet per annum
6. Proposed diverting works:
  - a. Description of ditches, flumes, pumps, headgates, etc. ~~NATURAL~~ CULVERT & PUMP
  - b. Height of storage dam \_\_\_\_\_ feet; active reservoir capacity \_\_\_\_\_ acre-feet; total  
reservoir capacity \_\_\_\_\_ acre-feet; period of year when water will be diverted to storage:  
\_\_\_\_\_ to \_\_\_\_\_ inclusive.
  - c. Proposed ~~well~~ Spring diameter is 8-10 feet CULVERT inches; proposed depth of Spring well is 15 feet.
  - d. Is ground water with a temperature of greater than 85°F being sought? No
  - e. If well is already drilled, when? No; Drilling firm N/A  
Well was drilled for (well owner) N/A
7. Time required for the completion of the works and application of the water to be proposed beneficial use is  
2 years (minimum 1 year).

DEC 8 1994

a. Hydropower, show total feet of head and proposed capacity in KW.

b. Stockwatering; list number and kind of livestock.

c. Municipal; show name of municipality.

d. Domestic; show number of households.

e. Other, describe fully.

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated.

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion?

b. Who owns the land to be irrigated or place of use?

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

applicant to make this filing.

12. Remarks:

Remarks: we want to develop a spring (from one that stays damp year round) for our yard.

T. 50N  
R. 4W



ROAD CLASSIFICATION

- Primary highway, hard surface
- Secondary highway, hard surface
- Light-duty road, hard or improved surface
- Unimproved road
- Interstate Route
- U. S. Route
- State Route




QUADRANGLE LOCATION

POST FALLS, IDAHO  
NW/4 COEUR D'ALENE 15 QUADRANGLE  
M4737.5-W11052.8/7.5

DEC 21 1994


Sec no: 30 00 00 Township 30 N Range 09 W 0914

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

  
(Applicant)

02031 1994

E. P. 1994

e. Other:

- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. \_\_\_\_\_, and said application is hereby \_\_\_\_\_

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

# ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

|                         |         |             |          |                      |                    |
|-------------------------|---------|-------------|----------|----------------------|--------------------|
| Received by             | 8/31/94 | Time        | 4:55     | Preliminary check by | AS                 |
| Fee \$                  | 50.00   | Received by | AS       | #                    | AJ-8162            |
| Publication prepared by | RLC     | Date        | 9/8/94   | Published in         | Idaho News 9/15/94 |
| Publication approved    | RLC     | Date        | 10/17/94 | Date                 | 10/6/94            |



State of Idaho

## DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 1, 1997

PHILIP E. BATT  
GOVERNOR

KARL J. DREHER  
DIRECTOR

MIKE IRVINE  
W 7950 COUGAR GULCH  
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08882

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

### PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

### EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

SEP 18 1997

### ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

### CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

### FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.


### APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen  
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 1st day of July, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 95-08882

MIKE IRVINE  
W 7950 COUGAR GULCH  
COEUR D ALENE ID 83814

  
Kari Lynn Townsend  
Secretary

## MEMORANDUM

**TO: File 95-08882**

**FROM: Sharla Curtis**

**DATE: June 30, 1997**

**RE: Recommendation Adjustment(s)**

The final license recommendations for Permit No. 95-08882 are based on the following:

### H. RECOMMENDATIONS

|            |              |          |         |
|------------|--------------|----------|---------|
| Irrigation | 3/15 - 11/15 | 0.03 cfs | 3.0 afa |
|------------|--------------|----------|---------|

The standard annual volume/acre for this area is 3.0 af.

Examiner: Herman Spangle  
Exam Date: May 7, 1997

# LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08882

DATE 6/23/97

REVIEWER: SHARLA

|              |                 |             |                                                                 |
|--------------|-----------------|-------------|-----------------------------------------------------------------|
| NAME         | Change <u>—</u> | OK <u>✓</u> | Address Change <u>NO</u>                                        |
| SOURCE       | <u>—</u>        | <u>✓</u>    | Is change clarification of originally intended source? <u>—</u> |
| POINT OF DIV | <u>—</u>        | <u>✓</u>    | If not, prepare Notice of Intent to Void <u>—</u>               |
| PLACE OF USE | <u>—</u>        | <u>✓</u>    | Amendment required <u>NO</u>                                    |

Does map agree with written description? — yes — no

OVERLAPS — P/D — P/U

## RATE OF DIV

|                |                                |
|----------------|--------------------------------|
| Permitted Rate | <u>.07</u> cfs                 |
| Fee limit      | <u>.20</u> cfs \$ <u>50.00</u> |
| Measured       | <u>—</u> cfs                   |
| Theoretical    | <u>.13</u> cfs                 |

Recommended Total Div Rate .03 cfs

ANNUAL VOLUME/  
NATURE OF USES —

✓ Use Mr.

| Volume Calculation |               |
|--------------------|---------------|
| <u>1X3.0</u>       | af            |
| <u>—</u>           | af            |
| <u>—</u>           | af            |
| <u>—</u>           | af            |
| <u>—</u>           | af            |
| <b>SUBTOTAL</b>    | <u>3.0</u> af |

Flow rate .03 cfs X 245 days X 1.98 = 14.6 af  
 Total volume recommended 3.5 af  
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS R04 Watermaster Control WD# 95B  
R02 GW Measurement/Measuring Device R02  
R09 Overlap

— Use-specific conditions  
 Advancement of Priority Date Required — yes ✓ no

|                               |                             |
|-------------------------------|-----------------------------|
| SRBA Claim Filed <u>N/A</u>   | 1st Amend Letter <u>N/A</u> |
| Adjustment Memo <u>volume</u> | 2nd Amend Letter <u>N/A</u> |

RECEIVED

JUN 12 1997

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No.

95-08882

1. Owner: Mike IRVINE Phone No. (208)-667-0128

Current Address: W. 7950 Cougar Gulch Rd. Coeur d'Alene, Id. 83814

2. Accompanied by: Mike IRVINE EXAM DATE: 5-7-97

Address: SAME AS ABOVE Phone No. (208)-667-0128

Relationship to Permit Holder: Permit Holder

3. Source: SPRING tributary to COUGAR CREEK

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

| Ident No. | Gov't Lot | 1/4 | 1/4 | 1/4 | Sec. | Twp. | Rge. | County   | Method of Determination/Remarks |
|-----------|-----------|-----|-----|-----|------|------|------|----------|---------------------------------|
| #1        |           | SW  | SW  | SW  | 30   | 50N  | 04W  | Kootenai | USGS Topo Map: Site Visit       |
|           |           |     |     |     |      |      |      |          |                                 |
|           |           |     |     |     |      |      |      |          |                                 |
|           |           |     |     |     |      |      |      |          |                                 |


2. Place(s) of Use:

Indicate Method of Determination

| TWP | RGE | SEC | NE |    |    |    | NW |    |    |    | SW |    |     |    | SE |    |    |    | Totals |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|-----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW  | SE | NE | NW | SW | SE |        |
| 50N | 04W | 30  |    |    |    |    |    |    |    |    |    |    | 1.0 |    |    |    |    |    | 1.0    |
|     |     |     |    |    |    |    |    |    |    |    |    |    |     |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |     |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |     |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |     |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |     |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |     |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |     |    |    |    |    |    |        |

SEP 14 1997

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached of (required for irrigation of 10+ acres)

X Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make     | HP  | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|----------------|-----|------------------|-----------|-----------------------------------|
| ROD #1                                | Bridge Station | 5.0 | 15643DL          |           | (1) one inch                      |
|                                       |                |     |                  |           |                                   |
|                                       |                |     |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo

### D. FLOW MEASUREMENTS

1.

### 2. Measurements:

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

E. NARRATIVE/REMARKS/COMMENTS

System consist of 5 hp. Briggs & Stratton Pump with a 1 1/4" intake line and a 2" inch output line. Dredge (2) acre of irrigated grass through 1" pvc pipe with 2 impact sprinklers. No Culvert was put in.

Permit describes domestic water use, however Permittee has not developed this portion of the permit.

Have conditions of permit approval been met? ☒ yes ☐ no

# F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached

*\* See Theoretical Calculations*

## G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{(1.0)(3.5)}{3.5 \text{ acre ft.}} = 14.55$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{(1.03)(245)(1.9835)}{3.5 \text{ acre ft.}} = 14.55$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3.5 \text{ acre ft.}$$

2. Volume Calculations for Other Uses:

*NONE*

## H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

*IRRIGATION*

Period of Use

*From 3/15 To 11/15*

Rate of Diversion

*.03 cfs*

Annual Volume

*3.5*

## 2. Recommended Amendments

☐ Change P.D. as reflected above  
☐ Change P.U. as reflected above

☐ Add P.D. as reflected above  
☐ Add P.U. as reflected above

☒ Other  
☐ None

*ONLY IRRIGATION*

## I. AUTHENTICATION

Field Examiner's Name


Date

Reviewer

SEAL

*5-7-97*

*[Signature]*



T. 50N

T. 49N

95-08882  
T. 50N, R. 04W, Sec. 30

IRVINE, MIKE

R 4 W

INTERIOR GEOLOGICAL SURVEY, RESTON, VIRGINIA-1982

116°52'30"

ROAD CLASSIFICATION

Primary highway, hard surface \_\_\_\_\_  
Secondary highway, \_\_\_\_\_

Light-duty road, hard or improved surface \_\_\_\_\_

(MICA BAY)  
2078 III SE

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08882  
DATE: 14-MAY-97  
COMPLETE BY: HERM

HORSEPOWER = 5.0

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 80 FEET

SYSTEM PRESSURE = 70 PSI

QUANTITY = 0.13 CFS

80 MAY 97



PERMIT # 95-08882

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
REPORT SUPPLEMENT

T O G R A

5 HP Briggs & Stratton  
Pace of use.

Spring location  
Pace of use



**ANALYSIS SHEET  
FOR  
PROOF OF BENEFICIAL USE**

Permit No. 95-08882 Reviewed by Jy Date 11-8-96

**GENERAL CONSIDERATIONS**

**TYPES OF USE**

yes Name same as permit?  
yes Address same as permit?  
yes Proof timely received?  
If not, complete calculation below.

dom, irr.  
Correct Uses? yes

**SOURCE OF WATER**

☒ Surface water source

☐ Ground water source

☒ Drilling permit required?

☒ Copy in the file? Drilling Permit No. \_\_\_\_\_

☒ Amount paid for permit

☒ Well log in the file?

\_\_\_\_\_ Correct?

**LICENSE EXAMINATION FEE**

**MEASURING DEVICE**

yes Required?  
0 Amount Submitted  
no Correct?

yes Required?  
no Installed?  
no Waiver requested?

**PRIORITY CALCULATION**

|                     |       |       |
|---------------------|-------|-------|
| Date proof received | _____ | _____ |
| Date proof due      | _____ | _____ |
| No. of days late    | _____ | _____ |
| Priority Date       | _____ | _____ |
| New Priority Date   | _____ | _____ |

**DEFICIENCIES OR ACTION ITEMS**

Request \$50.00 lic. exam fee.  
Fee received, Proof acceptable

**DATA ENTRY**

New Address X Proof Made 10-15-96

November 22, 1996

MIKE IRVINE  
W 7950 COUGAR GULCH  
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08882

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH  
Senior Secretary

c: IDWR - Region

MICROFILMED  
DEC 22 1996



## State of Idaho

### DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT  
GOVERNOR

KARL J. DREHER  
DIRECTOR

November 13, 1996

Mike Irvine  
W 7950 Cougar Gulch  
Coeur d'Alene, ID 83814

**RE:** Permit No. 95-08882

Dear Permit Holder:

I have returned a copy of the Proof of Beneficial Use form submitted in connection with the above referenced water right. You state on the proof form that you are diverting .07 cfs from surface water for irrigation and domestic use. Before the department can process the proof, it must be accompanied by the appropriate license examination fee of \$50.00. You indicate on the proof form that \$50.00 was enclosed, however, the department did not receive a fee with the proof form.

Please return the copy of the proof along with the \$50.00 license examination fee within 30 days of receipt of this letter. **Please address your correspondence to my attention.**

If you have any questions regarding this matter, please contact me at (208)327-7900.

Sincerely,

A handwritten signature in cursive script that reads "Julie L. Yarbrough".

JULIE L. YARBROUGH  
Senior Secretary

Enclosure

MICROFILMED  
DEC 6 2 1996

September 30, 1996

MIKE IRVINE  
W 7950 COUGAR GULCH  
COEUR D ALENE ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08882

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH  
Senior Secretary

Enclosures

MICROFILMED  
DEC 8 1996





State of Idaho  
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000  
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS  
GOVERNOR

R. KEITH HIGGINSON  
DIRECTOR

November 28, 1994

MIKE IRVINE  
W 7950 COUGAR GULCH  
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08882

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON, Manager  
Water Right Permits Section

JJ:dc

Enclosures

DEC 21 1994

APPLICATION FOR PERMIT  
STATE OFFICE REVIEW  
by Cindy Zimmerman

No.: 95-8882 Name: Irvine Date: 11/25/94 Correct Fee? ☒

AREA OF CONCERN? - No/Yes \_\_\_\_\_ Mor \_\_\_\_\_ GWMA Trust/Non-trust  
SYSTEM COMPLETED:

No - 26A-~~P17~~  
Complete in 1 year - P16

Yes  
Proof not submitted - P16  
Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - 01G (new), 01K (existing), No MD  
- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. \_\_\_\_\_, P99  
Existing well - NA (pre 7/1/87)  
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

~~SURFACE WATER:~~ not in WD - T17 (+.2 w/pump), ~~No MD~~ <FLOW CHART>

LOCATION:

Water District(~~dem~~) - WD No. 95B  
\*Surface water - 005 (req) 01J-P08 <FLOW CHART>  
(doesn't sink) or 01H-~~P01~~ <FLOW CHART>; No MD  
Groundwater - P05 (new irrigation well)  
In stream channel - 030 (stream channel alteration)  
Irr Dist/Canal Co. - 023 (Twin Falls area)  
Drainage Districts - 024  
Flood Control Dist. - 063  
Boise Front (63) - 058 (-85° GW temp only)  
Swan Falls Flag - 3 <SEE CONDITION CODE CHART>  
Trust - 051-052-053-P74 (Consumptive Uses), NA  
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (\*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA  
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA  
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10  
044 (N 1000 Spr)  
Irrigation - 03A/057, 803(if GW use SW 1st)(+5A PU comp), NA  
Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;  
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09  
Mining - 054 (req) & 06A/010/09E-P10  
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA  
Domestic (surface) - 021(Boise R ↑ L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU) \_\_\_\_\_

PROTESTED:

- 020(Prehearing agreement)/W19(See Order)

OTHER CONDITIONS:

REMARKS:

- ① woi/1

BENEFICIAL USE DUE:

- 12-1-1996

COMMENTS:

No. a  
4/87-06/92n

ID DEPARTMENT OF WATER RESOURCES  
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 15-8882  
\*\*\*\*\* INITIAL REVIEW \*\*\*\*\*

APPLICANT: IRVINE BY: JS DATE: 8/31/94

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
- (X) Nature of Proposed Use
- (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
- (X) Signature
- (X) Fee (Amt, recpt, acknowlegment)

\*\*\* Send info sheet Y( ) N( )

ADDITIONAL INFORMATION

Yes No

- \_\_\_ (X) Field check: by \_\_\_\_\_  
\_\_\_ (X) Field report attached  
\_\_\_ (X) Analysis Supp. attached(>5cfs/500af)  
\_\_\_ (X) Water delivered by water master?  
\_\_\_ Water District # 95-13

PROCESSING

Yes No

PRIORITY DATE: 8/31/94

\_\_\_ (X) (Include Moratorium Remark)

\_\_\_ (X) Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: N/A

INFORMATION RECEIVED:

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: N/A

\*\*\*\*\* GROUNDWATER SECTION \*\*\*\*\*

(Yes) ( No)

Checked by: \_\_\_\_\_ Date: \_\_\_/\_\_\_/\_\_\_

Remarks: \_\_\_\_\_

- \_\_\_ (X) Groundwater management area  
\_\_\_ (X) Critical ground water area  
\_\_\_ (X) Well Drilling Permit required  
\_\_\_ (X) Well Drilling Application and Fees received  
\_\_\_ (X) Well Drilling Application approved?  
\_\_\_ Well Drilling Application Number \_\_\_\_\_

\*\*\*\*\* FINAL REGIONAL PROCESSING/REVIEW \*\*\*\*\*

(Yes) ( No)

- \_\_\_ Notice of pending void order issued. Final order response date: \_\_\_/\_\_\_/\_\_\_  
\_\_\_ Further information required from applicant  
✓ \_\_\_ (X) Affidavit of publication received  
✓ \_\_\_ (X) Application published correctly, If not, record action taken: radv. 9/28/94  
✓ \_\_\_ Publication dates and paper recorded on application  
\_\_\_ Protests received. Final protest date: 10/13/94  
\_\_\_ Measuring device required  
\_\_\_ Measuring port required  
\_\_\_ Special conditions: \_\_\_\_\_  
\_\_\_ Special conditions of approval: \_\_\_\_\_

RECEIVED

Approval Recommended by: JPY NOV 01 1994 Date: 10/26/94

Department of Water Resources

# AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }  
County of Kootenai, } ss.

Melanie Droesch being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Legal Notice  
of which the annexed is a printed copy, was published in the regular Thurs issue of said newspaper for 2 consecutive Weeks, commencing on the 6th day of October, 1994, and ending on the 13th day of October, 1994, and such publication was made as often during said period as said daily newspaper was regularly issued.


4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Melanie Droesch  
Subscribed and sworn to before me this 13th day of October, 1994.

Roberta Manley  
Notary Public for the State of Idaho,  
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY  
My commission expires 2-5-99

**NOTICE OF CORRECTION**  
NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-08882 in the name of Mike Irvine, W. 7950 Cougar Gulch, Coeur d'Alene, ID 83814 was advertised incorrectly on 9/15 & 22/1994. The total acreage was incorrectly advertised as 10.0; whereas, correctly it should read 1.0. (For additional information concerning the property location, call the Northern Regional Office at 769-1450.) Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before October 24, 1994. R. KEITH HIGGINSON, Dir.  
Legal 817  
Oct. 6, 13, 1994



NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-08882 in the name of Mike Irvine, W. 7950 Cougar Gulch, Coeur d'Alene, ID 83814, was advertised incorrectly on 9/15 & 22/94.

The total acreage was incorrectly advertised as 10.0; whereas, correctly it should read 1.0.

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before October 24, 1994.

R. KEITH HIGGINSON, Dir.

Published in the Coeur d'Alene Press 9/6 & 13/94.

Please Do Not Bill for this one  
Not our error!

# AFFIDAVIT OF PUBLICATION

RECEIVED

SEP 26 1994

IDWR

STATE OF IDAHO,  
County of Kootenai,

ss.

*Melanie Driesch*

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Legal Notice*

of which the annexed is a printed copy, was published in the regular *Thurs* issue of said newspaper for *2* consecutive *weeks* commencing on the *15th* day of *Sept*, 19*94*, and ending on the *22nd* day of *Sept*, 19*94*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *22nd* day of *Sept*, 19*94*.

*Roberta Manley*  
Notary Public for the State of Idaho,  
residing at Coeur d'Alene, Idaho.

My commission expires *2-5-99*

## NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08880  
IDAHO VENEER CO  
PO BOX 339  
POST FALLS, ID 83854  
Source: GROUNDWATER  
Diversion Pt: SENW Sec 2 T 50N R 05W  
in KOOTENAI County.  
Use: IRRIGATION (.673 CFS)  
COMMERCIAL (6.700 CFS)  
Total Diversion: (7.370 CFS)  
Date Filed: 8/26/1994  
In: KOOTENAI County  
T50N R05W S02 SWNW SENW  
43.0 ACRES TOTAL  
95-08881  
US DEPT OF INTERIOR  
BUREAU OF RECLAMATION

1150 N CURTIS RD  
BOISE, ID 837061234  
Source: GROUNDWATER  
Diversion Pt: NWNW Sec 22 T 51N R 05W  
in KOOTENAI County.  
NESW SEC 28 T 51N R 05W  
in KOOTENAI County.  
SWSW Sec 28 T51N R 05W  
in KOOTENAI County.  
Use: INDUSTRIAL (4.900 CFS)  
COMMERCIAL (4.900 CFS)  
DOMESTIC (4.900 CFS)  
Total Diversion: (4.900 CFS)

Date Filed: 8/30/1994  
In: KOOTENAI County  
T50N R05W S04 W1/2  
S05 ALL OF  
S06 N1/2 & SE1/4  
T51N R05W S09 E1/2 & NESW SWSW  
SESW  
S10 SE1/4 & NENE  
SWNE SENE SWNW SENW NWSW  
SWSW SESW  
S11 W 1/2  
S14 W1/2  
S15 ALL OF  
S16 ALL OF  
S17 SE1/4  
S20 NENE SENE SESE  
S21 ALL OF  
S22 ALL OF  
S23 W 1/2  
S27 W1/2 & SWNE NWSW  
S28 ALL OF  
S29 E1/2 & NESW NWSW  
S32 E1/2 SW1/4 &  
NENW SENW  
S33 ALL OF  
S34 NWNW SWNW  
95-08882

IRVINE, MIKE  
WEST 7950 COUGAR GULCH  
COEUR D ALENE, ID 83814  
Source: SPRING  
Tributary: COUGAR CREEK  
Diversion Pt: SWSWSW Sec 30 T 50N R  
04W in KOOTENAI County.  
Use: IRRIGATION (.030 CFS)  
DOMESTIC (.040 CFS)  
Total Diversion: (.070 CFS)

Date Filed: 8/31/1994  
In: KOOTENAI County  
T50N R04W S30 SWSW  
10.0 ACRES TOTAL  
95-08883  
PRENTISS, GEORGE K  
18150 SOUTH WOODLAND SHORES DR  
COEUR D ALENE, ID 83814  
Source: COEUR D ALENE LAKE  
Tributary: SPOKANE RIVER  
Diversion Pt: SWNE Sec 18 T 48N R 04W  
in KOOTENAI County.  
Use: IRRIGATION (.020 CFS)  
Total Diversion: (.020 CFS)  
Date Filed: 8/30/1994  
In: KOOTENAI County  
T48N R04W S18 SWNE

0.1 ACRES TOTAL  
95-08884  
BEAUTY BAY HOMEOWNERS WATER  
SUERS ASSN  
P O BOX 2047  
HAYDEN, ID 83852047  
Source: COEUR D ALENE LAKE  
Tributary: SPOKANE RIVER  
Diversion Pt: NENE Sec 11 T 49N R 03W  
in KOOTENAI County.  
Use: IRRIGATION (.090 CFS)  
DOMESTIC (.160 CFS)  
Total Diversion: (.160 CFS)

Date Filed: 8/29/1994  
In: KOOTENAI County  
T49N R03W S12 NENW NWNW  
1.8 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.  
The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before OCTOBER 3, 1994.  
R. KEITH HIGGINSON, Director  
Legal 723  
Sept. 15, 22, 1994



State of Idaho  
**DEPARTMENT OF WATER RESOURCES**  
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

(208) 769-1450 Fax (208) 769-1454

CECIL D. ANDRUS

Governor

September 8, 1994

R. KEITH HIGGINSON

Director

Mike Irvine  
W. 7950 Cougar Gulch  
Coeur d'Alene, ID 83814

Re: Water Appropriation Application No. 95-08882.

Dear Mr. Irvine:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE

Senior Water Resources Agent

AB/rjc

95-08882

IRVINE, MIKE  
WEST 7950 COUGAR GULCH  
COEUR D ALENE, ID 83814

Source: SPRING

Tributary: COUGAR CREEK

Diversion Pt: SWSWSW Sec 30 T 50N R 04W in KOOTENAI County.

|                  |             |
|------------------|-------------|
| Use: IRRIGATION  | ( .030 CFS) |
| DOMESTIC         | ( .040 CFS) |
| Total Diversion: | ( .070 CFS) |

Date Filed: 8/31/1994

In: KOOTENAI County  
T50N R04W S30 SWSW

1.0 ACRES TOTAL