






D , A L L E N

C O E U R

Scott

Loffs Bay

McDonald
Point
Light

Crescent
Bay

Sandpoint
Pilot
Rock

Stinson
PILOT

Black Rock
Bay

Black
Rock

Half Round
Bay

Hungry

Martin
Bay

Black
Bay

95-08871

MICROFILMED
AUG 28 1995



PD



PD



Pump

ALL INFORMATION
OCT 28 1995

95-08871

Not Surveyed.


Sec. 28.

243

Sec. 33.

10th Standard Parcel North

Total number of Acres 13169.85



COEUR

D'A

See.

Date of Contract	Amount of Surveys M.	Ch. ^s	Lt. ^s	When Surveyed	Mear Declination
Nov. 13 th	11	29	43	~~June 2-5~~ - 1891	
June 19 th 1891.	36	29	87	June 12 - July 2 - 1892	21° 20' East.
"	15	52	20	" " " "	
"	6	00	00	Aug. 31 - Sep. 3 - 1891	
"	40	96		Nov. 12 - Dec. 2, 1892	

A vertical scale with markings at 0, 10, and 20. A horizontal line is drawn at the 10 mark. The scale is labeled "Scale 10" on the right side.

The above. Haps. of Township. 1.
Boise. Meridian. T
notes of the survey thereof on file
Surveyed. General's Office.
Boise City, Idaho.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08871

Priority: June 6, 1994

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that C DAN KEALY
S 14450 PILOT ROCK RD
COEUR D ALENE ID 83814

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 6, 1994; and
has submitted Proof of Beneficial Use on September 16, 1994. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NWNW), Sec. 2, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

48N 04W 2 Lot 1(NWNW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 cabin.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of AUGUST, 1995.

Acting for

KARL J. DREHER, Director

STATE OF IDAHO

 Amt. of Fee \$ 50.00
 Date 9/14/94
 Receipt No. W-8218
 Received by AS

DEPARTMENT OF WATER RESOURCES

 RECEIVED
 SEP 16 1994

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

 1. Permit No. 95-08871 Telephone No. 208-667-8660

 2. Name(s) of Permit Holder(s): D. DAN KIBBY

 3. Post Office Address: 514450 PILOT ROCK RD. COBALT IDAHO 83814

 4. Source of Water: ROCK D ALONE CANY

 a. If ground water, well driller's name: N/A Date drilled: N/A

 b. Pump horsepower: N/A Pressure (psi): — Dynamic pumping level (ft.): —

5. Extent of Use:

 Domestic 1 (No. of households) Irrigation — (No. of acres)

 Stockwater — (No. and type of stock) Other —

 6. Total rate and/or volume for which proof is submitted 0.04 cfs — acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

 Measuring device: Required? — Yes — No Installed? — Yes — No

OR

 Flow Measurement Port: Required? — Yes — No Installed? — Yes — No

 8. Fee Enclosed: \$ — (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

DAN KIBBY
 Name

509 924-2780
208-667-8660
 Telephone No.

514450 PILOT ROCK RD
 Address

COBALT IDAHO 83814

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

9/14/94
 Date

D. Dan Kibby
 Signature (and title if on behalf of a company or organization)

NOV 08 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08871

Proposed Priority: June 6, 1994

Maximum Diversion Rate:

0.04 CFS

This is to certify, that C DAN KEALY
S 14450 PILOT ROCK RD
COEUR D ALENE ID 83814
has applied for a permit to appropriate water from:

COEUR D ALENE LAKE

tributary of SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

DOMESTIC	01/01 to 12/31	0.04 CFS
----------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: Lot 1 (NWNW), Sec. 2, Township 48N, Range 04W
Lot 5 (SWSW), Sec. 35, Township 49N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

48N 04W	2	Lot 1 (NWNW)
49N 04W	35	Lot 5 (SWSW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1995.
2. Subject to all prior water rights.
3. The issuance of this right in no way grants any right-of-way or easement across the land of another.
4. Single point of diversion located on or near line between Lot 1 (NWNW), S02, T48N, R04W and Lot 5 (SWSW), S35, T49N, R04W.
5. Single place of use located on or near line between Lot 1 (NWNW), S02, T48N, R04W and Lot 5 (SWSW), S35, T49N, R04W.
6. Domestic use is for 1 cabin.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

29th day of August, 1994.

R. Keith Higginson
for R. Keith Higginson, Director

SEP 12 1994

RECEIVED
AUG 03 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT


Ident. No. 15-18871

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant C. DAN KEALY Phone 208-667-8660
Post office address S. 14450 PILOT ROCK ROAD, CO' ID 83814
2. Source of water supply CD'A LAKE which is a tributary of SPOKANE RIVER
3. Location of point of diversion is _____ 1/4 of NW 1/4 of NW 1/4, Govt. Lot 1
Sec. 35 Township 48N Range 4W B.M. KOOTENAI County; additional
points of diversion if any: T. 49N., R. 4W., SEC. 35 SW 1/4 SW 1/4
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from Y. to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. PUMP IN LAKE
 - b. Height of storage dam None feet; active reservoir capacity None acre-feet; total
reservoir capacity None acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is None inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? None
 - e. If well is already drilled, when? NO; Drilling firm _____;
Well was drilled for (well owner) N/A
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).


SEP 12 1994

12. Remarks:



SEP 12 1994

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Alan J. J. J.
(Applicant)

SEP 12 1994

100-100000-100000

e. Other:

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	<i>RJC</i>	Date	<i>4/6/94</i>	Time	<i>1:35</i>
Fee \$	<i>36.00</i>	Received by	<i>RJC</i>	#	<i>7737</i>
Publication prepared by	<i>RJC</i>	Date	<i>4/29/94</i>	Published in	<i>Idaho Falls 7/7 8/14/94</i>
Publication approved	<i>RJC</i>	Date	<i>7/15/94</i>		
Preliminary check by		Date	<i>6/6/94</i>		



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 22, 1995

C DAN KEALY
S 14450 PILOT ROCK RD
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08871

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED
AUG 28 1995

LICENSE REVIEW
Cindy Zimmerman

Permit #: 95-8871 Name: Kealy Date: 8/8/95
App Rcd 6/6/94 Priority 6/6/94 Examined 6/6/95 ✓ Lots ✓

NAME Chng OK ✓ Or Address Change?

SOURCE — ✓ Clarify source —
— Prelim. Order to Void - Source change.

P/D — ✓ Amendment Needed? LTL (NWNW) only -P39, P38
Overlap(s) —

P/U — ✓ Amendment Needed? LTL (NWNW) only -P41, P38
Overlap(s) —
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies)

RATE — ✓ Permit/fee limits: 0.04 / 0.04
— ✓ Measured Q= 0.04 cfs Theoretical Q= — cfs
5 g bucket
(HP) 8.8 x 0.70 x .5 =
— + (2.31 x —) =
Recommended capacity 0.04 cfs
Recommended rate 0.04 cfs

VOLUME — ✓ Season of Use: (—) 1/1-12/31 = 365 days
Calculations: domestic 1 hm = 1.2 AF
Flow limit: 0.04 x 365 x 1.9835 = 29.0 AF
Recommended volume 1.2 AF

USES — ✓ Same Nature of Use? — -P46
— Amendment Needed? —

REMARKS — Multiple p/d's in 1/4? —
✓ Dom/1

CONDITIONS — Measuring (R01)/Locking (R02) Devices —
— Watermaster Control (R04) - WD # —
— Irrigation rate/volume overlap —
— Irrigation water overlap (065) (If gw use sw) —
— Water Quality/Other —

PRIORITY Due 8/1/95 Rc'd 9/14/94 Receipt# 28218 Fee OK? Yes No
Order to Reinstate Needed? Yes/No Done? —
If Yes, Advanced? Yes/No to: —

COMMENTS: License as permitted

USE	CFS	DIV VOL	Adjustment Memo
<u>Dom/1</u>	<u>0.04</u>	<u>1.2</u>	LICENSE: <u>P49</u>
<u>—</u>	<u>—</u>	<u>—</u>	#1 AMEND LTR: P46 or
<u>—</u>	<u>—</u>	<u>—</u>	P39/P41/P37 & P38
<u>TOTAL</u>	<u>0.04</u>	<u>1.2</u>	#2 AMEND LTR: P42/P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 13 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08871

1. Owner: DAN Kealy Phone No. 208-667-8660
Current Address: 514450 Pilot Rock Rd Co. R D ALENE Id 83814

2. Accompanied by: DAN Kealy EXAM DATE: 6-6-95

Address: SAME AS ABOVE Phone No. _____

Relationship to Permit Holder: _____

3. Source: COEUR D ALENE LAKE tributary to SPOKANE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NW	NW	02	48N	04W	Kootenai	U.S.G.S. 7.5 min Quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	04W	02					D												

RECEIVED
AUG 28 1995

AUG 28 1995

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Flint & Walling	.5		Flint & Walling	1" Discharge &

4.

Scale: 1" = 100'
 Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.

[illegible]

AUG 28 1995

Additional Computation Sheets Attached

F. FLOW CALCULATIONS

Measured Method: $\frac{2 \text{ gal/bucket}}{18 \text{ min}} \times 1.33681$

$$\frac{60}{18 \text{ min}} \times 1.33681 = .04 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

Period of Use

From 01-01 To 11-31

Rate of Diversion

Q (cfs) .04

Annual Volume

V (ata) 1.2

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

Wayne J. Bickel


Date


6-6-95

Reviewer

SEAL

RECORDED
AUG 28 1995





PD

PD

Pump
2011-08-28 MED
UG 28 1985

95-08871

C DAN KEALY
S 14450 PILOT ROCK RD
COEUR D ALENE ID 83814

September 29, 1994

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08871

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

NOV 08 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 29, 1994

C DAN KEALY
S 14450 PILOT ROCK RD
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08871

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', followed by a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc


Enclosures

SEP 12 1994

Ship No 48 North Range No 4 West of the Boise

F F ' E d D c b

10th Standard Parallel North.



Sec. 8. 164.40
Sec. 9. 162.00
Sec. 10. 35.80

COOP

TAKKE




Sec. 16.

COOP

Sec. 15.

POINT



Sec. 14.

High and Mountainous.

Not Surveyed.

Sec. 29.

Sec. 28.

T. 48 N.
R. 4 W.

Sec. 32.

Sec. 33.


10th Standard Parallel North.

O


P

P

Total number of Acres 13169.85.



S



COEUR

D'A

Sec. 26.

Sec.

Date of Contract

Amount of Survey
M. Ch. Yds.

When Surveyed

Mean Rectification

Dec 133

11 29 43

Dec 5 - 1891

21° 20' East.

Dec 19th 1891

36 29 87

June 12 - July 2 - 1892

"

15 52 20

" " " "

"

6 00 00

Aug 11 - Sep 3 - 1891

"

40 96

June 12 - July 2 - 1892

The above Map of Township 1.
Boise Meridian.
notes of the survey thereof on file.

Surveyed General's Office
Boise City, Idaho.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Keri Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular THURS
issue of said newspaper for 2 consecutive WEEKS
commencing on the 7th day of JULY, 1994, and
ending on the 14th day of JULY, 1994, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.


Keri Alexander

Subscribed and sworn to before me this 14th day of JULY, 1994.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

2.5.99



SEP 12 1994

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08867

AVONDALE IRRIGATION DISTRICT
P. O. BOX 81
HAYDEN, ID 83835
Source: GROUNDWATER
Diversion Pt: NWNW Sec 14 T 51N R 04W in KOOTENAI County.
NESW Sec 15 T 51N R04W in KOOTENAI County.
NWSW Sec 24 T 51N R 04W in KOOTENAI County.
Use: MUNICIPAL (2,000 CFS)
Total Diversion: (2,000 CFS)
Date Filed: 5/13/1994
In: KOOTENAI County
Municipal use is within city limits of Hayden.

95-08870

POWERS, RICHARD
519 S 10TH PLACE
COEUR D ALENE, ID 83814
Source: COEUR D ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: LOT 6 (NESE) Sec 22 T 50N R 04W in KOOTENAI County.
Use: DOMESTIC (.022 CFS)
Total Diversion: (.022 CFS)
Date Filed: 6/3/1994
In: KOOTENAI County

T50N R04W S22 LOT 6 (NESE)
95-08871

KEALY, C DAN
S 14450 PILOT ROCK RD
COEUR D ALENE, ID 83814
Source: COEUR D ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: NWNW Sec 2 T 48N R 04W in KOOTENAI County.
SWSW Sec 35 T 49N R 04W in KOOTENAI County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 6/6/1994
In: KOOTENAI County

T48N R04W S02 NWNW
T49N R04W S35 SWSW
95-08872

MAGEE, DEAN W
5600 W HIGHLAND DR
COEUR D ALENE, ID 83814
Source: SPRINGS
Diversion Pt: SESENW Sec 17 T 50N R 04W in KOOTENAI County.
NENSW Sec 17 T 50N R 04W in KOOTENAI County.
Use: STOCKWATER (.020 CFS)
STOCKWATER STORAGE (.50 AF)
STOCKWATER FROM STORAGE (.50 AF)
RECREATION (.200 CFS)
RECREATION STORAGE (.50 AF)
DIVERSION TO STORAGE (.200 CFS)
Total Diversion: (.200 CFS) (.50 AF)
Date Filed: 6/20/1994
In: KOOTENAI County

T50N R04W S17 SENW
95-08873

WEST, ROBERT S
WEST, MARTHA
920 IRONWOOD DR
COEUR D ALENE, ID 83814
Source: COEUR D ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: SWNW Sec 26 T 50N R 04W in KOOTENAI County.
Use: DOMESTIC (.080 CFS)
Total Diversion: (.080 CFS)
Date Filed: 6/24/1994
In: KOOTENAI County

T50N R04W S26 SWNW

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before JULY 25, 1994.

R. KEITH HIGGINSON, Director
Legal 330
July 7, 14 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

CECIL D. ANDRUS

Governor

June 29, 1994

R. KEITH HIGGINSON

Director

C. Dan Kealy
S. 14450 Pilot Rock Rd.
Coeur d'Alene, ID 83814

Subject: Water Appropriation Application for Permit Number 95-08871.

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N007737. Please refer to your Application for Permit Number in future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

Allen Beardslee

ALLEN BEARDSLEE

Senior Water Resource Agent

Enc. - Receipt

SEP 12 1994

95-08871

KEALY, C DAN
S 14450 PILOT ROCK RD
COEUR D ALENE, ID 83814

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt:	NWNW	Sec 2 T 48N R 04W in KOOTENAI County.
	SWSW	Sec 35 T 49N R 04W in KOOTENAI County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 6/ 6/1994

In: KOOTENAI County	
T48N R04W S02	NWNW
T49N R04W S35	SWSW

RECEIVED

JUN - 6 1994

NORTHERN REGION
IDWR

43194

DEAR AL -

I TALKED TO YOU ON THE
PHONE TODAY ... TWO MICA

BAY 15' QUADRANGLE LOOKS
LIKE A MISPPOINT ON SEE 2

OR R4W T 48N THEY

HAVE A 12? (FOR SECTION 2)

SO ADJUST AS YOU SEE

IT. THANKS! (SEE MAP)

P. DAN HANLY

208-667-8660

OR

509-924-2780

ENCLOSURE IS 30 MIN PER