





T. 48 N.
R. 5 W

SEP 12 1994




Accepted per office

Lat 47° 27' 1/2 N.
Long 116° 54' W.

SEP 12 1994

The above Map of Township 14 North, of Range 15 West of Boise Meridian, Idaho is strictly conformable to notes of the survey thereof on file in this office, which have been examined and approved by the Surveyor General of Idaho.

Alexander McDowell
Rest Area
Vell



MICHIGAN
OCT 16 1995

95-08865

PERMIT # 95-08865

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS

Submersible



P.U.



P.D.

MISSOURI
OCT 16 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08865

Priority: April 6, 1994

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that TOM NIEBUHR

PO BOX 225

PLUMMER ID 83851-0225

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 6, 1994; and has submitted Proof of Beneficial Use on May 30, 1995. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
----------	----------------	----------	--------

LOCATION OF POINT(S) OF DIVERSION: Lot 6 (SESE), Sec. 25, Township 48N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

48N 05W 25 Lot 6(SESE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

OCT 16 1995

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 5TH day of OCTOBER, 1995.


Acting for KARL J. DREHER, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 30 1995

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder ~~has~~ ^{has not} completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08865 Telephone No. 1-208-686-1639
2. Name(s) of Permit Holder(s): THOMAS E. NIEBUHR
3. Mailing Address: P.O. Box 225 PLUMMER, ID. 83851
4. Source of Water: CDA Lake If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
- a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____ - _____
- b. **OPTIONAL:**
Pump Horsepower: 2 Pressure (psi): 60 Dynamic pumping level (ft): 60'
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 20 GPM cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes or No ☒

Has the measuring device been installed?

Yes or No ✓

Flow Measurement Port: Is a flow measurement port required?

Yes or No ☒

Has the measurement port been installed?

Yes or No ✓

8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
- Name: Tom Niebuhr Telephone Number: 208-686-1639
- Address: P.O. Box 225 Plummer, ID 83851
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

(include your title, if on behalf of company or organization)

RECEIVED
Date: 5-25-95

JUN 30 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08865

Proposed Priority: April 6, 1994 Maximum Diversion Rate: 0.04 CFS

This is to certify, that TOM NIEBUHR
PO BOX 225
PLUMMER ID 83851-0225
has applied for a permit to appropriate water from:

COEUR D ALENE LAKE tributary of SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

DOMESTIC	01/01 to 12/31	0.04 CFS
----------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: Lot 6(SESE), Sec. 25, Township 48N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

48N 05W 25 Lot 6(SESE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1995.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

7th day of June, 1994.

R. Keith Higginson
for
R. Keith Higginson, Director

SEP 12 1994

RECEIVED
JUN 02 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8865

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant TOM NIEBUHR Phone 208-686-1639
Post office address P.O. 225 PLUMMER, ID 83851
2. Source of water supply COEUR D'ALONE LAKE which is a tributary of SPOKANE RIVER
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot 6
Sec. 25 Township 48N Range 5W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from 4/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMP IN LAKE

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 85°F being sought? _____
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

SEP 12 1994

a. Hydropower; show total feet of head and proposed capacity in KW.

b. Stockwatering; list number and kind of livestock.

c. Municipal; show name of municipality.

d. Domestic; show number of households. 1 Home

e. Other; describe fully.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated.


10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? STATE OF IDAHO (LANDS)
b. Who owns the land to be irrigated or place of use? APPLICANTS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

applicant to make this filing.

12. Remarks:




COEUR D'ALENE
BAY

POINT OF DIVERSION
PLACE OF 1056

T. 48 N.
R. 5 W

SEP 12 1994



The above Map of Township 1248 North, of Range 125 West of Boise Meridian, Idaho is strictly conformable to notes of the survey thereof on file in this office, which have been examined and approved.

Permanence Commission (M.B.)

15

[illegible]

X Tom Neelands SEP 12 1994
(Applicant)

SEP 12 1994

APPROVED

e. Other:

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	AB	Date	4/6/94	Time	11:55	Preliminary check by	AB
Fee \$	30.00	Received by	AB	#	22-7511	Date	4/6/94
		Publication prepared by	AB	Date	4/3/94	Published in	4/21/94
		Publication approved	RUC	Date	5/11/94		



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 5, 1995

TOM NIEBUHR
PO BOX 225
PLUMMER ID 838510225

RE: WATER RIGHT NO. 95-08865

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED

OCT 16 1995

B/U FIELD EXAM REVIEW
Cindy Zimmerman

Permit #: 95-8865 Name: Niebuhr Date: 10/4/95
App Rcd 4/6/94 Priority 4/6/94 Examined 7/20/95 ✓ Lots ✓

NAME Chng Same ✓ Or Address Change?
SOURCE Chng Same ✓ Clarify source _____
Prelim. Order to Void - Source change.
P/D Chng Same ✓ Amendment Needed? _____ -P39, P38
Overlap(s) _____
P/U Chng Same ✓ Amendment Needed? _____ -P41, P38
Overlap(s) _____
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies)
RATE Chng Same ✓ Permit/fee limits: 0.04 / 0.20
Measured Q= _____ cfs/Theoretical Q= _____ cfs
$$(HP) \frac{8.8 \times 0.70 \times 2}{20 + (2.31 \times 70)} = \frac{12.32}{241.7} = 0.05$$

Chng Same ✓ Recommended capacity 0.05 cfs
Chng Same ✓ Recommended rate 0.04 cfs
VOLUME Chng Same ✓ Season of Use: (/) 11-12/31 = 365 days
Calculations: dom, 1 hr = 1.2 AF
Chng Same ✓ Flow limit: 0.04 x 365 x 1.9835 = 29.0 AF
Recommended volume 1.2 AF
USES Chng Same ✓ Same Nature of Use? _____ -P46
Amendment Needed? _____
REMARKS Chng Same ✓ Multiple p/d's in $\frac{1}{4}$? _____
Chng Same ✓ Dom / 1
CONDITIONS Chng Same ✓ Measuring (R01)/Locking (R02) Devices
Chng Same ✓ Watermaster Control (R04) - WD # _____
Chng Same ✓ Irrigation rate/volume overlap
Chng Same ✓ Irrigation water overlap (065) (If gw use sw)
Chng Same ✓ Water Quality/Other _____
PRIORITY Due 6/1/95 Rc'd 6/20/95 Receipt# 0032910 Fee OK? (Yes) No
Order to Reinstate Needed? Yes (No) Done? _____
If Yes, Advanced? Yes/No to: _____

COMMENTS: license as permitted

USE	CFS	DIV VOL	Adjustment Memo
<u>Dom / 1</u>	<u>0.04</u>	<u>1.2</u>	LICENSE <u>P49</u>
			#1 AMEND LTR: P46 or
			P39/P41/P37 & P38
TOTAL	<u>0.04</u>	<u>1.2</u>	#2 AMEND LTR: P42/P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 29 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08865

1. Owner Tom Niebauer Phone No. (208) 686-1639

Current Address: P.O. Box 225 Plummer Id, 83851-0225

2. Accompanied by: owner EXAM DATE: 7-20-95

Address: same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Coeur d'Alene lake tributary to Spokane river

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N/A

2. Other water rights with the same point of diversion: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	06		SE	SE	25	48N	05W	KOOTENAI	USGS 7.5 min quad.

2. Place(s) of Use:

Indicate Method of Determination USGS 7.5 min quad

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	05W	25																0	

MAILED
OCT 16 1995

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No. *	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A	1/2	N/A	Sulzer	

4.

Scale: 1" = 100'
 Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



E. NARRATIVE/REMARKS/COMMENTS

Water from lake is used for home.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

OCT 16 1995

F. FLOW CALCULATIONS

Measured Method: _____

Additional Computation Sheets Attached _____

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

From

Period of Use
To

12-31

Rate of Diversion
Q (cfs)

0.04

Annual Volume
V (ata)

1.2

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above

None
Other

I. AUTHENTICATION

Field Examiner's Name Leo McGuckey Date 7/20/95

Reviewer _____ Date _____

SEAL

OCT 16 1995

MISSOURI

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08865

DATE: 14-AUG-95

COMPLETE BY: TED MCCRACKEN

HORSEPOWER = 2

PUMP EFFICIENCY = 60%

DYNAMIC LIFT = 80 FEET


SYSTEM PRESSURE = 70 PSI

QUANTITY = 0.04 CFS

UNCLASSIFIED

14 AUG 1995

Alexander McDowell
Rest Area
Vell



OCT 16 1995


95-08865

PERMIT # 95-08865


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS

Summerside



P.U.



P.D.

OCT 16 1995

June 27, 1995

TOM NIEBUHR
PO BOX 225
PLUMMER ID 838510225

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08865

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

JUN 30 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

June 6, 1995

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

Thomas Niebuhr
P.O. Box 225
Plummer, ID 83851

RE: Permit No. 95-08865

Dear Permit Holder:

Returned is a copy of the proof of beneficial use you submitted in connection with the above referenced permit. Unfortunately, the proof can not be accepted as filed.

The Department has determined, from pertinent sections of the Idaho Code, that the permit holder must meet two requirements in order to be exempt from the license exam fee. They are:

1. The water right must use a **groundwater** (well) source, **and**;
2. The rate of diversion must be .04 cfs or 4.0 AF or less.

You do not meet requirement #1 since you use the Coeur d'Alene Lake (surface) for your source. Therefore, a license examination fee of \$50.00 applies to the permit.

Please return the copy of the proof form and the license examination fee to my attention within thirty (30) days of receipt of this letter.

If you have any questions or if I can be of any assistance, please feel to contact me at (208)327-7900.

Sincerely,

Julie L. Yarbrough
JULIE L. YARBROUGH
Senior Secretary

MICROFILMED

JUN 30 1995

Enclosure

March 31, 1995

TOM NIEBUHR
PO BOX 225
PLUMMER ID 838510225

PROOF DUE NOTICE

RE: PERMIT NO. 95-08865

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

JUN 8 0 1995





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 7, 1994

TOM NIEBUHR
PO BOX 225
PLUMMER ID 838510225

PERMIT APPROVAL NOTICE


RE: PERMIT NO. 95-08865

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.


Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures



SEP 12 1994

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, }

ss.

Ken Alexander

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Thurs.* issue of said newspaper for *2* consecutive *weeks* commencing on the *21st* day of *April*, 19*94*, and ending on the *28th* day of *April*, 19*94*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Ken Alexander

Subscribed and sworn to before me this *28th* day of *April*, 19*94*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires *2-5-99*

RECEIVED

APR 29 1994

NORTHERN REGION

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

95-088464 *OK per BK*
MOUNTAIN STATES LEASING/COEUR
D'ALENE
2 CEDAR LAKE
BUTTE, MT 59701
Source: GROUNDWATER
Diversion Pt: NENW Sec 2 T 50N R 04W
in KOOTENAI County.
Use: IRRIGATION (110 CFS)
Total Diversion: (110 CFS)

Date Filed: 4/1/1994
In: KOOTENAI County
T50N R04W S02 NENW

3.5 ACRES TOTAL

95-088465 *OK per BK*

NIEBUHR, TOM
PO BOX 225
PLUMMER, ID 83851
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: SESE Sec 25 T 48N R 05W
in KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)

Date Filed: 4/6/1994
In: KOOTENAI County
T48N R05W S25 SESE

96-08796 *OK*

SILVER MEADOWS INC.
PO BOX 318
BAYVIEW, ID 838030318
Source: GROUNDWATER
Diversion Pt: SWSWSW Sec 29 T 53N R
03W in KOOTENAI County.
Use: IRRIGATION (790 CFS)
DOMESTIC (500 CFS)
FIRE PROTECTION (2,200 CFS)
Total Diversion: (2,200 CFS)

Date Filed: 4/11/1994
In: KOOTENAI County
T53N R03W S20 NESE NWSE SWSE
SESE

All of S29

40.0 ACRES TOTAL

For additional information concerning
the property location, call the Northern
Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the applicant and with the Director, Dept.

SEP 12 1994

95-08865

NIEBUHR, TOM
PO BOX 225
PLUMMER, ID 83851

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: SESE Sec 25 T 48N R 05W in KOOTENAI County.

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 4/ 6/1994

In: KOOTENAI County
T48N R05W S25

SESE

RECEIVED

SEP 12 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

CECIL D. ANDRUS

April 14, 1994

R. KEITH HIGGINSON

Director

Mr. Tom Niebuhr
P.O. Box 225
Plummer, Id. 83851

Dear Mr. Niebuhr:

Re: Water Appropriation Application No. 95-8865.

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

SEP 12 1994