


x = Irrigated Space.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jim Zott
(Applicant)

SEP 12 1994

(B)

Cor. 1703
Cor. 1704

9
24.84 A
23.80 A

NWSE

NESE

50N
4W
Sec 10

Section 10

SWSE

SESE

SECTION 11
4.25 A
23
4.25 A

NWNW

SPOKANE

RIVER

Sec 15

Sec 14

95-08857

Cor. No. 4

Cor. No. 3

SECTION 11

16
14.30 A

15
19.49 A

17
18.50 A

22
14.78 A

9
1.76 A

10
3.82 A

51.57' W 22.82'

N 67° 24' 42" E 24.14'

2.97

6.47

9.52

13.52

6.67

1.57

N 20' W

N 20' W

N 90'

N 26' A

N 70'

N 45'

40 A

8
40 A

N 45'

20 W

N 45'

1.32 A
3.44

N 45'

5
40 A

30.68 A

24.12

8.55

20.00

10.77 A

11.10

7.67

1.57

7.55

1.57

5.45

7.55

7.55


7.55

7.55

7.55

7.55

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____.

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FLA Tech	1½	LJ92B	FLA Tech	E46142

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

MAR 29 1996



U S Forest Service

Nursery

2255

Well

ATLAS

Golf Course

Gravel Pits

Gravel Pits

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Borrow Pit

Mile 110

Well 2140

Blackwell Sta

Blackwell Island

Blackwell Island

Blackwell Island

Blackwell Island

Blackwell Island

Blackwell Island

Blackwell Island

Blackwell Island

Blackwell Island

Blackwell Island

Blackwell Island

Blackwell Island

Blackwell Island

Blackwell Island

Blackwell Island

Blackwell Island

Blackwell Island

SPOKANE

RIVER

BLACKWELL HILL

COUGAR BAY

MICROFILMED
MAR 29 1996

Donavon Point

Casco Bay

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08857

Priority: March 28, 1994

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.8 AF

This is to certify, that JIM FOOTE
2076 MILLVIEW LN
COEUR D ALENE ID 83814

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 28, 1994; and
has submitted Proof of Beneficial Use on May 26, 1994. An examination indicates
that the works have a diversion capacity of 0.020 cfs of water from:

SPOKANE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	1.8 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 9(NWSE), Sec. 10, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N 04W 10	Lot 9(NWSE)	0.6		0.6

Total number of acres irrigated: 0.6

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs nor more than 1.8 afa for the land described above.

MAR 29 1996


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08857

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29th
day of FEBRUARY, 1996.


Acting for KARL J. DREHER, Director



MAR 8 9 1996

State of Idaho
Department of Water Resources

RECEIVED
FEB 23 1996

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08857

Department of Water Resources

Date of Priority: March 28, 1994

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 1.8 AF

Comes now JIM FOOTE
2076 MILLVIEW LN
COEUR D ALENE ID 83814

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 95-08857, and requests that the permit be changed as follows:

Source: SPOKANE RIVER tributary to COLUMBIA RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	1.8 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 9(NWSE), Sec. 10, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	04W	10	Lot 9(NWSE)	0.6		0.6

Total number of acres irrigated: 0.6

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 1515, this 20 day of February, 1996.

MAR 28 1996

Jim Foote
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08857

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 50.00 Received by JW # C034885 Date 2-23-96

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 95-08857 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs nor more than 1.8 afa for the land described above.

Witness my hand this 29TH day of FEBRUARY, 1996.

Acting for Karl J. Dreher
KARL J. DREHER, Director

MAR 29 1996

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USERECEIVED
MAY 26 1994

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08857 Telephone No. 664-8065
2. Name(s) of Permit Holder(s): Jim/Boyle Foote
3. Post Office Address: 2076 Mallview Lane CDA ID 83814
4. Source of Water: Spokane River

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation <1 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 0-0.20 cfs 0-20 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☐

OR
Flow Measurement Port: Required? Yes ☒ No ☒ Installed? Yes ☐ No ☐

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Jim Foote
Name

664-8065
Telephone No.

2076 Mallview Lane CDA ID
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5/22/94
Date

Jim Foote
Signature (and title if on behalf of a company or organization)

MAY 26 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08857

Proposed Priority: March 28, 1994

Maximum Diversion Rate:

0.03 CFS

This is to certify, that **JIM FOOTE**
2076 MILLVIEW LN
COEUR D ALENE ID 83814
has applied for a permit to appropriate water from:

SPOKANE RIVER

tributary of **COLUMBIA RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	05/01 to 09/30	0.03 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 10, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	04W	10	NESE	1		1


Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1995**.
2. Subject to all prior water rights.
3. Single point of diversion located on or near line between NESE and NWSE, S10, T50N, R04W.
4. Single place of use located on or near the line between NESE and SESE, S10, T50N, R04W.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

12 th day of May, 1994.

for

R. Keith Higginson, Director

SEP 12 1994

RECEIVED
MAY 02 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8857

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant Jim Foote Phone 664-8065
Post office address 2076 Millview Lane COA, ID. 83814
2. Source of water supply Spokane River which is a tributary of Columbia River
IDA Lake
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 10 Township 50N Range 4 West B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 6.09.03 for Law. Irrigation purposes from May to Sept. (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 6.09.03 and/or (b) 0.20
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 2" Suction Line into River
a pump mounted approx 30' away on land.
 - b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? NO
 - e. If well is already drilled, when? N/A; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

* max rate for irrigation of 1A per standards 5/9/94 czg.

SEP 12 1994

10. Describe any other water rights used for the same purposes as described above. N/A.
11. a. Who owns the property at the point of diversion? Don Tate
b. Who owns the land to be irrigated or place of use? Same
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____
12. Remarks: Irrigation is for a lawn approximately 1/2 acre in size.


~~Total number of acres to be irrigated 55 then 1/2~~

[illegible]

8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____
9. Description of place of use:
- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

x = Irrigated space.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jim Frost
(Applicant)

SEP 12 1994

SEP 12 1994

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	<i>JS</i>	Date	3/28/94	Time	3:00	Preliminary check by	<i>JS</i>
Fee \$	30-	Received by	<i>JS</i>	#	NOV 7484	Date	3/28/94
		Publication prepared by	<i>JS</i>	Date	3/30/94	Published in	COA 94434
		Publication approved	<i>JS</i>	Date	4/25/94		

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. _____, and said application is hereby

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Range N° 4760

of Montana

E D O C

10th Standard Parallel Line North


Sec. 5.

Sec. 4.

Sec. 3.

Sec. 2.

PREVIOUS





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 29, 1996

JIM FOOTE
2076 MILLVIEW LN
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08857

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
MAR 29 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 12, 1996

JIM FOOTE
2076 MILLVIEW LN
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08857

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MAR 29 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08857 DATE 2-1-96



NAME Change OK / Or Address Change?

PRIORITY DATE / Advance? Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended?

SOURCE / Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary?

POINT OF DIV / Amendment needed? Change to Gov Lot 9 NWSE
 / Overlaps?

PLACE OF USE / Amendment needed? Change to Gov Lot 9 NWSE
 / Overlaps? 95-08778/permit/NA

DIV RATE / Permit/fee limits: .03 CFS FOR 1 acre
 Meas Q = 0 Theo Q = 0 Recommend: .02
.6 X .03 = .02 CFS
 Combined rates exceed capacity

ANNUAL VOLUME / Volume Limit: ^(NEW) Season: 0/3.0 (3-15 to 11-15)
 / Calculations: lot measure .6 acre .6 X 3 = 1.8
 Flow limit: cfs x x 1.9835 =
 Combined volumes exceed capacity/allowable

USES / Change in Nature of Use or additional uses?
 Amendment necessary?

ADDITIONAL INFO / Replaces Surface Water 050 Supplemental GW
 / Irr/Dom Combination WB5 PPU Recommendation
 / Boise River/Wood River Source Aes/Rec Uses W38

NEW REMARKS Multiple p/d(s) in 1/4 1/4?
W31 Other Under 1 acre condition

NEW CONDITIONS / WM Control- District Meas/Lock Devices
 / Irrigation Overlap
 / Other
 / Water Quality Heat/Cool/Fish verified

COMMENTS: According to assessor, home is in Gov Lot 9 NWSE 1/4 1/4
Home p/d + P/U

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed. <u>NA</u>	
<u>Irrigation</u>	<u>.02</u>	<u>1.8</u>	Adjustment Memo Needed <u>YES</u>	
<u> </u>	<u> </u>	<u> </u>	LICENSE <u> </u>	
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER <u>P37 + P38</u>	
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER <u>P47</u>	

MEMORANDUM

TO: File 95-08857 / Jim Foote
FROM: Brenda Chapman
DATE: February 5, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 95-08857 are based on the information below:

A representative from the Kootenai County Assessor's Office confirmed the home is located in Government Lot 9, which is in the NWSE $\frac{1}{4}$.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	.02	1.8

The total area of the lot is .6 acre.

The season of use has been changed to the standard for that area. Also, the diversion volume has been reduced to a portion of the per-acre annual field headgate requirement. [3.0 afa/acre]

2. Recommended Amendments

☒ Change P.D.	☐ Add P.D.	☐ None
☒ Change P.U.	☐ Add P.U.	☐ Other

Based on the assessor's information, an amendment is required.

MAR 29 1996

See map →



pubse

8
40 A.
505E

SECT 100 10

7E5E

SESE

1
-
JAN 68 A

10 A.

5 40 A

Sec 15

50N
4W
Sec 10

~~SECTION 23 4.25 A.C.D.~~

True

4
37.44A

SPOKANE

Cont. N° 1

Cor. No. 3

9 176 A.

15

10 388 A

15
19.49 A

SECTION 11

17
8:30 A

22
14.78 A

R I V E R

95-08857

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 14 1994
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08857

1. Owner: JIM FOOTE Phone No. (208) 664-8065

Current Address: 2076 MILLVIEW LN COEUR D'ALENE ID, 83814

2. Accompanied by: OWNER EXAM DATE: 8-12-94

Address: SAME Phone No. SAME

Relationship to Permit Holder: _____

3. Source: SPOKANE RIVER tributary to Columbia River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-08228

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	10	50N	04W	KOOTENAI	USGS 7.5 min quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	10																	

* See adjustment
memo. BC

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Fla Tech	1 1/2	17925	Fla Tech	34614

4.

Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ points) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached _____
 _____ (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

IRRIGATION supplied by 15 Hp pump

Have conditions of permit approval been met? ☐ yes ☐ no

APPROVED
MAR 29 1996

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3.5 = 3.5$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 102 \times 153 \times 1.9835 = 60$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

IRRIGATION

From

05-01

To
Period of Use

09-30

Rate of Diversion

Q (cfs)

0.02

Annual Volume

V (afa)

3.5

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION


Field Examiner's Name TEA MESSACK Date 8-12-99

Reviewer _____ Date _____

SEAL

* See adjacent next memo. BC

MAR 29 1996



June 6, 1994

JIM FOOTE
2076 MILLVIEW LN
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08857

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

SEP 12 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 12, 1994

JIM FOOTE
2076 MILLVIEW LN
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08857

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in dark ink, appearing to be 'JJ', followed by a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

SEP 12 1994

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

Kem Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Legal Notice
of which the annexed is a printed copy, was published in the regular THURS issue of said newspaper for 2 consecutive weeks commencing on the 7th day of April, 1994, and ending on the 14th day of April, 1994, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 14th day of April, 1994.

Berta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

95-08862
CITY OF POST FALLS
408 SPOKANE ST
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: NWNWSW Sec 1 T 50N R 05W in KOOTENAI County.
Use: MUNICIPAL (5.000 CFS)
Total Diversion: (5.000 CFS)
Date Filed: 3/23/1994
T R S00

95-08863
SNYDER, R WILLIAM
S 18211 LATAH CREEK RD
VALLEYFORD, WA 99036
Source: KRUSE CREEK
Tributary: LAKE CREEK
Diversion Pt: LOT 10 (SWSW) Sec 8 T 48N R 05W in KOOTENAI County.
Use: WILDLIFE STORAGE (3.00 AF)
DIVERSION TO STORAGE (200 CFS)
Total Diversion: (200 CFS)
Date Filed: 3/29/1994
In: KOOTENAI County
T48N R05W S08 SWSW

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before APRIL 25, 1994.

R. KEITH HIGGINSON, Director
Legal 868
April 7, 14, 1994

BERTA MANLEY
commission expires

SEP 12 1994
2-5-99

NOTICE OF APPLICATION
FOR WATER RIGHT
The Following application(s) have been filed to appropriate the public waters of the State of Idaho:
95-08857

FOOTE, JIM
2076 MILLVIEW LN
COEUR D'ALENE, ID 83814
Source: SPOKANE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: NESE Sec 10 T 50N R 04W in KOOTENAI County.
Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 3/28/1994
In: KOOTENAI County
T50N R04W S10 NESE
1.0 ACRES TOTAL
95-08858

SYLTE RANCH
RT 4 BOX 854
RATHDRUM, ID 83858
Source: UNNAMED STREAM
Tributary: RATHDRUM CREEK
Source: RATHDRUM CREEK
Tributary: SINKS
Diversion Pt: NWSW Sec 30 T 52N R 04W in KOOTENAI County.
Use: IRRIGATION (.560 CFS)
IRRIGATION STORAGE (5.00 AF)
FROM STORAGE (5.00 AF)
STOCKWATER (.560 CFS)
STOCKWATER STORAGE (5.00 AF)
FROM STORAGE (5.00 AF)
RECREATION (.560 CFS)
RECREATION STORAGE (5.00 AF)
DIVERSION TO STORAGE (560 CFS)
Total Diversion: (560 CFS)
Date Filed: 3/23/1994
In: KOOTENAI County
T52N R04W S30 NESW NWSW SWSW SESW
33.0 ACRES TOTAL
95-08859

BALDWIN, ROY
2517 POWDERHORN ST
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: SESE SEC 7 T 50N R 05W in KOOTENAI County.
Use: IRRIGATION (100 CFS)
DOMESTIC (110 CFS)
Total Diversion: (210 CFS)
Date Filed: 3/21/1994
In: KOOTENAI County
T50N R05W S07 SESE
5.0 ACRES TOTAL
95-08860

POE ASPHALT PAVING INC
PO BOX 449
LEWISTON, ID 83501
Source: GROUNDWATER
Diversion Pt: SWSW Sec 31 T 51N R 05W in KOOTENAI County.
Use: COMMERCIAL (1.000 CFS)
Total Diversion: (1.000 CFS)
Date Filed: 3/25/1994
In: KOOTENAI County
T51N R05W S31 SWSW
95-08861

STONE, CHARLES M
E 4203 43RD AVE
SPOKANE, WA 99223
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: LOT 2 (SWNE) Sec 28 T 48N R 04W in KOOTENAI County.
LOT 2 (SENE) Sec 28 T 48N R 04W in KOOTENAI County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 3/29/1994
In: KOOTENAI County
T48N R04W S28 LOT 2 (SWNE) LOT 2 (SENE)

95-08857

FOOTE, JIM
2076 MILLVIEW LN
COEUR D ALENE, ID 83814

Source: SPOKANE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: NESE Sec 10 T 50N R 04W in KOOTENAI County.

Use: IRRIGATION (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 3/28/1994

In: KOOTENAI County
T50N R04W S10 NESE

1.0 ACRES TOTAL

SEP 12 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

CECIL D. ANDRUS
Governor
March 31, 1994

R. KEITH HIGGINSON
Director

Mr. Jim Foote
2076 Millview Ln.
Coeur d'Alene, Id. 83814

Dear Mr. Foote:

Re: Water Appropriation Application No. 95-8857.

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent
AB/pms

RECEIVED
SEP 12 1994