





SEP 12 1994

INTERIOR—GEOLOGICAL SURVEY, RESTON, VIRGINIA—1977
2.9 MI. TO U.S. 10
COEUR D'ALENE 9.5 MI.
22016
ROAD CLASSIFICATION
507
509000m E
116°52'30"
47°45'
HAYDEN 4.2 MI
5289000m N
5290
5291
5292
5293
5294
47'30"



ROAD CLASSIFICATION

Unimproved dirt -----
 Medium-duty -----
 Light-duty -----

State Route

RATHDRUM, IDAHO
 SW/4 SPIRIT LAKE 15' QUADRANGLE
 N4745—W11652.5/7.5

1961

AMS 2679 IV SW—SERIES V893



QUADRANGLE LOCATION

1 MILE



VERTICAL 40 FEET
 HORIZONTAL 20-FOOT CONTOURS
 CRITICAL DATUM OF 1929

NATIONAL MAP ACCURACY STANDARDS
 FOR COLORADO 80225 OR RESTON, VIRGINIA 22092
 AND SYMBOLS IS AVAILABLE ON REQUEST

2679 III
 (COEUR D'ALENE)
 1:62 500

E 53

N

NW NE Sec 19



P.D.



P.D.

RECEIVED
FEB 26 1996

95-08852

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08852

Priority: February 23, 1994

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

9.6 AF

This is to certify, that ART DEGENHARDT

E 4900 HAYDEN AVE

RATHDRUM ID 83858

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 23, 1994; and has submitted Proof of Beneficial Use on February 28, 1994. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	9.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.03 CFS	9.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 19, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	04W	19	NWNE	3		3

Total number of acres irrigated: 3

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

FEB 26 1996

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 95-08852

CONDITIONS OF APPROVAL AND REMARKS

6. Domestic use is for 1 home.
7. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3rd
day of February, 1996


KARL J. DREHER, Director



1996 5 10 55

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 2/23/94
Receipt No. N7394
Receipt by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-8852 Telephone No. _____
2. Name(s) of Permit Holder(s): Art Degenhardt
3. Mailing Address: E 4900 Hayden Ave Rathdrum ID 83858
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: Unknown Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 3 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.13 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No ☒ Installed? _____ Yes ☒ No ☒

OR

Flow Measurement Port: Required? _____ Yes ☒ No ☒ Installed? _____ Yes ☒ No ☒

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

As above
Name _____ Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2/18/94
Date

Arthur A. Degenhardt
Signature (and title, if on behalf of a company or organization)

SEP 12 1994

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second AF = acre feet)

cfs	af	Fee
0 - 0.20	0 - 20	50.00*
.21 - 1.00	21 - 100	100.00
1.01 - 2.00	101 - 200	125.00
2.01 - 3.00	201 - 300	150.00
3.01 - 4.00	301 - 400	175.00
4.01 - 5.00	401 - 500	200.00
5.01 - 6.00	501 - 600	225.00
6.01 - 7.00	601 - 700	250.00
7.01 - 8.00	701 - 800	275.00
8.01 - 9.00	801 - 900	300.00
9.01 - 10.00	901 - 1000	325.00
10.01 - 11.00	1001 - 1100	350.00
11.01 - 12.00	1101 - 1200	375.00
12.01 - 13.00	1201 - 1300	400.00
13.01 - 14.00	1301 - 1400	425.00
14.01 - 15.00	1401 - 1500	450.00
15.01 - 16.00	1501 - 1600	475.00
16.01 - 17.00	1601 - 1700	500.00
17.01 - 18.00	1701 - 1800	525.00
18.01 - 19.00	1801 - 1900	550.00
19.01 - 20.00	1901 - 2000	575.00
19.01 - 20.00	1901 - 2000	575.00
20.01 - over	2001 - over	600.00

Checks should be made payable to the
Department of Water Resources

*A license examination fee is not required in connection with permits which use a ground water source AND have a total rate of diversion of 0.04 cfs or less. A fee also is not required in connection with permits to store water where the total volume stored is 4.0 AF per annum or less.

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08852

Proposed Priority: February 23, 1994 Maximum Diversion Rate: 0.13 CFS

This is to certify, that ART DEGENHARDT

E 4900 HAYDEN AVE

RATHDRUM ID 83858

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.09 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.13 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNWNE , Sec. 19, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N 04W 19	NWNE 3			3

Total number of acres irrigated: 3

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1995.
2. Subject to all prior water rights.
3. Domestic use is for 2 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

25th day of April, 1994

R. Keith Higginson
for R. Keith Higginson, Director

SEP 12 1994

RECEIVED
APR 08 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8852


Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant Art Degenhardt Phone 687-1811
Post office address E 4900 Hayden Ave Rothdum ID 83858
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 19 Township 51 N Range 4W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .09 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .13 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. pump & pipeline
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? prior to 1968 Drilling firm Unknown
Well was drilled for (well owner) Charles Boetel
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

SEP 12 1994

12. Remarks:



10 1954

SEP 1 2

Arthur L. Degener
(Applicant)

(Applicant

SEP 12 1994

63-20000-103

e. Other:

permit.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	Date	Time	Preliminary check by
<i>[Signature]</i>	2/23/94	11:10 AM	
Fee \$	30.00		
Received by	Date	#	Date
<i>[Signature]</i>	2/23/94	N 7394	2/23/94
Publication prepared by	Date	Published in	Date
<i>[Signature]</i>	2/23/94	3/3+18/94	3/17/94
Publication approved	Date		
<i>[Signature]</i>	3/17/94		



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 5, 1996

ART DEGENHARDT
E 4900 HAYDEN AVE
RATHDRUM ID 83858

RE: WATER RIGHT NO. 95-08852

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

FEB 26 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08852 DATE 2-1-96



NAME Change OK ☒ Or Address Change?

PRIORITY DATE ☒ Advance? Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended?

SOURCE ☒ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary?

POINT OF DIV ☒ Amendment needed?
 ☒ Overlaps?

PLACE OF USE ☒ Amendment needed?
 ☒ Overlaps?

DIV RATE ☒ Permit/fee limits: .13 CFS IRR 3 acres
DOM 2
 Meas Q = Theo Q = Recommend: .03
5 gal bucket measurements at 11:00 am .024 CFS
Rate of .03 OK for lawn. Allow .02 inter/dom
 Combined rates exceed capacity

ANNUAL VOLUME ☒ Volume Limit: IRR Season: D/3.0 (3-15 to 11-15)
 Calculations: 3 x 3 = 9 ft
INT DOM = .6
 Flow limit: .03 cfs x 246 x 1.9835 = 14.16
 Combined volumes exceed capacity/allowable

USES ☒ Change in Nature of Use or additional uses?
 Amendment necessary?

ADDITIONAL INFO Replaces Surface Water 050 Supplemental GW
YES Irr/Dom Combination WB5 PPU Recommendation
 Boise River/Wood River Source Aes/Rec Uses W38

NEW REMARKS Multiple p/d(s) in 1/4 1/4?
YES Other EDIT CONDITION #3 with WB5

NEW CONDITIONS WM Control- District Meas/Lock Devices
R29 Irrigation Overlap
 Other
 Water Quality Heat/Cool/Fish verified

COMMENTS: ① No pump info - called owner + he did not know and is snowed in + can't get to it to look. Go with measurement.
② Reduce rate to capacity.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NA</u>
<u>Irrigation</u>	<u>.03</u>	<u>9.0</u>	Adjustment Memo Needed	<u>YES</u>
<u>Domestic</u>	<u>.02</u>	<u>.6</u>	LICENSE	☒
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER	<u> </u>
<u>TOTAL</u>	<u>.03</u>	<u>9.6</u>		

MEMORANDUM

TO: File 95-08852 / Art Degenhardt
FROM: Brenda Chapman
DATE: February 1, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 95-08852 are based on the information below:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	.03	9.0
Domestic	1-01 to 12-31	.02	.6

The irrigation diversion volume has been changed to the current recommended guidelines for the per acre field headgate requirement of crops/lawns in that area.
[3.0 afa per acre]

Reducing the domestic rate to an internal use only rate of .02 cfs conforms the recommendation to the current guidelines for processing combination domestic and irrigation rights.

RECEIVED
FEB 26 1996

RECEIVED
DEC 14 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08852

1. Owner: ART DEGENHARDT Phone No. (208) 687-1811

Current Address: E 4900 HADEN AVE, Rathdrum Id, 83858

2. Accompanied by: OWNER EXAM DATE: 8-11-94

Address: SAME AS ABOVE Phone No. SAME AS ABOVE

Relationship to Permit Holder: _____

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NE	19	51N	04W	KOOTENAI	USGS 7.5 MIN QUAD

2. Place(s) of Use:

Indicate Method of Determination USGS 7.5 MIN QUAD

Indicate Method of Determination: 55 G 1.2 NW 300

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51 _N	04 _W	19		D.I.														3 Acres	

FEB 6 1996

E. NARRATIVE/REMARKS/COMMENTS

WELL SUPPLIES HOUSE AND IRRIGATION OF
3 ACRES. IRRIGATION IS WITH HOSE AND
ATTACHED SPINKLER.

Have conditions of permit approval been met? ☒ yes ☐ no

FEB 26 1996

F. FLOW CALCULATIONS

Measured Method:

$$T \times .03 = 448.63 \times 11.34 \text{ min} = 5085.6 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3 \times 3.5 = 10.5 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 245 \times 1.9835 = 14.54 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 10.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

Irrigation

Period of Use
From To

01-01 12-31

03-15 11-15

Rate of Diversion
Q (cfs)

.04

.03

Annual Volume
V (afa)

1.2

10.5

Totals:

.04

10.5

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

Other

I. AUTHENTICATION

Field Examiner's Name

JEP MSCACKER

Date

8-12-94

Reviewer

Date

SEAL

* See adjustment memo. BE

FEB 8 1995



Medium-duty.....

Unimproved dirt -----

State Route

RATHDRUM, IDAHO

SW/4 SPIRIT LAKE 15' QUADRANGLE

N4745—W11652.5/7.5

1961

AMS 2679 1V SW—SERIES V893


QUADRANGLE LOCATION

MAP ACCURACY STANDARDS

IN COLORADO 80225, OR RESTON, VIRGINIA 22092
YOUR COMPANY IS AVAILABLE ON REQUEST

AND SYMBOLS IS AVAILABLE ON REQUEST

NW NE, Sec 104



P.D.



P.D.

RECEIVED
FEB 26 1986

95-08852

ART DEGENHARDT
E 4900 HAYDEN AVE
RATHDRUM ID 83858

May 5, 1994

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08852

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

SEP 12 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 28, 1994

ART DEGENHARDT
E 4900 HAYDEN AVE
RATHDRUM ID 83858


PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08852

Dear Permit Holder:

Enclosed is a copy of your approved application for permit.
Please be sure to thoroughly review the "CONDITIONS/REMARKS:"
listing on the permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

12 1994

95-08852

DEGENHARDT, ART
E 4900 HAYDEN AVE
RATHDRUM, ID 83858

Source: GROUNDWATER

Diversion Pt: NWNWNE Sec 19 T 51N R 04W in KOOTENAI County.

Use: IRRIGATION	(.090 CFS)
DOMESTIC	(.040 CFS)
Total Diversion:	(.130 CFS)

Date Filed: 2/23/1994

In: KOOTENAI County
T51N R04W S19 NWNE

3.0 ACRES TOTAL

SEP 12 1994

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

Keri Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular Thurs issue of said newspaper for 2 consecutive weeks commencing on the 3rd day of March, 1994, and ending on the 10th day of March, 1994, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this 10th day of March, 1994.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY

My commission expires 2-5-99

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08852

DEGENHARDT, ART
E 4900 HAYDEN AVE
RATHDRUM, ID 83858
Source: GROUNDWATER

Diversion Pt NWNWNE Sec 19 T 51N R 04W in KOOTENAI County.

Use: IRRIGATION (.090 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.130 CFS)

Date Filed: 2/23/1994

In: KOOTENAI County

T51N R04W S19 NWNE

3.0 ACRES TOTAL

95-08853

BURKE, E MAC ARTHUR
N 12027 HEMLOCK ST
SPOKANE, WA 99218
Source: HAYDEN LAKE

Tributary: SINKS

Diversion Pt LOT 4 Sec 22 T 51N R 03W in KOOTENAI County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 2/10/1994

In: KOOTENAI County

T51N R03W S22 Lot 4 (SWNE)

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before MARCH 21, 1994.

R. KEITH HIGGINSON, Director

Legal 709

March 3, 10, 1994

RECEIVED

MAR 11 1994

NORTHERN REGION
IDWR

SEP 12 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

February 24, 1994

Mr. Art Degenhardt
E 4900 Hayden Ave.
Rathdrum, Id. 83858

Re: 95-8852

Dear Mr. Degenhardt:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

SEP 12 1994