

8. Description of proposed uses (if irrigation only, go to item 9).

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
49N	4W	4												D					

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? App 1
- Who owns the land to be irrigated or place of use? App 1
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

NOTIFIED

APR 21 1994

47°37'30"

5274000mN

BM
2575 Mica

Borrow
Pit 4

MICA FLATS

Creek

HULL
Spring

Borrow
Pit

PD 4/8/14

5273

PLUMMER 25 MI.
WORLEY 20 MI.

5272

x 2675

x 2713

Spring

Everwell
Bay

Goulds
Landing

MICA BAY

Mica Creek

Borrow
Pit

Boat Ramp

5271

LOFFS

Picnic Area

Toad Rock

Water
Tank

17

Mica Bay

County Campground

16

15

14

5270

35'

5269

20

Red 21 Hog

x 3801

x 3486

x 3338

Delcardo

APR 21 1994

x 3067

Delcardo
Bay

Rock

Happy
Cove

5268

PERMIT # 95-08848

STATE OF IDAHO
DEPT OF WATER
REPORT
PHOTOGRAPH



NOV 08 1996

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08848

Priority: February 3, 1994

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that MARY SCHULER

6205 TALL PINES RD

COEUR D'ALENE ID 83814-8220

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 3, 1994; and has submitted Proof of Beneficial Use on February 6, 1996. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW, Sec. 4, Township 49N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

49N 04W 4

SESW


CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29TH day of OCTOBER, 1996.

MICROFILMED
NOV 6 1996


Acting for KARL J. DREHER, Director



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
FEB 12 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08848 Telephone No. 208-664-6253
2. Name(s) of Permit Holder(s): Mary Schuler
3. Mailing Address: 6205 Tall Pines Road Coeur d'Alene, ID 83814
4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. 10 / yr. 94
 - a. Well Driller: United Driller Drilling Permit Number: 95-94-N-238
 - b. **OPTIONAL:**
Pump Horsepower: 1 Pressure (psi): 5 Dynamic pumping level (ft): 120'
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No _____
	Has the measuring device been installed?	Yes _____ or No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No _____
	Has the measurement port been installed?	Yes _____ or No _____

8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Mary Schuler Telephone Number: 208-664-6253

Address: 6205 Tall Pines Rd Coeur d'Alene, ID 83814

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 2/6/96
(include your title, if on behalf of company or organization)

0022

There is no permanent residence
but the well has been used while
we are working on the land for
domestic purposes. Also we are pumping
water for 1 acre drip irrigation
system.

R. J. M. Phil

RECEIVED

FEB 26 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08848

Proposed Priority: February 3, 1994 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **MARY SCHULER**
6205 TALL PINES RD
COEUR D ALENE ID 83814-8220
has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 4, Township 49N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC
49N 04W 4 SESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1996.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Construction of the well must comply with Idaho well construction standards.
6. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

21st day of March, 1994

[Signature]
for R. Keith Higginson, Director

[Stamp]

APR 21 1994

RECEIVED
MAR 11 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8848

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Mary Schuler Phone 208 664-6253
Post office address 6205 Tall Pines Rd CD'A, ID. 83814-8220
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SE 1/4 of SW 1/4, Govt. Lot _____
Sec. 4 Township 49N Range 4W B.M. Rodenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) _____ and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well & Pump

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6" inches; proposed depth of well is 300 feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

APR 21 1994

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
49N	4W	4												D					

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____


- Who owns the property at the point of diversion? App 1
- Who owns the land to be irrigated or place of use? App 1
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED

APR 21 1994

47°37'30"



A large grid of graph paper, consisting of a 10x10 main area and a 10x10 smaller area at the bottom right. The grid is composed of 10 columns and 10 rows of squares. The lines are thin and black. There is a small, dark, irregular mark or smudge near the bottom center of the grid.

APR 21 1994


(Applicant)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by Date 2/3/94 Time 3:20 PM Preliminary check by

Fee \$ 30.00 Received by # N7344 Date 2/3/94

Publication prepared by Date 2/12/94 Published in Date 2/17-24/94

Publication approved Date

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. , and said application is hereby

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

 , 19

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, ID 83814-82615
(208) 769-1450

RECEIVED

DEC 10 2002

Fax (208) 769-1454

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

October 29, 2002

Mary Schuler
6205 Tall Pines Rd
Coeur d'Alene ID 83814-8220

RE: Application for Permit

Dear Ms. Shuler:

We acknowledge receiving your letter dated September 23, 2002, and have included it as part of water right 95-08848.

We understand that your new well is located within the same 40 acre tract as the original well as located on the above water right license. We also understand that you wish to only use water from your newer well, however, not officially abandon your original well.

As long as you are only using the water from your new well for domestic purposes there is nothing further you are required to do.

Thank you for notifying our office of this change and as you requested, I have enclosed a copy of your letter for your records.

If you have any questions, or if I can be of further assistance, please feel free to contact me at this office.

Sincerely,

Allen Beardlsee
Sr. Water Resource Agent

MICROFILMED

MAR 20 2003

95-8848

Idaho Department of Water Resources
1910 Northwest Blvd. Suite 210
Coeur d'Alene, ID 83815
09/23/02

Attention: Al Beardslee,
Senior Water Resource Agent,
Northern Regional Office

RECEIVED
SEP 23 2002
IDWR/North

Re: Permit to Appropriate Water
No. 95-08848 (copy attached)

I hereby give notice of abandonment of my 365 feet deep well drilled by Tim Volking 10/21/94 (Drilling Permit No. 95-94-N-242) with additional liner and screens 09/21/95 (Drilling Permit No. 95-94-N-242-400). I was unable to find any tag on the well casing. Reason for abandonment: I have not pumped water from this well into my 2100 gallon domestic use cistern since April, 1998. (Well Driller's Reports attached)

Since 05/01/98, I have been using the 102 feet deep well (154 feet Northwest from the above mentioned well) drilled by Lindon Cordon 05/01/98, Idaho Department of Water Resources Drilling Permit ID Tag *00003815. (Well Driller's Report Attached) exclusively for pumping into my 2100 gallon domestic use cistern.

I request that my Permit to Appropriate Water No. 95-08848 be transferred to this more recent well.


Thank you,


Mary M. Schuler

6389 Tall Pines Road
Coeur d'Alene, ID
83814

(208) 664-6253

MICROFILMED
MAR 20 2003


10/28/02

1. DRILLING PERMIT NO. 95-94-N-747 -
Other IDWR No. _____

2. OWNER:

Name MARY SCHULER
Address 6205 TALL PINES RD.
City COEUR D'ALENE State ID Zip 83814

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

Twp. 49N North ☒ or South ☐
 Rge. 4W East ☐ or West ☒
 Sec. 4, 1/4 SW 1/4 NE 1/4
 Gov't Lot _____ County BOONENAI

Address of Well Site TALL PINES RD.

1/8 MILE ON RIGHT City _____
(Give at least name of road + Distance to Road or Landmark)

Lt.	Blk.	Sub. Name
-----	------	-----------

4. PROPOSED USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
BENTONITE	0	40	7	OVERBORE

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) _____
Was drive shoe seal tested? Y ☐ N ☒ How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	+2	225	.250	STEEL	☒	☐	☒	☐
5"	196	280	.250	STEEL	☒	☐	☒	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____

☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

140' ft. below ground Artesian pressure 0 lb.
Depth flow encountered N/A ft. Describe access port or
control devices: CAP

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
3 EST.	N/A	365	1 HR.

Water Temp. COLD Bottom hole temp. COLD
Water Quality test or comments: CLEAR/NO OGR

12. LITHOLOGIC LOG: (Describe repairs or abandonment) Water

[illegible]

Completed Depth 365' (Measurable)
Date: Started 10/14/94 Completed 10/20/94

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name UNITED DRILLING INCC Firm No. 414

Firm Official Tim R. Wallis CP Date 10/21/99

and
Supervisor or Operator Larry Vandulic Date 10/2/94
(Sign once if Firm Official & Operator)

Use Typewriter
or
Ball Point Pen

Other IDWR No. _____

2. OWNER.
Name **Mary Schuler**

Address **6205 Tall Pines Road**

City **Coeur d'Alene** State ID Zip **83814**

Sketch map location must agree with written location.



Twp. 49N North ☒ or South ☐
 Rge. 4W East ☐ or West ☒
 Sec. 4 $\frac{1}{4}$ NE $\frac{1}{4}$ $\frac{1}{4}$
 Gov't Lot _____ County Kootenai $\frac{10}{160}$ acres

Address of Well Site $\frac{1}{8}$ mile on right
 _____ City _____
 (Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

☐ New Well ☒ Modify or Repair ☐ Replacement ☐ Abandonment

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
Bentonite	0	40	7 sacks	overbore

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) _____

Was drive shoe seal tested? Y ☐ N ☐ How? _____

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
4"	1	360	180		☐	☒	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

☐ Perforations Method _____

☒ Screens Screen Type **monitor**

From	To	Slot Size	Number	Diameter	Material	Casing	Line
300	385	.10	3	4	PVC	☐	☒
180	260	.10	3	4	PVC	☐	☐
						☐	☐

_____ ft. below ground Artesian pressure _____ lb.

Depth flow encountered _____ ft. Describe access port or control devices: _____

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
1/2 GPM			

Water Temp. cold Bottom hole temp. _____

Water Quality test or comments: **slightly cloudy**

Water

[illegible]

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name **United Drilling Inc.** Firm No. **414**

Firm Official Date **9/21/95**

and

Supervisor or Operator **Larry Vanderlinden, Jr.** Date **9/21/95**

(Sign once if Firm Official & Operator)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08848

Proposed Priority: February 3, 1994 Maximum Diversion Rate: 0.04 CFS

This is to certify, that MARY SCHULER
6205 TALL PINES RD
COEUR D ALENE ID 83814-8220
has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 4, Township 49N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC
49N 04W 4 SESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1996.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Construction of the well must comply with Idaho well construction standards.
6. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

21st day of March, 1994

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED
MAR 20 2003

(Sign once if Firm Official & Operator)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 30, 1996

MARY SCHULER
6205 TALL PINES RD
COEUR D ALENE ID 838148220

RE: WATER RIGHT NO. 95-08848

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
NOV 08 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08848

DATE 10/25/96

REVIEWER: S H A R L A

NAME Change OK Address Change NO
 SOURCE Change ✓ Is change clarification of originally intended source? ✓
 If not, prepare Notice of Intent to Void
 POINT OF DIV Change ✓ Amendment required NO
 PLACE OF USE Change ✓ Amendment required NO
 Does map agree with written description? ✓ yes no
 OVERLAPS P/D P/U

RATE OF DIV
 Permitted Rate .04 cfs
 Fee limit .04 cfs NO FEE PD. OR REQD
 Measured cfs
 Theoretical .03-.05 cfs $1 \times 8.0 \times 7 / 120 + (2.31 \times 25)^5 = .05$
 Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/
 NATURE OF USES ✓ Use Dom. Volume Calculation
 1.2 af
 af
 af
 af
 SUBTOTAL 1.2 af

Flow rate .04 cfs X 365 days X 1.98 ~~af~~ = 29.0 af
 Total volume recommended 1.2 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS DI home.

CONDITIONS Watermaster Control WD#
 GW Measurement/Measuring Device
 Overlap
 Use-specific conditions

Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo

1st Amend Letter N/A
 2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 19 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08848

1. Owner: Mary Schuler Phone No. (208) 664-6253

Current Address: 6205 Tall Pines Rd. Coeur d'Alene Id. 83814

2. Accompanied by: Neal Rasmussen EXAM DATE: 8-30-96

Address: 6205 Tall Pines Rd. Phone No. 664-6253

Relationship to Permit Holder: Husband

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-08847

2. Other water rights with the same point of diversion: —

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	04	49N	04W	Kootenai	U.S.G.S Topo; Site Visit

2. Place(s) of Use:

Indicate Method of Determination USGS Topo.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
49N	04W	04																	

MICROFILMED

NOV 5 1996

NOV 1964

MOBILE, ALA

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
W11/#2	Grundfos	1.0		Grundfos	82-456904

4.

Scale: 1" = 100' NT5
____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
____ Aerial Photo Attached (required for irrigation of 10+ acres)
____ Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

System consist of 6" Well, 365' ft. deep
A Honda Generator is being used as the power
Source for the Submersible pump. Pump is
a 1.0 Hp Grundfos

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 08 1986

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

From

1-1

Period of Use
To

12-31

Rate of Diversion

Q (cfs)

.04

Annual Volume

V (afa)

1.2

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

Dave Legel

Date

7-10-96

Reviewer



Date

SEAL

NOT A SEAL
MICROFILMED


PERMIT # 9508848

STATE OF IDAHO
DEPT OF WATER
REPORT
PHOTOGRAPH



MICROFILMED

NOV 08 1988



2679 III NW
(POST FALLS)
116°E
47°37'30"

9508848

MICROFILMED
NOV 08 1978

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08848 Reviewed by [Signature] Date 2-22-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 95-94-N-0238-000
35- Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

no Required?
/ Amount Submitted
/ Correct?
no Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u>/</u>	<u> </u>
Date proof due	<u> </u>		<u> </u>
No. of days late	<u> </u>		<u> </u>
Priority Date	<u> </u>		<u> </u>
New Priority Date	<u> </u>		<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 2-6-96

February 22, 1996

MARY SCHULER
6205 TALL PINES RD
COEUR D ALENE ID 838148220

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08848

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

FEB 26 1996

January 31, 1996

MARY SCHULER
6205 TALL PINES RD
COEUR D ALENE ID 838148220

PROOF DUE NOTICE

RE: PERMIT NO. 95-08848

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED
JAN 31 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 21, 1994

MARY SCHULER
6205 TALL PINES RD
COEUR D ALENE ID 838148220

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08848

Dear Permit Holder:


Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED 1994

MAR 21 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

Application #: 95-8848 Name: Schuler Date: 3/16/94

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16

Yes
Proof not submitted - P16
Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <flo-ch> - T17 (new), 01K (existing), No MD
- 0.2 cfs - No MD <flow chart>

Drilling Permit:

Included w/permit - Permit No. _____, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-~~46A~~(irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <flow chart>

LOCATION:

Water District(dem) - WD No. _____
*Surface water - 005 (req) 01J-P08 <flow chart>
(doesn't sink) or 01H-P01 <flow chart>; No MD
Groundwater - P05 (new irrigation well)
In stream channel - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (-85° Groundwater temp)
Swan Falls Flag - B <See condition code chart>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)
Irrigation - 803(if GW use SW 1st)(+5A do POU comp), NA
Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Mining - 054 (req) & 06A/010/09E-P10
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R ↑ L Peak), 27A(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU) _____

PROTESTED:

Prehearing agreement- 020

OTHER CONDITIONS:

REMARKS:

BENEFICIAL USE DUE:

4-1-1996

COMMENTS:

DDW Desc

No. a
4/87-06/92n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
MAR 11 1994

APPLICATION # _____

***** INITIAL REVIEW ***** Department of Water Resources *****

APPLICANT: SCAHLER BY: BR DATE: 2/7/94

ITEM REQUIRED INFORMATION

1. (C) Name and Address
2. (A) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
X Field report attached
X Analysis Supp. attached(>5cfs/500af)
X Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 2/3/94

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: / /

Remarks: _____

- X Groundwater management area
X Critical ground water area
X Well Drilling Permit required
Well Drilling Application and Fees received
Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- Notice of pending void order issued. Final order response date: / /
Further information required from applicant
Affidavit of publication received
Application published correctly, If not, record action taken: _____
Publication dates and paper recorded on application | Sr. Agent initial AS
Protests received. Final protest date: 3/7/94
Measuring device required
Measuring port required
Special conditions: _____
Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: BR

Date: 2/28/94

95-08848

SCHULER, MARY
6205 TALL PINES RD
COEUR D ALENE, ID 838148220

Source: GROUNDWATER

Diversion Pt: SESW Sec 4 T 49N R 04W in KOOTENAI County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 2/ 3/1994

In: KOOTENAI County
T49N R04W S04 SESW

RECEIVED

APR 21 1994

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

Keri Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 17th day of February, 1994, and ending on the 24th day of February, 1994, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this 24th day of February, 1994.

Roberta Manley
Notary Public for the State of Idaho
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
commission expires 2-5-99

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08847
SCHULER, MARY M
6205 TALL PINES RD
COEUR D ALENE, ID 838148220
Source: SPRING
Tributary: SINKS
Diversion Pt: SESW Sec 4 T 49N R 04W in KOOTENAI County.

Use: IRRIGATION (040 CFS)
IRRIGATION STORAGE (50 AF)
IRRIGATION FROM STORAGE (50 AF)
WILDLIFE STORE (50 AF)
AESTHETIC STORAGE (50 AF)
Total Diversion: (040 CFS)

Date Filed: 2/7/1994
In: KOOTENAI County
T49N R04W S04 SESW
10.0 ACRES TOTAL
95-08848

SCHULER, MARY
6205 TALL PINES RD
COEUR D ALENE, ID 838148220
Source: GROUNDWATER
Diversion Pt: SESW Sec 4 T 49N R 04W in KOOTENAI County.

Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)

Date Filed: 2/3/1994
In: KOOTENAI County
T49N R04W S04 SESW
95-08849

SCHORZMAN, LESLIE
SCHORZMAN, SUSIE
15625 LOFFS BAY RD
COEUR D ALENE, ID 83814
Source: SPRING
Tributary: UNNAMED STREAM
Source: SPRING
Tributary: COEUR D ALENE LAKE
Diversion Pt: SESE Sec 5 T 48N R 04W in KOOTENAI County.

Use: STOCKWATER (020 CFS)
STOCKWATER STORAGE (30 AF)
STOCKWATER FROM STORAGE (30 AF)
DOMESTIC (040 CFS)
FIRE PROTECTION (200 CFS)
DIVERSION TO STORAGE (200 CFS)
Total Diversion: (200 CFS)

Date Filed: 2/8/1994
In: KOOTENAI County
T48N R04W S05 SESE
95-08850

WRIGHT, STEVE
6151 W SELTICE WAY
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: NWSW Sec 18 T 50N R 05W in KOOTENAI County.

Use: STOCKWATER (040 CFS)
WILDLIFE (040 CFS)
DOMESTIC (040 CFS)
Total Diversion: (040 CFS)

Date Filed: 2/2/1994
In: KOOTENAI County
T50N R05W S18 NWSW
95-08851

WOLLENBURG, PAUL D
833 MONTANA ST
RATHDRUM, ID 83858
Source: GROUNDWATER
Diversion Pt: NWSWNW Sec 28 T 52N R 04W in KOOTENAI County.

Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)

Date Filed: 1/28/1994
In: KOOTENAI County
T52N R04W S28 SWNW

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450. The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before MARCH 7, 1994.

R. KEITH HIGGINSON, Director
Legal 655
Feb. 17, 24, 1994

APR 21 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

CECIL D. ANDRUS

Governor

February 11, 1994

R. KEITH HIGGINSON

Director

Ms. Mary M. Schuler
6205 Tall Pines Rd.
Coeur d'Alene, Id. 83814

Re: Water Appropriation Application Nos. 95-8847 and 95-8848.

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Applications for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced numbers in all future matters concerning these water right applications.

Your appropriation applications are currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the applications are not protested.

If the applications are not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the applications are protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the applications can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your applications are for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation applications. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

APR 8 1994