


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

3.M.,

Lot 1, Rivers Inlet Subdivision
Part of Govt Lot 8, Sec 9, T 50N, R 4W

0' 100' 200' 300' 400'



VICINITY MAP
SCALE: 1" = 2000'

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael Moen

(Applicant)

FEB 25 1994

E. NARRATIVE/REMARKS/COMMENTS

USE of WATER is for IRRIGATION.
WATER SOURCE is ON this legal
is from the RIVER AND THE WELL.

RIVER SOURCE is for IRRIGATION ONLY.

Point of Diversion
↓



Place of Use
↓



Have conditions of permit approval been met? ☐ yes ☐ no

MAINTAINED
AUG 28 1995



MICROFILMED
AUG 28 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08841

Priority: November 30, 1993

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that MICHAEL MOEN

W 4747 FOOTHILL DR

COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 30, 1993; and has submitted Proof of Beneficial Use on February 2, 1995. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

SPOKANE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

DOMESTIC	05/15 to 10/01	0.02 CFS	0.6 AF
----------	----------------	----------	--------

LOCATION OF POINT(S) OF DIVERSION: Lot 8(SWNW), Sec. 9, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 04W 9


SWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use is located within Lot 1, Rivers Inlet Subdivision.
6. Domestic use is for 1/2 acre of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22nd day of AUGUST, 1995.

Acting for  KARL J. DREHER, Director


AUG 28 1995

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08841 Telephone No. 208-667-0380

2. Name(s) of Permit Holder(s): Michael Moen

3. Post Office Address: W. 4747 Foothill Drive Coeur d'Alene ID

4. Source of Water: Spokane River

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: 1 hp Pressure (psi): 40 Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households)	Irrigation <u>1/2</u> (No. of acres)
Stockwater _____ (No. and type of stock)	Other _____

**RECEIVED
FEB 06 1995**

Department of Water Resources

6. Total rate and/or volume for which proof is submitted _____ cfs 1 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Mike Moen 667-0380 Home
765-1144 Work

Name Telephone No.

W. 4747 Foothill Drive Coeur d'Alene, ID 83814
 Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2-1-95 Michael Moen
 Date Signature (and title if on behalf of a company or organization)

**RECEIVED
FEB 06 1995**

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08841

Proposed Priority: November 30, 1993 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **MICHAEL MOEN**
2100 N 15TH ST
COEUR D ALENE ID 83814
has applied for a permit to appropriate water from:

SPOKANE RIVER tributary of **COLUMBIA RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	05/15 to 10/01	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 8(SWNW), Sec. 9, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC


50N 04W 9 SWNW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1995**.
2. Subject to all prior water rights.
3. Place of use is located within Lot 1, Rivers Inlet Subdivision. Domestic use is for 1/2 acre of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

22 day of February, 1994.


for R. Keith Higginson, Director

MICROFILMED

FEB 25 1994

RECEIVED

FEB 07 1994

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Michael Moen Phone 667-0380
Post office address 2100 N. 15th St. Coeur d'Alene, ID 83814
2. Source of water supply Spokane River which is a tributary of COLUMBIA RIVER
Lake Roosevelt
3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot 8
Sec. 9 Township 50 N Range 4 W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for Domestic Irrigation purposes from May 15 to Oct 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 1 1/2" poly or PVC pipe
and a 1/2 hp pump to a pressure tank for the lawn
and garden irrigation sprinkler system
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 year years (minimum 1 year).

RECORDED
FEB 25 1994

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in kW.

b. Stockwatering; list number and kind of livestock.

c. Municipal; show name of municipality.

d. Domestic; show number of households. ~~DOMESTIC USE IS FOR 1/2 ACRES OF IRR.~~

e. Other; describe fully.

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

ponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated.

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? Michael Meen

b. Who owns the land to be irrigated or place of use? Michael Moore

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.


12. Remarks:

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

3.M.,

Lot 1, Rivers Inlet Subdivision
Part of Gov't Lot 8, Sec 9, T 50N, R 4W

0' 100' 200' 300' 400'



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public water of the State of Idaho as herein set forth.

Michael Moen

(Applicant)

RECEIVED
FEB 25 1994

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	Date	Time	Preliminary check by
<i>[Signature]</i>	11/30/93	1:15 PM	<i>[Signature]</i>
Fee \$ 30.00	Received by	#	Date
	<i>[Signature]</i>	N 7198	11/30/93
Publication prepared by	Date	Published in	Date
<i>[Signature]</i>	12/1/93		11/24/94
Publication approved	Date		
<i>[Signature]</i>	1/24/94		

and [Signature]
11/30/93
11/30/93



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 24, 1995

MICHAEL MOEN
W 4747 FOOTHILL DR
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08841

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

AUG 28 1995

LICENSE REVIEW
Cindy Zimmerman

Permit #: 95-8841 Name: Moen Date: 8/8/95
App Rcd 11/30/93 Priority _____ Examined 5/12/95 ✓ Lots ✓

NAME	Chng <u>✓</u> OK <u> </u>	Or Address Change? <u>W 4747 Foothill Dr. CDA 83804</u>
SOURCE	<u> </u> <u>✓</u> <u> </u>	Clarify source <u>not identified on exam - Spokane R</u> Prelim. Order to Void - Source change.
P/D	<u> </u> <u>✓</u> <u> </u>	Amendment Needed? <u>clarify TSON</u> <u>-P39, P38</u> Overlap(s) _____
P/U	<u> </u> <u>✓</u> <u> </u>	Amendment Needed? <u>clarify TSON</u> <u>-P41, P38</u> Overlap(s) _____ *P/D & P/U Amend? <u>P37, P38</u> (See paragraph list for governmental agencies.)
RATE	<u>✓</u> <u> </u> <u> </u>	Permit/fee limits <u>0.04 / 0.04</u> Measured Q= <u>None</u> cfs Theoretical Q= <u>None</u> cfs <u>Domestic / then exterior only = 0.02</u> Recommended capacity <u>0.02</u> cfs Recommended rate <u>0.02</u> cfs
VOLUME	<u>✓</u> <u> </u> <u> </u>	Season of Use: (<u> </u>) <u>5/15-10/1</u> = <u> </u> days Calculations: <u>Dom 1 km exterior only = 0.6 AF</u> Flow limit: <u> </u> x <u> </u> x 1.9835 = <u> </u> AF Recommended volume <u>0.6</u> AF
USES	<u> </u> <u>✓</u> <u> </u>	Same Nature of Use? <u> </u> <u>-P46</u> Amendment Needed? _____
REMARKS	<u> </u> <u>✓</u> <u> </u>	Multiple p/d's in <u>1 1/4</u> ? <u>① woi/ext 1. ② Pu = Lt 1 River's Inlet Subd.</u>
CONDITIONS	<u> </u> <u> </u> <u> </u> <u> </u> <u> </u> <u> </u>	Measuring (R01)/Locking (R02) Devices Watermaster Control (R04) - WD # _____ Irrigation rate/volume overlap Irrigation water overlap (065) (If gw use sw) Water Quality Other _____
PRIORITY	Due <u>3/1/95</u> Rc'd <u>2/2/95</u> Receipt# <u>N8597</u> Fee OK? <u>(Yes)</u> No Order to Reinstate Needed? Yes/No Done? _____ If Yes, Advanced? Yes/No to: _____	

COMMENTS: _____

USE	CFS	DIV VOL	Adjustment Memo <u>✓</u>
<u>Dom / 1 home</u>	<u>0.02</u>	<u>0.6</u>	LICENSE: <u>(P49)</u>
<u>ext.</u>	<u> </u>	<u> </u>	#1 AMEND LTR: P46 or
<u> </u>	<u> </u>	<u> </u>	P39/P41/P37 & P38
<u>TOTAL</u>	<u>0.02</u>	<u>0.6</u>	#2 AMEND LTR: P42/P47

MEMORANDUM

DATE: August 8, 1995
TO: File No. 95-08841
FROM: Cindy Zimmerman
SUBJECT: Adjustments to Beneficial Use Exam

The following adjustments were made on the field exam:

1. Source is not identified on the field report, however, per photographs and system diagram, the source is Spokane River.
2. Point of diversion is located within Lot 3 (SENW), S07, T50N, R04W.
3. Place of use is located within Lot 3 (SENW), S07, T50N, R04W.
4. Rate of diversion.
 - a. Domestic use for 1 home exterior use only = 0.02 cfs.
5. Annual Volume.
 - a. Domestic use for 1 home exterior use only = 0.6 AFA.

MICROFILMED

AUG 28 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 13 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-8841

1. Owner: MICHAEL MOEN Phone No. 667-0380

Current Address: 614747 Foothill Dr. COEUR D'ALENE 83841

2. Accompanied by: DIANNE BALL EXAM DATE: 5/12/95

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

* 3. Source: _____ tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	8		SW	NN	9	50	4W	Kootenai	4395 Topo, site

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50	4W	9																	

RECEIVED

AUG 28 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 100'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUBMERSIBLE					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MEASURED

AUG 28 1995

E. NARRATIVE/REMARKS/COMMENTS

USE OF WATER IS FOR IRRIGATION
WATER SOURCE IS ON THIS LEASE
IS FROM THE RIVER AND THE WELL.

RIVER SOURCE IS FOR IRRIGATION ONLY.

Point of Diversion
↓



Place of Use
↓



Have conditions of permit approval been met? ☐ yes ☐ no

MISSOURI MED
AUG 28 1995

F. FLOW CALCULATIONS

Measured Method:

____ Additional Computation Sheets Attached

G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:** $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____**2. Volume Calculations for Other Uses:****H. RECOMMENDATIONS****1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>8-15</u>	<u>11-15</u> *	<u>0.04</u> *	<u>1.2</u> *
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.04</u> *	<u>1.2</u> *

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Barbara L. Gannon Date 5/24/95


Reviewer _____ Date _____

SEAL

* Adjustments made during review of this report for license approval.
See memo for additional information 5/8/95 cag

MICROFILMED

AUG 28 1995



State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name BECK BUILDERS
Address RIVER INLET SUB DIVISION
Drilling Permit No. 95-92-N-69
Water Right Permit No. _____


7. WATER LEVEL
Static water level 15 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality GOOD
Describe artesian or temperature zones below.

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase ☐ Modification
☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Monitor
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED
☒ Rotary ☒ Air ☐ Auger ☐ Reverse rotary
☐ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
250 Thickness Diameter 8 From 1 To 80
_____ inches _____ inches + _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation? _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer _____ Type _____
Top Packer or Headpipe _____
Bottom of Tailpipe _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 28 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit
☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☒ Threaded ☐ Welded
☐ Solvent Weld ☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL
Sketch map location must agree with written location.

Subdivision Name _____
Lot No. _____ Block No. _____
County Kootenai
Twp 4N R. 4E Sec. 9 T. 50S

8. WELL TEST DATA
☐ Pump ☐ Bailor ☒ Air ☐ Other _____
Discharge G.P.M. Pumping Level Hours Pumped
70 GPM _____ 1HR

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	4	BROWN DIRT		X
10	4	28	SAND & GRAVEL		X
8	28	42	TAN CLAY		X
8	42	77	DARK BROWN CLAY		X
8	77	83	HEAVY CLAY & GRAVEL & SAND	X	

10.
Work started 4-8-92 finished 4-8-92

11. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
UNITED DRILLING INC.
Firm Name _____ Firm No. _____
Address P.O. BOX 2499 COIDA ID 83814 Date _____
Signed by Drilling Supervisor [Signature]
and
(Operator) TIM VOLKING
(If different than the Drilling Supervisor)

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

RECEIVED
AUG 28 1985



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 16, 1995

MICHAEL MOEN
W 4747 FOOTHILL DR
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 95-08841

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur d'Alene, at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECORDED

MAR 30 1995

December 31, 1994

MICHAEL MOEN
2100 N 15TH ST
COEUR D ALENE ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08841

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED
MAR 30 1995





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 22, 1994

MICHAEL MOEN
2100 N 15TH ST
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08841

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jim Johnson', written over the printed name.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECORDED

FEB 25 1994

95-08841

MOEN, MICHAEL
2100 N 15TH ST
COEUR D ALENE, ID 83814

Source: SPOKANE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 8 (SWNW) Sec 9 T 50N R 04W in KOOTENAI County.

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 11/30/1993

In: KOOTENAI County
T50N R04W S09

SWNW

MICROFILMED

FEB 25 1994

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Keri Alexander

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Thurs.* issue of said newspaper for *2* consecutive *weeks* commencing on the *6th* day of *January*, 19*94*, and ending on the *13th* day of *January*, 19*94*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this

13th

day of

January

19*94*

Roberta Manley

RECEIVED

JAN 14 1994

NORTHERN REGION
IDWR

ROBERTA MANLEY

3-5-99

Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

94-07350

STEVES, C J JIM
PO BOX 109
HARRISON, ID 83833
Source: GROUNDWATER
Diversion Pt: SWNW Sec 11 T 47N R 03W
in KOOTENAI County
Use: DOMESTIC (030 CFS)
Total Diversion: (030 CFS)

Date Filed: 11/30/1993
In: KOOTENAI County
T47N R03W S11 SWNW
95-08841

MOBN, MICHAEL
2100 N. 15TH ST
COEUR D ALENE, ID 83814
Source: SPOKANE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: LOT 8 (SWNW) Sec 9 T 50N
R 04W in KOOTENAI County
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)

Date Filed: 11/30/1993
In: KOOTENAI County
T50N R04W S09 SWNW
95-08843

NORTH IDAHO ENGINEERING
4200 SELTICE WAY STE 2
COEUR D ALENE, ID 83814
Source: COEUR D ALENE LAKE
TRIBUTARY: SPOKANE RIVER
Diversion Pt: LOT 2 (SWSE) Sec 19 T
48N R 04W in KOOTENAI County
Use: DOMESTIC (660 CFS)
FIRE PROTECTION (660 CFS)
Total Diversion: (660 CFS)

Date Filed: 12/7/1993
In: KOOTENAI County
T48N R04W S19

NENW NWNW SWNW SENW
NESW SESW NWSE SWSE

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before JANUARY 24, 1994.

R. KEITH HIGGINSON, Director

Legal 461
Jan. 6, 13, 1994

FEB 25 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 ~~(208) 769-1450~~ ~~Fax (208) 769-1454~~ ~~Fax (208) 769-1454~~

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 27, 1993

Mr. Michael Moen
2100 N. 15th St.
Coeur d'Alene, Id. 83814

Dear Mr. Moen:

Re: Water Appropriation Application No. 95-8841.

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

RECEIVED
FEB 25 1994