




MICROFILMED
NOV 27 1998



QUANTUM Environmental*

Engineering and Geologic Consulting

ENGINEER: Jim De Smet


DRAWN BY: Jim De Smet

DATE: 5/19/98

SCALE: 1"=2000'

SHEET NO.:

Project Vicinity Map
Cove Haven Owners Association
Workey, Idaho



Base Map Source:
Meckel Engineering and Surveying, 1987


New Wells: Well #2 and Well #3

QUANTUM Environmental

Engineering and Geologic Consulting

ENGINEER:	Jim De Smet	Site Plan
DRAWN BY:	Jim De Smet	New Well Installations
DATE:	4/9/98	Cove Haven Water Association
SCALE:	1" = 100'	Kootenai County, Idaho
SHEET:	1 of 4	

LAKE COEUR D'ALENE
(LOWMEISTER BAY)



BASIS OF BEARING
BASIS OF BEARING IS RECORD OF SURVEY
BY EARL E. SANDERS, 1/29/81, BOOK 2 OF
SURVEYS, PAGE 244.

LEGEND

FOUND POINT AS SHOWN
SET 1/2" IRON ROD & CAP
SET 2" IRON PIPE IN CONCRETE
DRAINAGE ESMT./BUILDING
UTILITY EASEMENT

W/2 F/2 SEC. 11

MECKEL ENGINEERING
402 IDAHO AVE.
COEUR D'ALENE, ID.

COVE
C. 11, T. 47 N.

IN GOVT LOTS 1 & 3, SEC. 11, T. 47 N.


SCALE: 1" = 100'

CK'D: 5-86

DATE: 5-5-86

LEGEND

- FOUND POINT AS SHOWN
- SET 1/2" IRON ROD & CAP



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

AMENDMENT OF PERMIT
PERMIT NO. 95-08834

This is to certify, that COVEHAVEN OWNERS ASSN INC
C/O JAMES R ALLEN
4343 GREY STONE LANE
SPOKANE WA 99223

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-211, Idaho Code. The approved amendment of permit is described as follows:

SOURCE

GROUNDWATER

Priority: September 29, 1993

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.18 CFS
DOMESTIC	01/01 to 12/31	0.18 CFS
	Totals	0.18 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NENE), Sec. 11, Township 47N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
47N	04W	11	Lot 1(NENE) 10	Lot 3(ENE) 5		15

Total number of acres irrigated: 15

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Subject to all prior water rights.
2. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
3. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
4. Domestic use is for 33 homes.
5. Three points of diversion are located within the NENE, S11, T47N, R4W.

Witness my hand this 13 day of November, 1998.

J. Blus Saylor
Chief, Water Allocation Bureau

MICROFILMED

NOV 2 / 1998

(Internet)

Receipt No. NO12373
 Received By [Signature]
 Date 9/1/98

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR AMENDMENT OF A PERMIT

RECEIVED

OCT 26 1998

Applicant Cove Haven Owners Association Phone 509 332 7526 Department of Water Resources

Address 4343 Grey Stone Lane Spokane, WA 99223

I am the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 95-08834, and request that the permit and permit map be amended and/or changed as follows:

Purpose of Amendment: _____ Change point of diversion -x- Add point of diversion 2 new Wells
Change place of use _____ Change nature of use _____ Change period of use _____ Other _____

1. Point of diversion: 1/4 NE 1/4 NE 1/4, Section 11, Township 47N, Range 4W, B.M.
County of Kootenai, Other points of diversion GOVT LOT 1

2. Period and nature of use: (Irrigation, domestic, stockwatering, industrial, etc.)

Amount 0.18 cfs for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre feet) (Begin month) (End month)

Amount 0.18 cfs for Domestic purposes from 1/01 to 12/31 (both dates inclusive)
(cfs or acre foot) (cfs) (cfs) (cfs) (cfs) (cfs)
(cfs or acre foot per annum) (water use) (Begin month) (End month)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(lets or acre foot per annum) (water use) (Begin month) (End month)

3. Place of use or land to be irrigated:

[illegible]

Total number of acres to be irrigated 15

4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated at the place of use? Members of Association
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

MICROFILMED

NOV 27 1958

See Attached Map
and Site Plan

[illegible]

LEADS: 2 NEW YORK WEAPONS 1 OTHER

Signed this 19th day of May, 19 98

President
Permit Holder
Carehaven Owners Assoc


ACTION OF THE DEPARTMENT OF WATER RESOURCES

Published in CAA Report Publication dates 10/1 & 8/198

I, _____, of the Department of Water Resources hereby

SIGNATURE

MICROFILMED
NOV 27 1998



MICROFILMED

NOV 27 1998



QUANTUM Environmental

Engineering and Geologic Consulting

ENGINEER	Jim De Smet
DRAWN BY	Jim De Smet
DATE	5/19/98
SCALE	1"=200'
SHEET NO.	

Project Vicinity Map
Cove Haven Owners Association
Workley, Idaho

RECEIVED

OCT 21 1996

FOR OFFICE USE ONLY

Amt. of Fee \$: _____

Receipt No. _____

Receipt By: _____

Date Received: _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08834 Telephone No. 208-658-3835

2. Name(s) of Permit Holder(s): Covehaven Owner's Association, Inc.

3. Mailing Address: 25630 Cove Point Road, Worley, ID 83876

4. Source of Water: groundwater If **GROUNDWATER** (well), Date Drilled: mo. 04 / yr. 96 ^{deepened}

a. Well Driller: H₂O Well Service, Inc. Drilling Permit Number: 95 - 93N - 246 - 000

b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):
22
Domestic (No. of households): potential 33 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: not determined cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u>x</u> or No _____
	Has the measuring device been installed?	Yes <u>x</u> or No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No _____
	Has the measurement port been installed?	Yes _____ or No _____

8. Fee Enclosed: \$ see enclosed (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Don Johnson Telephone Number: 208-689-3835

Address: 25630 Cove Point Road, Worley, ID 83876

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: *James R. Allen*
(include your title, if on behalf of company or organization)
President, Covehaven Owners Assoc.

Date: Oct 17, 1996

MICROFILMED

DEC 02 1996

RECEIVED
NOV 27 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 95-08834

Name(s) of Permit Holder: Covehaven Owners Association, Inc.

Mailing Address: 25630 Cove Point Road Worley, ID 83876

Date Proof is Due: December 1, 1995 Telephone No. (208) 689-3835

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Well has been drilled to a depth of 190 ft. which provides a low yield of
about 450 gal/day. Because this volume is inadequate for a development of
24 homes and because we have the potential to improve yield by drilling
deeper, we propose to deepen the well.

Costing \$ \$5,500.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Permit holder(s) request an extension to 1 November, 19 96.

FEE: \$50.00

[Signature] 11-25-95
(Signature)* President, Covehaven Owners Assoc.
*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to December 1, 1996.

Signed this 5th day of December, 19 95.

[Signature]
JAN 31 1996
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08834

Proposed Priority: September 29, 1993 Maximum Diversion Rate: 0.18 CFS

This is to certify, that **COVEHAVEN OWNERS ASSN INC**
JAMES R ALLEN PRESIDENT
RT 1 BOX 71A
WORLEY ID 83876

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.18 CFS
DOMESTIC	01/01 to 12/31	0.18 CFS
	Totals	0.18 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NENE), Sec. 11, Township 47N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
47N	04W	11	Lot 1(NENE) 10	Lot 3(SENE) 5		15
Total number of acres irrigated:						15

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1995**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of Water Resources.
6. Construction of the well must comply with Idaho well construction standards.
7. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

APPROVED

JAN 21 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 95-08834

CONDITIONS/REMARKS:

8. Domestic use is for 33 homes.
9. The domestic use authorized under this permit shall not exceed 13,000 gallons per day per dwelling in accordance with Section 42-111, Idaho Code.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

16th day of November, 1993


R. Keith Higginson, Director

for

RECEIVED
JAN 21 1994

JAN 21 1994

Please direct correspondence
to:

1994
Covehaven Owners Assoc.
% Jim Allen
NE 1165 Lybecker
Pullman, WA 99163

(509) 332-7526



Ident. No. 95-8834

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

James R. Allen, President

1. Name of applicant Covehaven Owners Association Inc Phone (509) 332-7526 (work)

Post office address Rt. 1 Box 71A Worley ID 83876

2. Source of water supply ground water which is a tributary of N.A.

3. Location of point of diversion is 1/4 of NE 1/4 of NE 1/4, Govt. Lot 1

Sec. 11 Township 47 N Range 4 W B.M. Kootenai County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.18 cfs for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.18 for IRRIGATION purposes from 5/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.18 cfs and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works: (1) WELL, RESERVOIR & DELIVERY SYSTEM

a. Description of ditches, flumes, pumps, headgates, etc. (1) WELL, RESERVOIR & DELIVERY SYSTEM

b. Height of storage dam N.A. feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 200 feet.

d. Is ground water with a temperature of greater than 85°F being sought? No

e. If well is already drilled, when? No; Drilling firm N.A. JAN 21 1994

Well was drilled for (well owner) N.A.

7. Time required for the completion of the works and application of the water to be proposed beneficial use is 2 years (minimum 1 year).

Remarks:

© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 105–112

Applicant to make this filing.

b. Who owns the land to be irrigated or place of use? 33 lot owner / members of Covehaven Owners Association Inc

Surface water - Lake Coeur d'Alene

Describe any other water rights used for the same purposes as described above.

51

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

9. Description of place of use:

Other, describe fully.

d. Domestic; show number of households.


33

HN

HM

N.A.

8. Description of proposed uses (if irrigation only, go to item 9):



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. *See attached*

See attached

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James Allen, President
(Applicant)
Covehaven Owners Association Inc.

JAN 21 1994

10/21/93

e. Other:

permit.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	Date	Time	Preliminary check by
<i>[Signature]</i>	9/29/93	2:00 PM	<i>[Signature]</i>
Fee \$	30.00	Received by	Date
		<i>[Signature]</i>	9/29/93
		#	N 7017
		Date	9/29/93
		Published in	10/21-28/93
		Date	10/21/93
		Publication approved by	<i>[Signature]</i>



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 17, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

COVEHAVEN OWNERS ASSN INC
C/O JAMES R ALLEN
4343 GREY STONE LANE
SPOKANE WA 99223

RE: Water Right 95-08834

Dear Permit Holder(s):


The Department of Water Resources (IDWR) has issued the enclosed Amendment of Permit approving your application to amend the water right referenced above. Please be sure to review every element of the Amendment of Permit, including the conditions of approval and remarks.

The Amendment of Permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions regarding this matter, you may call me at 208-327-7947.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt

Enclosure

MICROFILMED


NOV 27 1998

CERTIFICATE OF MAILING

I hereby certify that on the 17th day of November, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Amendment of Permit) to the person(s) listed below:

WATER RIGHT 95-08834

**COVEHAVEN OWNERS ASSN INC
C/O JAMES R ALLEN
4343 GREY STONE LANE
SPOKANE WA 99223**


Kari Lynn Townsend
Secretary

FILED
NOV 27 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
NOV 27 1998

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

NOT RECORDED

NOV 27 1998

AMENDMENT OF PERMIT REVIEW

Review Date 10/26/98

PERMIT NO. 95-08834 NAME Cove Haven Owners Assn.

TYPE: A = AMENDED E = CHANGE N/U I = CHANGE P/D & P/U
B = CHANGE P/D F = CHANGE Per/U J = ADD P/D & CHANGE P/U
C = ADD P/D G = OTHER
D = CHANGE P/U H = CHANGE P/D & + P/D

AREA OF CONCERN: _____ Mor _____ GWMA Trust/Non-trust

PROOF OF B/U RECEIVED? (Yes) No Due < 6 months? Yes/No

GROUNDWATER:

Drilling Permit No. _____;
Drilled _____

95-93-N-0246-000 10" 175'
8" 280'
deeper 100 6" 190' 12/93
deeper 101 5" 240' 7/94
30+ gpm 1/96

Swan Falls Flag _____

Conditions of Approval: ~~041~~?, 046, R43

Remarks/Comments D/33 homes.

3 fld in NENE

State of Idaho
Department of Water Resources
AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: [Signature]

Right Number 95-08834 Applicant COVE HAVEN
Purpose of Amendment: ☐ Change point of diversion. ☒ Add diversion point(s).
☐ Increase amount. ☐ Change place of use. ☐ Other _____

CHECK:

- ☒ Description of amended point(s) of diversion.
- ☒ Amount, nature and period of use. If increased, delay date of priority.
- ☒ Description of amended places of use. If expanded, delay date of priority.
- ☒ Ownership of point of diversion and place of use.
- ☒ Map.
- ☒ Signature (must be permit holder).
- ☒ Fee.
- ☒ Existing water rights from the same source, amended place of use.
- ☐ Right number(s) _____
- ☒ Yes ☐ No Should amendment be advertised?
- ☐ Yes ☐ No Should date of priority be delayed? If yes, to what date? _____

To dda Pres 9/23/98
Final prot. date 10/19/98
Transferred to SC
to Janet 9/23/98

FINAL REGIONAL PROCESSING REVIEW:

- ☐ Affidavit of publication received.
- ☐ Amendment published correctly.
- ☐ Protests processed.
- ☐ Approve.
- ☐ Deny.

Conditions _____

By [Signature] Date 10-20-98

STATE OFFICE PROCESSING:

- ☐ Amendment correct and complete. By _____ Date _____
- ☐ Approved copy sent to applicant and to Region. By _____ Date _____

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

STACIE WALKER

..... being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Legal Notice*

of which the annexed is a printed copy, was published in the regular *Thursday*
issue of said newspaper for *2* consecutive *weeks*
commencing on the *1* day of *October*, 19 *98*, and
ending on the *8* day of *October*, 19 *98*, and such
publication was made as often during said period as said *daily*
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Stacie Walker

Subscribed and sworn to before me this *8* day of *October*
19 *98*

Regina Mason

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MY COMMISSION EXPIRES 6/18/03

NOTICE OF AMENDMENT
NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-08834 in the name of Covehaven Owners Association, 4343 Grey Stone Lane, Spokane, WA 99223, was amended.

The location of the point of diversion was originally described as an individual well located in T47N R04W SEC 11, GOVERNMENT LOT 01 (NENE); whereas, amended it is described as the original well plus two additional wells located in T47N, R04W SEC 11, GOVERNMENT LOT 01, (NENE), for a total of three wells located in T47N R04W SEC 11, GOVERNMENT LOT 01 (NENE).

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced amendment must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before October 19, 1998.

KARL J. DREHER, DIRECTOR

Legal 8
October 1, 8, 1998

RECEIVED

OCT 13 1998

NORTHERN REGION
IDWR

NOTED

NOTED



IDAHO DEPARTMENT
OF HEALTH AND WELFARE

DIVISION OF
ENVIRONMENTAL QUALITY

2110 Ironwood Parkway, Coeur d'Alene, ID 83814-2648, (208) 769-1422

Philip E. Batt, Governor

October 14, 1998

Bob Redmond, Sec./Treas.
Covehaven Owners Association
4343 S. Greystone Lane
Spokane, WA 99223

RECEIVED
OCT 16 1998
NORTHERN REGION
IDWR

RE: **As-built Plans for Wells #2 and #3, Cove Haven Water System**

Dear Mr. Redmond:

As-built plans and specifications submitted by James DeSmet, P.E. of Quantum Environmental on July 1, 1998 for construction of Wells #2 and #3 and for construction of associated piping to and inside the pumphouse have been reviewed. They were found to be in accordance with Idaho Rules for Public Drinking Water Systems and are approved as the record drawings for this project in accordance with Section 39-118 of Idaho Code.

This approval is contingent upon the following:

1. Sheet 3 of 4 of the as-built plans needs to be submitted because it appears to have been missed with the July submittal.
2. From the letter in your engineer's submittal, it appears a 13 foot deep bentonite surface seal on Well #2 was installed after the well drilling equipment had left the site. The Idaho Department of Water Resources (DWR) Minimum Well Construction Standards require a surface seal to at least 18 feet. With placement of the seal done by excavating around the finished well casing, it is questionable whether the well driller could have installed the required depth of surface seal by open excavation. To offset the shallow depth seal, DEQ recommends that the Association contour the ground surface for 50 feet around the casing to divert surface water away from the casing and install a 10 foot diameter sloped horizontal barrier of impermeable material (e.g. a 6-12 inch thick bentonite soil mixture or membrane covered by 12-inches of topsoil) to augment the shallow surface seal depth. DEQ will accept the surface seal on Well #2, if well construction is accepted by the DWR.
3. We assume that Well #4 has been properly abandoned as required by the DWR Minimum Well Construction Standards.
4. The Association needs to provide DEQ with evidence that the two new wells are located on Association property or separately owned 50 foot diameter well lots and are capable of exceeding the minimum separation distances from sources of contamination for a well as listed in the DEQ letter to your engineer dated April 17, 1998. A written statement from the Association Board of Directors testifying to ownership of the land where the wells are located and stipulating that the minimum separation distances are exceeded might suffice in this matter.

MICROFILMED
NOV 27 1998

RE: As-built Plans for Wells #2 and #3, Cove Haven Water System

October 14, 1998

Page 2

5. An explanation is needed from the engineer pertaining to installation of insulation above parts of the new water lines from both wells. A detail showing the trench cross-section and indicating the stationing for the beginning and end of the insulation should be added to the plans.
6. Certification of North Creek Analytical as a certified testing lab in Idaho needs to be provided. Our information suggest that this lab may not be certified to perform drinking water analyses. If certified, the test results need to be submitted using the Idaho reporting format for these results.
7. The results for the SOC and VOC testing from Well #2 and #3 sample need to be submitted to DEQ.
8. Sampling results from nitrate/nitrite analysis and bacteriological tests on each well were received and found acceptable. Resamples as recommended by your engineer for lead, iron, manganese, and zinc from Well #2 were found acceptable except the iron level at 0.313 mg/l is slightly above the 0.3 mg/l level recommended without treatment. Additional recommended samples from Well #3 need to be completed.
9. A calculation of the Langlier Index for both wells needs to be provided. Our calculation suggests that Well #2 is moderately aggressive and Well #3 is highly aggressive. A corrosion control plan may be necessary if lead and copper monitoring of the distribution system indicates a problem.
10. For information of full water quality compliance of the two new wells, please contact Tony Davis at this office.
11. A legible copy of the well logs for both Well #2 and #3 needs to be submitted for our records.
12. As-built plans for completion of Well #1 (well log, test pumping data, plans for connection to the system) were never submitted to DEQ. The Association is required to produce this information for DEQ review and approval. The sustained yield from Well #1 needs to be documented.
13. The well test pumping data has been interpreted by your engineer to establish a sustained yield from Well #2 at 4.0 gpm and from Well #3 at 12.0 gpm. The combined yield from all three well sources needs to satisfy the total production demand previously established of 34 gpm serving the 32 residential lots in the development. If the combined source capacity is less than the design capacity, how does the Association plan to address the need for additional water supply?

COVHAVWL.AP2


MICROFILMED

NOV 27 1998

RE: **As-built Plans for Well #2 and #3, Cove Haven Water System**
October 14, 1998
Page 3

We need a written response from the Association and/or your engineer addressing the items listed above. Please submit this response before **December 31, 1998** so we can be assured the Cove Haven water system is being advanced toward full compliance with the Idaho Rules for Public Drinking Water Systems.

Sincerely,



Gary J. Gaffney, P.E.

c: Jim DeSmet, Quantum Environmental, South 2195 Silver Beach Loop, CdA
Tony Davis, DEQ - Coeur d'Alene
Bob Daggitz, IDWR, 1910 Northwest Blvd., Coeur d'Alene, ID 83814
Jeff Bloomsburg, W. 3005 Sunnyslope Road, Worley, ID 83876

MICROFILMED COVHAVWL.AP2

NOV 27 1998

September 23, 1998

Coeur d Alene Press
Second & Lakeside
Coeur d Alene ID 83814

Re: 95-08834 - NOTICE OF AMENDMENT

Gentlemen:

Enclosed you will find a legal Notice of Amendment of a Permit for a Water Right which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send the Affidavit of Publication, and the bill, to this office before October 19, 1998.

Thank you.

Sincerely,

Dianne Ball
Senior Secretary

Enclosure

MICROFILMED
NOV 27 1998

NOTICE OF AMENDMENT

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-08834 in the name of Covehaven Owners Association, 4343 Grey Stone Lane, Spokane, WA 99223, was amended.

The location of the point of diversion was originally described as an individual well located in T47N R04W SEC 11, GOVERNMENT LOT 01 (NENE); whereas, amended it is described as the original well plus two additional wells located in T47N, R04W SEC 11, GOVERNMENT LOT 01, (NENE), for a total of three wells located in T47N R04W SEC 11, GOVERNMENT LOT 01 (NENE).

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced amendment must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before October 19, 1998.

KARL J. DREHER, DIRECTOR

Published in the Coeur d Alene Press on October 1 and 8, 1998.

RECEIVED

NOV 27 1998

SD-0603-2 Township: 47N Range: 04W				Section: 11	Tract:	Lot:			
S	Year:	Region:	Max # Records	12	L				
E	A	Permit	Name	W	S	O	Approval	S	
L	Sec Tract	Lt c	Number	Last, First	U	T	G	P	
							Date		
	NENE	V	95-96-N-0154-000	SCHWEITZER, ED	D	C	00/00/0000		
	NENE 01		95-93-N-0246-000	ALLEN, JAMES R	C	P L	12/13/1993		
	NENE 01 L		95-93-N-0246-100	ALLEN, JAMES R	C	P L	12/13/1993		
	NENE 01 L		95-93-N-0246-101	ALLEN, JAMES R	C	F L	01/10/1996		
	NWNE	L	95-97-N-0043-000	SCHWEITZER, EDWARD	D	F L	06/05/1997		
	NWNE		95-93-C-0075-000	KELLY, DAVE	D	P L	05/10/1993		
	#2* NWNE	L	95-97-N-0053-000	COVEHAVEN OWNERS AS	C	F L	06/19/1997		
	#3* NWNE	L	95-97-N-0107-000	COVEHAVEN OWNERS AS	C	P L	09/15/1997		
	SENE		95-87-N-0070-300	BUDDRIUS, DEWAYNE S	D	L	00/00/0000		
	SENE		95-87-N-0071-000	BUDDRIUS, DEWAYNE S	D	L	00/00/0000		
	SENE		95-87-N-0075-300	BUDDRIUS, DEWAYNE	D	L	00/00/0000		
	NESE		95-87-N-0077-000	ZEUBCHEL, ALAN	D	L	00/00/0000		

(Enter=Continue)

(GOLD7=This Query)

(Menu _____)

MICROFILMED
NOV 27 1998

NOTICE OF AMENDMENT

*W, please review -
see attached well info.*

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-08834 in the name of Covehaven Owners Association, 4343 Grey Stone Lane, Spokane, WA 99223, was amended.

The location of the point of diversion was originally described as an individual well located in T47N R04W SEC 11, GOVERNMENT LOT 01 (NENE); whereas, amended it is described as one well located in T47N, R04W SEC 11, GOVERNMENT LOT 01, (NENE) and two additional wells located in the NWNE of T47N, R04W SEC 11.

*NE 1/4 NE 1/4 **

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced amendment must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before October 19, 1998.

*Well # 2 + #3 are
located in the
NWNE according
to the well drill
apps + logs.
↓*

KARL J. DREHER, DIRECTOR

AS
9/16/98
Published in the Coeur d Alene Press on October 1 and 8, 1998.

MICROFILMED

NOV 27 1998

** - IT APPEARS TO ME THAT THE WELL DRILLING
PERMITS INCORRECTLY LIST THE LEGAL DESCRIPTION
WITHIN NW 1/4 NE 1/4. THE PERMIT (WATER RIGHT)
AND AMMENDMENT + MAPS SHOW NE 1/4 NE 1/4.
THAT IS THE LEGAL DESCRIPTION WE SHOULD
ADVERTISE.*

Permit No. 95-08834 Reviewed by [Signature] Date 11-21-96

TYPES OF USE

dom.

Correct Uses? yes

SOURCE OF WATER

✓ Ground water source

no Copy in the file?

Drilling Permit No. 95-93-N-0246-000

200- Amount paid for permit

yes Correct?

no Well log in the file?

MEASURING DEVICE

no Required?

Amount Submitted

UES Installed?

Correct?

Waiver requested?

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

DEFICIENCIES OR ACTION ITEMS

advise permit holder of domestic limitations.
roof acceptable.

New Address *V* Proof Made *10-21-96*



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 21, 1996

COLEHAVEN OWNERS ASSN INC
25630 COVE POINT RD
WORLEY ID 83876

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08834

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that by submitting proof for 600 gallons per day, your license will reflect a much lower rate of diversion than you were originally permitted for and additional water can not be developed under this permit.

Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

If you have questions concerning the field examination, contact the **NORTHERN** Regional Office in Coeur d'Alene, at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED
DEC 02 1996

RECEIVED

OCT 21 1996

25630 Cove Point Rd
Worley, ID 83876
11 October 1996


Department of Water Resources

Department of Water Resources
1301 N. Orchard St.
Statehouse Mall
Boise, ID 83720

Dear Sir or Madame,

Because this well has a recharge capacity of 600 gal/day, I assume that
no license examination fee is required.

Sincerely,


James Allen, Pres. (509) 332-7526 (w)
Covehaven Owners Association

MICROFILMED
DEC 02 1996

September 30, 1996

COVEHAVEN OWNERS ASSN INC
JAMES R ALLEN PRESIDENT
25630 COVE POINT RD
WORLEY ID 83876

PROOF DUE NOTICE

RE: PERMIT NO. 95-08834

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
DEC 02 1996



ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 95-08834 Reviewed by [Signature] Date 12-5-95

BASIC INFORMATION

11-27-95 Date stamp received

yes Extension received timely

yes Fee received and receipted

yes Name and signature same as permit

yes Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?

_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN *Recommend extend to Dec. 1, 1996, on basis of due diligence.*

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address 25630 Cove Point Wy.

Change Proof Due Date 12-1-96

Change Priority Date X

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES

JUL 03 1996

WELL DRILLER'S REPORT

Use Typewriter or Ballpoint Pen

Office Use Only			
Inspected by			
Twp	Rge	Sec	
1/4	1/4	1/4	
Lat	:	:	Long

1. DRILLING PERMIT NO. 95-93-N-246-101

Other IDWR No.

95-08834

2. OWNER

Well Number:

Name COVEHAVEN OWNERS ASSOC. 378


Address RT 1 BOX 71-A

City WORLEY

State ID Zip 83867

3. LOCATION OF WELL by legal description

sketch map location must agree with written location

Twp. 47 ☒ North or ☐ SouthRge. 04 ☐ East or ☒ West

E Sec. 11 1/4 NE 1/4 NE 1/4

Gov't Lot County KOOTENAI

Lat: : : Long: : :

Address of Well Site Above Lowmiester Bay
City

(Give at least name of road + Distance to Road or Landmark)

Lt. Blk. Sub. Name

4. USE:

☐ Domestic ☒ Municipal ☐ Monitor ☐ Irrigation☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement, etc.)

☐ New Well ☒ Modify ☐ Abandonment ☒ Other Deepen 2nd time

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	

Was drive shoe used? ☐ Y ☐ N Shoe Depth(s)Was drive shoe seal tested? ☐ Y ☐ N How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
5	175	235	.250	STEEL	☒	☐	☒	☐

Length of Headpipe Length of Tailpipe

9. PERFORATIONS/SCREENS

☒ Perforations Method TORCH☐ Screens Screen Type

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
215	235	1/4X6	40	5	STEEL	☒	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

184 ft. below ground Artesian pressure lb.

Depth flow encountered ft. Describe access port or control devices:

11. WELL TESTS:

☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
30+			

Water Temp. Bottom Hole Temp

Water Quality test or comments:

Depth first Water encountered

12. LITHOLOGIC LOG:(Describe repairs or abandonment)

				Water	
Bore Diam	From	To	Remarks: Lithology, Water Quality, Temperature	Y	N
6	190	235	Basalt Broken	☒	☐
6	235	240	Clay Redish Brown	☐	☒
	0	0	Basalt Interbeds	☐	☐
	0	0	2 Hours Development time	☐	☐
	0	0	3 Hours to Open Hole up for 5" casing	☐	☐
RECEIVED AUG 22 1996 Department of Water Resources MICROFILMED DEC 02 1996					
Completed Depth 239' (Measurable)					
Date: Started 04/22/96 Completed 04/23/96					

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name H2O WellService, Inc. Firm No. 448

Firm Official *[Signature]* Date 5-2-96

and

Supervisor or Operator *[Signature]* Date 5-3-96

(Sign Once if Firm Official and Operator)

NENE 11 47N 4W



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 5, 1995

Colehaven Owners Assn. Inc.
25630 Cove Point Rd.
Worley, ID 83876

RE: Permit No. 95-08834

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to **December 1, 1996**. Please note that the department has granted this extension based on **due diligence**. It is important that you work diligently toward the completion of this project during the construction period allowed since the department **will not** be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any assistance, please feel free to contact me at (208)327-7900.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office

JAN 31 1996

September 30, 1995

COVEHAVEN OWNERS ASSN INC
JAMES R ALLEN PRESIDENT
RT 1 BOX 71A
WORLEY ID 83876

PROOF DUE NOTICE

RE: PERMIT NO. 95-08834

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

JAN 31 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 17, 1993

COVEHAVEN OWNERS ASSN INC
JAMES R ALLEN PRESIDENT
RT 1 BOX 71A
WORLEY ID 83876

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08834

Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under Condition No. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECORDED

JAN 21 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

Application #: 95-8834 Date: 11/15/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____
SYSTEM COMPLETED:
No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - NA
GROUNDWATER:
+ 0.2 cfs <flo-ch> - 01G-P03 (new), 01C-P03 (existing), NMR
- 0.2 cfs - NMR <flow chart>
Drilling Permit:
Included w/permit - Permit No. _____, P99
Existing well - N/A (if drilled before 7/1/87)
No WD permit? - 046-46A<Irr>-46B-P23 (if drilled after 7/1/87)
SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>
LOCATION:
Water District - WD No. _____
Surface water - 005 (req) 01J-P08 <flow chart>
(doesn't sink) or 01H-P01 <flow chart>; NMR
Groundwater - P05 (if well has not been drilled)
In stream channel - 030 (stream channel alteration)
Irrigation Dist. - 023
Canal Co. Areas - 023
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (Groundwater temperature)
Swan Falls Flag - B <See condition code chart>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA
RIVER BASINS (Surface): Water District Control Condition (005) &....
Boise (63) - 05A (req), 11E (non-domestic use), NA
Payette (65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA
USE:
Fish Propagation - 010/06A/09E-P10(WQ) & 07A-042 (req)
444 (N 1000 Spr)
Irrigation - 803(if GW use SW 1st)(+5A do POU comp.), NA
Power - 08A-17K-025-027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Mining - 06A/010/09E-P10 & 054 (req)
Storage(✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R + L Peak), 27A(Payette R), NA
OWNERSHIP:
Non land owner - 004 (P/D or P/U)
PROTESTED:
Prehearing agreement- 020
OTHER CONDITIONS: -
REMARKS: - ① W01(33) ② W04 ③ W05
BENEFICIAL USE DUE: - 12-1-1995
COMMENTS: - ① Div Desc.

WR0749NP
No. P95-08834

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/15/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD		DIVERSION RATE	DIVERSION VOLUME
				FROM	TO		
C	COVEHAVEN OWNERS ASSN INC JAMES R ALLEN PRESIDENT RT 1 BOX 71A WORLEY ID 83876 (509) 332-7526	09/29/1993	IRRIGATION DOMESTIC	03-15	11-15	0.18 CFS	
				01-01	12-31	0.18 CFS	
				TOTAL DIVERSION:		0.18 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T47N R04W S11 Lot 01(NE NE)

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				SUM
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	
47N	04W	11	: 01-10		03-05	:					:					15.0
															TOTAL ACRES	15.0

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: KOOTENAI

Other Water Rights with Same Point(s) of Diversion and Source:
95-08834

Other Water Rights Listing Overlapping Place(s) of use:
95-08209 95-08834

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
- date of permit issuance and shall proceed diligently to
- completion unless it can be shown to the satisfaction of the
- Director of the Department of Water Resources that delays were
- due to circumstances over which permit holder had no control.
- 046 - Right holder shall comply with the drilling permit
- requirements of Section 42-235, Idaho Code.
- 46A - A well drilled pursuant to this permit must be located at least
- 500 feet from any existing well. Well spacing closer than 500
- feet must be approved by the Department of Water Resources.
- 46B - Construction of the well must comply with Idaho well
- construction standards.
- 03A - The rate of diversion of water for irrigation under this right
- and all other water rights on the same land shall not exceed 0.02
- cubic feet per second for each acre of land.

Remarks: Domestic use is for 33 homes.
The domestic use authorized under this permit shall not exceed
13,000 gallons per day per dwelling in accordance with
Section 42-111, Idaho Code.

WR0749NP
No. P95-08834

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/15/93
PAGE: 2

=====

Dates:	App. Received:	09/29/1993	Priority Date:	09/29/1993
	Proof Due Date:	12/01/1995	Proof Made Date:	
	Exam Made Date:		Exam Sent to S.O.:	
	Licensed Date:			

Misc: Water District Number: Field Exam Fee:

Comments: Date: 10/08/1993 User-ID: STYPA Subject: DIVERSION DESCRIPTION
Well, reservoir and delivery system.
Well is 8" in diameter; 200 ft. deep.

Audit: 11/15/93 ZIMMERMA

(WATER RIGHT NUMBERS THAT BEGIN WITH AN "1" ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	SE																SUM				
		NE				NW				SW				SE								
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac					
9508834	T47N R04W S11 GROUNDWATER																					15
	: 01-10																					
	NO MATCHES FOR THIS POU IN AJ-POU																					
9508209	SPRINGS																					4
	: 03-02																					
	NO MAPPING INFO AVAILABLE																					

No. a
4/87-06/92n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
NOV 09 1993

APPLICATION # _____

Department of Water Resources

***** INITIAL REVIEW *****

APPLICANT: COVENAVEN

BY: AB

DATE: 10 / 1 / 93

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
- ☒ Field report attached
- ☒ Analysis Supp. attached(>5cfs/500af)
- ☒ Water delivered by water master?
- Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 9 / 29 / 93

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: ☒

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: ☒

LIST OF OFFICERS

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- ☐ Groundwater management area
- ☐ Critical ground water area
- ☐ Well Drilling Permit required
- ☐ Well Drilling Application and Fees received
- ☐ Well Drilling Application approved?
- ☐ Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ☐ Notice of pending void order issued. Final order response date: ____/____/____
- ☐ Further information required from applicant
- ☒ Affidavit of publication received
- ☒ Application published correctly, If not, record action taken: _____
- ☒ Publication dates and paper recorded on application | Sr. Agent initial AB
- ☒ Protests received. Final protest date: 11/8/93
- ☐ Measuring device required
- ☐ Measuring port required
- ☐ Special conditions: _____
- ☐ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB RMA

Date: 11 / 2 / 93

95-08834

COVEHAVEN OWNERS ASSN INC
JAMES R ALLEN PRESIDENT
RT 1 BOX 71A
WORLEY, ID 83876

Source: GROUNDWATER

Diversion Pt: LOT 1 (NENE) Sec 11 T 47N R 04W in KOOTENAI County.

Use: IRRIGATION (.180 CFS)
DOMESTIC (.180 CFS)
Total Diversion: (.180 CFS)

Date Filed: 9/29/1993

In: KOOTENAI County
T47N R04W S11 Lot 1(NENE) Lot 3(SENE)

15.0 ACRES TOTAL

JAN 21 1994

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Ken Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *legal notice*

of which the annexed is a printed copy, was published in the regular *Share* issue of said newspaper for *1* consecutive *weeks* commencing on the *24th* day of *October*, 19*93*, and ending on the *31st* day of *October*, 19*93*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *24th* day of *October*, 19*93*

Roberta S. Enley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

OCT 29 1993

2-5-99

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public water of the State of Idaho:
LLOYD, JERRY
304 W 15TH ST
POST FALLS, ID 83854
Source: SPRING. Tributary: LATOUR CREEK.
Diversion Pt: NWSENW Sec 13 T 48N R 01W in KOOTENAI COUNTY.
Use:

DOMESTIC (040 CFS)
Total Diversion: (040 CFS)
Date Filed: 10/5/1993

In: KOOTENAI County
T48N R01W S13 SENW
95-08830

PENNESTRI, MICHAEL A
2637 TENNYSON ST
THOUSAND OAKS, CA 91360

Source: GROUNDWATER.
Diversion Pt: SENW Sec 12 T 50N R 06W in KOOTENAI County.

Use: IRRIGATION (160 CFS)
STOCKWATER (020 CFS)
DOMESTIC (040 CFS)
Total Diversion (200 CFS)

Date Filed: 9/27/1993
In: KOOTENAI County
T50N R06W S12 SENW
8.0 ACRES TOTAL
95-08831

KEMP, DEBORAH
HARBOR PLAZA STE 103
COEUR D'ALENE, ID 83814
Source: COEUR D'ALENE LAKE.
Tributary: SPOKANE RIVER
Diversion Pt: SWSW Sec 28 T 50N R 03W in KOOTENAI County.

Use: DOMESTIC (040 CFS)
Total Diversion (040 CFS)

Date Filed: 9/29/1993
In: KOOTENAI County
T50N R03W S28 SWSW
95-08832

LIDER, EDWARD
LIDER, JOYCE
4301 HOLMES RD
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: SWSSE Sec 9 T 50N R 03W in KOOTENAI County.

Use: DOMESTIC (100 CFS)
Total Diversion (100 CFS)
Date Filed: 10/1/1993
In: KOOTENAI County
T50N R02W S09 SESE
95-08833

LIDER, EDWARD
LIDER, JOYCE
4301 HOLMES RD
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: SESWSE Sec 9 T 50N R 03W in KOOTENAI COUNTY.

Use: DOMESTIC (040 CFS)
Total Diversion (040 CFS)
Date Filed: 10/1/1993
In: KOOTENAI County
T50N R03W S09 SESE
95-08834

COVEHAVEN OWNERS ASSN INC
JAMES R ALLEN PRESIDENT
RT 1 BOX 71A
WORLEY, ID 83876
Source: GROUNDWATER
Diversion Pt: LOT 1 (NENE) SEC 11 T 47N R 04W in KOOTENAI County.

Use: IRRIGATION (180 CFS)
DOMESTIC (180 CFS)
Total Diversion (180 CFS)
Date Filed: 9/29/1993
In: KOOTENAI County
T47N R04W S11 Lot 1 (NENE) Lot 3 (SENE)
15.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.
The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before NOVEMBER 8, 1993.

R. KEITH HIGGINSON, Director
Published: 10/21/1993 & 10/28/1993
Legal 131

NOTARIAL SEAL

JAN 21 1994

**Covehaven Owners Association, Inc.
Officers and Board of Managers
1993**

**James R. Allen, President
NE 1165 Lybecker
Pullman, WA 99163**

**Robert Redmond, Secretary/Treasurer
E. 3807 16th
Spokane, WA 99223**

**Donald Johnson
Rt. 1 Box 71A
Worley, ID 83876**

**Sallie Gordon
25680 S. Cove Point Rd
Worley, ID 83876**


**Richard Herdner
S. 5615 Willamette
Spokane, WA**

Note: The above are mailing addresses. All board members own property in the Covehaven development.

MISSING

JAN 21 1994

LAKE COEUR D'ALENE (LOWMEISTER BAY)



SHEET 2 OF 4

W/2, E/2, SEC. 11



LEGEND

- FOUND POINTS SHOWN
- SET 1/2" IRON ROD & CAP
- DRAINAGE ESMT / BUILDING SETBACK LINE

LEGEND


- FOUND POINT AS SHOWN
- SET 1/2" IRON ROD & CAP
- SET 2" IRON PIPE IN CONCRETE
- DRAINAGE ESMT / BUILDING SETBACK LINE
- UTILITY EASEMENT

W/2, E/2, SEC. 11

BASIS OF BEARING
BASIS OF BEARING IS RECORD OF SURVEY
BY EARL E. SANDERS, 1/29/81, BOOK 2 OF
SURVEYS, PAGE 244.

Covehaven Owners Assoc.

MECKEL ENGINEERING 402 IDAHO AV COEUR D'ALENE, ID	
IN GOVT LOTS 1, 3, SEC. 11, T. 47N, R. 12E	
SCALE: 1" = 100'	DRN: D.K.
DATE: 5-5-86	CKD:





State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION,
(208) 769-1450

Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

~~(208) 769-1450~~

Fax (208) 769-1454

CECIL D. ANDRUS

October 14, 1993

R. KEITH HIGGINSON
Director

Covehaven Owners Assn.
Rt. 1 Box 71A
Worley, Id. 83876

Gentlemen:

Subject: Water Application for Permit Number 95-8834.

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N7017. Please refer to your Application for Permit Number in future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent

JAN 21 1994