

NE1/4 NE1/4	NE1/4 NE1/4
SE1/4 NE1/4	SE1/4 NE1/4
SW1/4 NE1/4	SW1/4 NE1/4
40 AC.	40 AC.
160 AC.	160 AC.
320 AC.	320 AC.

NUMBER SYSTEM
SECTION

With given bearings and distances
traverse closure. All other parcels
the accurate means possible
i.e. L&W, triangles, planimeter,
are shown are not assessable;
has been removed.

S OF SURVEY WERE USED FOR ACREAGE CALCULATIONS:
+ 1972.
ARE HEIGHTS 1ST ADDITION PLAT

T. 50 N.
R. 3 E.

BENNETT BAY

29 28
32 33

POINT OF
DIVERSION




SCALE 1 inch = 100 feet

SCALE 1 inch = 100 feet

Pt # 991
CE 5050

RECEIVED
JAN 21 1994




By Whom Surveyed	Date of Contract	Amount of Surveys M. Ch. Lk.	When Surveyed	Mear Declination
James H. Smith	Jan'y 25th 1891	6 40 00	Mar 22. Dec. 12. 1891	





PV



PD



Pressure Tank
→
Electrical

MURPHY MEN

AUG 28 1995

95-8831

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Kim Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *legal notice*

of which the annexed is a printed copy, was published in the regular *times* issue of said newspaper for *1* consecutive *weeks* commencing on the *28th* day of *October*, 19*93*, and ending on the *31st* day of *October*, 19*93*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *28th* day of *October*, 19*93*.

Roberta Inmanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

OCT 29 1993

2-5-99

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public water of the State of Idaho:
LLOYD, JERRY
304 W 15TH ST
POST FALLS, ID 83854
Source: SPRING. Tributary: LATOUR CREEK.
Diversion Pt: NWSN Sec 13 T 48N R 01W in KOOTENAI COUNTY.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 10/5/1993
In: KOOTENAI County
T48N R01W S13 SENW
95-08830
PENNESTRI, MICHAEL A
2637 TENNYSON ST
THOUSAND OAKS, CA 91360
Source: GROUNDWATER.
Diversion Pt: SENW Sec 12 T 50N R 06W in KOOTENAI County.
Use: IRRIGATION (.160 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion (.200 CFS)

Date Filed: 9/27/1993
In: KOOTENAI County
T50N R06W S12 SENW
8.0 ACRES TOTAL
95-08831

KEMP, DEBORAH
HARBOR PLAZA STE 103
COEUR D'ALENE, ID 83814
Source: COEUR D'ALENE LAKE.
Tributary: SPOKANE RIVER
Diversion Pt: SWSW Sec 28 T 50N R 03W in KOOTENAI County.
Use: DOMESTIC (.040 CFS)
Total Diversion (.040 CFS)

Date Filed: 9/29/1993
In: KOOTENAI County
T50N R03W S28 SWSW
95-08832

LIDER, EDWARD
LIDER, JOYCE
4301 HOLMES RD
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: SWSW Sec 9 T 50N R 03W in KOOTENAI County.
Use: DOMESTIC (.100 CFS)
Total Diversion (.100 CFS)

Date Filed: 10/1/1993
In: KOOTENAI County
T50N R02W S09 SESE
95-08833

LIDER, EDWARD
LIDER, JOYCE
4301 HOLMES RD
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: SESW Sec 9 T 50N R 03W in KOOTENAI COUNTY.
Use: DOMESTIC (.040 CFS)
Total Diversion (.040 CFS)

Date Filed: 10/1/1993
In: KOOTENAI County
T50N R03W S09 SESE
95-08834

COVEHAVEN OWNERS ASSN INC
JAMES R ALLEN PRESIDENT
RT 1 BOX 71A
WORLEY, ID 83876
Source: GROUNDWATER
Diversion Pt: LOT 1 (NENE) SEC 11 T 47N R 04W in KOOTENAI County.
Use: IRRIGATION (.180 CFS)
DOMESTIC (.180 CFS)
Total Diversion (.180 CFS)

Date Filed: 9/29/1993
In: KOOTENAI County
T47N R04W S11 Lot 1 (NENE) Lot 3 (SENE)
15.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before NOVEMBER 8, 1993.

R. Keith Higginson, Director
Published: 10/21/1993 & 10/28/1993
Legal 131
Oct. 21, 28, 1993

NOT RECORDED

JAN 21 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08831

Priority: September 29, 1993

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that DEBORAH KEMP

HARBOR PLAZA STE 103

COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 29, 1993; and has submitted Proof of Beneficial Use on November 21, 1994. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2 (SWSW), Sec. 28, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 03W 28 Lot 2 (SWSW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use is located within Lots 3 & 4, Kildare Heights Subdivision.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 3rd day of August, 1995.

Acting for

KARL J. DREHER, Director

RECEIVED
NOV 7 1994
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08831 Telephone No. (208) 664-1190
2. Name(s) of Permit Holder(s): DEBORAH KEMP
3. Mailing Address: HARBOR PLAZA SUITE 103 COA 10 83814
4. Source of Water: Lake If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____
 - a. Well Driller: NA Drilling Permit Number: ____ - ____ - ____ - ____
 - b. **OPTIONAL:**
Pump Horsepower: ____ Pressure (psi): ____ Dynamic pumping level (ft): ____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): ____
Irrigation (No. of acres): ____ Other: ____
6. Total rate of diversion and/or volume for which proof is submitted: ____ cfs OR ____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes ____	or	No <u>X</u>
	Has the measuring device been installed?	Yes ____	or	No <u>X</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes ____	or	No <u>X</u>
	Has the measurement port been installed?	Yes ____	or	No <u>X</u>
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: DEBORAH KEMP Telephone Number: 664-1190
Address: Harbor Plaza Suite 103 COA 10 83814
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.
Signature of permit holder: Deborah Kemp Date: 11/14/94
(include your title, if on behalf of company or organization)

DEC 21 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08831

Proposed Priority: September 29, 1993 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **DEBORAH KEMP**
HARBOR PLAZA STE 103
COEUR D ALENE ID 83814
has applied for a permit to appropriate water from:

COEUR D ALENE LAKE tributary of SPOKANE RIVER

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 2 (SWSW), Sec. 28, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC
50N 03W 28 Lot 2(SWSW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1994.**
2. Subject to all prior water rights.
3. The issuance of this right in no way grants any right-of-way or easement across the land of another.
4. Place of use is located within Lots 3 & 4, Kildare Heights Subdivision.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

17th day of November, 1993

[Signature]
for R. Keith Higginson, Director

APPROVED

JAN 21 1994

RECEIVED
NOV 09 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8831

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant

DEBORAH KEMP

Phone

765 8600

Post office address

Harbor Plaza Suite 103 COA ID 83814

2. Source of water supply

LAKE COE ULD'ALONE

which is a tributary of SPOKANE RIVER

3. Location of point of diversion is

1/4 of

SW

1/4 of

SW

1/4, Govt. Lot

2

Sec.

28

Township

50N

Range

3W

B.M.

KOOTENAI

County; additional

points of diversion if any:

4. Water will be used for the following purposes:

Amount

0.04

for DOMESTIC

purposes from

Y.

to

12/31

(both dates inclusive)

Amount

for

purposes from

to

(both dates inclusive)

Amount

for

purposes from

to

(both dates inclusive)

Amount

for

purposes from

to

(both dates inclusive)

5. Total quantity to be appropriated is (a)

0.04

and/or (b)

cubic feet per second

acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

PUMP IN LAKE

b. Height of storage dam

feet; active reservoir capacity

acre-feet; total

reservoir capacity

acre-feet; period of year when water will be diverted to storage:

to

inclusive.

c. Proposed well diameter is

inches; proposed depth of well is

feet.

d. Is ground water with a temperature of greater than 85°F being sought?

e. If well is already drilled, when?

Drilling firm

Well was drilled for (well owner)

JAN 21 1994

7. Time required for the completion of the works and application of the water to be proposed beneficial use is

1

years (minimum 1 year).

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. 1 _____

e. Other; describe fully. _____

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

ponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated.

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? STATE OF IOWA (DEPT. OF LANDS)

b. Who owns the land to be irrigated or place of use?

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

12. Remarks:

This image shows a full page of blank graph paper. The grid consists of small squares formed by thin black lines. There are no margins, text, or other markings on the page.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant

Received by AS Date 9/29/93 Time 1:30 Preliminary check by AS
Fee \$ 30.00 Received by AS # N-7016 Date 9/29/93
Publication prepared by [Signature] Date 10/13/93 Published in CDR News
Publication approved [Signature] Date 10/29/93
10/21-28/93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

UNRECORDED

JAN 21 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 3, 1995


DEBORAH KEMP
HARBOR PLAZA STE 103
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08831

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED

AUG 28 1995

LICENSE REVIEW
Cindy Zimmerman

Permit #: 95-8831 Name: Kemp Date: 7/31/95
App Rcd 9/29/93 Priority 9/29/93 Examined 6/1/95 ✓ Lots ✓

NAME Chng OK ✓ Or Address Change?

SOURCE — ✓ Clarify source —
— Prelim. Order to Void - Source change.

P/D — ✓ Amendment Needed? LT 2 -P39, P38
Overlap(s) —

P/U — ✓ Amendment Needed? LT 2 -P41, P38
Overlap(s) —
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies)

RATE — ✓ Permit/fee limits: 0.04/0.04
— ✓ Measured Q= — cfs Theoretical Q= 0.05 cfs
Domestic = 0.04
(HP) $\frac{8.8 \times 0.70 \times 1.5}{75 + (2.31 \times 45)} = \frac{2.24}{178.95} = 0.05 \text{ cfs}$
Recommended capacity 0.05 cfs
Recommended rate 0.04 cfs

VOLUME — ✓ Season of Use: (—) 4/1-12/31 = 365 days
Calculations: dom = 1.2
Flow limit: 0.04 x 365 x 1.9835 = 29.0 AF
Recommended volume 1.2 AF

USES — ✓ Same Nature of Use? — -P46
— Amendment Needed? —

REMARKS — Multiple p/d's in 1/4?
✓ LT 344 Kildane HTS Subd.

CONDITIONS — Measuring (R01)/Locking (R02) Devices
— Watermaster Control (R04) - WD # —
— Irrigation rate/volume overlap
— Irrigation water overlap (065) (If gw use sw)
— Water Quality/Other —

PRIORITY Due 12/1/94 Rc'd 4/21/94 Receipt# CO31700 Fee OK? (Yes) No
Order to Reinstate Needed? Yes (No) Done? —
If Yes, Advanced? Yes/No to: —

COMMENTS: license as permitted

USE	CFS	DIV VOL	Adjustment Memo
<u>Dom/1</u>	<u>0.04</u>	<u>1.2</u>	LICENSE: <u>(P49)</u>
<u>—</u>	<u>—</u>	<u>—</u>	#1 AMEND LTR: <u>P46</u> or
<u>—</u>	<u>—</u>	<u>—</u>	<u>P39/P41/P37 & P38</u>
<u>TOTAL</u>	<u>0.04</u>	<u>1.2</u>	#2 AMEND LTR: <u>P42/P47</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 13 1995

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 95-08831

1. Owner: Deborah Kemp Phone No. (208) 765-8600

Current Address: HARBOR PLAZA STE 103 COEUR D'ALENE ID. 83814

2. Accompanied by: Deborah Kemp EXAM DATE: 6-1-95

Address: SAME AS ABOVE Phone No. _____

Relationship to Permit Holder: _____

3. Source: COEUR D'ALENE LAKE tributary to SPOKANE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	28	50N	03W	KOOTENAI	U.S.G.S. 7.5 min Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	03W	28											D						

AUG 28 1995

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



Scale: 1" = 1/2 mile
 Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached of 10+ acres (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Submersible	1.5		GRUNDFOSS	9345

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

AUG 28 1995

RECEIVED

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

RECEIVED
AUG 28 1995

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

DOMESTIC

Period of Use

From 01-01 To 12-31

Rate of Diversion

Q (cfs) 1.04

Annual Volume

V (afa) 1.2

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

Wayne Roberts

Date

6-5-95

Reviewer

Date

SEAL

AUG 28 1995

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08831

DATE: 5-JUN-95

COMPLETE BY: WAYNE BALDWIN

HORSEPOWER = 1.5


PUMP EFFICIENCY = 60%

DYNAMIC LIFT = 75 FEET

SYSTEM PRESSURE = 45 PSI

QUANTITY = 0.04 CFS

RECEIVED
AUG 28 1995




the Geological Survey

95-0883

SCALE 1:24 000

AUG 28 1995

TEON R



PU

PD

Pressure Tank
Electrical
RECEIVED
AUG 28 1995

95-8831

November 22, 1994

DEBORAH KEMP
HARBOR PLAZA STE 103
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08831

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
DEC 21 1994

September 30, 1994

DEBORAH KEMP
HARBOR PLAZA STE 103
COEUR D ALENE ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08831

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

DEC 21 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

November 17, 1993

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON,
DIRECTOR

DEBORAH KEMP
HARBOR PLAZA STE 103
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08831

Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JAN 21 1994

95-08831

KEMP, DEBORAH
HARBOR PLAZA STE 103
COEUR D ALENE, ID 83814

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: SWSW Sec 28 T 50N R 03W in KOOTENAI County.

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 9/29/1993

In: KOOTENAI County
T50N R03W S28

SWSW

RECORDED

JAN 21 1994

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

legal notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive weeks commencing on the day of 1993, and ending on the day of 1993, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 28th day of October 1993

Roberta Z. Emley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

OCT 29 1993

2-5-99

NOTICE OF APPLICATION FOR WATER RIGHT


The following application(s) have been filed to appropriate the public water of the State of Idaho:
LLOYD, JERRY
304 W 15TH ST
POST FALLS, ID 83854
Source: SPRING; Tributary: LAPOUR CREEK
Diversion Pt: NW 1/4 Sec 18 T 48N R 01W in KOOTENAI COUNTY
Use: DOMESTIC (100 CFS)
Total Diversion: (100 CFS)
Date Filed: 10/6/1993
In: KOOTENAI County
T50N R01W S20SW

Use: DOMESTIC (100 CFS)
Total Diversion: (100 CFS)
Date Filed: 9/27/1993
In: KOOTENAI County
T50N R01W S20SW
3.0 ACRES TOTAL
95-08893
KEMP, DEBORAH
HARBOR PLAZA STE 100
COEUR D'ALENE, ID 83814
Source: COEUR D'ALENE RIVER
Tributary: SPOKANE RIVER
Diversion Pt: SW 1/4 Sec 6 T 48N R 01W in KOOTENAI County
Use: DOMESTIC (100 CFS)
Total Diversion: (100 CFS)
Date Filed: 9/29/1993
In: KOOTENAI County
T50N R01W S20SW
3.0 ACRES TOTAL
95-08892
LIDER, EDWARD
LIDER, JOYCE
4301 HOLMES RD
COEUR D'ALENE, ID 83814
Source: GROUNDFWATER
Diversion Pt: SW 1/4 Sec 18 T 48N R 01W in KOOTENAI County
Use: DOMESTIC (100 CFS)
Total Diversion: (100 CFS)
Date Filed: 10/1/1993
In: KOOTENAI County
T50N R01W S20SW
3.0 ACRES TOTAL
95-08891
LIDER, EDWARD
LIDER, JOYCE
4301 HOLMES RD
COEUR D'ALENE, ID 83814
Source: GROUNDFWATER
Diversion Pt: SW 1/4 Sec 18 T 48N R 01W in KOOTENAI County
Use: DOMESTIC (100 CFS)
Total Diversion: (100 CFS)
Date Filed: 10/1/1993
In: KOOTENAI County
T50N R01W S20SW
3.0 ACRES TOTAL
95-08891
CONWAY, JAMES E
JAMES E. CONWAY INC
RT 1 BOX 70
WONLEY, ID 83854
Source: GROUNDFWATER
Diversion Pt: LOT 10 WINDY SEC 11 T 47N R01W in KOOTENAI County
Use: DOMESTIC (100 CFS)
Total Diversion: (100 CFS)
Date Filed: 9/29/1993
In: KOOTENAI County
T47N R01W S11W Lot 1 (WINDY) Lot 3 (SENE)
3.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at (208) 765-1333.
The permit(s) will be subject to all other water rights. Proclamation issued with the understanding that the Director, Dept. of Water Resources, will then issue a 1976 Proclamation, State 210, Coeur d'Alene, Idaho, 83814, on or before 10/24/1993.
JERRY L. HENDERSON, Director
Published: 10/25/1993 10/26/1993
Legal 131
Oct 27, 28, 1993

MICROFILMED

JAN 21 1994



Fax (208) 769-1454

JAN 21 1994