




MICROFILMED
JAN 11 1999



WELL SERVICE, INC.

582 W. Hayden Avenue
Hayden Lake, Idaho 83835
(208) 772-4004
FAX (208) 772-4892

Invoice

Invoice No.: 5858
Invoice Date:
Page: 2

PENNESTRI, MICHAEL
INSTALL PUMP

TERMS: DUE ON RECEIPT

Quantity	Item Number	Item Description	Unit Price	Discount	Extension	T X
1.00	GN1146	NIPPLE 1 1/4 X 6				
1.00	FS6-2-40-60	40/60 pressure switch				
1.00	PG142100	2" PRESS GAUGE 100PSI				
1.00	GT34	TEE 3/4"				
1.00	GN342	NIPPLE 3/4 X 2				
1.00	RV34200	CMRV 3/4" ADJ 10-200P				
1.00	HB34	HOSE BIB 3/4"				
1.00	CV112B	1 1/2" WELL CHECK BRZ				
130.00	SW1Q4	SUB WIRE 10-3 W/GR				
4.00	GU114	UNION 1 1/4				
126.00	GP112	GALV PIPE 1 1/2"				
5.50	01	SERV. TRUCK & OPER.				
36.00	18	TRAVEL MILES				
1.00	JOB MAT'L & LABOR	AS BID	5430.06	34.2549	3570.00	N
Received \$ 3570.00 Cash						

Remit Payment To:

H₂O WELL SERVICE, INC.
582 W. Hayden Avenue
Hayden Lake, Idaho 83835

(208) 772-4004 • FAX (208) 772-4892

THANK YOU!

Sub Total: 5430.06
Discount: 1860.06
Net Total: 3570.00
Sales Tax:
Invoice Total: 3570.00
Received: 3570.00
Balance: 0.00

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Ken Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The legal notice

of which the annexed is a printed copy, was published in the regular 2 hours issue of said newspaper for 2 consecutive weeks commencing on the 21st day of October, 1993, and ending on the 29th day of October, 1993, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 28th day of October, 1993

Roberta Inmanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

OCT 29 1993

2-5-99

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public water of the State of Idaho:
LLOYD, JERRY
304 W 15TH ST
POST FALLS, ID 83854
Source: SPRING. Tributary: LATOUR CREEK.
Diversion Pt: NWSENW Sec 13 T 48N R 01W in KOOTENAI COUNTY.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 10/5/1993

In: KOOTENAI County
T48N R01W S13 SENW
95-08830

PENNESTRI, MICHAEL A
2637 TENNYSON ST
THOUSAND OAKS, CA 91360

Source: GROUNDWATER.
Diversion Pt: SENW Sec 12 T 50N R 06W
in KOOTENAI County.
Use: IRRIGATION (.160 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion (.200 CFS)

Date Filed: 9/27/1993
In: KOOTENAI County
T50N R06W S12 SENW
8.0 ACRES TOTAL
95-08831

KEMP, DEBORAH
HARBOR PLAZA STE 103
COEUR D'ALENE, ID 83814
Source: COEUR D'ALENE LAKE.
Tributary: SPOKANE RIVER
Diversion Pt: SWSW Sec 28 T 50N R 03W
in KOOTENAI County.
Use: DOMESTIC (.040 CFS)
Total Diversion (.040 CFS)

Date Filed: 9/29/1993
In: KOOTENAI County
T50N R03W S28 SWSW
95-08832

LIDER, EDWARD
LIDER, JOYCE
4301 HOLMES RD
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: SWSSE Sec 9 T 50N R 03W
in KOOTENAI County.
Use: DOMESTIC (.100 CFS)
Total Diversion (.100 CFS)

Date Filed: 10/1/1993
In: KOOTENAI County
T50N R02W S09 SESE
95-08833

LIDER, EDWARD
LIDER, JOYCE
4301 HOLMES RD
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: SESWSE Sec 9 T 50N R 03W
in KOOTENAI COUNTY.
Use: DOMESTIC (.040 CFS)
Total Diversion (.040 CFS)

Date Filed: 10/1/1993
In: KOOTENAI County
T50N R03W S09 SESE
95-08834

COVEHAVEN OWNERS ASSN INC
JAMES R ALLEN PRESIDENT
RT 1 BOX 71A
WORLEY, ID 83876
Source: GROUNDWATER
Diversion Pt: LOT 1 (NENE) SEC 11 T
47N R 04W in KOOTENAI County.
Use: IRRIGATION (.180 CFS)
DOMESTIC (.180 CFS)
Total Diversion (.180 CFS)

Date Filed: 9/29/1993
In: KOOTENAI County
T47N R04W S11 Lot 1 (NENE) Lot 3 (SENE)
15.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before NOVEMBER 8, 1993.

R. KEITH HIGGINSON, Director
Published: 10/21/1993 & 10/28/1993
Legal 131
Oct. 21, 28, 1993

RECORDED

JAN 21 1994

FOR OFFICE USE ONLY
Amt. of Fee \$: 50
Receipt No. 1014588
Receipt By: TS
Date Received: 8-14-01

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

AUG 20 2001

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-08830 Telephone No. (208) 929-1699 - CELL
(208) 457-0684

2. Name of Permit Holder(s): MICHAEL A PENNESTRI

3. Mailing Address: 632 S. RABBIT TRAIL

City POST FALLS State ID Zip 83854

4. Source of Water: GROUNDWATER If GROUNDWATER (well), Date Drilled: mo. _____ / yr. 94

Well Driller: H2O Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 8 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.20 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No ✓

Has the measuring device been installed?

Yes _____ or No _____

8. Fee Enclosed: \$ 50 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: SAME AS ABOVE Telephone Number: _____

Address: _____

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 8-14-01

(include your title, if on behalf of company or organization)

MICROFILMED

OCT 17 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

NOV 27 1998

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 95-08830

Name(s) of Permit Holder: MICHAEL A PENNESTRI

Mailing Address: 2637 TENNYSON ST THOUSAND OAKS CA 91360

Date Proof is Due: _____ Telephone No. _____

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

SEE ATTACHED #1

_____ Costing \$ 9,859.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

SEE ATTACHED #2

Permit holder(s) request an extension to DECEMBER 2000

FEE: \$50.00

[Signature]

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to December 1, 2001.

MICROFILMED

JAN 11 1999

Signed this 11th day of December, 19 98

[Signature]
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08830

Proposed Priority: September 27, 1993 Maximum Diversion Rate: 0.20 CFS

This is to certify, that **MICHAEL A PENNESTRI**
2637 TENNYSON ST
THOUSAND OAKS CA 91360

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.16 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 12, Township 50N, Range 06W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N 06W 12	SENW 8			8

Total number of acres irrigated: 8

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1998.**
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Domestic use is for 1 home.
6. Stockwater use is for 3 cattle and horses.

JAN 21 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08830

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

17th day of November, 1993.

R. Keith Higginson

for
R. Keith Higginson, Director

JAN 21 1994

RECEIVED
NOV 09 1993

Ident. No. 95-8830

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant MICHAEL A PENNESTRI Phone 805 492 5118

Post office address 2637 TENNYSON ST., THOUSAND OAKS, CA
91360

2. Source of water supply GROUND WATER which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SE 1/4 of NW 1/4, Govt. Lot _____

Sec. 12 Township 50N Range 6W B.M. KOOTENAI County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.18 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 10" to 6" inches; proposed depth of well is 130 feet.

d. Is ground water with a temperature of greater than 85°F being sought? NO

e. If well is already drilled, when? YES; Drilling firm H2O

Well was drilled for (well owner) MIKE PENNESTRI 95-93-N-19 (DOMESTIC)
2/5/93

7. Time required for the completion of the works and application of the water to be proposed beneficial use is
5 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW.

- c. Municipal; show name of municipality.
- d. Domestic; show number of households.

- e. Other; describe fully.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

- b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

ponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	TOTALS
50N	6W	12												8					8

Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? APPLICANT


- b. Who owns the land to be irrigated or place of use?

applicant to make this filing.

12. Remarks: Applicant is ~~not~~ ^{eligible} for Drip System To


Remarks: Applicant is installing a drip system to save energy and water. He is unable to complete the entire system quickly. He is asking for at least 5 years to complete the system.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

JAN 21 1994

RECEIVED

e. Other:

permit.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

W.D. PERMIT UPBROKE AT TIME OF FILING

Received by Kew Date 9/27/93 Time 10:18 AM Preliminary check by _____
Fee \$ 30.00 Received by Kew Date 9/27/93 # N-7006 Date 9/27/93
Publication prepared by _____ Date 10/13/93 Published in _____ Date 10/21/93
Publication approved by _____ Date 10/29/93



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

October 12, 2001

MICHAEL A PENNESTRI
632 S RABBIT TRAIL
POST FALLS ID 83854

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08830

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions, please contact the **Northern** Regional Office of the department in Coeur d'Alene at (208) 769-1450.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office

MICROFILMED
OCT 12 2001

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-8830

Reviewed By: dgibson

Date: September 7, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?	X	
License examination fee required?	X		Drilling permit No.:		95-93-N-19
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N014588	Well driller's report filed?	X	
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?		X	Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received	08/14/2001
Date proof due	- 12/01/2001
Lapse notice sent	-
No. of days late	= 0
Holiday allowance	+
Priority date	+ 09/27/1993
New priority date	= 09/27/1993

Deficiencies of Actions Items

Ask that Well Construction review this proof and be sure that their fees are paid. If ok, then mail out the proof acknowledgement letter. Update address. —

9/6 - Lane to April for her review.
Change of address done.

10/5 - April ok'd.

IDAHO DEPARTMENT OF WATER RESOURCES

1301 North Orchard St.

P.O. Box 83720

Boise, ID 83720-0098

(208) 327-7900

TO

L96-08830

SPIRIT LAKE EAST WATER CO

PO BOX 7310

SPOKANE

WA 99207

11 11/20/98

SPIR310
FORWARD
:SPIRIT
15102 E
SPOKANE

992072006 1A97
TIME EXP RTN TO SEND
LAKE EAST WATER CO
INDIANA AVE
WA 99216-1814

RETURN TO SENDER



ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 95-08830 Reviewed by gy Date 12-11-98

BASIC INFORMATION

11-27-98 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
NO Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?

_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN Recommend extend to Dec. 1, 2001, on basis of due diligence.

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address X
Change Proof Due Date 12-1-2001
Change Priority Date X



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 11, 1998

Michael A Pennestri
2637 Tennyson St
Thousand Oaks CA 91360

RE: Permit No. 95-08830

Dear Permit Holder:

I have enclosed a copy of the approved request for extension of time submitted in connection with the above referenced permit, which extends the time within which to submit proof of beneficial use to **December 1, 2001**. Please note that the department granted the extension based on due diligence. It is important that you work diligently towards completion of this project since the department **will not** be able to grant additional extension requests based on due diligence.

Section 42-248, Idaho Code, which became effective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact this office or any regional office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner.

Please contact me at (208)327-7953, if you have any questions regarding this matter.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

Enclosure

c: IDWR - Regional Office

MICROFILMED

JAN 19 1999

#1

I drilled my well, installed a 5 H.P. pump, control box, pressure switch and ect to make the pump operational.

I also installed two v-260 85 gallon pressure tanks in the barn. I have run approximately 600 ft. of 2 inch PVC run under ground at a depth of 5ft. to my upper pasture, future orchard area and house site.


See inclosed drawing.

#2

I am unable to complete the rest by the December 1998 Due date because of a career change in 1996. I now have to wait until age 55 to retire form this job which will be in September of 2000. I have my house plans and I am planning on braking ground for the house in the summer of 2000.

MICROFILMED

JAN 11 1999



MICROFILMED

JAN 11 1980



582 W. Hayden Avenue, Hayden Lake, ID 83835
(208) 772-4004

Mike Danneski

2637 Tennessee St.

Thousand Oaks, Ca 91360

INVOICE NO 011752		INVOICE DATE 2-5-93	
JOB NAME	JOB LOCATION	ORDER DATE	SHIPPED DATE
	Ridgely Rd		
CUSTOMER PHONE #	CUSTOMER ORDER #	SHIP VIA	
805-492-3118		Fox - Charlie	
JOB PHONE	CUSTOMER ORDER #	TERMS	
			750.00 Deposit
CASH	CHARGE	CREDIT	FILLED BY
✓			Brett
Bal. Due Upon Completion			

[illegible]

A restocking charge will be charged on returned goods. Interest will be charged on all past due accounts.

WHITE - ORIGINAL
CANARY - CUSTOMER COPY
PINK - OFFICE COPY
GOLDENROD - PACKING SLIP



WELL SERVICE, INC.

582 W. Hayden Ave.
Hayden Lake, Idaho 83835

6/13/95

Mike Penestry
2637 Tennison St.
Thousand Oaks, CA. 91360

(805)492-5118

RE: Richards Road well project

H2O Well Service proposes to supply and install the following materials at your Richards Road well site. Credit for the 1-1/2" drop pipe and #10 submerible wire will be applied.

Scope of work.

The job involves removal of the existing well pump and installation of a 5 hp pump on 2" galvanized pipe, with #8/4 copper submersible wire. A separate bid of supply for pressure tanks and related items is also included.

Material for the job.

1- Goulds 48GS50412 5 hp 230 volt submersible pump	
1- Franklin 5 hp control box	
1- 5 year pump and motor warranty	
126'- 2" T & C galvanized pipe	
129'- #8/4 submersible wire	
1- 2" check valve	
Total material	2736.48
Labor to pull and set	300.00
Total job	3036.48

Bid of supply:

2- V-260 85 gallon pressure tanks	
1- 40-60 psi pressure switch	
1- 0-100 psi gauge	
1- 3/4" relief valve	
1- 1-1/4" tank cross	
1- 3/4" boiler drain	
Total supply materials	722.51

Credited materials 1-1/2" pipe \$150.00

#10/4 sub wire 38.70

Total credits \$188.70

Grand total

3570.29



WELL SERVICE, INC.

582 W. Hayden Avenue
Hayden Lake, Idaho 83835
(208) 772-4004
FAX (208) 772-4892

Invoice

Invoice No.: 5858
Invoice Date:
Page: 2

PENNESTRI, MICHAEL
INSTALL PUMP

TERMS: DUE ON RECEIPT

Quantity	Item Number	Item Description	Unit Price	Discount	Extension	T X
1.00	GN114A	NIPPLE 1 1/4" X 6"				
1.00	FSG-2-40-60	40/60 pressure switch				
1.00	PG142100	2" PRESS GAUGE 100PSI				
1.00	GT34	TEE 3/4"				
1.00	GN342	NIPPLE 3/4" X 2"				
1.00	RV34200	CMRV3/4" ADJ. 10-200PSI				
1.00	HB34	HOSE BIB 3/4"				
1.00	CV112B	1 1/2" WELL CHECK BRZ				
136.00	SW1Q4	SUB WIRE 10-3 W/BR				
4.00	GU114	UNION 1 1/4"				
126.00	GP112	GALV PIPE 1 1/2"				
5.50	01	SERV. TRUCK & OPER.				
36.00	18	TRAVEL MILES				
1.00	JOB MAT'L & LABOR	AS BID	3430.06	34.2549	3570.00	11
Received \$ 3570.00 Cash						

Remit Payment To:

H₂O WELL SERVICE, INC.
582 W. Hayden Avenue
Hayden Lake, Idaho 83835

(208) 772-4004 • FAX (208) 772-4892

Sub Total:	5430.06
Discount	1860.06
Net Total:	3570.00
Sales Tax:	
Invoice Total:	3570.00
Received:	3570.00
Balance:	0.00

THANK YOU!

A restocking charge will be charged on returned goods. Interest will be charged on all past due accounts.



WELL SERVICE, INC.

582 W. Hayden Avenue
Hayden Lake, Idaho 83835
(208) 772-4004
FAX (208) 772-4892

Invoice

Invoice No.: 5858
Invoice Date: 07/24/95
Page: 1

KT1595
PENNESTRI, MICHAEL
2637 TENNISON ST
THOUSAND OAKS, CA 91360

INSTALL PUMP

TERMS: DUE ON RECEIPT

Quantity	Item Number	Item Description	Unit Price	Discount	Extension	T X
1.00	151	7BGS50412 SHP PUMP				
	SERIAL #C-9511211	MOTOR #2E95 05-094				
1.00	GPROSURANCE25	GOULDS 5YR 2-5HP				
1.00	F50412	FRKLN SHP SUB MOTOR				
121.00	GP12	GALV PIPE 1 1/2"				
1.00	GP212	GALV PIPE 2 1/2"				
2.00	CV2B	2" WELL CHECK BRZ				
1.00	SPLICE KIT-4	4 WIRE SPLICE KIT				
3.00	E2DB	#8 STAKON BUTT SPL				
128.00	SWB4	SUB WIRE 8-3 W/GR				
2.00	WX-252	PRESS. TANK				
1.00	GCD114	GALV 1 1/4" COUPLING				
3.00	PMIP114	MIP ADPT 1 1/4"				
2.00	GN11412	NIPPLE 1 1/4 X 12				
1.00	GE90114	ELBOW 90 1 1/4				
1.00	TC114S	TANK CROSS 1 1/4 SHORT				
			Continued Next Page.			

Remit Payment To:

H₂O WELL SERVICE, INC.
582 W. Hayden Avenue
Hayden Lake, Idaho 83835

(208) 772-4004 • FAX (208) 772-4892

Sub Total:

Net Total:
Sales Tax:
Invoice Total:
Received:
Balance:

THANK YOU!

A restocking charge will be charged on returned goods. Interest will be charged on all past due accounts.

WELL OWNER
Name Mike PENNERI
Address 2637 Tennessee St. Thousand Oaks
Drilling Permit No. 95-93-N-19-000Ca
Water Right Permit No. _____

Static water level 17 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase ☐ Modification
☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)

☒ Domestic ☐ Irrigation ☐ Monitor
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

☒ Rotary ☒ Air ☐ Auger ☐ Reverse rotary
☐ Cable ☐ Mud ☐ Other _____
(backhoe, hydraulic, etc.)

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness Diameter From To

3.50 Inches 6 inches + 2 feet 131 feet

_____ Inches _____ inches _____ feet _____ feet

_____ Inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☒ Yes ☐ No K-PACKER

Perforated? ☐ Yes ☐ No

How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation? _____ inches by _____ inches

Number From To

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer _____ Type _____

Top Packer or Headpipe 4' OF 5" CASING W/K-PACKER

Bottom of Tailpipe _____


Diameter 5" Slot size 60 Set from 132 feet to 137 feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 25' Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
 Sealing procedure used: ☐ Slurry pit
☐ Temp. surface casing ☒ Overbore to seal depth
 Method of joining casing: ☐ Threaded ☒ Welded
☐ Solvent Weld ☐ Cemented between strata

Describe access port

LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
40+	130	1

[illegible]

10.

Work started 2/4/93 finished 2/5/93

1/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name _____ Firm No. 448

Familian

NORTHWEST

ID
83814

PAGE 1

WEIGHT-PREPAID

RECEIVED BY (SIGNATURE) **X**

PRINT NAME HERE

ENTERED BY: JMO

CASH INVOICE

CARD AMT

CASH AMT

CHECK AMT

CHECK #

SPECIAL INSTRUCTIONS:

CUSTOMER PICKUP
COEUR D'ALENE CASH SALES
SCOTT ELECTRIC
DOEUR D'ALENE
ID 83814

200.16

PURCHASE ORDER NUMBER

JOB NAME

JOB NUMBER

DELIVERY METHOD

BILL OF LADING NO.

SHIPPED VIA

SALESMAN

SCOTT ELE.

DESCRIPTION

QTY. ORDERED

U/M

QTY. SHIPPED

UNIT PRICE

U/M

AMOUNT

B.O.

2	X 20' SCH 40 PVC PIPE BE	1	280	FT.	280		.54130	FT	151.56	
2	SCH 40 PVC SXXS TEE	2	EA		2		7.93000	EA	4.76	
2	S40 PVC SX5 90 ELBOW	3	EA		3		6.44000	EA	5.80	
2	SCH 40 PVC SLIP CAP	2	EA		2		3.29000	EA	1.97	
2	SCH 60 PVC PIPE	20	FT		20		.80310	FT	16.06	

TAX

TAX AMOUNT

FREIGHT

DELIVERY

HANDLING

RESTOCKING

MISCELLANEOUS

TOTAL SALE

WEIGHT .2000

WEIGHT .200

WEIGHT .200

WEIGHT .200

WEIGHT .200

WEIGHT .200

WEIGHT .200

WEIGHT .200

MATERIAL SAFETY DATA SHEETS AVAILABLE UPON REQUEST.

CUSTOMER PACKING SLIP

ANDERSEN
EXCAVATING INC
W 1250 HARMON AVE
PF ID 83854 773-9168

Due 10th of the month
5% or 18% per annum
will be charged on all
accounts over 30 days

INVOICE NO.
0051

INVOICE

SOLD TO <i>Michael Pennestri</i>		SHIPPED TO	
STREET & NO. <i>2637 Tennyson St.</i>		STREET & NO.	
CITY <i>Thousand Oaks, Ca.</i>	STATE <i>91360</i>	CITY	STATE ZIP
CUSTOMER'S ORDER	SOLD BY	TERMS	DATE <i>8-27-97</i>
<i>8-27</i>	<i>Dug water line w/ backhoe</i>		<i>400.00</i>
<i>Paid in full # 0114</i>			
<i>BRH</i>			
			<i>400.00</i>

REDIFORM

7L 706

September 30, 1998

MICHAEL A PENNESTRI
2637 TENNYSON ST
THOUSAND OAKS CA 91360

PROOF DUE NOTICE

RE: PERMIT NO. 95-08830

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1998.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
JAN 11 1999





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 17, 1993

MICHAEL A PENNESTRI
2637 TENNYSON ST
THOUSAND OAKS CA 91360

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08830

Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under Condition No. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
JAN 21 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

Application #: 95-8830 Date: 11/15/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____
SYSTEM COMPLETED:
No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - NA
GROUNDWATER:
+ 0.2 cfs <flo-ch> - 01G-P03 (new), 01C-P03 (existing), NMR
- 0.2 cfs - NMR <flow chart>
Drilling Permit:
Included w/permit - Permit No. 95-93-N-0019-000, P99
Existing well - N/A (if drilled before 7/1/87)
No WD permit? - 046-46A<Irr>-46B-P23 (if drilled after 7/1/87)
SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>
LOCATION:
Water District - WD No. _____
Surface water - 005 (req) 01J-P08 <flow chart>
(doesn't sink) or 01H-P01 <flow chart>; NMR
Groundwater - P05 (if well has not been drilled)
In stream channel - 030 (stream channel alteration)
Irrigation Dist. - 023
Canal Co. Areas - 023
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (Groundwater temperature)
Swan Falls Flag - B <See condition code chart>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA
RIVER BASINS (Surface): Water District Control Condition (005) &....
Boise (63) - 05A (req), 11E (non-domestic use), NA
Payette (65) - 064 (consump. use), 047-P04 (Payette Lake), NA
Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA
USE:
Fish Propagation - 010/06A/09E-P10(WQ) & 07A-042 (req)
044 (N 1000 Spr)
Irrigation - 803 (if GW use SW 1st) 5A do POU comp.), NA
Power - 08A-17K-025-027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Mining - 06A/010/09E-P10 & 054 (req)
Storage(✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R + L Peak), 27A(Payette R), NA
OWNERSHIP:
Non land owner - 004 (P/D or P/U)
PROTESTED:
Prehearing agreement - 020
OTHER CONDITIONS: -
REMARKS: - ① w01 (1) ② w02 (3C & 4)
BENEFICIAL USE DUE: - 12-1-1998
COMMENTS: - ① dw desc.

WRO749NP
No. P95-08830

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/15/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD		DIVERSION RATE	DIVERSION VOLUME
				FROM	TO		
C	MICHAEL A PENNESTRI 2637 TENNYSON ST THOUSAND OAKS CA 91360 (805) 492-5118	09/27/1993	IRRIGATION	03-15	11-15	0.16 CFS	
			STOCKWATER	01-01	12-31	0.02 CFS	
			DOMESTIC	01-01	12-31	0.04 CFS	
				TOTAL DIVERSION:		0.20 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T50N R06W S12 SE NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
				NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
50N	06W	12	:																	8.0
																				8.0
																				TOTAL ACRES

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: KOOTENAI

Other Water Rights with Same Point(s) of Diversion and Source:
95-08830

Other Water Rights Listing Overlapping Place(s) of use:
95-02093 95-07045 95-08830

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
- date of permit issuance and shall proceed diligently to
- completion unless it can be shown to the satisfaction of the
- Director of the Department of Water Resources that delays were
- due to circumstances over which permit holder had no control.
- 03A - The rate of diversion of water for irrigation under this right
- and all other water rights on the same land shall not exceed 0.02
- cubic feet per second for each acre of land.

Remarks: Domestic use is for 1 home.
Stockwater use is for 3 cattle and horses.

Dates: App. Received: 09/27/1993 Priority Date: 09/27/1993
Proof Due Date: 12/01/1998 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

WR0749NP
No. P95-08830

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/15/93
PAGE: 2

=====

Comments: Date: 10/08/1993 User-ID: STYPA Subject: DIVERSION DESCRIPTION
Well and pump.
Well is 6" in diameter; 137 feet deep; drilled on 2/5/93 by H2O
Well Service; drilled for Mike Pennestri 95-93-N-0019-000.

Audit: 11/15/93 ZIMMERMA

=====

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM	
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE											
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac										
P9508830	T50N R06W S12	GROUNDWATER																																	
	:																	08 :								:		:	8						
	NO MATCHES FOR THIS POU IN AJ-POU																																		
9502030	SPOKANE RI :									11-08 :																10-07								:	15
9502078	SPOKANE RI :																																	:	15
9502087	SPOKANE RI :																																	:	78
9502093	GROUNDWATE :					40				05								30				05 :								:	80				
9507017	SPOKANE RI :																																	:	131
9507045	GROUNDWATE :	21		40		05				40		20				05 :		32		13		38		40 :		:	123								
9507134	SPOKANE RI :																																	:	7
9507376	SPOKANE RI :																									05								:	7
9508830	GROUNDWATE :																																	:	8
	NO MAPPING INFO AVAILABLE																																		

No. a
4/87-06/92n

U.S. DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
NOV 09 1993

APPLICATION # _____

***** INITIAL REVIEW ***** Department of Water Resources

APPLICANT: PENNE STRI BY: AB DATE: 9 / 27 / 93

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

Yes No

- ___ X Field check: by _____
___ J Field report attached
___ J Analysis Supp. attached(>5cfs/500af)
___ J Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 9 / 27 / 93

___ X (Include Moratorium Remark)

___ X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

X **UPGRADE**

Checked by: _____ Date: ____/____/____

Remarks: _____

- ___ X Groundwater management area
___ X Critical ground water area
X Well Drilling Permit required
X Well Drilling Application and Fees received
___ Well Drilling Application approved?
___ Well Drilling Application Number 95-93-N-19

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ___ Notice of pending void order issued. Final order response date: ____/____/____
___ Further information required from applicant
X Affidavit of publication received
X Application published correctly, If not, record action taken: _____
___ Publication dates and paper recorded on application | Sr. Agent initial AB
X Protests received. Final protest date: 11/8/93
___ Measuring device required
___ Measuring port required
___ Special conditions: _____
___ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: B. P. A.

Date: 11 / 2 / 93

95-08830

PENNESTRI, MICHAEL A
2637 TENNYSON ST
THOUSAND OAKS, CA 91360

Source: GROUNDWATER

Diversion Pt: SENW Sec 12 T 50N R 06W in KOOTENAI County.

Use: IRRIGATION	(.160 CFS)
STOCKWATER	(.020 CFS)
DOMESTIC	(.040 CFS)
Total Diversion:	(.200 CFS)

Date Filed: 9/27/1993

In: KOOTENAI County
T50N R06W S12 SENW

8.0 ACRES TOTAL

MICROFILMED

JAN 21 1994

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Ken Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The legal notice

of which the annexed is a printed copy, was published in the regular Thurs issue of said newspaper for 2 consecutive weeks commencing on the 25th day of October, 1993, and ending on the 28th day of October, 1993, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 28th day of October, 1993

Roberta Smalley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

OCT 29 1993

2-5-99

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public water of the State of Idaho:
LLOYD, JERRY
304 W 15TH ST
POST FALLS, ID 83854
Source: SPRING. Tributary: LATOUR CREEK.
Diversión Pt: NWSENW Sec 13 T 48N R 01W in KOOTENAI COUNTY.

Use: DOMESTIC (040 CFS)
Total Diversión: (040 CFS)
Date Filed: 10/5/1993

In: KOOTENAI County
T48N R01W S13 SENW
95-08830
PENNESTRI, MICHAEL A
2637 TENNYSON ST
THOUSAND OAKS, CA 91360

Source: GROUNDWATER
Diversión Pt: SENW Sec 12 T 50N R 06W in KOOTENAI County.
Use: IRRIGATION (160 CFS)
STOCKWATER (020 CFS)
DOMESTIC (040 CFS)
Total Diversión (200 CFS)

Date Filed: 9/27/1993
In: KOOTENAI County
T50N R06W S12 SENW
8.0 ACRES TOTAL
95-08831

KEMP, DEBORAH
HARBOR PLAZA STE 103
COEUR D'ALENE, ID 83814
Source: COEUR D'ALENE LAKE.
Tributary: SPOKANE RIVER
Diversión Pt: SWSW Sec 28 T 50N R 03W in KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversión (040 CFS)

Date Filed: 9/29/1993
In: KOOTENAI County
T50N R03W S28 SWSW
95-08832

LIDER, EDWARD
LIDER, JOYCE
4301 HOLMES RD
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversión Pt: SWSSE Sec 9 T 50N R 03W in KOOTENAI County.
Use: DOMESTIC (100 CFS)
Total Diversión (100 CFS)

Date Filed: 10/1/1993
In: KOOTENAI County
T50N R02W S09 SESE
95-08833

LIDER, EDWARD
LIDER, JOYCE
4301 HOLMES RD
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversión Pt: SESWSE Sec 9 T 50N R 03W in KOOTENAI COUNTY.
Use: DOMESTIC (040 CFS)
Total Diversión (040 CFS)

Date Filed: 10/1/1993
In: KOOTENAI County
T50N R03W S09 SESE
95-08834

COVEHAVEN OWNERS ASSN INC
JAMES R ALLEN PRESIDENT
RT 1 BOX 71A
WORLEY, ID 83876
Source: GROUNDWATER
Diversión Pt: LOT 1 (NENE) SEC 11 T 47N R 04W in KOOTENAI County.
Use: IRRIGATION (180 CFS)
DOMESTIC (180 CFS)
Total Diversión (180 CFS)

Date Filed: 9/29/1993
In: KOOTENAI County
T47N R04W S11 Lot 1 (NENE) Lot 3 (SENE)
15.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before NOVEMBER 8, 1993.

R. KEITH HIGGINSON, Director
Published: 10/21/1993 & 10/28/1993
Legal 131
Oct. 21, 28, 1993

MICROFILMED

JAN 21 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 ~~(208) 769-1450~~ Fax (208) 769-1454

CECIL D. ANDRUS

October 14, 1993

R. KEITH HIGGINSON

Director

Mr. Michael A. Pennestri
2637 Tennyson St.
Thousand Oaks, Ca. 91360

Dear Mr. Penestri:

Subject: Water Application for Permit Number 95-8830.

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to Appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N7006. Please refer to your Application for Permit Number in future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent

MICROFILMED

JAN 21 1994